

ASSAM Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,12,05,576						
2	Sex Ratio	954						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	4,678						
4	Primary Health Centers (PHC)	1,001						
5	Community Health Centers (CHC)	199						
6	SDH	14						
7	DH	24						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	8,52,619	8,58,796					
9	Expected number of Delivery	7,94,485	8,00,241					
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	6,55,125	76.8	1,86,324	21.7	ANC Check up in first trimester	63.8	
11	Mothers registered in the first trimester	5,88,341	89.8	1,69,249	90.8	At least 4ANC check up	50.7	
12	Mothers who had 4 or more ANC check ups	5,45,202	83.2	1,30,251	69.9	Neonatal tetanus received	94.5	
13	PW who got TT 2 / Booster injection	6,10,475	93.2	1,64,700	88.4	100 IFA tablets consumed	47.5	
14	PW who consumed 180 IFA tablets	6,35,403	97.0	1,77,266	95.1	Home Delivery	15.9	
15	Home Delivery against expected delivery *	50,052	6.3	8,678	1.1	Institutional Delivery	84.1	
16	Institutional Delivery against expected delivery *	5,23,369	65.9	1,00,269	12.5	Home Delivery by SBA	2.6	
17	Home Delivery against reported delivery **	50,052	8.7	8,678	8.0	PNC within 2days of delivery	65.3	
18	Institutional Delivery against reported delivery **	5,23,369	91.3	1,00,269	92.0			
19	Total reported Deliveries	5,73,421		1,08,947				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18,118	36.2	3,151	36.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,65,860	81.2	92,585	85.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	7,75,108		7,80,723				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
			1stQTR					
23	Total reported live births	5,65,794	73.0	1,07,671	13.8	Breastfed within 1 hour of birth	49.1	
24	Total Still Birth	11,511	1.5	2,222	0.3	BCG	92.5	
25	PC of newborn weighted at birth to live birth	5,56,071	98.3	1,06,832	99.2	3 dose of DPT	81.7	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	73,974	13.3	14,008	13.1	Measles First dose	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,52,190	97.6	1,04,892	97.4	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	6,06,444	78.2	1,19,211	15.3	Full Immunization	66.4
29	Children who have received BCG	6,15,331	79.4	1,26,199	16.2		
30	Children who have received Pentavalent 1	6,04,882	78.0	1,38,537	17.7		
31	Children who have received Pentavalent 3	5,86,017	75.6	1,55,423	19.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,07,799	78.4	1,20,006	15.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	29,058		8,477			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	466	13	Total unmet need	11
35	Number of Tubectomies performed	23,619	3,831	Spacing	4.1
36	Number of IUD insertion	46,733	7,389	Women using any method	60.8
37	Number of IUD removals	13,335	4,227	Women using modern method	45.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	338	109		
39	General OPD cases per 10,000 population ***	6,693	2,275		
40	Ayush OPD cases per 10,000 population ***	359	119		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	1,231	198		
42	Neonatal Deaths up to 4 weeks of birth	4,673	846		
43	Total Neonatal Death	5,904	1,044		
44	Deaths between (1 - 11) months	2,001	512		
45	Total reported infant deaths	7,905	1,556		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	14	1		
47	Due to Obstructed/prolonged labour	11	4		
48	Due to Severe hypertension / fits	99	17		
49	Due to Bleeding	114	15		
50	Due to High fever	14	3		
51	Due to Other Causes (including causes not known)	500	64		
52	Total reported maternal deaths	752	104		

Baksa Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	24,525		24,563			
9	Expected number of Delivery	22,853		22,888			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,313	62.4	4,115	16.8	ANC Check up in first trimester	61.1
11	Mothers registered in the first trimester	13,976	91.3	3,806	92.5	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	13,184	86.1	2,771	67.3	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	13,577	88.7	3,662	89.0	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	14,699	96.0	3,933	95.6	Home Delivery	10.1
15	Home Delivery against expected delivery *	276	1.2	27	0.1	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	6,759	29.6	1,232	5.4	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	276	3.9	27	2.1	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	6,759	96.1	1,232	97.9		
19	Total reported Deliveries	7,035		1,259			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	191	69.2	25	92.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,632	151.1	2,082	165.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,296		22,330			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	6,922	31.0	1,233	5.5	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	129	0.6	29	0.1	BCG	93.6
25	PC of newborn weighted at birth to live birth	6,920	100.0	1,233	100.0	3 dose of DPT	87.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	829	12.0	154	12.5	Measles First dose	91.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,912	99.9	1,230	99.8	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	14,091	63.2	2,646	11.8	Full Immunization	70.5
29	Children who have received BCG	11,204	50.3	1,988	8.9		
30	Children who have received Pentavalent 1	13,769	61.8	2,993	13.4		
31	Children who have received Pentavalent 3	13,324	59.8	3,951	17.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,077	63.1	2,659	11.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	400		89			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	12.5
35	Number of Tubectomies performed	186	71	Spacing	5.7
36	Number of IUD insertion	1,344	169	Women using any method	59.2
37	Number of IUD removals	570	189	Women using modern method	47.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	92	29		
39	General OPD cases per 10,000 population ***	4,058	1,274		
40	Ayush OPD cases per 10,000 population ***	823	305		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	11	3		
42	Neonatal Deaths up to 4 weeks of birth	52	7		
43	Total Neonatal Death	63	10		
44	Deaths between (1 - 11) months	76	2		
45	Total reported infant deaths	139	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	0		
52	Total reported maternal deaths	8	0		

Barpeta Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	16,93,622				
2	Sex Ratio	951				
B) Infrastructure Details (RHS 2020-21)		Numbers				
3	Sub Centers (SC)	264				
4	Primary Health Centers (PHC)	48				
5	Community Health Centers (CHC)	11				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2021-22	2022-23			
8	Expected number of PW	48,349	48,913			
9	Expected number of Delivery	45,052	45,578			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	41,413	85.7	12,175	24.9	ANC Check up in first trimester 62.2
11	Mothers registered in the first trimester	38,418	92.8	11,259	92.5	At least 4ANC check up 43.6
12	Mothers who had 4 or more ANC check ups	35,311	85.3	7,205	59.2	Neonatal tetanus received 94.9
13	PW who got TT 2 / Booster injection	38,403	92.7	10,197	83.8	100 IFA tablets consumed 49.4
14	PW who consumed 180 IFA tablets	40,700	98.3	11,656	95.7	Home Delivery 12.4
15	Home Delivery against expected delivery *	4,809	10.7	764	1.7	Institutional Delivery 87.6
16	Institutional Delivery against expected delivery *	34,495	76.6	6,639	14.6	Home Delivery by SBA 0.6
17	Home Delivery against reported delivery **	4,809	12.2	764	10.3	PNC within 2days of delivery 70.5
18	Institutional Delivery against reported delivery **	34,495	87.8	6,639	89.7	
19	Total reported Deliveries	39,304		7,403		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,846	59.2	432	56.5	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,515	85.3	7,124	96.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	43,954		44,467		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
23	Total reported live births	38,432	87.4	7,235	16.3	Breastfed within 1 hour of birth 46.4
24	Total Still Birth	1,059	2.4	193	0.4	BCG 94.3
25	PC of newborn weighted at birth to live birth	38,427	100.0	7,228	99.9	3 dose of DPT 73.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,482	14.3	1,213	16.8	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	38,225	99.5	7,172	99.1	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	36,701	83.5	7,080	15.9	Full Immunization	54.6
29	Children who have received BCG	40,217	91.5	8,939	20.1		
30	Children who have received Pentavalent 1	37,310	84.9	8,538	19.2		
31	Children who have received Pentavalent 3	36,411	82.8	9,771	22.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,713	83.5	7,097	16.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	544		209			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	2	Total unmet need	12.3
35	Number of Tubectomies performed	1,671	358	Spacing	3.9
36	Number of IUD insertion	2,598	347	Women using any method	57.3
37	Number of IUD removals	499	108	Women using modern method	47.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	320	79		
39	General OPD cases per 10,000 population ***	5,980	1,683		
40	Ayush OPD cases per 10,000 population ***	605	191		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	38	3		
42	Neonatal Deaths up to 4 weeks of birth	371	79		
43	Total Neonatal Death	409	82		
44	Deaths between (1 - 11) months	100	39		
45	Total reported infant deaths	509	121		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	19	1		
49	Due to Bleeding	9	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	63	7		
52	Total reported maternal deaths	91	8		

Biswanath Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,12,491					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	135					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	3					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	16,529	16,628				
9	Expected number of Delivery	15,402	15,494				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,581	82.2	3,734	22.5	ANC Check up in first trimester	41.2
11	Mothers registered in the first trimester	12,623	92.9	3,483	93.3	At least 4ANC check up	46.5
12	Mothers who had 4 or more ANC check ups	11,471	84.5	2,798	74.9	Neonatal tetanus received	94.6
13	PW who got TT 2 / Booster injection	12,695	93.5	3,515	94.1	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	12,987	95.6	3,750	100.4	Home Delivery	15.7
15	Home Delivery against expected delivery *	388	2.5	61	0.4	Institutional Delivery	84.3
16	Institutional Delivery against expected delivery *	8,906	57.8	1,477	9.5	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	388	4.2	61	4.0	PNC within 2days of delivery	56.5
18	Institutional Delivery against reported delivery **	8,906	95.8	1,477	96.0		
19	Total reported Deliveries	9,294		1,538			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	23.5	9	14.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,195	109.7	1,633	106.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,026		15,116			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	9,202	61.2	1,518	10.0	Breastfed within 1 hour of birth	62.7
24	Total Still Birth	113	0.8	24	0.2	BCG	88.3
25	PC of newborn weighted at birth to live birth	9,120	99.1	1,518	100.0	3 dose of DPT	82.5

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,108	12.1	146	9.6	Measles First dose	87.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,987	97.7	1,459	96.1	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,311	81.9	2,400	15.9	Full Immunization	66.2
29	Children who have received BCG	11,305	75.2	2,167	14.3		
30	Children who have received Pentavalent 1	12,293	81.8	2,829	18.7		
31	Children who have received Pentavalent 3	11,950	79.5	3,306	21.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,322	82.0	2,412	16.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	103		32			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5.3
35	Number of Tubectomies performed	23	9	Spacing	1.4
36	Number of IUD insertion	121	26	Women using any method	72.4
37	Number of IUD removals	69	19	Women using modern method	56.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	417	117		
39	General OPD cases per 10,000 population ***	9,915	3,338		
40	Ayush OPD cases per 10,000 population ***	101	25		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	30	1		
42	Neonatal Deaths up to 4 weeks of birth	62	8		
43	Total Neonatal Death	92	9		
44	Deaths between (1 - 11) months	51	16		
45	Total reported infant deaths	143	25		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	3	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	3		
52	Total reported maternal deaths	10	4		

Bongaigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,38,804					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	108					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	20,718		20,923			
9	Expected number of Delivery	19,306		19,496			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,086	72.8	4,219	20.2	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	13,993	92.8	3,966	94.0	At least 4ANC check up	33.9
12	Mothers who had 4 or more ANC check ups	13,463	89.2	3,605	85.4	Neonatal tetanus received	91.8
13	PW who got TT 2 / Booster injection	14,140	93.7	3,488	82.7	100 IFA tablets consumed	46.7
14	PW who consumed 180 IFA tablets	15,086	100.0	4,205	99.7	Home Delivery	15.5
15	Home Delivery against expected delivery *	456	2.4	84	0.4	Institutional Delivery	84.5
16	Institutional Delivery against expected delivery *	13,371	69.3	2,356	12.1	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	456	3.3	84	3.4	PNC within 2days of delivery	57.0
18	Institutional Delivery against reported delivery **	13,371	96.7	2,356	96.6		
19	Total reported Deliveries	13,827		2,440			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	387	84.9	82	97.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,333	89.2	2,499	102.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,835		19,021			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	13,765	73.1	2,444	12.8	Breastfed within 1 hour of birth	46.7
24	Total Still Birth	233	1.2	26	0.1	BCG	94.1
25	PC of newborn weighted at birth to live birth	13,584	98.7	2,444	100.0	3 dose of DPT	80.4

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,715	12.6	275	11.3	Measles First dose	84.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,627	99.0	2,399	98.2	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	13,349	70.9	2,614	13.7	Full Immunization	67.9
29	Children who have received BCG	16,221	86.1	2,882	15.2		
30	Children who have received Pentavalent 1	13,925	73.9	3,339	17.6		
31	Children who have received Pentavalent 3	13,362	70.9	3,351	17.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,349	70.9	2,623	13.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	193		81			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.1
35	Number of Tubectomies performed	559	54	Spacing	5.1
36	Number of IUD insertion	1,147	305	Women using any method	57.6
37	Number of IUD removals	212	50	Women using modern method	45.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	353	101		
39	General OPD cases per 10,000 population ***	5,587	1,841		
40	Ayush OPD cases per 10,000 population ***	138	17		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	21	2		
42	Neonatal Deaths up to 4 weeks of birth	56	11		
43	Total Neonatal Death	77	13		
44	Deaths between (1 - 11) months	42	7		
45	Total reported infant deaths	119	20		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	1		
52	Total reported maternal deaths	6	1		

Cachar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	17,36,617					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	269					
4	Primary Health Centers (PHC)	32					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	48,983	49,495				
9	Expected number of Delivery	45,643	46,120				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	38,854	79.3	10,313	20.8	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	35,076	90.3	9,290	90.1	At least 4ANC check up	32.7
12	Mothers who had 4 or more ANC check ups	34,341	88.4	7,616	73.8	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	38,086	98.0	8,935	86.6	100 IFA tablets consumed	35.6
14	PW who consumed 180 IFA tablets	38,064	98.0	10,001	97.0	Home Delivery	20.8
15	Home Delivery against expected delivery *	767	1.7	98	0.2	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	41,891	91.8	8,326	18.1	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	767	1.8	98	1.2	PNC within 2days of delivery	57.3
18	Institutional Delivery against reported delivery **	41,891	98.2	8,326	98.8		
19	Total reported Deliveries	42,658		8,424			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	504	65.7	64	65.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,287	52.2	5,131	60.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	44,530		44,995			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	41,755	93.8	8,305	18.5	Breastfed within 1 hour of birth	29.8
24	Total Still Birth	1,239	2.8	210	0.5	BCG	88.3
25	PC of newborn weighted at birth to live birth	41,361	99.1	8,305	100.0	3 dose of DPT	82.5

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,769	16.4	1,226	14.8	Measles First dose	76.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	41,339	99.0	8,255	99.4	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	41,305	92.8	7,266	16.1	Full Immunization	70.4
29	Children who have received BCG	45,889	103.1	9,484	21.1		
30	Children who have received Pentavalent 1	43,524	97.7	9,471	21.0		
31	Children who have received Pentavalent 3	42,750	96.0	9,950	22.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	41,179	92.5	7,480	16.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,841		202			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	110	0	Total unmet need	15.6
35	Number of Tubectomies performed	1,416	217	Spacing	6.9
36	Number of IUD insertion	2,145	138	Women using any method	48
37	Number of IUD removals	197	30	Women using modern method	38.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	504	168		
39	General OPD cases per 10,000 population ***	9,617	2,528		
40	Ayush OPD cases per 10,000 population ***	16	3		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	122	14		
42	Neonatal Deaths up to 4 weeks of birth	327	63		
43	Total Neonatal Death	449	77		
44	Deaths between (1 - 11) months	188	49		
45	Total reported infant deaths	637	126		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	7	0		
49	Due to Bleeding	4	1		
50	Due to High fever	3	0		
51	Due to Other Causes (including causes not known)	75	14		
52	Total reported maternal deaths	89	15		

Charaideo Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,58,615					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	70					
4	Primary Health Centers (PHC)	19					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	11,630		11,627			
9	Expected number of Delivery	10,837		10,834			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,490	64.4	1,998	17.2	ANC Check up in first trimester	74.1
11	Mothers registered in the first trimester	6,833	91.2	1,832	91.7	At least 4ANC check up	64.5
12	Mothers who had 4 or more ANC check ups	6,316	84.3	1,449	72.5	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	6,739	90.0	1,926	96.4	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	8,072	107.8	2,196	109.9	Home Delivery	11.8
15	Home Delivery against expected delivery *	31	0.3	2	0.0	Institutional Delivery	88.2
16	Institutional Delivery against expected delivery *	3,317	30.6	524	4.8	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	31	0.9	2	0.4	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	3,317	99.1	524	99.6		
19	Total reported Deliveries	3,348		526			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	100.0	2	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,731	141.3	749	142.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	10,572		10,570			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	3,292	31.1	519	4.9	Breastfed within 1 hour of birth	58.3
24	Total Still Birth	56	0.5	9	0.1	BCG	96.2
25	PC of newborn weighted at birth to live birth	3,296	100.1	519	100.0	3 dose of DPT	90.1

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	558	16.9	117	22.5	Measles First dose	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,285	99.8	517	99.6	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,988	66.1	1,254	11.9	Full Immunization	74
29	Children who have received BCG	4,263	40.3	668	6.3		
30	Children who have received Pentavalent 1	7,048	66.7	1,583	15.0		
31	Children who have received Pentavalent 3	6,558	62.0	1,807	17.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,990	66.1	1,254	11.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	235		50			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	545	0	Spacing	3.7
36	Number of IUD insertion	1,030	75	Women using any method	67
37	Number of IUD removals	129	45	Women using modern method	43.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	108	36		
39	General OPD cases per 10,000 population ***	10,754	3,559		
40	Ayush OPD cases per 10,000 population ***	130	32		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	5	2		
42	Neonatal Deaths up to 4 weeks of birth	5	0		
43	Total Neonatal Death	10	2		
44	Deaths between (1 - 11) months	7	0		
45	Total reported infant deaths	17	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Chirang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,82,162					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	87					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	12,458		12,478			
9	Expected number of Delivery	11,608		11,627			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,294	74.6	2,645	21.2	ANC Check up in first trimester	55.9
11	Mothers registered in the first trimester	7,782	83.7	2,302	87.0	At least 4ANC check up	56.5
12	Mothers who had 4 or more ANC check ups	6,775	72.9	1,303	49.3	Neonatal tetanus received	96.1
13	PW who got TT 2 / Booster injection	8,803	94.7	2,352	88.9	100 IFA tablets consumed	47.1
14	PW who consumed 180 IFA tablets	8,814	94.8	2,566	97.0	Home Delivery	16.3
15	Home Delivery against expected delivery *	1,407	12.1	215	1.8	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	6,189	53.3	1,244	10.7	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	1,407	18.5	215	14.7	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	6,189	81.5	1,244	85.3		
19	Total reported Deliveries	7,596		1,459			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78		20		9.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,149		987		67.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	11,325		11,344			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	7,538		1,437		Breastfed within 1 hour of birth	
24	Total Still Birth	93		32		BCG	
25	PC of newborn weighted at birth to live birth	7,527		1,435		3 dose of DPT	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	865	11.5	163	11.4	Measles First dose	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,502	99.5	1,427	99.3	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	8,197	72.4	1,638	14.4	Full Immunization	71.1
29	Children who have received BCG	8,888	78.5	1,665	14.7		
30	Children who have received Pentavalent 1	8,432	74.5	1,956	17.2		
31	Children who have received Pentavalent 3	8,213	72.5	2,303	20.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,221	72.6	1,629	14.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	670		193			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	87	23	Spacing	3.7
36	Number of IUD insertion	809	261	Women using any method	65.8
37	Number of IUD removals	538	198	Women using modern method	55.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	290	97		
39	General OPD cases per 10,000 population ***	4,763	1,581		
40	Ayush OPD cases per 10,000 population ***	516	160		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	20	0		
42	Neonatal Deaths up to 4 weeks of birth	41	5		
43	Total Neonatal Death	61	5		
44	Deaths between (1 - 11) months	33	6		
45	Total reported infant deaths	94	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	2	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	11	1		
52	Total reported maternal deaths	14	3		

Darrang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,28,500					
2	Sex Ratio	923					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	159					
4	Primary Health Centers (PHC)	33					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	26,020	26,275				
9	Expected number of Delivery	24,246	24,484				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,999	84.5	6,251	23.8	ANC Check up in first trimester	56.5
11	Mothers registered in the first trimester	21,682	98.6	6,181	98.9	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	20,655	93.9	5,205	83.3	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	20,804	94.6	5,556	88.9	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	22,142	100.7	5,954	95.2	Home Delivery	15.6
15	Home Delivery against expected delivery *	108	0.4	18	0.1	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	19,008	78.4	3,803	15.5	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	108	0.6	18	0.5	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	19,008	99.4	3,803	99.5		
19	Total reported Deliveries	19,116		3,821			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	99.1	18	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,484	122.8	5,165	135.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,655		23,886			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	18,947	80.1	3,790	15.9	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	304	1.3	42	0.2	BCG	94.9
25	PC of newborn weighted at birth to live birth	18,897	99.7	3,789	100.0	3 dose of DPT	76.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,878	9.9	354	9.3	Measles First dose	82.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,558	97.9	3,663	96.6	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,678	83.2	4,082	17.1	Full Immunization	57.1
29	Children who have received BCG	19,303	81.6	3,460	14.5		
30	Children who have received Pentavalent 1	19,706	83.3	4,501	18.8		
31	Children who have received Pentavalent 3	19,422	82.1	4,833	20.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,630	83.0	4,081	17.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,750		763			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.8
35	Number of Tubectomies performed	797	125	Spacing	5.8
36	Number of IUD insertion	2,325	128	Women using any method	46.8
37	Number of IUD removals	619	181	Women using modern method	36.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	369	109		
39	General OPD cases per 10,000 population ***	5,801	1,979		
40	Ayush OPD cases per 10,000 population ***	271	126		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	8	0		
42	Neonatal Deaths up to 4 weeks of birth	129	27		
43	Total Neonatal Death	137	27		
44	Deaths between (1 - 11) months	24	11		
45	Total reported infant deaths	161	38		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	2	0		
49	Due to Bleeding	5	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	0		
52	Total reported maternal deaths	19	1		

Dhemaji Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,86,133					
2	Sex Ratio	949					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	19,378	19,583				
9	Expected number of Delivery	18,056	18,247				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,930	71.9	3,843	19.6	ANC Check up in first trimester	76.2
11	Mothers registered in the first trimester	13,160	94.5	3,660	95.2	At least 4ANC check up	62.2
12	Mothers who had 4 or more ANC check ups	11,515	82.7	2,102	54.7	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	12,786	91.8	3,706	96.4	100 IFA tablets consumed	45.3
14	PW who consumed 180 IFA tablets	14,157	101.6	3,586	93.3	Home Delivery	12.7
15	Home Delivery against expected delivery *	29	0.2	5	0.0	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	14,723	81.5	2,442	13.4	Home Delivery by SBA	4.2
17	Home Delivery against reported delivery **	29	0.2	5	0.2	PNC within 2days of delivery	72.8
18	Institutional Delivery against reported delivery **	14,723	99.8	2,442	99.8		
19	Total reported Deliveries	14,752		2,447			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	65.5	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,891	80.6	1,838	75.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,616		17,802			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	14,650	83.2	2,445	13.7	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	224	1.3	37	0.2	BCG	96.7
25	PC of newborn weighted at birth to live birth	14,390	98.2	2,333	95.4	3 dose of DPT	94.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,527	10.6	158	6.8	Measles First dose	93.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,306	97.7	2,329	95.3	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	13,550	76.9	2,614	14.7	Full Immunization	89.7
29	Children who have received BCG	14,270	81.0	2,683	15.1		
30	Children who have received Pentavalent 1	13,396	76.0	2,792	15.7		
31	Children who have received Pentavalent 3	13,455	76.4	3,729	20.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,591	77.2	2,617	14.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	838		270			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	746	7	Spacing	3.5
36	Number of IUD insertion	853	227	Women using any method	72.6
37	Number of IUD removals	700	271	Women using modern method	45
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	283	65		
39	General OPD cases per 10,000 population ***	6,446	1,990		
40	Ayush OPD cases per 10,000 population ***	215	62		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	32	3		
42	Neonatal Deaths up to 4 weeks of birth	80	12		
43	Total Neonatal Death	112	15		
44	Deaths between (1 - 11) months	52	7		
45	Total reported infant deaths	164	22		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	1		
52	Total reported maternal deaths	11	1		

Dhubri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,94,144					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	187					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	40,984	41,584				
9	Expected number of Delivery	38,190	38,749				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	44,266	108.0	13,456	32.4	ANC Check up in first trimester	49.9
11	Mothers registered in the first trimester	39,773	89.8	12,436	92.4	At least 4ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	40,429	91.3	9,107	67.7	Neonatal tetanus received	97.0
13	PW who got TT 2 / Booster injection	42,537	96.1	11,619	86.3	100 IFA tablets consumed	47.6
14	PW who consumed 180 IFA tablets	44,251	100.0	13,457	100.0	Home Delivery	35.8
15	Home Delivery against expected delivery *	13,910	36.4	2,600	6.7	Institutional Delivery	64.2
16	Institutional Delivery against expected delivery *	22,241	58.2	4,265	11.0	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	13,910	38.5	2,600	37.9	PNC within 2days of delivery	48.4
18	Institutional Delivery against reported delivery **	22,241	61.5	4,265	62.1		
19	Total reported Deliveries	36,151		6,865			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,944	35.5	928	35.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,174	69.6	5,667	82.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,258		37,804			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	36,314	97.5	6,952	18.4	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	860	2.3	168	0.4	BCG	90.5
25	PC of newborn weighted at birth to live birth	36,081	99.4	6,935	99.8	3 dose of DPT	82.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,207	14.4	842	12.1	Measles First dose	84
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,736	98.4	6,812	98.0	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	38,756	104.0	7,389	19.5	Full Immunization	71.6
29	Children who have received BCG	38,431	103.1	7,942	21.0		
30	Children who have received Pentavalent 1	38,397	103.1	9,184	24.3		
31	Children who have received Pentavalent 3	37,856	101.6	9,835	26.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	39,510	106.0	7,495	19.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,135		422			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	13	0	Total unmet need	11.5
35	Number of Tubectomies performed	518	58	Spacing	4
36	Number of IUD insertion	5,299	495	Women using any method	64.1
37	Number of IUD removals	331	76	Women using modern method	53.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	255	82		
39	General OPD cases per 10,000 population ***	4,483	1,392		
40	Ayush OPD cases per 10,000 population ***	361	139		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	111	12		
42	Neonatal Deaths up to 4 weeks of birth	256	30		
43	Total Neonatal Death	367	42		
44	Deaths between (1 - 11) months	87	11		
45	Total reported infant deaths	454	53		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	2	0		
49	Due to Bleeding	5	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	1		
52	Total reported maternal deaths	20	1		

Dibrugarh Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,26,335					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	234					
4	Primary Health Centers (PHC)	31					
5	Community Health Centers (CHC)	10					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	34,534		34,617			
9	Expected number of Delivery	32,179		32,256			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number		PC		Number	
		PC		Number		PC	
10	PW register for ANC	20,554	59.5	5,603	16.2	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	17,982	87.5	4,978	88.8	At least 4ANC check up	75.6
12	Mothers who had 4 or more ANC check ups	15,206	74.0	3,426	61.1	Neonatal tetanus received	94.1
13	PW who got TT 2 / Booster injection	18,209	88.6	5,166	92.2	100 IFA tablets consumed	58.9
14	PW who consumed 180 IFA tablets	19,574	95.2	4,950	88.3	Home Delivery	6.9
15	Home Delivery against expected delivery *	47	0.1	7	0.0	Institutional Delivery	93.1
16	Institutional Delivery against expected delivery *	21,662	67.3	4,305	13.3	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	47	0.2	7	0.2	PNC within 2days of delivery	82.1
18	Institutional Delivery against reported delivery **	21,662	99.8	4,305	99.8		
19	Total reported Deliveries	21,709		4,312			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	36.2	1	14.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,534	94.6	3,622	84.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,394		31,470			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number		PC		Number	
		PC		Number		PC	
23	Total reported live births	21,259	67.7	4,186	13.3	Breastfed within 1 hour of birth	52.6
24	Total Still Birth	657	2.1	178	0.6	BCG	97.8
25	PC of newborn weighted at birth to live birth	21,259	100.0	4,182	99.9	3 dose of DPT	93

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,635	21.8	860	20.6	Measles First dose	97.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	20,936	98.5	4,084	97.6	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	19,910	63.4	3,942	12.5	Full Immunization	83.8
29	Children who have received BCG	21,430	68.3	4,556	14.5		
30	Children who have received Pentavalent 1	20,281	64.6	4,152	13.2		
31	Children who have received Pentavalent 3	18,723	59.6	5,512	17.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,912	63.4	3,943	12.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,257		460			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	76	0	Total unmet need	8.7
35	Number of Tubectomies performed	1,923	133	Spacing	4.8
36	Number of IUD insertion	842	456	Women using any method	64.6
37	Number of IUD removals	605	203	Women using modern method	43.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	597	213		
39	General OPD cases per 10,000 population ***	14,503	5,162		
40	Ayush OPD cases per 10,000 population ***	164	59		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	57	12		
42	Neonatal Deaths up to 4 weeks of birth	349	86		
43	Total Neonatal Death	406	98		
44	Deaths between (1 - 11) months	105	31		
45	Total reported infant deaths	511	129		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	6	0		
47	Due to Obstructed/prolonged labour	4	0		
48	Due to Severe hypertension / fits	27	6		
49	Due to Bleeding	12	4		
50	Due to High fever	7	3		
51	Due to Other Causes (including causes not known)	35	2		
52	Total reported maternal deaths	91	15		

Dima Hasao Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,14,102					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	76					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	5,657		5,679			
9	Expected number of Delivery	5,271		5,292			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
				1stQTR			
		Number		PC			
				Number		PC	
10	PW register for ANC	4,153	73.4	1,114	19.6	ANC Check up in first trimester	58.9
11	Mothers registered in the first trimester	3,125	75.2	820	73.6	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	2,246	54.1	470	42.2	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	3,622	87.2	917	82.3	100 IFA tablets consumed	40.8
14	PW who consumed 180 IFA tablets	3,587	86.4	850	76.3	Home Delivery	10.5
15	Home Delivery against expected delivery *	1,284	24.4	254	4.8	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	2,275	43.2	510	9.6	Home Delivery by SBA	1.8
17	Home Delivery against reported delivery **	1,284	36.1	254	33.2	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	2,275	63.9	510	66.8		
19	Total reported Deliveries	3,559		764			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	452	35.2	109	42.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,169	32.8	225	29.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,143		5,163			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
				1stQTR			
23	Total reported live births	3,503	68.1	744	14.4	Breastfed within 1 hour of birth	58
24	Total Still Birth	70	1.4	23	0.4	BCG	91.3
25	PC of newborn weighted at birth to live birth	3,492	99.7	737	99.1	3 dose of DPT	71.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	217	6.2	48	6.5	Measles First dose	71.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,486	99.5	739	99.3	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,445	67.0	699	13.5	Full Immunization	63.6
29	Children who have received BCG	3,583	69.7	759	14.7		
30	Children who have received Pentavalent 1	3,469	67.5	780	15.1		
31	Children who have received Pentavalent 3	3,309	64.3	844	16.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,450	67.1	700	13.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	500		117			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	0	Spacing	2.6
36	Number of IUD insertion	187	24	Women using any method	65.5
37	Number of IUD removals	162	62	Women using modern method	44.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	393	134		
39	General OPD cases per 10,000 population ***	6,379	1,831		
40	Ayush OPD cases per 10,000 population ***	342	153		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	13	1		
42	Neonatal Deaths up to 4 weeks of birth	23	6		
43	Total Neonatal Death	36	7		
44	Deaths between (1 - 11) months	34	5		
45	Total reported infant deaths	70	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	4	0		
52	Total reported maternal deaths	6	0		

Goalpara Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	29,161	29,540				
9	Expected number of Delivery	27,173	27,526				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	27,066	92.8	7,666	26.0	ANC Check up in first trimester	65.3
11	Mothers registered in the first trimester	25,515	94.3	7,361	96.0	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	22,519	83.2	5,242	68.4	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	25,293	93.4	6,927	90.4	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	26,515	98.0	7,514	98.0	Home Delivery	7.7
15	Home Delivery against expected delivery *	844	3.1	146	0.5	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	25,032	92.1	5,013	18.2	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	844	3.3	146	2.8	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	25,032	96.7	5,013	97.2		
19	Total reported Deliveries	25,876		5,159			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	713	84.5	130	89.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,583	75.7	5,102	98.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,510		26,855			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	25,532	96.3	5,093	19.0	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	570	2.2	105	0.4	BCG	98.4
25	PC of newborn weighted at birth to live birth	25,372	99.4	5,088	99.9	3 dose of DPT	90.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,838	11.2	513	10.1	Measles First dose	90.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,275	99.0	5,064	99.4	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,727	85.7	4,895	18.2	Full Immunization	70.3
29	Children who have received BCG	25,970	98.0	5,773	21.5		
30	Children who have received Pentavalent 1	23,047	86.9	5,854	21.8		
31	Children who have received Pentavalent 3	22,455	84.7	5,994	22.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,618	89.1	5,083	18.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	753		300			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	18	0	Total unmet need	7.4
35	Number of Tubectomies performed	743	124	Spacing	2.2
36	Number of IUD insertion	6,469	902	Women using any method	66.8
37	Number of IUD removals	1,088	272	Women using modern method	55.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	516	150		
39	General OPD cases per 10,000 population ***	6,954	1,968		
40	Ayush OPD cases per 10,000 population ***	577	179		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	105	11		
42	Neonatal Deaths up to 4 weeks of birth	201	42		
43	Total Neonatal Death	306	53		
44	Deaths between (1 - 11) months	36	10		
45	Total reported infant deaths	342	63		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	6	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	15	0		
52	Total reported maternal deaths	24	0		

Golaghat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	143					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	27,735	27,797				
9	Expected number of Delivery	25,844	25,902				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,020	65.0	5,025	18.1	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	16,757	93.0	4,745	94.4	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	15,347	85.2	4,316	85.9	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	16,860	93.6	4,563	90.8	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	17,295	96.0	4,938	98.3	Home Delivery	9.6
15	Home Delivery against expected delivery *	132	0.5	18	0.1	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	12,937	50.1	2,176	8.4	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	132	1.0	18	0.8	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	12,937	99.0	2,176	99.2		
19	Total reported Deliveries	13,069		2,194			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	40.2	3	16.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,955	76.2	1,833	83.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,213		25,270			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	12,931	51.3	2,181	8.6	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	212	0.8	36	0.1	BCG	92.6
25	PC of newborn weighted at birth to live birth	12,909	99.8	2,179	99.9	3 dose of DPT	84.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,623	12.6	320	14.7	Measles First dose	87.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,807	99.0	2,173	99.6	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	16,323	64.7	3,300	13.1	Full Immunization	72.4
29	Children who have received BCG	13,589	53.9	2,396	9.5		
30	Children who have received Pentavalent 1	16,756	66.5	3,680	14.6		
31	Children who have received Pentavalent 3	16,269	64.5	4,249	16.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,304	64.7	3,306	13.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	667		274			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	26	0	Total unmet need	10.9
35	Number of Tubectomies performed	670	81	Spacing	4.7
36	Number of IUD insertion	677	128	Women using any method	61.6
37	Number of IUD removals	836	356	Women using modern method	35.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	247	83		
39	General OPD cases per 10,000 population ***	7,042	2,791		
40	Ayush OPD cases per 10,000 population ***	300	32		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	39	6		
42	Neonatal Deaths up to 4 weeks of birth	97	13		
43	Total Neonatal Death	136	19		
44	Deaths between (1 - 11) months	51	5		
45	Total reported infant deaths	187	24		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	2		
52	Total reported maternal deaths	11	2		

Hailakandi Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,59,296					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	18,829		19,049			
9	Expected number of Delivery	17,545		17,750			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,593	104.1	5,437	28.5	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	17,268	88.1	4,758	87.5	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	17,127	87.4	3,464	63.7	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	18,949	96.7	4,580	84.2	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	19,539	99.7	5,337	98.2	Home Delivery	17.0
15	Home Delivery against expected delivery *	867	4.9	173	1.0	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	13,915	79.3	2,700	15.2	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	867	5.9	173	6.0	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	13,915	94.1	2,700	94.0		
19	Total reported Deliveries	14,782		2,873			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	460		88		50.9	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,610		2,997		104.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,117		17,318			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	14,559		2,833		Breastfed within 1 hour of birth	
24	Total Still Birth	303		58		BCG	
25	PC of newborn weighted at birth to live birth	14,559		2,833		3 dose of DPT	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,443	9.9	284	10.0	Measles First dose	85.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,992	96.1	2,714	95.8	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	16,753	97.9	3,206	18.5	Full Immunization	68.6
29	Children who have received BCG	17,572	102.7	3,611	20.9		
30	Children who have received Pentavalent 1	17,480	102.1	4,203	24.3		
31	Children who have received Pentavalent 3	16,765	97.9	4,443	25.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,765	97.9	3,203	18.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,017		613			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	30	0	Total unmet need	8.6
35	Number of Tubectomies performed	361	20	Spacing	4.2
36	Number of IUD insertion	3,660	452	Women using any method	66.8
37	Number of IUD removals	442	105	Women using modern method	49.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	368	93		
39	General OPD cases per 10,000 population ***	5,719	1,856		
40	Ayush OPD cases per 10,000 population ***	156	48		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	21	6		
42	Neonatal Deaths up to 4 weeks of birth	40	5		
43	Total Neonatal Death	61	11		
44	Deaths between (1 - 11) months	29	2		
45	Total reported infant deaths	90	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	0		
52	Total reported maternal deaths	7	1		

Hojai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	9,31,218				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2020-21)		Numbers				
3	Sub Centers (SC)	94				
4	Primary Health Centers (PHC)	7				
5	Community Health Centers (CHC)	5				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2021-22	2022-23			
8	Expected number of PW	26,764	27,095			
9	Expected number of Delivery	24,939	25,248			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	21,458	80.2	5,626	20.8	ANC Check up in first trimester 52.7
11	Mothers registered in the first trimester	20,203	94.2	5,127	91.1	At least 4ANC check up 51.3
12	Mothers who had 4 or more ANC check ups	19,433	90.6	4,998	88.8	Neonatal tetanus received 96.2
13	PW who got TT 2 / Booster injection	21,174	98.7	4,834	85.9	100 IFA tablets consumed 50.5
14	PW who consumed 180 IFA tablets	21,511	100.2	5,458	97.0	Home Delivery 17.9
15	Home Delivery against expected delivery *	1,281	5.1	172	0.7	Institutional Delivery 82.1
16	Institutional Delivery against expected delivery *	14,041	56.3	3,660	14.5	Home Delivery by SBA 4.1
17	Home Delivery against reported delivery **	1,281	8.4	172	4.5	PNC within 2days of delivery 63.9
18	Institutional Delivery against reported delivery **	14,041	91.6	3,660	95.5	
19	Total reported Deliveries	15,322		3,832		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	104	8.1	4	2.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,905	90.8	3,591	93.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	24,331		24,632		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
23	Total reported live births	15,094	62.0	3,782	15.4	Breastfed within 1 hour of birth 54.9
24	Total Still Birth	240	1.0	54	0.2	BCG 82.1
25	PC of newborn weighted at birth to live birth	15,063	99.8	3,777	99.9	3 dose of DPT 60.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,072	7.1	366	9.7	Measles First dose	59.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,002	99.4	3,651	96.5	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	20,588	84.6	4,609	18.7	Full Immunization	55.5
29	Children who have received BCG	20,348	83.6	4,570	18.6		
30	Children who have received Pentavalent 1	21,716	89.3	5,313	21.6		
31	Children who have received Pentavalent 3	20,588	84.6	4,806	19.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,612	84.7	4,610	18.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	663		172			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	48	14	Spacing	4.9
36	Number of IUD insertion	256	66	Women using any method	61.1
37	Number of IUD removals	45	25	Women using modern method	48.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	73	29		
39	General OPD cases per 10,000 population ***	3,028	937		
40	Ayush OPD cases per 10,000 population ***	50	15		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	16	1		
42	Neonatal Deaths up to 4 weeks of birth	39	2		
43	Total Neonatal Death	55	3		
44	Deaths between (1 - 11) months	25	1		
45	Total reported infant deaths	80	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	11	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	1	1		
52	Total reported maternal deaths	14	1		

Jorhat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,24,952					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	110					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	23,418	23,408				
9	Expected number of Delivery	21,821	21,812				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,779	63.1	3,955	16.9	ANC Check up in first trimester	78.3
11	Mothers registered in the first trimester	14,110	95.5	3,768	95.3	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	11,444	77.4	2,658	67.2	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	13,645	92.3	3,742	94.6	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	13,920	94.2	3,899	98.6	Home Delivery	3.5
15	Home Delivery against expected delivery *	42	0.2	2	0.0	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,016	64.2	2,655	12.2	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	42	0.3	2	0.1	PNC within 2days of delivery	81.4
18	Institutional Delivery against reported delivery **	14,016	99.7	2,655	99.9		
19	Total reported Deliveries	14,058		2,657			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	81.0	2	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,289	108.8	2,964	111.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,289		21,280			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	13,990	65.7	2,607	12.3	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	240	1.1	65	0.3	BCG	100
25	PC of newborn weighted at birth to live birth	13,337	95.3	2,413	92.6	3 dose of DPT	79.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,494	11.2	394	16.3	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,316	95.2	2,483	95.2	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	15,368	72.2	2,843	13.4	Full Immunization	69.2
29	Children who have received BCG	13,416	63.0	2,712	12.7		
30	Children who have received Pentavalent 1	14,779	69.4	3,119	14.7		
31	Children who have received Pentavalent 3	14,710	69.1	3,634	17.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,682	73.7	2,852	13.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	328		60			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	14	0	Total unmet need	10.4
35	Number of Tubectomies performed	907	101	Spacing	3.2
36	Number of IUD insertion	357	129	Women using any method	63.8
37	Number of IUD removals	132	37	Women using modern method	32.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	503	183		
39	General OPD cases per 10,000 population ***	10,233	3,959		
40	Ayush OPD cases per 10,000 population ***	23	18		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	29	5		
42	Neonatal Deaths up to 4 weeks of birth	286	80		
43	Total Neonatal Death	315	85		
44	Deaths between (1 - 11) months	91	32		
45	Total reported infant deaths	406	117		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	25	2		
52	Total reported maternal deaths	25	4		

Kamrup R Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	15,17,542					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	65					
5	Community Health Centers (CHC)	13					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	40,952	41,198				
9	Expected number of Delivery	38,160	38,389				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	30,583	74.7	8,879	21.6	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	28,944	94.6	8,578	96.6	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	26,550	86.8	6,299	70.9	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	28,558	93.4	7,759	87.4	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	30,466	99.6	8,878	100.0	Home Delivery	15.0
15	Home Delivery against expected delivery *	288	0.8	34	0.1	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	20,269	53.1	4,035	10.5	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	288	1.4	34	0.8	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	20,269	98.6	4,035	99.2		
19	Total reported Deliveries	20,557		4,069			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	138	47.9	19	55.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,849	106.3	4,598	113.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,229		37,453			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	20,451	54.9	4,056	10.8	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	143	0.4	21	0.1	BCG	90.5
25	PC of newborn weighted at birth to live birth	20,448	100.0	4,056	100.0	3 dose of DPT	86.1

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,133	10.4	333	8.2	Measles First dose	83
27	PC of newborns breastfed within 1 hour to total reported live birth.	20,286	99.2	4,026	99.3	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	27,801	74.7	5,481	14.6	Full Immunization	63.6
29	Children who have received BCG	20,596	55.3	4,297	11.5		
30	Children who have received Pentavalent 1	27,474	73.8	6,288	16.8		
31	Children who have received Pentavalent 3	27,267	73.2	7,086	18.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	27,803	74.7	5,488	14.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	842		123			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	37	5	Total unmet need	17.6
35	Number of Tubectomies performed	1,281	296	Spacing	7.7
36	Number of IUD insertion	2,679	283	Women using any method	38.7
37	Number of IUD removals	704	174	Women using modern method	32.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	134	35		
39	General OPD cases per 10,000 population ***	6,885	2,097		
40	Ayush OPD cases per 10,000 population ***	948	325		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	13	2		
42	Neonatal Deaths up to 4 weeks of birth	43	5		
43	Total Neonatal Death	56	7		
44	Deaths between (1 - 11) months	38	5		
45	Total reported infant deaths	94	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	1		
52	Total reported maternal deaths	9	1		

Kamrup M Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	12,53,938				
2	Sex Ratio	922				
B) Infrastructure Details (RHS 2020-21)		Numbers				
3	Sub Centers (SC)	50				
4	Primary Health Centers (PHC)	45				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22	2022-23			
8	Expected number of PW	34,948	35,271			
9	Expected number of Delivery	32,565	32,866			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	20,616	59.0	8,195	23.2	ANC Check up in first trimester 77.6
11	Mothers registered in the first trimester	17,888	86.8	7,181	87.6	At least 4ANC check up 68.9
12	Mothers who had 4 or more ANC check ups	20,837	101.1	7,898	96.4	Neonatal tetanus received 96.3
13	PW who got TT 2 / Booster injection	19,524	94.7	6,925	84.5	100 IFA tablets consumed 51.7
14	PW who consumed 180 IFA tablets	20,591	99.9	7,735	94.4	Home Delivery 10.9
15	Home Delivery against expected delivery *	171	0.5	24	0.1	Institutional Delivery 89.1
16	Institutional Delivery against expected delivery *	33,679	103.4	6,083	18.5	Home Delivery by SBA 2.2
17	Home Delivery against reported delivery **	171	0.5	24	0.4	PNC within 2days of delivery 75.6
18	Institutional Delivery against reported delivery **	33,679	99.5	6,083	99.6	
19	Total reported Deliveries	33,850		6,107		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	10.5	1	4.2	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,200	98.1	4,494	73.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	31,771		32,064		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
23	Total reported live births	33,139	104.3	5,965	18.6	Breastfed within 1 hour of birth 53
24	Total Still Birth	739	2.3	165	0.5	BCG 90.6
25	PC of newborn weighted at birth to live birth	33,120	99.9	5,773	96.8	3 dose of DPT 77

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,391	19.3	1,421	24.6	Measles First dose	74.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	33,004	99.6	5,614	94.1	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	25,105	79.0	5,138	16.0	Full Immunization	53.6
29	Children who have received BCG	35,355	111.3	6,670	20.8		
30	Children who have received Pentavalent 1	21,940	69.1	5,441	17.0		
31	Children who have received Pentavalent 3	21,282	67.0	5,685	17.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	24,798	78.1	5,513	17.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	649		376			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	8.8
35	Number of Tubectomies performed	3,197	629	Spacing	2.5
36	Number of IUD insertion	199	71	Women using any method	56.8
37	Number of IUD removals	494	140	Women using modern method	41.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	884	346		
39	General OPD cases per 10,000 population ***	6,521	4,092		
40	Ayush OPD cases per 10,000 population ***	567	204		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	106	7		
42	Neonatal Deaths up to 4 weeks of birth	593	86		
43	Total Neonatal Death	699	93		
44	Deaths between (1 - 11) months	183	101		
45	Total reported infant deaths	882	194		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	1	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	15	3		
49	Due to Bleeding	15	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	66	8		
52	Total reported maternal deaths	97	13		

Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,60,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	104					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	18,374	18,539				
9	Expected number of Delivery	17,121	17,275				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	16,241	88.4	4,540	24.5	ANC Check up in first trimester	64.8
11	Mothers registered in the first trimester	12,021	74.0	3,335	73.5	At least 4ANC check up	63.9
12	Mothers who had 4 or more ANC check ups	8,974	55.3	1,925	42.4	Neonatal tetanus received	90.9
13	PW who got TT 2 / Booster injection	13,516	83.2	3,927	86.5	100 IFA tablets consumed	35.3
14	PW who consumed 180 IFA tablets	15,747	97.0	4,528	99.7	Home Delivery	25.1
15	Home Delivery against expected delivery *	1,079	6.3	240	1.4	Institutional Delivery	74.9
16	Institutional Delivery against expected delivery *	9,378	54.8	1,981	11.5	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	1,079	10.3	240	10.8	PNC within 2days of delivery	56.9
18	Institutional Delivery against reported delivery **	9,378	89.7	1,981	89.2		
19	Total reported Deliveries	10,457		2,221			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	485	44.9	135	56.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,110	106.2	2,552	114.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	16,704		16,854			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	10,385	62.2	2,212	13.1	Breastfed within 1 hour of birth	50.3
24	Total Still Birth	91	0.5	16	0.1	BCG	88.7
25	PC of newborn weighted at birth to live birth	10,376	99.9	2,001	90.5	3 dose of DPT	75.3

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	671	6.5	131	6.5	Measles First dose	76.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,332	99.5	1,996	90.2	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	12,895	77.2	2,683	15.9	Full Immunization	64.3
29	Children who have received BCG	12,397	74.2	2,896	17.2		
30	Children who have received Pentavalent 1	12,575	75.3	2,946	17.5		
31	Children who have received Pentavalent 3	11,822	70.8	3,502	20.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,324	79.8	2,682	15.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	349		86			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.3
35	Number of Tubectomies performed	147	59	Spacing	2.4
36	Number of IUD insertion	955	144	Women using any method	66.3
37	Number of IUD removals	235	75	Women using modern method	41.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	249	52		
39	General OPD cases per 10,000 population ***	5,017	1,415		
40	Ayush OPD cases per 10,000 population ***	221	55		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	18	0		
42	Neonatal Deaths up to 4 weeks of birth	45	4		
43	Total Neonatal Death	63	4		
44	Deaths between (1 - 11) months	26	5		
45	Total reported infant deaths	89	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	2	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	2	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	8	4		
52	Total reported maternal deaths	14	4		

Karimganj Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,28,686					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	232					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	34,850	35,234				
9	Expected number of Delivery	32,474	32,832				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	34,371	98.6	10,143	28.8	ANC Check up in first trimester	54.8
11	Mothers registered in the first trimester	31,908	92.8	9,512	93.8	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	33,543	97.6	7,902	77.9	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	33,984	98.9	8,846	87.2	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	34,356	100.0	9,985	98.4	Home Delivery	23.6
15	Home Delivery against expected delivery *	5,640	17.4	930	2.8	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	21,156	65.1	4,637	14.1	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	5,640	21.0	930	16.7	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	21,156	79.0	4,637	83.3		
19	Total reported Deliveries	26,796		5,567			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,706	48.0	421	45.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	91	0.3	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,682		32,031			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	26,257	82.9	5,458	17.0	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	687	2.2	129	0.4	BCG	95.5
25	PC of newborn weighted at birth to live birth	26,257	100.0	5,458	100.0	3 dose of DPT	84

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,894	11.0	493	9.0	Measles First dose	85.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,991	99.0	5,415	99.2	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	31,136	98.3	5,985	18.7	Full Immunization	75.1
29	Children who have received BCG	34,613	109.3	7,434	23.2		
30	Children who have received Pentavalent 1	31,456	99.3	7,735	24.1		
31	Children who have received Pentavalent 3	30,435	96.1	7,897	24.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	31,135	98.3	6,009	18.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,607		827			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.6
35	Number of Tubectomies performed	742	96	Spacing	4.2
36	Number of IUD insertion	1,847	374	Women using any method	64.3
37	Number of IUD removals	172	82	Women using modern method	54.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	267	76		
39	General OPD cases per 10,000 population ***	4,733	1,462		
40	Ayush OPD cases per 10,000 population ***	176	46		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	18	12		
42	Neonatal Deaths up to 4 weeks of birth	168	25		
43	Total Neonatal Death	186	37		
44	Deaths between (1 - 11) months	141	14		
45	Total reported infant deaths	327	51		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	11	0		
52	Total reported maternal deaths	12	0		

Kokrajhar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,87,142					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	161					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	21,582		21,487			
9	Expected number of Delivery	20,110		20,022			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	17,354	80.4	5,308	24.7	ANC Check up in first trimester	67.0
11	Mothers registered in the first trimester	14,330	82.6	4,536	85.5	At least 4ANC check up	36.9
12	Mothers who had 4 or more ANC check ups	12,281	70.8	2,304	43.4	Neonatal tetanus received	95.8
13	PW who got TT 2 / Booster injection	15,944	91.9	4,485	84.5	100 IFA tablets consumed	61.1
14	PW who consumed 180 IFA tablets	16,006	92.2	4,774	89.9	Home Delivery	18.1
15	Home Delivery against expected delivery *	1,038	5.2	183	0.9	Institutional Delivery	81.9
16	Institutional Delivery against expected delivery *	14,658	72.9	2,794	14.0	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	1,038	6.6	183	6.1	PNC within 2days of delivery	68.3
18	Institutional Delivery against reported delivery **	14,658	93.4	2,794	93.9		
19	Total reported Deliveries	15,696		2,977			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	127	12.2	18	9.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,507	66.9	1,988	66.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,620		19,534			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	15,539	79.2	3,008	15.4	Breastfed within 1 hour of birth	56.4
24	Total Still Birth	250	1.3	48	0.2	BCG	95.3
25	PC of newborn weighted at birth to live birth	11,035	71.0	2,995	99.6	3 dose of DPT	76.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,293	11.7	323	10.8	Measles First dose	79.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,348	98.8	2,943	97.8	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	15,285	77.9	3,125	16.0	Full Immunization	51.1
29	Children who have received BCG	15,827	80.7	3,453	17.7		
30	Children who have received Pentavalent 1	15,250	77.7	3,771	19.3		
31	Children who have received Pentavalent 3	15,168	77.3	4,334	22.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,264	77.8	3,104	15.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	937		326			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	75	25	Spacing	3.7
36	Number of IUD insertion	924	403	Women using any method	72.3
37	Number of IUD removals	613	222	Women using modern method	58
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	282	94		
39	General OPD cases per 10,000 population ***	4,572	1,368		
40	Ayush OPD cases per 10,000 population ***	703	225		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	60	11		
42	Neonatal Deaths up to 4 weeks of birth	212	37		
43	Total Neonatal Death	272	48		
44	Deaths between (1 - 11) months	146	25		
45	Total reported infant deaths	418	73		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	3	1		
48	Due to Severe hypertension / fits	4	1		
49	Due to Bleeding	4	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	14	3		
52	Total reported maternal deaths	25	6		

Lakhimpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,42,137					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	149					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	28,510	28,721				
9	Expected number of Delivery	26,566	26,762				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	22,262	78.1	6,150	21.4	ANC Check up in first trimester	61.0
11	Mothers registered in the first trimester	21,065	94.6	5,917	96.2	At least 4ANC check up	51.7
12	Mothers who had 4 or more ANC check ups	19,646	88.2	5,336	86.8	Neonatal tetanus received	97.3
13	PW who got TT 2 / Booster injection	20,798	93.4	5,850	95.1	100 IFA tablets consumed	42.2
14	PW who consumed 180 IFA tablets	21,511	96.6	5,970	97.1	Home Delivery	3.8
15	Home Delivery against expected delivery *	62	0.2	12	0.0	Institutional Delivery	96.2
16	Institutional Delivery against expected delivery *	17,744	66.8	3,340	12.5	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	62	0.3	12	0.4	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	17,744	99.7	3,340	99.6		
19	Total reported Deliveries	17,806		3,352			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	49	79.0	9	75.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,798	128.0	4,259	127.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,918		26,110			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	17,595	67.9	3,344	12.8	Breastfed within 1 hour of birth	59
24	Total Still Birth	295	1.1	44	0.2	BCG	94.5
25	PC of newborn weighted at birth to live birth	16,897	96.0	3,319	99.3	3 dose of DPT	87.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,364	14.0	424	12.8	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,450	93.5	3,249	97.2	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	19,759	76.2	4,260	16.3	Full Immunization	69
29	Children who have received BCG	17,197	66.4	3,391	13.0		
30	Children who have received Pentavalent 1	19,715	76.1	4,340	16.6		
31	Children who have received Pentavalent 3	19,923	76.9	5,222	20.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,713	76.1	4,249	16.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,300		456			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	17	0	Total unmet need	9.8
35	Number of Tubectomies performed	1,489	377	Spacing	4.5
36	Number of IUD insertion	1,078	214	Women using any method	67.1
37	Number of IUD removals	579	197	Women using modern method	43.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	340	108		
39	General OPD cases per 10,000 population ***	6,021	2,393		
40	Ayush OPD cases per 10,000 population ***	71	48		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	20	6		
42	Neonatal Deaths up to 4 weeks of birth	88	16		
43	Total Neonatal Death	108	22		
44	Deaths between (1 - 11) months	6	0		
45	Total reported infant deaths	114	22		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	8	4		
52	Total reported maternal deaths	10	4		

Majuli Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	4,236		4,234			
9	Expected number of Delivery	3,947		3,945			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,052	72.1	833	19.7	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	2,788	91.3	766	92.0	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,110	69.1	604	72.5	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	2,758	90.4	729	87.5	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	2,921	95.7	794	95.3	Home Delivery	9.7
15	Home Delivery against expected delivery *	15	0.4	0	0.0	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,761	44.6	242	6.1	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	15	0.8	0	0.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,761	99.2	242	100.0		
19	Total reported Deliveries	1,776		242			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	66.7	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,628	91.7	244	100.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,851		3,849			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	1,782	46.3	238	6.2	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	20	0.5	4	0.1	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,745	97.9	238	100.0	3 dose of DPT	86.4

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	254	14.6	34	14.3	Measles First dose	90.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,698	95.3	229	96.2	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	2,828	73.4	586	15.2	Full Immunization	78.6
29	Children who have received BCG	1,825	47.4	291	7.6		
30	Children who have received Pentavalent 1	2,990	77.6	569	14.8		
31	Children who have received Pentavalent 3	2,817	73.2	699	18.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,821	73.3	597	15.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	95		25			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.6
35	Number of Tubectomies performed	122	0	Spacing	4.7
36	Number of IUD insertion	254	70	Women using any method	63.7
37	Number of IUD removals	75	29	Women using modern method	31.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	248	116		
39	General OPD cases per 10,000 population ***	8,119	3,385		
40	Ayush OPD cases per 10,000 population ***	132	95		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	26	2		
42	Neonatal Deaths up to 4 weeks of birth	20	1		
43	Total Neonatal Death	46	3		
44	Deaths between (1 - 11) months	13	1		
45	Total reported infant deaths	59	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	3	0		

Morigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,57,423					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	122					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	27,869		28,250			
9	Expected number of Delivery	25,969		26,324			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	22,504	80.7	6,466	22.9	ANC Check up in first trimester	64.0
11	Mothers registered in the first trimester	18,909	84.0	5,778	89.4	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	16,650	74.0	5,002	77.4	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	21,146	94.0	5,617	86.9	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	22,382	99.5	6,363	98.4	Home Delivery	11.7
15	Home Delivery against expected delivery *	2,515	9.7	379	1.4	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,590	56.2	2,574	9.8	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	2,515	14.7	379	12.8	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,590	85.3	2,574	87.2		
19	Total reported Deliveries	17,105		2,953			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,049	41.7	179	47.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,293	89.4	3,254	110.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,336		25,681			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	16,999	67.1	2,931	11.4	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	269	1.1	37	0.1	BCG	91.3
25	PC of newborn weighted at birth to live birth	16,793	98.8	2,909	99.2	3 dose of DPT	87.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,262	13.5	432	14.9	Measles First dose	87
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,259	95.6	2,877	98.2	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	19,472	76.9	3,908	15.2	Full Immunization	73.4
29	Children who have received BCG	21,049	83.1	4,572	17.8		
30	Children who have received Pentavalent 1	20,363	80.4	4,823	18.8		
31	Children who have received Pentavalent 3	19,311	76.2	4,952	19.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,750	78.0	3,935	15.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	292		136			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	6.5
35	Number of Tubectomies performed	316	126	Spacing	1.9
36	Number of IUD insertion	1,129	262	Women using any method	70.6
37	Number of IUD removals	199	31	Women using modern method	56.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	200	70		
39	General OPD cases per 10,000 population ***	5,267	1,782		
40	Ayush OPD cases per 10,000 population ***	268	173		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	23	0		
42	Neonatal Deaths up to 4 weeks of birth	145	16		
43	Total Neonatal Death	168	16		
44	Deaths between (1 - 11) months	48	12		
45	Total reported infant deaths	216	28		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	7	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	10	0		
52	Total reported maternal deaths	18	0		

Nagaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	18,92,550				
2	Sex Ratio	962				
B) Infrastructure Details (RHS 2020-21)		Numbers				
3	Sub Centers (SC)	258				
4	Primary Health Centers (PHC)	72				
5	Community Health Centers (CHC)	13				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22	2022-23			
8	Expected number of PW	54,394	55,066			
9	Expected number of Delivery	50,685	51,312			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	42,107	77.4	11,071	20.1	ANC Check up in first trimester 73.1
11	Mothers registered in the first trimester	35,083	83.3	9,275	83.8	At least 4ANC check up 59.4
12	Mothers who had 4 or more ANC check ups	34,860	82.8	7,989	72.2	Neonatal tetanus received 97.1
13	PW who got TT 2 / Booster injection	37,203	88.4	9,134	82.5	100 IFA tablets consumed 46.5
14	PW who consumed 180 IFA tablets	34,516	82.0	7,316	66.1	Home Delivery 16.3
15	Home Delivery against expected delivery *	2,451	4.8	358	0.7	Institutional Delivery 83.7
16	Institutional Delivery against expected delivery *	39,945	78.8	7,068	13.8	Home Delivery by SBA 2.7
17	Home Delivery against reported delivery **	2,451	5.8	358	4.8	PNC within 2days of delivery 62.0
18	Institutional Delivery against reported delivery **	39,945	94.2	7,068	95.2	
19	Total reported Deliveries	42,396		7,426		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	477	19.5	92	25.7	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,503	62.5	5,442	73.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	49,449		50,060		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)
23	Total reported live births	41,517	84.0	7,290	14.6	Breastfed within 1 hour of birth 61.6
24	Total Still Birth	1,020	2.1	171	0.3	BCG 86.9
25	PC of newborn weighted at birth to live birth	40,375	97.2	7,277	99.8	3 dose of DPT 73.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,352	13.3	965	13.3	Measles First dose	67.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	37,382	90.0	6,856	94.0	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	38,419	77.7	6,893	13.8	Full Immunization	58.2
29	Children who have received BCG	39,856	80.6	7,398	14.8		
30	Children who have received Pentavalent 1	37,136	75.1	7,876	15.7		
31	Children who have received Pentavalent 3	35,443	71.7	9,203	18.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	38,306	77.5	6,900	13.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,415		582			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	12.3
35	Number of Tubectomies performed	1,184	222	Spacing	3.1
36	Number of IUD insertion	1,708	436	Women using any method	58.6
37	Number of IUD removals	252	73	Women using modern method	46.8
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	222	113		
39	General OPD cases per 10,000 population ***	4,924	1,864		
40	Ayush OPD cases per 10,000 population ***	277	85		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	113	29		
42	Neonatal Deaths up to 4 weeks of birth	289	69		
43	Total Neonatal Death	402	98		
44	Deaths between (1 - 11) months	78	28		
45	Total reported infant deaths	480	126		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	5	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	19	3		
52	Total reported maternal deaths	25	5		

Nalbari Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	7,71,639						
2	Sex Ratio	945						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	124						
4	Primary Health Centers (PHC)	44						
5	Community Health Centers (CHC)	11						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	20,032	20,074					
9	Expected number of Delivery	18,666	18,705					
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	12,727	63.5	3,806	19.0	ANC Check up in first trimester	70.7	
11	Mothers registered in the first trimester	11,964	94.0	3,582	94.1	At least 4ANC check up	55.9	
12	Mothers who had 4 or more ANC check ups	11,178	87.8	2,146	56.4	Neonatal tetanus received	92.8	
13	PW who got TT 2 / Booster injection	12,356	97.1	3,377	88.7	100 IFA tablets consumed	38.6	
14	PW who consumed 180 IFA tablets	12,723	100.0	3,806	100.0	Home Delivery	8.2	
15	Home Delivery against expected delivery *	262	1.4	76	0.4	Institutional Delivery	91.8	
16	Institutional Delivery against expected delivery *	11,402	61.1	2,279	12.2	Home Delivery by SBA	0.4	
17	Home Delivery against reported delivery **	262	2.2	76	3.2	PNC within 2days of delivery	73.8	
18	Institutional Delivery against reported delivery **	11,402	97.8	2,279	96.8			
19	Total reported Deliveries	11,664		2,355				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	232	88.5	38	50.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,925	85.1	1,879	79.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	18,211		18,249				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)		
23	Total reported live births	11,641	63.9	2,353	12.9	Breastfed within 1 hour of birth	41.8	
24	Total Still Birth	95	0.5	24	0.1	BCG	89.9	
25	PC of newborn weighted at birth to live birth	11,618	99.8	2,349	99.8	3 dose of DPT	85.2	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,624	14.0	303	12.9	Measles First dose	87.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,502	98.8	2,295	97.5	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	13,981	76.8	2,765	15.2	Full Immunization	65.5
29	Children who have received BCG	12,485	68.6	2,518	13.8		
30	Children who have received Pentavalent 1	13,296	73.0	3,008	16.5		
31	Children who have received Pentavalent 3	12,618	69.3	3,361	18.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,174	72.3	2,614	14.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	841		311			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	10	3	Total unmet need	13.2
35	Number of Tubectomies performed	1,119	124	Spacing	4.8
36	Number of IUD insertion	1,659	103	Women using any method	53.3
37	Number of IUD removals	514	172	Women using modern method	38.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	234	72		
39	General OPD cases per 10,000 population ***	6,993	2,172		
40	Ayush OPD cases per 10,000 population ***	1,153	387		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	26	5		
42	Neonatal Deaths up to 4 weeks of birth	104	15		
43	Total Neonatal Death	130	20		
44	Deaths between (1 - 11) months	36	7		
45	Total reported infant deaths	166	27		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	1		
52	Total reported maternal deaths	8	2		

Sivasagar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,92,435					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	27					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	17,559		17,555			
9	Expected number of Delivery	16,362		16,358			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,949	56.7	2,835	16.1	ANC Check up in first trimester	85.1
11	Mothers registered in the first trimester	9,178	92.3	2,633	92.9	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	7,774	78.1	1,786	63.0	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	8,953	90.0	2,837	100.1	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	9,581	96.3	2,712	95.7	Home Delivery	4.7
15	Home Delivery against expected delivery *	12	0.1	0	0.0	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	8,384	51.2	1,393	8.5	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	12	0.1	0	0.0	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	8,384	99.9	1,393	100.0		
19	Total reported Deliveries	8,396		1,393			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6		50.0		0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,662		91.3		1,031	
						74.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,963		15,959			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	8,318		52.1		1,374	
						8.6	
						Breastfed within 1 hour of birth	
24	Total Still Birth	106		0.7		25	
						0.2	
						BCG	
25	PC of newborn weighted at birth to live birth	8,301		99.8		1,374	
						100.0	
						3 dose of DPT	
						90.5	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,467	17.7	211	15.4	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,994	96.1	1,308	95.2	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,413	59.0	1,980	12.4	Full Immunization	77.6
29	Children who have received BCG	8,186	51.3	1,387	8.7		
30	Children who have received Pentavalent 1	9,409	58.9	2,020	12.7		
31	Children who have received Pentavalent 3	9,213	57.7	2,776	17.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,417	59.0	1,983	12.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	285		109			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	343	25	Spacing	3.2
36	Number of IUD insertion	263	34	Women using any method	67.3
37	Number of IUD removals	324	134	Women using modern method	39.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	329	92		
39	General OPD cases per 10,000 population ***	8,521	2,893		
40	Ayush OPD cases per 10,000 population ***	143	57		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	12	0		
42	Neonatal Deaths up to 4 weeks of birth	23	4		
43	Total Neonatal Death	35	4		
44	Deaths between (1 - 11) months	5	1		
45	Total reported infant deaths	40	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	0		
52	Total reported maternal deaths	2	0		

Sonitpur Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
	B) Infrastructure Details (RHS 2020-21)	Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2021-22	2022-23				
8	Expected number of PW	35,395	35,608				
9	Expected number of Delivery	32,982	33,180				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,696	58.5	5,753	16.2	ANC Check up in first trimester	48.8
11	Mothers registered in the first trimester	18,774	90.7	5,314	92.4	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	14,908	72.0	3,760	65.4	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	19,638	94.9	5,386	93.6	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	20,393	98.5	5,752	100.0	Home Delivery	16.5
15	Home Delivery against expected delivery *	1,703	5.2	256	0.8	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	21,739	65.9	4,150	12.5	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	1,703	7.3	256	5.8	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	21,739	92.7	4,150	94.2		
19	Total reported Deliveries	23,442		4,406			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	4.6	30	11.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,742	37.3	2,010	45.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,178		32,371			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	22,955	71.3	4,322	13.4	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	491	1.5	117	0.4	BCG	90.4
25	PC of newborn weighted at birth to live birth	22,211	96.8	4,320	100.0	3 dose of DPT	76.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,560	16.0	599	13.9	Measles First dose	80.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,811	95.0	4,178	96.7	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	20,682	64.3	4,097	12.7	Full Immunization	70.9
29	Children who have received BCG	25,309	78.7	5,416	16.7		
30	Children who have received Pentavalent 1	19,698	61.2	4,449	13.7		
31	Children who have received Pentavalent 3	18,689	58.1	5,579	17.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,682	64.3	4,097	12.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	175		95			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	3	Total unmet need	5.8
35	Number of Tubectomies performed	853	236	Spacing	2
36	Number of IUD insertion	489	325	Women using any method	74.4
37	Number of IUD removals	245	78	Women using modern method	58.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	405	99		
39	General OPD cases per 10,000 population ***	6,342	2,350		
40	Ayush OPD cases per 10,000 population ***	276	94		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	60	28		
42	Neonatal Deaths up to 4 weeks of birth	376	59		
43	Total Neonatal Death	436	87		
44	Deaths between (1 - 11) months	116	44		
45	Total reported infant deaths	552	131		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	3	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	2	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	23	1		
52	Total reported maternal deaths	29	3		

South Salmara Mancachar Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	NA					
	B) Infrastructure Details (RHS 2020-21)	Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2021-22		2022-23			
8	Expected number of PW	16,319		16,558			
9	Expected number of Delivery	15,206		15,429			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,933	79.3	3,645	22.0	ANC Check up in first trimester	60.1
11	Mothers registered in the first trimester	10,461	80.9	3,022	82.9	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	8,856	68.5	2,292	62.9	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,386	88.0	2,821	77.4	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	12,494	96.6	3,639	99.8	Home Delivery	28.3
15	Home Delivery against expected delivery *	5,638	37.1	1,085	7.0	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	4,614	30.3	956	6.2	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	5,638	55.0	1,085	53.2	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	4,614	45.0	956	46.8		
19	Total reported Deliveries	10,252		2,041			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,085	19.2	220	20.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,433	82.3	1,740	85.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,835		15,053			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	10,092	68.0	2,021	13.4	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	209	1.4	37	0.2	BCG	97
25	PC of newborn weighted at birth to live birth	10,092	100.0	2,021	100.0	3 dose of DPT	81.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	614	6.1	132	6.5	Measles First dose	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,092	100.0	2,021	100.0	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	10,110	68.1	1,915	12.7	Full Immunization	65.8
29	Children who have received BCG	9,933	67.0	2,674	17.8		
30	Children who have received Pentavalent 1	9,494	64.0	2,541	16.9		
31	Children who have received Pentavalent 3	8,057	54.3	2,193	14.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,138	68.3	1,908	12.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	409		146			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	0	0	Spacing	1.7
36	Number of IUD insertion	354	67	Women using any method	71.5
37	Number of IUD removals	50	10	Women using modern method	60.8
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	80	27		
39	General OPD cases per 10,000 population ***	2,728	876		
40	Ayush OPD cases per 10,000 population ***	1,096	166		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	11	3		
42	Neonatal Deaths up to 4 weeks of birth	36	3		
43	Total Neonatal Death	47	6		
44	Deaths between (1 - 11) months	21	9		
45	Total reported infant deaths	68	15		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	0		
52	Total reported maternal deaths	12	3		

Tinsukia Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,27,929					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	166					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	35,428		35,600			
9	Expected number of Delivery	33,013		33,173			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,993	62.1	6,075	17.1	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	19,082	86.8	5,370	88.4	At least 4ANC check up	63.1
12	Mothers who had 4 or more ANC check ups	16,249	73.9	4,421	72.8	Neonatal tetanus received	93.9
13	PW who got TT 2 / Booster injection	19,444	88.4	6,390	105.2	100 IFA tablets consumed	43.8
14	PW who consumed 180 IFA tablets	20,402	92.8	5,776	95.1	Home Delivery	17.4
15	Home Delivery against expected delivery *	591	1.8	95	0.3	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	19,199	58.2	3,498	10.5	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	591	3.0	95	2.6	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	19,199	97.0	3,498	97.4		
19	Total reported Deliveries	19,790		3,593			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	31.8	25	26.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,982	121.2	3,713	103.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,208		32,364			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	19,608	60.9	3,558	11.0	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	278	0.9	55	0.2	BCG	97.2
25	PC of newborn weighted at birth to live birth	19,615	100.0	3,558	100.0	3 dose of DPT	92.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,807	14.3	578	16.2	Measles First dose	95.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,195	97.9	3,528	99.2	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	20,469	63.6	4,088	12.6	Full Immunization	75
29	Children who have received BCG	19,419	60.3	4,109	12.7		
30	Children who have received Pentavalent 1	20,240	62.8	4,357	13.5		
31	Children who have received Pentavalent 3	19,580	60.8	6,055	18.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,487	63.6	4,095	12.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,416		359			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	94	0	Total unmet need	11
35	Number of Tubectomies performed	1,530	221	Spacing	4.4
36	Number of IUD insertion	1,327	125	Women using any method	59.2
37	Number of IUD removals	886	290	Women using modern method	36.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	555	146		
39	General OPD cases per 10,000 population ***	10,035	3,080		
40	Ayush OPD cases per 10,000 population ***	119	45		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	29	10		
42	Neonatal Deaths up to 4 weeks of birth	58	22		
43	Total Neonatal Death	87	32		
44	Deaths between (1 - 11) months	41	7		
45	Total reported infant deaths	128	39		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	4		
52	Total reported maternal deaths	16	4		

Udalguri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	21,171		21,174			
9	Expected number of Delivery	19,728		19,730			
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,805	65.2	3,599	17.0	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	12,430	90.0	3,314	92.1	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	10,196	73.9	2,041	56.7	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	12,476	90.4	3,279	91.1	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	13,396	97.0	3,153	87.6	Home Delivery	13.8
15	Home Delivery against expected delivery *	393	2.0	43	0.2	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	6,460	32.7	1,190	6.0	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	393	5.7	43	3.5	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	6,460	94.3	1,190	96.5		
19	Total reported Deliveries	6,853		1,233			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	111	28.2	8	18.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,649	126.2	1,512	122.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,246		19,249			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	6,794	35.3	1,214	6.3	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	104	0.5	20	0.1	BCG	78.6
25	PC of newborn weighted at birth to live birth	6,579	96.8	1,214	100.0	3 dose of DPT	68

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	848	12.9	164	13.5	Measles First dose	75.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,561	96.6	1,167	96.1	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	12,061	62.7	2,511	13.0	Full Immunization	38.3
29	Children who have received BCG	9,850	51.2	1,957	10.2		
30	Children who have received Pentavalent 1	12,510	65.0	2,581	13.4		
31	Children who have received Pentavalent 3	12,128	63.0	3,094	16.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,040	62.6	2,472	12.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	286		174			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	21	0	Spacing	6.4
36	Number of IUD insertion	1,133	106	Women using any method	50.2
37	Number of IUD removals	670	236	Women using modern method	36.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	204	84		
39	General OPD cases per 10,000 population ***	6,267	2,335		
40	Ayush OPD cases per 10,000 population ***	465	184		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	18	1		
42	Neonatal Deaths up to 4 weeks of birth	47	6		
43	Total Neonatal Death	65	7		
44	Deaths between (1 - 11) months	57	15		
45	Total reported infant deaths	122	22		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	3	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	0		
52	Total reported maternal deaths	19	1		

West Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,95,358					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	8,211	8,285				
9	Expected number of Delivery	7,651	7,720				
		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,083	86.3	1,851	22.3	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	5,240	74.0	1,364	73.7	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	3,808	53.8	811	43.8	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	6,469	91.3	1,653	89.3	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	7,005	98.9	1,835	99.1	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,516	19.8	317	4.1	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	3,613	47.2	722	9.4	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,516	29.6	317	30.5	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	3,613	70.4	722	69.5		
19	Total reported Deliveries	5,129		1,039			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	328	21.6	39	12.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,052	59.5	660	63.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,464		7,531			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1stQTR		NFHS-5 (2019-20)	
23	Total reported live births	5,037	67.5	1,023	13.6	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	112	1.5	20	0.3	BCG	92.7
25	PC of newborn weighted at birth to live birth	5,015	99.6	1,022	99.9	3 dose of DPT	70.3

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	180	3.6	32	3.1	Measles First dose	66.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,994	99.1	1,019	99.6	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,988	93.6	1,319	17.5	Full Immunization	47.9
29	Children who have received BCG	5,535	74.2	1,481	19.7		
30	Children who have received Pentavalent 1	6,008	80.5	1,505	20.0		
31	Children who have received Pentavalent 3	6,144	82.3	1,467	19.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,022	94.1	1,316	17.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	266		39			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1stQTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	0	0	Spacing	3.2
36	Number of IUD insertion	616	44	Women using any method	69.9
37	Number of IUD removals	149	57	Women using modern method	43.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1stQTR		
38	IPD cases per 10,000 population ***	143	70		
39	General OPD cases per 10,000 population ***	3,249	860		
40	Ayush OPD cases per 10,000 population ***	435	106		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	12	2		
43	Total Neonatal Death	12	2		
44	Deaths between (1 - 11) months	15	4		
45	Total reported infant deaths	27	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1stQTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	0		
52	Total reported maternal deaths	6	1		