

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,12,05,576					
2	Sex Ratio	954					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	4,678					
4	Primary Health Centers (PHC)	1,001					
5	Community Health Centers (CHC)	199					
6	SDH	14					
7	DH	24					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	8,52,619		8,58,796			
9	Expected number of Delivery	7,94,485		8,00,241			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,55,125	76.8	3,59,443	41.9	ANC Check up in first trimester	63.8
11	Mothers registered in the first trimester	5,88,341	89.8	3,24,249	90.2	At least 4ANC check up	50.7
12	Mothers who had 4 or more ANC check ups	5,45,202	83.2	2,84,290	79.1	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	6,10,475	93.2	3,39,000	94.3	100 IFA tablets consumed	47.5
14	PW who consumed 180 IFA tablets	6,35,403	97.0	3,45,980	96.3	Home Delivery	15.9
15	Home Delivery against expected delivery *	50,052	6.3	16,935	2.1	Institutional Delivery	84.1
16	Institutional Delivery against expected delivery *	5,23,369	65.9	2,36,629	29.6	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	50,052	8.7	16,935	6.7	PNC within 2days of delivery	65.3
18	Institutional Delivery against reported delivery **	5,23,369	91.3	2,36,629	93.3		
19	Total reported Deliveries	5,73,421		2,53,564			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18,118	36.2	6,289	37.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,65,860	81.2	2,10,165	82.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,75,108		7,80,723			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	5,65,794	73.0	2,50,542	32.1	Breastfed within 1 hour of birth	49.1
24	Total Still Birth	11,511	1.5	5,133	0.7	BCG	92.5
25	PC of newborn weighted at birth to live birth	5,56,071	98.3	2,47,233	98.7	3 dose of DPT	81.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	73,974	13.3	34,098	13.8	Measles First dose	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,52,190	97.6	2,40,829	96.1	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	6,06,444	78.2	2,92,659	37.5	Full Immunization	66.4
29	Children who have received BCG	6,15,331	79.4	2,79,073	35.7		
30	Children who have received Pentavalent 1	6,04,882	78.0	2,72,572	34.9		
31	Children who have received Pentavalent 3	5,86,017	75.6	2,95,744	37.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,07,799	78.4	2,94,053	37.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	29,058		17,803			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	466	178	Total unmet need	11
35	Number of Tubectomies performed	23,619	11,993	Spacing	4.1
36	Number of IUD insertion	46,733	30,650	Women using any method	60.8
37	Number of IUD removals	13,335	9,380	Women using modern method	45.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	338	255		
39	General OPD cases per 10,000 population ***	6,693	4,963		
40	Ayush OPD cases per 10,000 population ***	359	267		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	1,231	485		
42	Neonatal Deaths up to 4 weeks of birth	4,673	1,944		
43	Total Neonatal Death	5,904	2,429		
44	Deaths between (1 - 11) months	2,001	971		
45	Total reported infant deaths	7,905	3,400		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	14	4		
47	Due to Obstructed/prolonged labour	11	10		
48	Due to Severe hypertension / fits	99	62		
49	Due to Bleeding	114	45		
50	Due to High fever	14	6		
51	Due to Other Causes (including causes not known)	500	168		
52	Total reported maternal deaths	752	295		

Baksa Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	24,525		24,563			
9	Expected number of Delivery	22,853		22,888			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,313	62.4	7,646	31.1	ANC Check up in first trimester	61.1
11	Mothers registered in the first trimester	13,976	91.3	7,060	92.3	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	13,184	86.1	5,962	78.0	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	13,577	88.7	7,215	94.4	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	14,699	96.0	7,406	96.9	Home Delivery	10.1
15	Home Delivery against expected delivery *	276	1.2	61	0.3	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	6,759	29.6	2,793	12.2	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	276	3.9	61	2.1	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	6,759	96.1	2,793	97.9		
19	Total reported Deliveries	7,035		2,854			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	191	69.2	56	91.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,632	151.1	4,618	161.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,296		22,330			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,922	31.0	2,802	12.5	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	129	0.6	59	0.3	BCG	93.6
25	PC of newborn weighted at birth to live birth	6,920	100.0	2,802	100.0	3 dose of DPT	87.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	829	12.0	312	11.1	Measles First dose	91.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,912	99.9	2,789	99.5	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	14,091	63.2	6,768	30.3	Full Immunization	70.5
29	Children who have received BCG	11,204	50.3	4,354	19.5		
30	Children who have received Pentavalent 1	13,769	61.8	5,838	26.1		
31	Children who have received Pentavalent 3	13,324	59.8	7,219	32.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,077	63.1	6,812	30.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	400		229			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	12.5
35	Number of Tubectomies performed	186	172	Spacing	5.7
36	Number of IUD insertion	1,344	792	Women using any method	59.2
37	Number of IUD removals	570	415	Women using modern method	47.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	92	62		
39	General OPD cases per 10,000 population ***	4,058	2,739		
40	Ayush OPD cases per 10,000 population ***	823	671		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	11	6		
42	Neonatal Deaths up to 4 weeks of birth	52	11		
43	Total Neonatal Death	63	17		
44	Deaths between (1 - 11) months	76	8		
45	Total reported infant deaths	139	25		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	0		
52	Total reported maternal deaths	8	0		

Barpeta Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	16,93,622					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	264					
4	Primary Health Centers (PHC)	48					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	48,349		48,913			
9	Expected number of Delivery	45,052		45,578			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	41,413	85.7	23,422	47.9	ANC Check up in first trimester	62.2
11	Mothers registered in the first trimester	38,418	92.8	21,550	92.0	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	35,311	85.3	16,479	70.4	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	38,403	92.7	21,806	93.1	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	40,700	98.3	22,824	97.4	Home Delivery	12.4
15	Home Delivery against expected delivery *	4,809	10.7	1,643	3.6	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	34,495	76.6	15,829	34.7	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	4,809	12.2	1,643	9.4	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	34,495	87.8	15,829	90.6		
19	Total reported Deliveries	39,304		17,472			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,846		1,018		62.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,515		16,319		93.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	43,954		44,467			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	38,432		17,030		Breastfed within 1 hour of birth	
24	Total Still Birth	1,059		487		BCG	
25	PC of newborn weighted at birth to live birth	38,427		17,019		3 dose of DPT	
		87.4		38.3		46.4	
		2.4		1.1		94.3	
		100.0		99.9		73.6	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,482	14.3	2,903	17.1	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	38,225	99.5	16,645	97.7	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	36,701	83.5	18,205	40.9	Full Immunization	54.6
29	Children who have received BCG	40,217	91.5	19,089	42.9		
30	Children who have received Pentavalent 1	37,310	84.9	17,272	38.8		
31	Children who have received Pentavalent 3	36,411	82.8	18,454	41.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,713	83.5	18,245	41.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	544		490			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	5	Total unmet need	12.3
35	Number of Tubectomies performed	1,671	904	Spacing	3.9
36	Number of IUD insertion	2,598	1,367	Women using any method	57.3
37	Number of IUD removals	499	288	Women using modern method	47.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	320	178		
39	General OPD cases per 10,000 population ***	5,980	3,751		
40	Ayush OPD cases per 10,000 population ***	605	433		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	38	10		
42	Neonatal Deaths up to 4 weeks of birth	371	191		
43	Total Neonatal Death	409	201		
44	Deaths between (1 - 11) months	100	71		
45	Total reported infant deaths	509	272		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	19	12		
49	Due to Bleeding	9	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	63	17		
52	Total reported maternal deaths	91	29		

Biswanath Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,12,491						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	135						
4	Primary Health Centers (PHC)	26						
5	Community Health Centers (CHC)	3						
6	SDH	2						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	16,529	16,628					
9	Expected number of Delivery	15,402	15,494					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	13,581	82.2	6,931	41.7	ANC Check up in first trimester	41.2	
11	Mothers registered in the first trimester	12,623	92.9	6,494	93.7	At least 4ANC check up	46.5	
12	Mothers who had 4 or more ANC check ups	11,471	84.5	5,910	85.3	Neonatal tetanus received	94.6	
13	PW who got TT 2 / Booster injection	12,695	93.5	6,945	100.2	100 IFA tablets consumed	63.7	
14	PW who consumed 180 IFA tablets	12,987	95.6	6,915	99.8	Home Delivery	15.7	
15	Home Delivery against expected delivery *	388	2.5	109	0.7	Institutional Delivery	84.3	
16	Institutional Delivery against expected delivery *	8,906	57.8	3,827	24.7	Home Delivery by SBA	0.6	
17	Home Delivery against reported delivery **	388	4.2	109	2.8	PNC within 2days of delivery	56.5	
18	Institutional Delivery against reported delivery **	8,906	95.8	3,827	97.2			
19	Total reported Deliveries	9,294		3,936				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	23.5	13	11.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,195	109.7	4,145	105.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	15,026		15,116				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	9,202	61.2	3,898	25.8	Breastfed within 1 hour of birth	62.7	
24	Total Still Birth	113	0.8	46	0.3	BCG	88.3	
25	PC of newborn weighted at birth to live birth	9,120	99.1	3,897	100.0	3 dose of DPT	82.5	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,108	12.1	337	8.6	Measles First dose	87.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,987	97.7	3,811	97.8	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,311	81.9	6,024	39.9	Full Immunization	66.2
29	Children who have received BCG	11,305	75.2	4,680	31.0		
30	Children who have received Pentavalent 1	12,293	81.8	5,249	34.7		
31	Children who have received Pentavalent 3	11,950	79.5	6,064	40.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,322	82.0	6,075	40.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	103		52			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5.3
35	Number of Tubectomies performed	23	17	Spacing	1.4
36	Number of IUD insertion	121	747	Women using any method	72.4
37	Number of IUD removals	69	79	Women using modern method	56.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	417	294		
39	General OPD cases per 10,000 population ***	9,915	7,452		
40	Ayush OPD cases per 10,000 population ***	101	58		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	30	3		
42	Neonatal Deaths up to 4 weeks of birth	62	21		
43	Total Neonatal Death	92	24		
44	Deaths between (1 - 11) months	51	22		
45	Total reported infant deaths	143	46		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	3		
52	Total reported maternal deaths	10	5		

Bongaigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	7,38,804						
2	Sex Ratio	961						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	108						
4	Primary Health Centers (PHC)	29						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	20,718	20,923					
9	Expected number of Delivery	19,306	19,496					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	15,086	72.8	8,171	39.1	ANC Check up in first trimester	65.1	
11	Mothers registered in the first trimester	13,993	92.8	7,587	92.9	At least 4ANC check up	33.9	
12	Mothers who had 4 or more ANC check ups	13,463	89.2	7,256	88.8	Neonatal tetanus received	91.8	
13	PW who got TT 2 / Booster injection	14,140	93.7	7,491	91.7	100 IFA tablets consumed	46.7	
14	PW who consumed 180 IFA tablets	15,086	100.0	8,162	99.9	Home Delivery	15.5	
15	Home Delivery against expected delivery *	456	2.4	185	0.9	Institutional Delivery	84.5	
16	Institutional Delivery against expected delivery *	13,371	69.3	5,642	28.9	Home Delivery by SBA	4.9	
17	Home Delivery against reported delivery **	456	3.3	185	3.2	PNC within 2days of delivery	57.0	
18	Institutional Delivery against reported delivery **	13,371	96.7	5,642	96.8			
19	Total reported Deliveries	13,827		5,827				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	387	84.9	181	97.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,333	89.2	6,131	105.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	18,835		19,021				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	13,765	73.1	5,816	30.6	Breastfed within 1 hour of birth	46.7	
24	Total Still Birth	233	1.2	77	0.4	BCG	94.1	
25	PC of newborn weighted at birth to live birth	13,584	98.7	5,814	100.0	3 dose of DPT	80.4	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,715	12.6	764	13.1	Measles First dose	84.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,627	99.0	5,694	97.9	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	13,349	70.9	6,171	32.4	Full Immunization	67.9
29	Children who have received BCG	16,221	86.1	6,960	36.6		
30	Children who have received Pentavalent 1	13,925	73.9	6,637	34.9		
31	Children who have received Pentavalent 3	13,362	70.9	6,375	33.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,349	70.9	6,183	32.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	193		194			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	4	Total unmet need	16.1
35	Number of Tubectomies performed	559	258	Spacing	5.1
36	Number of IUD insertion	1,147	689	Women using any method	57.6
37	Number of IUD removals	212	127	Women using modern method	45.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	353	225		
39	General OPD cases per 10,000 population ***	5,587	3,910		
40	Ayush OPD cases per 10,000 population ***	138	24		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	21	8		
42	Neonatal Deaths up to 4 weeks of birth	56	19		
43	Total Neonatal Death	77	27		
44	Deaths between (1 - 11) months	42	11		
45	Total reported infant deaths	119	38		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	2		
52	Total reported maternal deaths	6	2		

Cachar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	17,36,617						
2	Sex Ratio	958						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	269						
4	Primary Health Centers (PHC)	32						
5	Community Health Centers (CHC)	7						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	48,983	49,495					
9	Expected number of Delivery	45,643	46,120					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	38,854	79.3	20,673	41.8	ANC Check up in first trimester	52.0	
11	Mothers registered in the first trimester	35,076	90.3	18,370	88.9	At least 4ANC check up	32.7	
12	Mothers who had 4 or more ANC check ups	34,341	88.4	17,808	86.1	Neonatal tetanus received	90.0	
13	PW who got TT 2 / Booster injection	38,086	98.0	20,252	98.0	100 IFA tablets consumed	35.6	
14	PW who consumed 180 IFA tablets	38,064	98.0	20,371	98.5	Home Delivery	20.8	
15	Home Delivery against expected delivery *	767	1.7	208	0.5	Institutional Delivery	79.2	
16	Institutional Delivery against expected delivery *	41,891	91.8	17,843	38.7	Home Delivery by SBA	2.1	
17	Home Delivery against reported delivery **	767	1.8	208	1.2	PNC within 2days of delivery	57.3	
18	Institutional Delivery against reported delivery **	41,891	98.2	17,843	98.8			
19	Total reported Deliveries	42,658		18,051				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	504	65.7	130	62.5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,287	52.2	9,839	54.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	44,530		44,995				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	41,755	93.8	17,793	39.5	Breastfed within 1 hour of birth	29.8	
24	Total Still Birth	1,239	2.8	465	1.0	BCG	88.3	
25	PC of newborn weighted at birth to live birth	41,361	99.1	17,756	99.8	3 dose of DPT	82.5	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,769	16.4	3,001	16.9	Measles First dose	76.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	41,339	99.0	17,058	95.9	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	41,305	92.8	18,558	41.2	Full Immunization	70.4
29	Children who have received BCG	45,889	103.1	20,123	44.7		
30	Children who have received Pentavalent 1	43,524	97.7	19,724	43.8		
31	Children who have received Pentavalent 3	42,750	96.0	19,564	43.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	41,179	92.5	18,775	41.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,841		498			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	110	6	Total unmet need	15.6
35	Number of Tubectomies performed	1,416	1,062	Spacing	6.9
36	Number of IUD insertion	2,145	1,129	Women using any method	48
37	Number of IUD removals	197	78	Women using modern method	38.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	504	368		
39	General OPD cases per 10,000 population ***	9,617	5,505		
40	Ayush OPD cases per 10,000 population ***	16	4		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	122	29		
42	Neonatal Deaths up to 4 weeks of birth	327	127		
43	Total Neonatal Death	449	156		
44	Deaths between (1 - 11) months	188	91		
45	Total reported infant deaths	637	247		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	7	0		
49	Due to Bleeding	4	7		
50	Due to High fever	3	0		
51	Due to Other Causes (including causes not known)	75	29		
52	Total reported maternal deaths	89	36		

Charaideo Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,58,615						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	70						
4	Primary Health Centers (PHC)	19						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	11,630	11,627					
9	Expected number of Delivery	10,837	10,834					
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	7,490	64.4	3,602	31.0	ANC Check up in first trimester	74.1	
11	Mothers registered in the first trimester	6,833	91.2	3,307	91.8	At least 4ANC check up	64.5	
12	Mothers who had 4 or more ANC check ups	6,316	84.3	2,963	82.3	Neonatal tetanus received	95.9	
13	PW who got TT 2 / Booster injection	6,739	90.0	3,610	100.2	100 IFA tablets consumed	51.7	
14	PW who consumed 180 IFA tablets	8,072	107.8	4,222	117.2	Home Delivery	11.8	
15	Home Delivery against expected delivery *	31	0.3	9	0.1	Institutional Delivery	88.2	
16	Institutional Delivery against expected delivery *	3,317	30.6	1,500	13.8	Home Delivery by SBA	2.2	
17	Home Delivery against reported delivery **	31	0.9	9	0.6	PNC within 2days of delivery	70.5	
18	Institutional Delivery against reported delivery **	3,317	99.1	1,500	99.4			
19	Total reported Deliveries	3,348		1,509				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	100.0	9	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,731	141.3	1,751	116.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	10,572		10,570				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	3,292	31.1	1,481	14.0	Breastfed within 1 hour of birth	58.3	
24	Total Still Birth	56	0.5	32	0.3	BCG	96.2	
25	PC of newborn weighted at birth to live birth	3,296	100.1	1,481	100.0	3 dose of DPT	90.1	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	558	16.9	336	22.7	Measles First dose	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,285	99.8	1,477	99.7	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,988	66.1	3,124	29.6	Full Immunization	74
29	Children who have received BCG	4,263	40.3	1,788	16.9		
30	Children who have received Pentavalent 1	7,048	66.7	2,842	26.9		
31	Children who have received Pentavalent 3	6,558	62.0	3,230	30.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,990	66.1	3,123	29.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	235		98			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	545	85	Spacing	3.7
36	Number of IUD insertion	1,030	588	Women using any method	67
37	Number of IUD removals	129	105	Women using modern method	43.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	108	98		
39	General OPD cases per 10,000 population ***	10,754	7,827		
40	Ayush OPD cases per 10,000 population ***	130	69		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	5	4		
42	Neonatal Deaths up to 4 weeks of birth	5	2		
43	Total Neonatal Death	10	6		
44	Deaths between (1 - 11) months	7	0		
45	Total reported infant deaths	17	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Chirang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,82,162						
2	Sex Ratio	969						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	87						
4	Primary Health Centers (PHC)	24						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	12,458	12,478					
9	Expected number of Delivery	11,608	11,627					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	9,294	74.6	5,103	40.9	ANC Check up in first trimester	55.9	
11	Mothers registered in the first trimester	7,782	83.7	4,409	86.4	At least 4ANC check up	56.5	
12	Mothers who had 4 or more ANC check ups	6,775	72.9	3,096	60.7	Neonatal tetanus received	96.1	
13	PW who got TT 2 / Booster injection	8,803	94.7	4,824	94.5	100 IFA tablets consumed	47.1	
14	PW who consumed 180 IFA tablets	8,814	94.8	4,933	96.7	Home Delivery	16.3	
15	Home Delivery against expected delivery *	1,407	12.1	481	4.1	Institutional Delivery	83.7	
16	Institutional Delivery against expected delivery *	6,189	53.3	2,933	25.2	Home Delivery by SBA	2.7	
17	Home Delivery against reported delivery **	1,407	18.5	481	14.1	PNC within 2days of delivery	59.7	
18	Institutional Delivery against reported delivery **	6,189	81.5	2,933	85.9			
19	Total reported Deliveries	7,596		3,414				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	5.5	33	6.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,149	54.6	2,212	64.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	11,325		11,344				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	7,538	66.6	3,378	29.8	Breastfed within 1 hour of birth	40.5	
24	Total Still Birth	93	0.8	62	0.5	BCG	98.2	
25	PC of newborn weighted at birth to live birth	7,527	99.9	3,374	99.9	3 dose of DPT	86.4	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	865	11.5	433	12.8	Measles First dose	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,502	99.5	3,363	99.6	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	8,197	72.4	3,984	35.1	Full Immunization	71.1
29	Children who have received BCG	8,888	78.5	3,495	30.8		
30	Children who have received Pentavalent 1	8,432	74.5	3,712	32.7		
31	Children who have received Pentavalent 3	8,213	72.5	4,271	37.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,221	72.6	3,976	35.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	670		349			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	87	77	Spacing	3.7
36	Number of IUD insertion	809	705	Women using any method	65.8
37	Number of IUD removals	538	364	Women using modern method	55.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	290	210		
39	General OPD cases per 10,000 population ***	4,763	3,427		
40	Ayush OPD cases per 10,000 population ***	516	353		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	20	2		
42	Neonatal Deaths up to 4 weeks of birth	41	10		
43	Total Neonatal Death	61	12		
44	Deaths between (1 - 11) months	33	16		
45	Total reported infant deaths	94	28		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	2	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	11	3		
52	Total reported maternal deaths	14	6		

Darrang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	9,28,500						
2	Sex Ratio	923						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	159						
4	Primary Health Centers (PHC)	33						
5	Community Health Centers (CHC)	7						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	26,020	26,275					
9	Expected number of Delivery	24,246	24,484					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	21,999	84.5	11,731	44.6	ANC Check up in first trimester	56.5	
11	Mothers registered in the first trimester	21,682	98.6	11,605	98.9	At least 4ANC check up	37.5	
12	Mothers who had 4 or more ANC check ups	20,655	93.9	11,043	94.1	Neonatal tetanus received	91.1	
13	PW who got TT 2 / Booster injection	20,804	94.6	11,523	98.2	100 IFA tablets consumed	43.3	
14	PW who consumed 180 IFA tablets	22,142	100.7	11,771	100.3	Home Delivery	15.6	
15	Home Delivery against expected delivery *	108	0.4	87	0.4	Institutional Delivery	84.4	
16	Institutional Delivery against expected delivery *	19,008	78.4	9,073	37.1	Home Delivery by SBA	2.3	
17	Home Delivery against reported delivery **	108	0.6	87	0.9	PNC within 2days of delivery	53.2	
18	Institutional Delivery against reported delivery **	19,008	99.4	9,073	99.1			
19	Total reported Deliveries	19,116		9,160				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	99.1	87	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,484	122.8	11,793	128.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	23,655		23,886				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	18,947	80.1	9,082	38.0	Breastfed within 1 hour of birth	51.7	
24	Total Still Birth	304	1.3	115	0.5	BCG	94.9	
25	PC of newborn weighted at birth to live birth	18,897	99.7	9,081	100.0	3 dose of DPT	76.7	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,878	9.9	963	10.6	Measles First dose	82.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,558	97.9	8,697	95.8	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,678	83.2	10,330	43.2	Full Immunization	57.1
29	Children who have received BCG	19,303	81.6	8,701	36.4		
30	Children who have received Pentavalent 1	19,706	83.3	9,719	40.7		
31	Children who have received Pentavalent 3	19,422	82.1	9,976	41.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,630	83.0	10,330	43.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,750		1,295			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.8
35	Number of Tubectomies performed	797	321	Spacing	5.8
36	Number of IUD insertion	2,325	968	Women using any method	46.8
37	Number of IUD removals	619	311	Women using modern method	36.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	369	277		
39	General OPD cases per 10,000 population ***	5,801	4,361		
40	Ayush OPD cases per 10,000 population ***	271	297		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	8	1		
42	Neonatal Deaths up to 4 weeks of birth	129	42		
43	Total Neonatal Death	137	43		
44	Deaths between (1 - 11) months	24	15		
45	Total reported infant deaths	161	58		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	2	1		
49	Due to Bleeding	5	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	2		
52	Total reported maternal deaths	19	5		

Dhemaji Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,86,133						
2	Sex Ratio	949						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	98						
4	Primary Health Centers (PHC)	24						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	19,378	19,583					
9	Expected number of Delivery	18,056	18,247					
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	13,930	71.9	6,998	35.7	ANC Check up in first trimester	76.2	
11	Mothers registered in the first trimester	13,160	94.5	6,609	94.4	At least 4ANC check up	62.2	
12	Mothers who had 4 or more ANC check ups	11,515	82.7	5,251	75.0	Neonatal tetanus received	96.5	
13	PW who got TT 2 / Booster injection	12,786	91.8	7,087	101.3	100 IFA tablets consumed	45.3	
14	PW who consumed 180 IFA tablets	14,157	101.6	6,836	97.7	Home Delivery	12.7	
15	Home Delivery against expected delivery *	29	0.2	17	0.1	Institutional Delivery	87.3	
16	Institutional Delivery against expected delivery *	14,723	81.5	5,994	32.8	Home Delivery by SBA	4.2	
17	Home Delivery against reported delivery **	29	0.2	17	0.3	PNC within 2days of delivery	72.8	
18	Institutional Delivery against reported delivery **	14,723	99.8	5,994	99.7			
19	Total reported Deliveries	14,752		6,011				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	65.5	7	41.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,891	80.6	4,604	76.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	17,616		17,802				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	14,650	83.2	5,997	33.7	Breastfed within 1 hour of birth	45.5	
24	Total Still Birth	224	1.3	146	0.8	BCG	96.7	
25	PC of newborn weighted at birth to live birth	14,390	98.2	5,721	95.4	3 dose of DPT	94.7	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,527	10.6	401	7.0	Measles First dose	93.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,306	97.7	5,674	94.6	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	13,550	76.9	6,534	36.7	Full Immunization	89.7
29	Children who have received BCG	14,270	81.0	6,215	34.9		
30	Children who have received Pentavalent 1	13,396	76.0	5,259	29.5		
31	Children who have received Pentavalent 3	13,455	76.4	6,329	35.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,591	77.2	6,492	36.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	838		590			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	746	52	Spacing	3.5
36	Number of IUD insertion	853	811	Women using any method	72.6
37	Number of IUD removals	700	488	Women using modern method	45
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	283	157		
39	General OPD cases per 10,000 population ***	6,446	4,126		
40	Ayush OPD cases per 10,000 population ***	215	137		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	32	8		
42	Neonatal Deaths up to 4 weeks of birth	80	29		
43	Total Neonatal Death	112	37		
44	Deaths between (1 - 11) months	52	15		
45	Total reported infant deaths	164	52		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	4		
52	Total reported maternal deaths	11	4		

Dhubri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,94,144					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	187					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	40,984		41,584			
9	Expected number of Delivery	38,190		38,749			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	44,266	108.0	26,478	63.7	ANC Check up in first trimester	49.9
11	Mothers registered in the first trimester	39,773	89.8	24,975	94.3	At least 4ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	40,429	91.3	20,670	78.1	Neonatal tetanus received	97.0
13	PW who got TT 2 / Booster injection	42,537	96.1	25,694	97.0	100 IFA tablets consumed	47.6
14	PW who consumed 180 IFA tablets	44,251	100.0	26,627	100.6	Home Delivery	35.8
15	Home Delivery against expected delivery *	13,910	36.4	4,531	11.7	Institutional Delivery	64.2
16	Institutional Delivery against expected delivery *	22,241	58.2	11,015	28.4	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	13,910	38.5	4,531	29.1	PNC within 2days of delivery	48.4
18	Institutional Delivery against reported delivery **	22,241	61.5	11,015	70.9		
19	Total reported Deliveries	36,151		15,546			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,944		1,577			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,174		13,129			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,258		37,804			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	36,314		15,548		Breastfed within 1 hour of birth	57.9
24	Total Still Birth	860		363		BCG	90.5
25	PC of newborn weighted at birth to live birth	36,081		15,480		3 dose of DPT	82.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,207	14.4	1,880	12.1	Measles First dose	84
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,736	98.4	15,244	98.0	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	38,756	104.0	18,658	49.4	Full Immunization	71.6
29	Children who have received BCG	38,431	103.1	17,609	46.6		
30	Children who have received Pentavalent 1	38,397	103.1	18,284	48.4		
31	Children who have received Pentavalent 3	37,856	101.6	20,057	53.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	39,510	106.0	18,895	50.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,135		1,111			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	13	3	Total unmet need	11.5
35	Number of Tubectomies performed	518	290	Spacing	4
36	Number of IUD insertion	5,299	2,585	Women using any method	64.1
37	Number of IUD removals	331	189	Women using modern method	53.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	255	183		
39	General OPD cases per 10,000 population ***	4,483	3,243		
40	Ayush OPD cases per 10,000 population ***	361	324		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	111	25		
42	Neonatal Deaths up to 4 weeks of birth	256	78		
43	Total Neonatal Death	367	103		
44	Deaths between (1 - 11) months	87	17		
45	Total reported infant deaths	454	120		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	2	1		
49	Due to Bleeding	5	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	7		
52	Total reported maternal deaths	20	10		

Dibrugarh Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,26,335					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	234					
4	Primary Health Centers (PHC)	31					
5	Community Health Centers (CHC)	10					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	34,534		34,617			
9	Expected number of Delivery	32,179		32,256			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,554	59.5	10,237	29.6	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	17,982	87.5	9,110	89.0	At least 4ANC check up	75.6
12	Mothers who had 4 or more ANC check ups	15,206	74.0	7,753	75.7	Neonatal tetanus received	94.1
13	PW who got TT 2 / Booster injection	18,209	88.6	10,086	98.5	100 IFA tablets consumed	58.9
14	PW who consumed 180 IFA tablets	19,574	95.2	9,614	93.9	Home Delivery	6.9
15	Home Delivery against expected delivery *	47	0.1	13	0.0	Institutional Delivery	93.1
16	Institutional Delivery against expected delivery *	21,662	67.3	10,394	32.2	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	47	0.2	13	0.1	PNC within 2days of delivery	82.1
18	Institutional Delivery against reported delivery **	21,662	99.8	10,394	99.9		
19	Total reported Deliveries	21,709		10,407			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17		4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,534		8,785			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,394		31,470			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	21,259		10,195		Breastfed within 1 hour of birth	52.6
24	Total Still Birth	657		370		BCG	97.8
25	PC of newborn weighted at birth to live birth	21,259		10,180		3 dose of DPT	93

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,635	21.8	2,117	20.8	Measles First dose	97.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	20,936	98.5	9,928	97.4	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	19,910	63.4	9,859	31.3	Full Immunization	83.8
29	Children who have received BCG	21,430	68.3	10,733	34.1		
30	Children who have received Pentavalent 1	20,281	64.6	7,967	25.3		
31	Children who have received Pentavalent 3	18,723	59.6	9,627	30.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,912	63.4	9,860	31.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,257		946			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	76	0	Total unmet need	8.7
35	Number of Tubectomies performed	1,923	286	Spacing	4.8
36	Number of IUD insertion	842	894	Women using any method	64.6
37	Number of IUD removals	605	407	Women using modern method	43.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	597	490		
39	General OPD cases per 10,000 population ***	14,503	11,241		
40	Ayush OPD cases per 10,000 population ***	164	125		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	57	33		
42	Neonatal Deaths up to 4 weeks of birth	349	163		
43	Total Neonatal Death	406	196		
44	Deaths between (1 - 11) months	105	72		
45	Total reported infant deaths	511	268		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	6	2		
47	Due to Obstructed/prolonged labour	4	3		
48	Due to Severe hypertension / fits	27	19		
49	Due to Bleeding	12	7		
50	Due to High fever	7	6		
51	Due to Other Causes (including causes not known)	35	8		
52	Total reported maternal deaths	91	45		

Dima Hasao Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,14,102						
2	Sex Ratio	931						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	76						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	5,657	5,679					
9	Expected number of Delivery	5,271	5,292					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	4,153	73.4	2,085	36.7	ANC Check up in first trimester	58.9	
11	Mothers registered in the first trimester	3,125	75.2	1,564	75.0	At least 4ANC check up	46.9	
12	Mothers who had 4 or more ANC check ups	2,246	54.1	1,073	51.5	Neonatal tetanus received	96.8	
13	PW who got TT 2 / Booster injection	3,622	87.2	1,917	91.9	100 IFA tablets consumed	40.8	
14	PW who consumed 180 IFA tablets	3,587	86.4	1,691	81.1	Home Delivery	10.5	
15	Home Delivery against expected delivery *	1,284	24.4	544	10.3	Institutional Delivery	89.5	
16	Institutional Delivery against expected delivery *	2,275	43.2	1,160	21.9	Home Delivery by SBA	1.8	
17	Home Delivery against reported delivery **	1,284	36.1	544	31.9	PNC within 2days of delivery	73.8	
18	Institutional Delivery against reported delivery **	2,275	63.9	1,160	68.1			
19	Total reported Deliveries	3,559		1,704				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	452	35.2	243	44.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,169	32.8	540	31.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	5,143		5,163				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	3,503	68.1	1,670	32.3	Breastfed within 1 hour of birth	58	
24	Total Still Birth	70	1.4	41	0.8	BCG	91.3	
25	PC of newborn weighted at birth to live birth	3,492	99.7	1,656	99.2	3 dose of DPT	71.9	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	217	6.2	110	6.6	Measles First dose	71.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,486	99.5	1,661	99.5	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,445	67.0	1,701	32.9	Full Immunization	63.6
29	Children who have received BCG	3,583	69.7	1,723	33.4		
30	Children who have received Pentavalent 1	3,469	67.5	1,661	32.2		
31	Children who have received Pentavalent 3	3,309	64.3	1,684	32.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,450	67.1	1,703	33.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	500		212			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	6	Spacing	2.6
36	Number of IUD insertion	187	112	Women using any method	65.5
37	Number of IUD removals	162	125	Women using modern method	44.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	393	304		
39	General OPD cases per 10,000 population ***	6,379	4,009		
40	Ayush OPD cases per 10,000 population ***	342	265		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	13	6		
42	Neonatal Deaths up to 4 weeks of birth	23	16		
43	Total Neonatal Death	36	22		
44	Deaths between (1 - 11) months	34	13		
45	Total reported infant deaths	70	35		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	4	1		
52	Total reported maternal deaths	6	3		

Goalpara Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	29,161		29,540			
9	Expected number of Delivery	27,173		27,526			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	27,066	92.8	14,797	50.1	ANC Check up in first trimester	65.3
11	Mothers registered in the first trimester	25,515	94.3	14,178	95.8	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	22,519	83.2	11,537	78.0	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	25,293	93.4	14,111	95.4	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	26,515	98.0	14,569	98.5	Home Delivery	7.7
15	Home Delivery against expected delivery *	844	3.1	303	1.1	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	25,032	92.1	11,607	42.2	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	844	3.3	303	2.5	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	25,032	96.7	11,607	97.5		
19	Total reported Deliveries	25,876		11,910			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	713	84.5	268	88.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,583	75.7	10,876	91.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,510		26,855			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	25,532	96.3	11,777	43.9	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	570	2.2	238	0.9	BCG	98.4
25	PC of newborn weighted at birth to live birth	25,372	99.4	11,753	99.8	3 dose of DPT	90.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,838	11.2	1,303	11.1	Measles First dose	90.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,275	99.0	11,513	97.8	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,727	85.7	11,469	42.7	Full Immunization	70.3
29	Children who have received BCG	25,970	98.0	11,697	43.6		
30	Children who have received Pentavalent 1	23,047	86.9	11,268	42.0		
31	Children who have received Pentavalent 3	22,455	84.7	11,643	43.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,618	89.1	11,760	43.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	753		480			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	18	2	Total unmet need	7.4
35	Number of Tubectomies performed	743	404	Spacing	2.2
36	Number of IUD insertion	6,469	2,885	Women using any method	66.8
37	Number of IUD removals	1,088	557	Women using modern method	55.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	516	338		
39	General OPD cases per 10,000 population ***	6,954	4,360		
40	Ayush OPD cases per 10,000 population ***	577	380		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	105	49		
42	Neonatal Deaths up to 4 weeks of birth	201	79		
43	Total Neonatal Death	306	128		
44	Deaths between (1 - 11) months	36	16		
45	Total reported infant deaths	342	144		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	4		
49	Due to Bleeding	6	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	15	1		
52	Total reported maternal deaths	24	6		

Golaghat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	143					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	27,735		27,797			
9	Expected number of Delivery	25,844		25,902			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,020	65.0	9,105	32.8	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	16,757	93.0	8,623	94.7	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	15,347	85.2	8,070	88.6	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	16,860	93.6	8,777	96.4	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	17,295	96.0	8,914	97.9	Home Delivery	9.6
15	Home Delivery against expected delivery *	132	0.5	38	0.1	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	12,937	50.1	5,423	20.9	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	132	1.0	38	0.7	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	12,937	99.0	5,423	99.3		
19	Total reported Deliveries	13,069		5,461			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53		10			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,955		4,275			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,213		25,270			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	12,931		5,436		Breastfed within 1 hour of birth	53.6
24	Total Still Birth	212		100		BCG	92.6
25	PC of newborn weighted at birth to live birth	12,909		5,250		3 dose of DPT	84.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,623	12.6	730	13.9	Measles First dose	87.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,807	99.0	5,035	92.6	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	16,323	64.7	7,907	31.3	Full Immunization	72.4
29	Children who have received BCG	13,589	53.9	5,674	22.5		
30	Children who have received Pentavalent 1	16,756	66.5	7,337	29.0		
31	Children who have received Pentavalent 3	16,269	64.5	7,744	30.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,304	64.7	7,934	31.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	667		520			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	26	0	Total unmet need	10.9
35	Number of Tubectomies performed	670	310	Spacing	4.7
36	Number of IUD insertion	677	533	Women using any method	61.6
37	Number of IUD removals	836	723	Women using modern method	35.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	247	203		
39	General OPD cases per 10,000 population ***	7,042	6,124		
40	Ayush OPD cases per 10,000 population ***	300	74		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	39	10		
42	Neonatal Deaths up to 4 weeks of birth	97	35		
43	Total Neonatal Death	136	45		
44	Deaths between (1 - 11) months	51	10		
45	Total reported infant deaths	187	55		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	3		
52	Total reported maternal deaths	11	3		

Hailakandi Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,59,296						
2	Sex Ratio	946						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	107						
4	Primary Health Centers (PHC)	13						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	18,829	19,049					
9	Expected number of Delivery	17,545	17,750					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	19,593	104.1	10,454	54.9	ANC Check up in first trimester	77.6	
11	Mothers registered in the first trimester	17,268	88.1	9,121	87.2	At least 4ANC check up	43.1	
12	Mothers who had 4 or more ANC check ups	17,127	87.4	7,910	75.7	Neonatal tetanus received	96.2	
13	PW who got TT 2 / Booster injection	18,949	96.7	10,062	96.3	100 IFA tablets consumed	29.0	
14	PW who consumed 180 IFA tablets	19,539	99.7	10,308	98.6	Home Delivery	17.0	
15	Home Delivery against expected delivery *	867	4.9	330	1.9	Institutional Delivery	83.0	
16	Institutional Delivery against expected delivery *	13,915	79.3	5,848	32.9	Home Delivery by SBA	2.2	
17	Home Delivery against reported delivery **	867	5.9	330	5.3	PNC within 2days of delivery	68.8	
18	Institutional Delivery against reported delivery **	13,915	94.1	5,848	94.7			
19	Total reported Deliveries	14,782		6,178				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	460	53.1	189	57.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,610	92.1	6,141	99.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	17,117		17,318				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	14,559	85.1	6,095	35.2	Breastfed within 1 hour of birth	24.4	
24	Total Still Birth	303	1.8	117	0.7	BCG	95.4	
25	PC of newborn weighted at birth to live birth	14,559	100.0	6,095	100.0	3 dose of DPT	78.9	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,443	9.9	696	11.4	Measles First dose	85.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,992	96.1	5,682	93.2	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	16,753	97.9	8,471	48.9	Full Immunization	68.6
29	Children who have received BCG	17,572	102.7	7,557	43.6		
30	Children who have received Pentavalent 1	17,480	102.1	8,128	46.9		
31	Children who have received Pentavalent 3	16,765	97.9	8,626	49.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,765	97.9	8,468	48.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,017		1,386			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	30	0	Total unmet need	8.6
35	Number of Tubectomies performed	361	243	Spacing	4.2
36	Number of IUD insertion	3,660	1,642	Women using any method	66.8
37	Number of IUD removals	442	241	Women using modern method	49.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	368	208		
39	General OPD cases per 10,000 population ***	5,719	4,300		
40	Ayush OPD cases per 10,000 population ***	156	134		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	21	10		
42	Neonatal Deaths up to 4 weeks of birth	40	18		
43	Total Neonatal Death	61	28		
44	Deaths between (1 - 11) months	29	3		
45	Total reported infant deaths	90	31		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	1		
52	Total reported maternal deaths	7	2		

Hojai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	9,31,218						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	94						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	26,764	27,095					
9	Expected number of Delivery	24,939	25,248					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	21,458	80.2	11,556	42.7	ANC Check up in first trimester	52.7	
11	Mothers registered in the first trimester	20,203	94.2	10,643	92.1	At least 4ANC check up	51.3	
12	Mothers who had 4 or more ANC check ups	19,433	90.6	10,571	91.5	Neonatal tetanus received	96.2	
13	PW who got TT 2 / Booster injection	21,174	98.7	10,747	93.0	100 IFA tablets consumed	50.5	
14	PW who consumed 180 IFA tablets	21,511	100.2	11,331	98.1	Home Delivery	17.9	
15	Home Delivery against expected delivery *	1,281	5.1	378	1.5	Institutional Delivery	82.1	
16	Institutional Delivery against expected delivery *	14,041	56.3	7,811	30.9	Home Delivery by SBA	4.1	
17	Home Delivery against reported delivery **	1,281	8.4	378	4.6	PNC within 2days of delivery	63.9	
18	Institutional Delivery against reported delivery **	14,041	91.6	7,811	95.4			
19	Total reported Deliveries	15,322		8,189				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	104	8.1	10	2.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,905	90.8	7,111	86.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	24,331		24,632				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	15,094	62.0	8,082	32.8	Breastfed within 1 hour of birth	54.9	
24	Total Still Birth	240	1.0	118	0.5	BCG	82.1	
25	PC of newborn weighted at birth to live birth	15,063	99.8	7,803	96.5	3 dose of DPT	60.8	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,072	7.1	709	9.1	Measles First dose	59.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,002	99.4	7,817	96.7	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	20,588	84.6	9,767	39.7	Full Immunization	55.5
29	Children who have received BCG	20,348	83.6	10,400	42.2		
30	Children who have received Pentavalent 1	21,716	89.3	10,187	41.4		
31	Children who have received Pentavalent 3	20,588	84.6	9,659	39.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,612	84.7	9,784	39.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	663		437			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	48	27	Spacing	4.9
36	Number of IUD insertion	256	333	Women using any method	61.1
37	Number of IUD removals	45	62	Women using modern method	48.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	73	73		
39	General OPD cases per 10,000 population ***	3,028	2,045		
40	Ayush OPD cases per 10,000 population ***	50	35		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	16	1		
42	Neonatal Deaths up to 4 weeks of birth	39	3		
43	Total Neonatal Death	55	4		
44	Deaths between (1 - 11) months	25	2		
45	Total reported infant deaths	80	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	11	1		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	1	1		
52	Total reported maternal deaths	14	2		

Jorhat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	9,24,952						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	110						
4	Primary Health Centers (PHC)	35						
5	Community Health Centers (CHC)	6						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	23,418	23,408					
9	Expected number of Delivery	21,821	21,812					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	14,779	63.1	7,149	30.5	ANC Check up in first trimester	78.3	
11	Mothers registered in the first trimester	14,110	95.5	6,812	95.3	At least 4ANC check up	67.0	
12	Mothers who had 4 or more ANC check ups	11,444	77.4	5,597	78.3	Neonatal tetanus received	97.4	
13	PW who got TT 2 / Booster injection	13,645	92.3	7,108	99.4	100 IFA tablets consumed	52.1	
14	PW who consumed 180 IFA tablets	13,920	94.2	7,056	98.7	Home Delivery	3.5	
15	Home Delivery against expected delivery *	42	0.2	11	0.1	Institutional Delivery	96.5	
16	Institutional Delivery against expected delivery *	14,016	64.2	6,468	29.7	Home Delivery by SBA	0.4	
17	Home Delivery against reported delivery **	42	0.3	11	0.2	PNC within 2days of delivery	81.4	
18	Institutional Delivery against reported delivery **	14,016	99.7	6,468	99.8			
19	Total reported Deliveries	14,058		6,479				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	81.0	11	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,289	108.8	6,956	107.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	21,289		21,280				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	13,990	65.7	6,399	30.1	Breastfed within 1 hour of birth	51.6	
24	Total Still Birth	240	1.1	135	0.6	BCG	100	
25	PC of newborn weighted at birth to live birth	13,337	95.3	6,160	96.3	3 dose of DPT	79.8	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,494	11.2	649	10.5	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,316	95.2	6,195	96.8	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	15,368	72.2	6,716	31.6	Full Immunization	69.2
29	Children who have received BCG	13,416	63.0	6,220	29.2		
30	Children who have received Pentavalent 1	14,779	69.4	5,715	26.9		
31	Children who have received Pentavalent 3	14,710	69.1	6,313	29.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,682	73.7	6,762	31.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	328		88			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	14	4	Total unmet need	10.4
35	Number of Tubectomies performed	907	383	Spacing	3.2
36	Number of IUD insertion	357	354	Women using any method	63.8
37	Number of IUD removals	132	96	Women using modern method	32.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	503	380		
39	General OPD cases per 10,000 population ***	10,233	8,386		
40	Ayush OPD cases per 10,000 population ***	23	74		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	29	18		
42	Neonatal Deaths up to 4 weeks of birth	286	174		
43	Total Neonatal Death	315	192		
44	Deaths between (1 - 11) months	91	58		
45	Total reported infant deaths	406	250		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	25	6		
52	Total reported maternal deaths	25	8		

Kamrup R Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	15,17,542					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	65					
5	Community Health Centers (CHC)	13					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	40,952		41,198			
9	Expected number of Delivery	38,160		38,389			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	30,583	74.7	16,895	41.0	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	28,944	94.6	16,312	96.5	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	26,550	86.8	14,403	85.3	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	28,558	93.4	16,103	95.3	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	30,466	99.6	17,215	101.9	Home Delivery	15.0
15	Home Delivery against expected delivery *	288	0.8	60	0.2	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	20,269	53.1	9,294	24.2	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	288	1.4	60	0.6	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	20,269	98.6	9,294	99.4		
19	Total reported Deliveries	20,557		9,354			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	138		33		55.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,849		106.3		9,544 102.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,229		37,453			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	20,451		54.9		9,326 24.9	
24	Total Still Birth	143		0.4		49 0.1	
25	PC of newborn weighted at birth to live birth	20,448		100.0		8,985 96.3	
						3 dose of DPT 86.1	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,133	10.4	891	9.9	Measles First dose	83
27	PC of newborns breastfed within 1 hour to total reported live birth.	20,286	99.2	9,164	98.3	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	27,801	74.7	14,118	37.7	Full Immunization	63.6
29	Children who have received BCG	20,596	55.3	9,909	26.5		
30	Children who have received Pentavalent 1	27,474	73.8	12,216	32.6		
31	Children who have received Pentavalent 3	27,267	73.2	13,497	36.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	27,803	74.7	14,142	37.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	842		302			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	37	5	Total unmet need	17.6
35	Number of Tubectomies performed	1,281	769	Spacing	7.7
36	Number of IUD insertion	2,679	1,512	Women using any method	38.7
37	Number of IUD removals	704	395	Women using modern method	32.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	134	80		
39	General OPD cases per 10,000 population ***	6,885	4,698		
40	Ayush OPD cases per 10,000 population ***	948	714		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	13	4		
42	Neonatal Deaths up to 4 weeks of birth	43	8		
43	Total Neonatal Death	56	12		
44	Deaths between (1 - 11) months	38	8		
45	Total reported infant deaths	94	20		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	2		
52	Total reported maternal deaths	9	2		

Kamrup M Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	12,53,938						
2	Sex Ratio	922						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	50						
4	Primary Health Centers (PHC)	45						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	34,948	35,271					
9	Expected number of Delivery	32,565	32,866					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	20,616	59.0	15,987	45.3	ANC Check up in first trimester	77.6	
11	Mothers registered in the first trimester	17,888	86.8	13,610	85.1	At least 4ANC check up	68.9	
12	Mothers who had 4 or more ANC check ups	20,837	101.1	15,912	99.5	Neonatal tetanus received	96.3	
13	PW who got TT 2 / Booster injection	19,524	94.7	13,274	83.0	100 IFA tablets consumed	51.7	
14	PW who consumed 180 IFA tablets	20,591	99.9	14,776	92.4	Home Delivery	10.9	
15	Home Delivery against expected delivery *	171	0.5	61	0.2	Institutional Delivery	89.1	
16	Institutional Delivery against expected delivery *	33,679	103.4	14,529	44.2	Home Delivery by SBA	2.2	
17	Home Delivery against reported delivery **	171	0.5	61	0.4	PNC within 2days of delivery	75.6	
18	Institutional Delivery against reported delivery **	33,679	99.5	14,529	99.6			
19	Total reported Deliveries	33,850		14,590				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	10.5	3	4.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,200	98.1	11,951	81.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	31,771		32,064				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	33,139	104.3	14,266	44.5	Breastfed within 1 hour of birth	53	
24	Total Still Birth	739	2.3	383	1.2	BCG	90.6	
25	PC of newborn weighted at birth to live birth	33,120	99.9	13,173	92.3	3 dose of DPT	77	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,391	19.3	3,478	26.4	Measles First dose	74.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	33,004	99.6	12,652	88.7	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	25,105	79.0	11,327	35.3	Full Immunization	53.6
29	Children who have received BCG	35,355	111.3	15,421	48.1		
30	Children who have received Pentavalent 1	21,940	69.1	10,791	33.7		
31	Children who have received Pentavalent 3	21,282	67.0	11,117	34.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	24,798	78.1	11,623	36.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	649		726			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	2	Total unmet need	8.8
35	Number of Tubectomies performed	3,197	1,646	Spacing	2.5
36	Number of IUD insertion	199	191	Women using any method	56.8
37	Number of IUD removals	494	364	Women using modern method	41.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	884	750		
39	General OPD cases per 10,000 population ***	6,521	7,876		
40	Ayush OPD cases per 10,000 population ***	567	551		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	106	47		
42	Neonatal Deaths up to 4 weeks of birth	593	295		
43	Total Neonatal Death	699	342		
44	Deaths between (1 - 11) months	183	207		
45	Total reported infant deaths	882	549		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	1	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	15	14		
49	Due to Bleeding	15	8		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	66	27		
52	Total reported maternal deaths	97	50		

Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,60,955						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	104						
4	Primary Health Centers (PHC)	24						
5	Community Health Centers (CHC)	6						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	18,374	18,539					
9	Expected number of Delivery	17,121	17,275					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	16,241	88.4	10,656	57.5	ANC Check up in first trimester	64.8	
11	Mothers registered in the first trimester	12,021	74.0	7,041	66.1	At least 4ANC check up	63.9	
12	Mothers who had 4 or more ANC check ups	8,974	55.3	4,503	42.3	Neonatal tetanus received	90.9	
13	PW who got TT 2 / Booster injection	13,516	83.2	7,816	73.3	100 IFA tablets consumed	35.3	
14	PW who consumed 180 IFA tablets	15,747	97.0	8,382	78.7	Home Delivery	25.1	
15	Home Delivery against expected delivery *	1,079	6.3	508	2.9	Institutional Delivery	74.9	
16	Institutional Delivery against expected delivery *	9,378	54.8	4,723	27.3	Home Delivery by SBA	3.4	
17	Home Delivery against reported delivery **	1,079	10.3	508	9.7	PNC within 2days of delivery	56.9	
18	Institutional Delivery against reported delivery **	9,378	89.7	4,723	90.3			
19	Total reported Deliveries	10,457		5,231				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	485	44.9	250	49.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,110	106.2	4,935	94.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	16,704		16,854				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	10,385	62.2	5,208	30.9	Breastfed within 1 hour of birth	50.3	
24	Total Still Birth	91	0.5	48	0.3	BCG	88.7	
25	PC of newborn weighted at birth to live birth	10,376	99.9	4,976	95.5	3 dose of DPT	75.3	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	671	6.5	390	7.8	Measles First dose	76.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,332	99.5	4,985	95.7	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	12,895	77.2	6,494	38.5	Full Immunization	64.3
29	Children who have received BCG	12,397	74.2	6,490	38.5		
30	Children who have received Pentavalent 1	12,575	75.3	5,903	35.0		
31	Children who have received Pentavalent 3	11,822	70.8	6,540	38.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,324	79.8	6,508	38.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	349		213			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.3
35	Number of Tubectomies performed	147	124	Spacing	2.4
36	Number of IUD insertion	955	1,109	Women using any method	66.3
37	Number of IUD removals	235	188	Women using modern method	41.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	249	163		
39	General OPD cases per 10,000 population ***	5,017	3,288		
40	Ayush OPD cases per 10,000 population ***	221	122		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	18	8		
42	Neonatal Deaths up to 4 weeks of birth	45	23		
43	Total Neonatal Death	63	31		
44	Deaths between (1 - 11) months	26	8		
45	Total reported infant deaths	89	39		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	2	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	2	1		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	8	5		
52	Total reported maternal deaths	14	6		

Karimganj Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	12,28,686						
2	Sex Ratio	961						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	232						
4	Primary Health Centers (PHC)	29						
5	Community Health Centers (CHC)	7						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	34,850	35,234					
9	Expected number of Delivery	32,474	32,832					
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	34,371	98.6	19,550	55.5	ANC Check up in first trimester	54.8	
11	Mothers registered in the first trimester	31,908	92.8	18,102	92.6	At least 4ANC check up	42.8	
12	Mothers who had 4 or more ANC check ups	33,543	97.6	16,172	82.7	Neonatal tetanus received	94.2	
13	PW who got TT 2 / Booster injection	33,984	98.9	18,640	95.3	100 IFA tablets consumed	39.9	
14	PW who consumed 180 IFA tablets	34,356	100.0	19,470	99.6	Home Delivery	23.6	
15	Home Delivery against expected delivery *	5,640	17.4	1,733	5.3	Institutional Delivery	76.4	
16	Institutional Delivery against expected delivery *	21,156	65.1	10,133	30.9	Home Delivery by SBA	2.4	
17	Home Delivery against reported delivery **	5,640	21.0	1,733	14.6	PNC within 2days of delivery	63.9	
18	Institutional Delivery against reported delivery **	21,156	79.0	10,133	85.4			
19	Total reported Deliveries	26,796		11,866				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,706	48.0	748	43.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	91	0.3	46	0.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	31,682		32,031				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	26,257	82.9	11,656	36.4	Breastfed within 1 hour of birth	40.3	
24	Total Still Birth	687	2.2	265	0.8	BCG	95.5	
25	PC of newborn weighted at birth to live birth	26,257	100.0	11,656	100.0	3 dose of DPT	84	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,894	11.0	1,159	9.9	Measles First dose	85.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,991	99.0	11,579	99.3	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	31,136	98.3	14,731	46.0	Full Immunization	75.1
29	Children who have received BCG	34,613	109.3	15,397	48.1		
30	Children who have received Pentavalent 1	31,456	99.3	14,750	46.0		
31	Children who have received Pentavalent 3	30,435	96.1	15,417	48.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	31,135	98.3	14,752	46.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,607		2,077			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	15	Total unmet need	8.6
35	Number of Tubectomies performed	742	325	Spacing	4.2
36	Number of IUD insertion	1,847	2,281	Women using any method	64.3
37	Number of IUD removals	172	223	Women using modern method	54.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	267	156		
39	General OPD cases per 10,000 population ***	4,733	3,276		
40	Ayush OPD cases per 10,000 population ***	176	112		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	18	12		
42	Neonatal Deaths up to 4 weeks of birth	168	36		
43	Total Neonatal Death	186	48		
44	Deaths between (1 - 11) months	141	28		
45	Total reported infant deaths	327	76		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	11	0		
52	Total reported maternal deaths	12	0		

Kokrajhar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	8,87,142						
2	Sex Ratio	958						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	161						
4	Primary Health Centers (PHC)	46						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	21,582	21,487					
9	Expected number of Delivery	20,110	20,022					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	17,354	80.4	9,934	46.2	ANC Check up in first trimester	67.0	
11	Mothers registered in the first trimester	14,330	82.6	8,446	85.0	At least 4ANC check up	36.9	
12	Mothers who had 4 or more ANC check ups	12,281	70.8	6,000	60.4	Neonatal tetanus received	95.8	
13	PW who got TT 2 / Booster injection	15,944	91.9	9,258	93.2	100 IFA tablets consumed	61.1	
14	PW who consumed 180 IFA tablets	16,006	92.2	9,674	97.4	Home Delivery	18.1	
15	Home Delivery against expected delivery *	1,038	5.2	346	1.7	Institutional Delivery	81.9	
16	Institutional Delivery against expected delivery *	14,658	72.9	6,847	34.2	Home Delivery by SBA	0.9	
17	Home Delivery against reported delivery **	1,038	6.6	346	4.8	PNC within 2days of delivery	68.3	
18	Institutional Delivery against reported delivery **	14,658	93.4	6,847	95.2			
19	Total reported Deliveries	15,696		7,193				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	127	12.2	73	21.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,507	66.9	5,035	70.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	19,620		19,534				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	15,539	79.2	7,200	36.9	Breastfed within 1 hour of birth	56.4	
24	Total Still Birth	250	1.3	117	0.6	BCG	95.3	
25	PC of newborn weighted at birth to live birth	11,035	71.0	7,149	99.3	3 dose of DPT	76.2	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,293	11.7	816	11.4	Measles First dose	79.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,348	98.8	7,024	97.6	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	15,285	77.9	7,641	39.1	Full Immunization	51.1
29	Children who have received BCG	15,827	80.7	7,613	39.0		
30	Children who have received Pentavalent 1	15,250	77.7	7,022	35.9		
31	Children who have received Pentavalent 3	15,168	77.3	8,089	41.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,264	77.8	7,743	39.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	937		583			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	75	64	Spacing	3.7
36	Number of IUD insertion	924	672	Women using any method	72.3
37	Number of IUD removals	613	527	Women using modern method	58
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	282	217		
39	General OPD cases per 10,000 population ***	4,572	3,024		
40	Ayush OPD cases per 10,000 population ***	703	508		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	60	28		
42	Neonatal Deaths up to 4 weeks of birth	212	92		
43	Total Neonatal Death	272	120		
44	Deaths between (1 - 11) months	146	62		
45	Total reported infant deaths	418	182		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	3	2		
48	Due to Severe hypertension / fits	4	2		
49	Due to Bleeding	4	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	14	5		
52	Total reported maternal deaths	25	11		

Lakhimpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	10,42,137						
2	Sex Ratio	965						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	149						
4	Primary Health Centers (PHC)	29						
5	Community Health Centers (CHC)	8						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	28,510	28,721					
9	Expected number of Delivery	26,566	26,762					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	22,262	78.1	11,087	38.6	ANC Check up in first trimester	61.0	
11	Mothers registered in the first trimester	21,065	94.6	10,644	96.0	At least 4ANC check up	51.7	
12	Mothers who had 4 or more ANC check ups	19,646	88.2	10,207	92.1	Neonatal tetanus received	97.3	
13	PW who got TT 2 / Booster injection	20,798	93.4	11,041	99.6	100 IFA tablets consumed	42.2	
14	PW who consumed 180 IFA tablets	21,511	96.6	10,940	98.7	Home Delivery	3.8	
15	Home Delivery against expected delivery *	62	0.2	26	0.1	Institutional Delivery	96.2	
16	Institutional Delivery against expected delivery *	17,744	66.8	8,201	30.6	Home Delivery by SBA	1.0	
17	Home Delivery against reported delivery **	62	0.3	26	0.3	PNC within 2days of delivery	67.7	
18	Institutional Delivery against reported delivery **	17,744	99.7	8,201	99.7			
19	Total reported Deliveries	17,806		8,227				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	49	79.0	17	65.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,798	128.0	9,908	120.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	25,918		26,110				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	17,595	67.9	8,182	31.3	Breastfed within 1 hour of birth	59	
24	Total Still Birth	295	1.1	103	0.4	BCG	94.5	
25	PC of newborn weighted at birth to live birth	16,897	96.0	8,158	99.7	3 dose of DPT	87.7	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,364	14.0	1,104	13.5	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,450	93.5	7,960	97.3	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	19,759	76.2	9,923	38.0	Full Immunization	69
29	Children who have received BCG	17,197	66.4	8,053	30.8		
30	Children who have received Pentavalent 1	19,715	76.1	8,500	32.6		
31	Children who have received Pentavalent 3	19,923	76.9	9,614	36.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,713	76.1	9,918	38.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,300		804			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	17	2	Total unmet need	9.8
35	Number of Tubectomies performed	1,489	780	Spacing	4.5
36	Number of IUD insertion	1,078	857	Women using any method	67.1
37	Number of IUD removals	579	437	Women using modern method	43.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	340	484		
39	General OPD cases per 10,000 population ***	6,021	5,415		
40	Ayush OPD cases per 10,000 population ***	71	127		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	20	11		
42	Neonatal Deaths up to 4 weeks of birth	88	42		
43	Total Neonatal Death	108	53		
44	Deaths between (1 - 11) months	6	4		
45	Total reported infant deaths	114	57		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	1	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	8	9		
52	Total reported maternal deaths	10	11		

Majuli Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,67,304						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	34						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	4,236	4,234					
9	Expected number of Delivery	3,947	3,945					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	3,052	72.1	1,631	38.5	ANC Check up in first trimester	76.1	
11	Mothers registered in the first trimester	2,788	91.3	1,463	89.7	At least 4ANC check up	72.2	
12	Mothers who had 4 or more ANC check ups	2,110	69.1	1,238	75.9	Neonatal tetanus received	97.2	
13	PW who got TT 2 / Booster injection	2,758	90.4	1,385	84.9	100 IFA tablets consumed	56.7	
14	PW who consumed 180 IFA tablets	2,921	95.7	1,589	97.4	Home Delivery	9.7	
15	Home Delivery against expected delivery *	15	0.4	3	0.1	Institutional Delivery	90.3	
16	Institutional Delivery against expected delivery *	1,761	44.6	576	14.6	Home Delivery by SBA	3.2	
17	Home Delivery against reported delivery **	15	0.8	3	0.5	PNC within 2days of delivery	73.5	
18	Institutional Delivery against reported delivery **	1,761	99.2	576	99.5			
19	Total reported Deliveries	1,776		579				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	66.7	2	66.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,628	91.7	592	102.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	3,851		3,849				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	1,782	46.3	579	15.0	Breastfed within 1 hour of birth	51.1	
24	Total Still Birth	20	0.5	5	0.1	BCG	95.2	
25	PC of newborn weighted at birth to live birth	1,745	97.9	576	99.5	3 dose of DPT	86.4	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	254	14.6	89	15.5	Measles First dose	90.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,698	95.3	528	91.2	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	2,828	73.4	1,390	36.1	Full Immunization	78.6
29	Children who have received BCG	1,825	47.4	644	16.7		
30	Children who have received Pentavalent 1	2,990	77.6	1,154	30.0		
31	Children who have received Pentavalent 3	2,817	73.2	1,266	32.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,821	73.3	1,411	36.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	95		53			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.6
35	Number of Tubectomies performed	122	0	Spacing	4.7
36	Number of IUD insertion	254	240	Women using any method	63.7
37	Number of IUD removals	75	66	Women using modern method	31.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	248	309		
39	General OPD cases per 10,000 population ***	8,119	7,180		
40	Ayush OPD cases per 10,000 population ***	132	358		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	26	3		
42	Neonatal Deaths up to 4 weeks of birth	20	5		
43	Total Neonatal Death	46	8		
44	Deaths between (1 - 11) months	13	3		
45	Total reported infant deaths	59	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	3	0		

Morigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	9,57,423						
2	Sex Ratio	974						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	122						
4	Primary Health Centers (PHC)	34						
5	Community Health Centers (CHC)	6						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	27,869	28,250					
9	Expected number of Delivery	25,969	26,324					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	22,504	80.7	12,317	43.6	ANC Check up in first trimester	64.0	
11	Mothers registered in the first trimester	18,909	84.0	11,201	90.9	At least 4ANC check up	42.0	
12	Mothers who had 4 or more ANC check ups	16,650	74.0	10,184	82.7	Neonatal tetanus received	94.8	
13	PW who got TT 2 / Booster injection	21,146	94.0	11,599	94.2	100 IFA tablets consumed	53.4	
14	PW who consumed 180 IFA tablets	22,382	99.5	12,166	98.8	Home Delivery	11.7	
15	Home Delivery against expected delivery *	2,515	9.7	808	3.1	Institutional Delivery	88.3	
16	Institutional Delivery against expected delivery *	14,590	56.2	5,885	22.4	Home Delivery by SBA	1.7	
17	Home Delivery against reported delivery **	2,515	14.7	808	12.1	PNC within 2days of delivery	67.9	
18	Institutional Delivery against reported delivery **	14,590	85.3	5,885	87.9			
19	Total reported Deliveries	17,105		6,693				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,049	41.7	404	50.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,293	89.4	7,127	106.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	25,336		25,681				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	16,999	67.1	6,650	25.9	Breastfed within 1 hour of birth	62.2	
24	Total Still Birth	269	1.1	85	0.3	BCG	91.3	
25	PC of newborn weighted at birth to live birth	16,793	98.8	6,597	99.2	3 dose of DPT	87.9	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,262	13.5	1,034	15.7	Measles First dose	87
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,259	95.6	6,414	96.5	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	19,472	76.9	9,745	37.9	Full Immunization	73.4
29	Children who have received BCG	21,049	83.1	8,988	35.0		
30	Children who have received Pentavalent 1	20,363	80.4	8,796	34.3		
31	Children who have received Pentavalent 3	19,311	76.2	9,723	37.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,750	78.0	9,772	38.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	292		280			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	12	Total unmet need	6.5
35	Number of Tubectomies performed	316	372	Spacing	1.9
36	Number of IUD insertion	1,129	1,139	Women using any method	70.6
37	Number of IUD removals	199	121	Women using modern method	56.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	200	145		
39	General OPD cases per 10,000 population ***	5,267	3,839		
40	Ayush OPD cases per 10,000 population ***	268	242		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	23	1		
42	Neonatal Deaths up to 4 weeks of birth	145	27		
43	Total Neonatal Death	168	28		
44	Deaths between (1 - 11) months	48	15		
45	Total reported infant deaths	216	43		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	7	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	10	2		
52	Total reported maternal deaths	18	2		

Nagaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	18,92,550						
2	Sex Ratio	962						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	258						
4	Primary Health Centers (PHC)	72						
5	Community Health Centers (CHC)	13						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	54,394	55,066					
9	Expected number of Delivery	50,685	51,312					
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	42,107	77.4	23,509	42.7	ANC Check up in first trimester	73.1	
11	Mothers registered in the first trimester	35,083	83.3	19,483	82.9	At least 4ANC check up	59.4	
12	Mothers who had 4 or more ANC check ups	34,860	82.8	18,235	77.6	Neonatal tetanus received	97.1	
13	PW who got TT 2 / Booster injection	37,203	88.4	20,654	87.9	100 IFA tablets consumed	46.5	
14	PW who consumed 180 IFA tablets	34,516	82.0	17,143	72.9	Home Delivery	16.3	
15	Home Delivery against expected delivery *	2,451	4.8	746	1.5	Institutional Delivery	83.7	
16	Institutional Delivery against expected delivery *	39,945	78.8	16,587	32.3	Home Delivery by SBA	2.7	
17	Home Delivery against reported delivery **	2,451	5.8	746	4.3	PNC within 2days of delivery	62.0	
18	Institutional Delivery against reported delivery **	39,945	94.2	16,587	95.7			
19	Total reported Deliveries	42,396		17,333				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	477	19.5	194	26.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,503	62.5	12,010	69.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	49,449		50,060				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	41,517	84.0	17,033	34.0	Breastfed within 1 hour of birth	61.6	
24	Total Still Birth	1,020	2.1	440	0.9	BCG	86.9	
25	PC of newborn weighted at birth to live birth	40,375	97.2	16,968	99.6	3 dose of DPT	73.6	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,352	13.3	2,490	14.7	Measles First dose	67.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	37,382	90.0	15,762	92.5	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	38,419	77.7	17,732	35.4	Full Immunization	58.2
29	Children who have received BCG	39,856	80.6	17,165	34.3		
30	Children who have received Pentavalent 1	37,136	75.1	16,565	33.1		
31	Children who have received Pentavalent 3	35,443	71.7	18,207	36.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	38,306	77.5	17,734	35.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,415		1,163			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	3	Total unmet need	12.3
35	Number of Tubectomies performed	1,184	470	Spacing	3.1
36	Number of IUD insertion	1,708	1,629	Women using any method	58.6
37	Number of IUD removals	252	185	Women using modern method	46.8
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	222	249		
39	General OPD cases per 10,000 population ***	4,924	3,984		
40	Ayush OPD cases per 10,000 population ***	277	203		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	113	60		
42	Neonatal Deaths up to 4 weeks of birth	289	138		
43	Total Neonatal Death	402	198		
44	Deaths between (1 - 11) months	78	42		
45	Total reported infant deaths	480	240		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	5	6		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	19	6		
52	Total reported maternal deaths	25	13		

Nalbari Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,71,639					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	124					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	11					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	20,032		20,074			
9	Expected number of Delivery	18,666		18,705			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,727	63.5	7,074	35.2	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	11,964	94.0	6,673	94.3	At least 4ANC check up	55.9
12	Mothers who had 4 or more ANC check ups	11,178	87.8	5,051	71.4	Neonatal tetanus received	92.8
13	PW who got TT 2 / Booster injection	12,356	97.1	6,800	96.1	100 IFA tablets consumed	38.6
14	PW who consumed 180 IFA tablets	12,723	100.0	7,055	99.7	Home Delivery	8.2
15	Home Delivery against expected delivery *	262	1.4	145	0.8	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	11,402	61.1	5,315	28.4	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	262	2.2	145	2.7	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	11,402	97.8	5,315	97.3		
19	Total reported Deliveries	11,664		5,460			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	232		107			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,925		4,421			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,211		18,249			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	11,641		5,449		Breastfed within 1 hour of birth	41.8
24	Total Still Birth	95		53		BCG	89.9
25	PC of newborn weighted at birth to live birth	11,618		5,438		3 dose of DPT	85.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,624	14.0	711	13.1	Measles First dose	87.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,502	98.8	5,263	96.6	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	13,981	76.8	6,685	36.6	Full Immunization	65.5
29	Children who have received BCG	12,485	68.6	5,759	31.6		
30	Children who have received Pentavalent 1	13,296	73.0	5,958	32.6		
31	Children who have received Pentavalent 3	12,618	69.3	6,426	35.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,174	72.3	6,727	36.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	841		583			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	10	8	Total unmet need	13.2
35	Number of Tubectomies performed	1,119	769	Spacing	4.8
36	Number of IUD insertion	1,659	930	Women using any method	53.3
37	Number of IUD removals	514	505	Women using modern method	38.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	234	161		
39	General OPD cases per 10,000 population ***	6,993	4,945		
40	Ayush OPD cases per 10,000 population ***	1,153	892		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	26	10		
42	Neonatal Deaths up to 4 weeks of birth	104	32		
43	Total Neonatal Death	130	42		
44	Deaths between (1 - 11) months	36	21		
45	Total reported infant deaths	166	63		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	2		
52	Total reported maternal deaths	8	4		

Sivasagar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,92,435						
2	Sex Ratio	951						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	150						
4	Primary Health Centers (PHC)	27						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	17,559	17,555					
9	Expected number of Delivery	16,362	16,358					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	9,949	56.7	5,054	28.8	ANC Check up in first trimester	85.1	
11	Mothers registered in the first trimester	9,178	92.3	4,669	92.4	At least 4ANC check up	80.9	
12	Mothers who had 4 or more ANC check ups	7,774	78.1	3,965	78.5	Neonatal tetanus received	96.5	
13	PW who got TT 2 / Booster injection	8,953	90.0	5,258	104.0	100 IFA tablets consumed	53.7	
14	PW who consumed 180 IFA tablets	9,581	96.3	4,902	97.0	Home Delivery	4.7	
15	Home Delivery against expected delivery *	12	0.1	0	0.0	Institutional Delivery	95.3	
16	Institutional Delivery against expected delivery *	8,384	51.2	3,494	21.4	Home Delivery by SBA	0.4	
17	Home Delivery against reported delivery **	12	0.1	0	0.0	PNC within 2days of delivery	73.8	
18	Institutional Delivery against reported delivery **	8,384	99.9	3,494	100.0			
19	Total reported Deliveries	8,396		3,494				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	50.0	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,662	91.3	2,619	75.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	15,963		15,959				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	8,318	52.1	3,467	21.7	Breastfed within 1 hour of birth	54.9	
24	Total Still Birth	106	0.7	57	0.4	BCG	95.7	
25	PC of newborn weighted at birth to live birth	8,301	99.8	3,458	99.7	3 dose of DPT	90.5	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,467	17.7	592	17.1	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,994	96.1	3,328	96.0	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,413	59.0	4,732	29.7	Full Immunization	77.6
29	Children who have received BCG	8,186	51.3	3,206	20.1		
30	Children who have received Pentavalent 1	9,409	58.9	3,828	24.0		
31	Children who have received Pentavalent 3	9,213	57.7	4,563	28.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,417	59.0	4,742	29.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	285		217			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	343	73	Spacing	3.2
36	Number of IUD insertion	263	158	Women using any method	67.3
37	Number of IUD removals	324	291	Women using modern method	39.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	329	210		
39	General OPD cases per 10,000 population ***	8,521	6,321		
40	Ayush OPD cases per 10,000 population ***	143	119		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	12	6		
42	Neonatal Deaths up to 4 weeks of birth	23	6		
43	Total Neonatal Death	35	12		
44	Deaths between (1 - 11) months	5	1		
45	Total reported infant deaths	40	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	1		
52	Total reported maternal deaths	2	1		

Sonitpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	35,395		35,608			
9	Expected number of Delivery	32,982		33,180			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,696	58.5	10,725	30.1	ANC Check up in first trimester	48.8
11	Mothers registered in the first trimester	18,774	90.7	9,936	92.6	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	14,908	72.0	8,331	77.7	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	19,638	94.9	10,425	97.2	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	20,393	98.5	10,711	99.9	Home Delivery	16.5
15	Home Delivery against expected delivery *	1,703	5.2	506	1.5	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	21,739	65.9	10,211	30.8	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	1,703	7.3	506	4.7	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	21,739	92.7	10,211	95.3		
19	Total reported Deliveries	23,442		10,717			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	4.6	62	12.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,742	37.3	4,429	41.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,178		32,371			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	22,955	71.3	10,522	32.5	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	491	1.5	255	0.8	BCG	90.4
25	PC of newborn weighted at birth to live birth	22,211	96.8	10,285	97.7	3 dose of DPT	76.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,560	16.0	1,444	14.0	Measles First dose	80.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,811	95.0	9,575	91.0	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	20,682	64.3	9,518	29.4	Full Immunization	70.9
29	Children who have received BCG	25,309	78.7	11,646	36.0		
30	Children who have received Pentavalent 1	19,698	61.2	8,216	25.4		
31	Children who have received Pentavalent 3	18,689	58.1	9,846	30.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,682	64.3	9,519	29.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	175		194			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	14	Total unmet need	5.8
35	Number of Tubectomies performed	853	454	Spacing	2
36	Number of IUD insertion	489	673	Women using any method	74.4
37	Number of IUD removals	245	191	Women using modern method	58.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	405	220		
39	General OPD cases per 10,000 population ***	6,342	5,114		
40	Ayush OPD cases per 10,000 population ***	276	202		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	60	40		
42	Neonatal Deaths up to 4 weeks of birth	376	154		
43	Total Neonatal Death	436	194		
44	Deaths between (1 - 11) months	116	75		
45	Total reported infant deaths	552	269		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	3	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	2	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	23	11		
52	Total reported maternal deaths	29	13		

South Salmara Mancachar Factsheet

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	16,319	16,558				
9	Expected number of Delivery	15,206	15,429				
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	12,933	79.3	7,445	45.0	ANC Check up in first trimester	60.1
11	Mothers registered in the first trimester	10,461	80.9	6,048	81.2	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	8,856	68.5	5,014	67.3	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,386	88.0	6,170	82.9	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	12,494	96.6	7,439	99.9	Home Delivery	28.3
15	Home Delivery against expected delivery *	5,638	37.1	2,029	13.2	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	4,614	30.3	2,465	16.0	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	5,638	55.0	2,029	45.1	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	4,614	45.0	2,465	54.9		
19	Total reported Deliveries	10,252		4,494			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,085	19.2	371	18.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,433	82.3	3,526	78.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,835		15,053			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	10,092	68.0	4,442	29.5	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	209	1.4	79	0.5	BCG	97
25	PC of newborn weighted at birth to live birth	10,092	100.0	4,442	100.0	3 dose of DPT	81.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	614	6.1	339	7.6	Measles First dose	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,092	100.0	4,442	100.0	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	10,110	68.1	4,883	32.4	Full Immunization	65.8
29	Children who have received BCG	9,933	67.0	5,210	34.6		
30	Children who have received Pentavalent 1	9,494	64.0	5,405	35.9		
31	Children who have received Pentavalent 3	8,057	54.3	5,472	36.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,138	68.3	4,881	32.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	409		437			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	0	0	Spacing	1.7
36	Number of IUD insertion	354	279	Women using any method	71.5
37	Number of IUD removals	50	34	Women using modern method	60.8
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	80	68		
39	General OPD cases per 10,000 population ***	2,728	1,993		
40	Ayush OPD cases per 10,000 population ***	1,096	401		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	11	7		
42	Neonatal Deaths up to 4 weeks of birth	36	20		
43	Total Neonatal Death	47	27		
44	Deaths between (1 - 11) months	21	12		
45	Total reported infant deaths	68	39		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	2		
52	Total reported maternal deaths	12	5		

Tinsukia Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,27,929					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	166					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	35,428		35,600			
9	Expected number of Delivery	33,013		33,173			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,993	62.1	10,937	30.7	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	19,082	86.8	9,679	88.5	At least 4ANC check up	63.1
12	Mothers who had 4 or more ANC check ups	16,249	73.9	9,497	86.8	Neonatal tetanus received	93.9
13	PW who got TT 2 / Booster injection	19,444	88.4	11,311	103.4	100 IFA tablets consumed	43.8
14	PW who consumed 180 IFA tablets	20,402	92.8	10,893	99.6	Home Delivery	17.4
15	Home Delivery against expected delivery *	591	1.8	235	0.7	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	19,199	58.2	8,868	26.7	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	591	3.0	235	2.6	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	19,199	97.0	8,868	97.4		
19	Total reported Deliveries	19,790		9,103			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188		60		25.5	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,982		121.2		9,840 108.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,208		32,364			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	19,608		60.9		9,019 27.9	
24	Total Still Birth	278		0.9		134 0.4	
25	PC of newborn weighted at birth to live birth	19,615		100.0		9,017 100.0	
						3 dose of DPT 92.7	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,807	14.3	1,435	15.9	Measles First dose	95.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,195	97.9	8,927	99.0	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	20,469	63.6	10,261	31.7	Full Immunization	75
29	Children who have received BCG	19,419	60.3	9,023	27.9		
30	Children who have received Pentavalent 1	20,240	62.8	8,339	25.8		
31	Children who have received Pentavalent 3	19,580	60.8	10,345	32.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,487	63.6	10,212	31.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,416		716			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	94	93	Total unmet need	11
35	Number of Tubectomies performed	1,530	1,241	Spacing	4.4
36	Number of IUD insertion	1,327	689	Women using any method	59.2
37	Number of IUD removals	886	619	Women using modern method	36.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	555	355		
39	General OPD cases per 10,000 population ***	10,035	6,943		
40	Ayush OPD cases per 10,000 population ***	119	74		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	29	17		
42	Neonatal Deaths up to 4 weeks of birth	58	31		
43	Total Neonatal Death	87	48		
44	Deaths between (1 - 11) months	41	13		
45	Total reported infant deaths	128	61		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	7		
52	Total reported maternal deaths	16	7		

Udalguri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	21,171		21,174			
9	Expected number of Delivery	19,728		19,730			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,805	65.2	6,790	32.1	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	12,430	90.0	6,177	91.0	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	10,196	73.9	4,766	70.2	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	12,476	90.4	6,565	96.7	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	13,396	97.0	6,386	94.1	Home Delivery	13.8
15	Home Delivery against expected delivery *	393	2.0	80	0.4	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	6,460	32.7	2,811	14.2	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	393	5.7	80	2.8	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	6,460	94.3	2,811	97.2		
19	Total reported Deliveries	6,853		2,891			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	111		29		36.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,649		126.2		3,511 121.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,246		19,249			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,794		2,874		Breastfed within 1 hour of birth 46.5	
24	Total Still Birth	104		42		BCG 78.6	
25	PC of newborn weighted at birth to live birth	6,579		96.8		2,845 99.0 3 dose of DPT 68	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	848	12.9	402	14.1	Measles First dose	75.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,561	96.6	2,758	96.0	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	12,061	62.7	6,196	32.2	Full Immunization	38.3
29	Children who have received BCG	9,850	51.2	4,334	22.5		
30	Children who have received Pentavalent 1	12,510	65.0	5,278	27.4		
31	Children who have received Pentavalent 3	12,128	63.0	5,786	30.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,040	62.6	6,158	32.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	286		269			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	21	9	Spacing	6.4
36	Number of IUD insertion	1,133	464	Women using any method	50.2
37	Number of IUD removals	670	471	Women using modern method	36.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	204	205		
39	General OPD cases per 10,000 population ***	6,267	5,203		
40	Ayush OPD cases per 10,000 population ***	465	392		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	18	8		
42	Neonatal Deaths up to 4 weeks of birth	47	14		
43	Total Neonatal Death	65	22		
44	Deaths between (1 - 11) months	57	25		
45	Total reported infant deaths	122	47		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	1		
52	Total reported maternal deaths	19	3		

West Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,95,358						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	50						
4	Primary Health Centers (PHC)	18						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	8,211	8,285					
9	Expected number of Delivery	7,651	7,720					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	7,083	86.3	3,714	44.8	ANC Check up in first trimester	55.5	
11	Mothers registered in the first trimester	5,240	74.0	2,748	74.0	At least 4ANC check up	46.7	
12	Mothers who had 4 or more ANC check ups	3,808	53.8	1,863	50.2	Neonatal tetanus received	87.6	
13	PW who got TT 2 / Booster injection	6,469	91.3	3,446	92.8	100 IFA tablets consumed	39.9	
14	PW who consumed 180 IFA tablets	7,005	98.9	3,689	99.3	Home Delivery	27.5	
15	Home Delivery against expected delivery *	1,516	19.8	701	9.1	Institutional Delivery	72.5	
16	Institutional Delivery against expected delivery *	3,613	47.2	1,530	19.8	Home Delivery by SBA	12.0	
17	Home Delivery against reported delivery **	1,516	29.6	701	31.4	PNC within 2days of delivery	55.7	
18	Institutional Delivery against reported delivery **	3,613	70.4	1,530	68.6			
19	Total reported Deliveries	5,129		2,231				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	328	21.6	90	12.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,052	59.5	1,446	64.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	7,464		7,531				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	5,037	67.5	2,190	29.1	Breastfed within 1 hour of birth	56.2	
24	Total Still Birth	112	1.5	47	0.6	BCG	92.7	
25	PC of newborn weighted at birth to live birth	5,015	99.6	2,188	99.9	3 dose of DPT	70.3	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	180	3.6	80	3.7	Measles First dose	66.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,994	99.1	2,185	99.8	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,988	93.6	3,037	40.3	Full Immunization	47.9
29	Children who have received BCG	5,535	74.2	3,197	42.4		
30	Children who have received Pentavalent 1	6,008	80.5	3,052	40.5		
31	Children who have received Pentavalent 3	6,144	82.3	3,001	39.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,022	94.1	3,034	40.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	266		211			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	0	0	Spacing	3.2
36	Number of IUD insertion	616	693	Women using any method	69.9
37	Number of IUD removals	149	108	Women using modern method	43.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	143	145		
39	General OPD cases per 10,000 population ***	3,249	1,888		
40	Ayush OPD cases per 10,000 population ***	435	276		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	12	3		
43	Total Neonatal Death	12	3		
44	Deaths between (1 - 11) months	15	7		
45	Total reported infant deaths	27	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	0		
52	Total reported maternal deaths	6	1		