

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,83,727					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	347					
4	Primary Health Centers (PHC)	127					
5	Community Health Centers (CHC)	57					
6	SDH	0					
7	DH	19					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	34,603		34,895			
9	Expected number of Delivery	32,086		32,357			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	32,301	93.3	21,266	60.9	ANC Check up in first trimester	53.1
11	Mothers registered in the first trimester	12,350	38.2	8,090	38.0	At least 4 ANC check up	36.5
12	Mothers who had 4 or more ANC check ups	11,524	35.7	7,585	35.7	Neonatal tetanus received	76.9
13	PW who got TT 2 / Booster injection	19,302	59.8	12,477	58.7	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	21,375	66.2	14,667	69.0	Home Delivery	0.0
15	Home Delivery against expected delivery *	1,906	5.9	702	2.2	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	18,492	57.6	9,160	28.3	Home Delivery by SBA	4.0
17	Home Delivery against reported delivery **	1,906	9.3	702	7.1	PNC within 2 days of delivery	56.4
18	Institutional Delivery against reported delivery **	18,492	90.7	9,160	92.9	Breastfeed within 1 hour of birth	52.0
19	Total reported Deliveries	20,398		9,862			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	879	46.1	355	50.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,597	32.3	3,193	32.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,457		31,722			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	20,201	64.2	9,851	31.1	BCG	87.9
24	Total Still Birth	242	0.8	121	0.4	3 dose of DPT	77.7
25	Newborn weighted at birth to live birth	19,948	98.7	9,657	98.0	Measles First dose	80.7

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,073	5.4	612	6.3	3 doses of penta or hepatitis B vaccine	73
27	Newborns breastfed within 1 hour to total reported live birth.	16,420	81.3	7,977	81.0	Full Immunization	64.9
28	Fully immunized	19,685	62.6	10,016	31.6		
29	Children who have received BCG	21,611	68.7	10,017	31.6		
30	Children who have received Pentavalent 1	21,743	69.1	9,756	30.8		
31	Children who have received Pentavalent 3	19,977	63.5	10,020	31.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,660	62.5	10,126	31.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,623		4,900			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	12.5	
35	Number of Tubectomies performed	864	654		Spacing	7	
36	Number of IUD insertion	1,850	1,018		Women using any method	59.1	
37	Number of IUD removals	1,202	750		Women using modern method	47.2	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	351	222				
39	General OPD cases per 10,000 population ***	7708	4649				
40	Ayush OPD cases per 10,000 population ***	568	388				
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	52	21				
42	Neonatal Deaths up to 4 weeks of birth	41	22				
43	Total Neonatal Death	93	43				
44	Deaths between (1 - 11) months	26	15				
45	Total reported infant deaths	119	58				
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	2	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	9	6				
52	Total reported maternal deaths	11	6				

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,167					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	470		468			
9	Expected number of Delivery	436		434			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	309	65.8	184	39.3	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	135	43.7	82	44.6	At least 4 ANC check up	32.3
12	Mothers who had 4 or more ANC check ups	125	40.5	60	32.6	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	224	72.5	112	60.9	100 IFA tablets consumed	16.5
14	PW who consumed 180 IFA tablets	285	92.2	149	81.0	Home Delivery	22.0
15	Home Delivery against expected delivery *	18	4.1	9	2.1	Institutional Delivery	78.0
16	Institutional Delivery against expected delivery *	58	13.3	25	5.8	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	18	23.7	9	26.5	PNC within 2 days of delivery	55.8
18	Institutional Delivery against reported delivery **	58	76.3	25	73.5	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	76		34			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	66.7	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30	39.5	5	14.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	427		426			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	75	17.6	34	8.0	BCG	97.7
24	Total Still Birth	1	0.2	2	0.5	3 dose of DPT	95.3
25	Newborn weighted at birth to live birth	71	94.7	34	100.0	Measles First dose	97.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	2.8	1	2.9	3 doses of penta or hepatitis B vaccine	85.6

27	Newborns breastfed within 1 hour to total reported live birth.	71	94.7	34	100.0	Full Immunization	93
28	Fully immunized	256	59.9	154	36.2		
29	Children who have received BCG	112	26.2	45	10.6		
30	Children who have received Pentavalent 1	269	63.0	133	31.2		
31	Children who have received Pentavalent 3	278	65.1	140	32.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	260	60.9	159	37.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	255		176			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	6.8		
35	Number of Tubectomies performed	0	0	Spacing	4.7		
36	Number of IUD insertion	5	4	Women using any method	64.7		
37	Number of IUD removals	8	6	Women using modern method	50.9		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	136	148				
39	General OPD cases per 10,000 population ***	8872	4629				
40	Ayush OPD cases per 10,000 population ***	744	344				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	1				
45	Total reported infant deaths	0	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,48,226					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	3,429		3,431			
9	Expected number of Delivery	3,179		3,181			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,185	92.9	1,717	50.0	ANC Check up in first trimester	65.0
11	Mothers registered in the first trimester	1,152	36.2	593	34.5	At least 4 ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	996	31.3	521	30.3	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	2,456	77.1	1,355	78.9	100 IFA tablets consumed	37.3
14	PW who consumed 180 IFA tablets	1,641	51.5	1,036	60.3	Home Delivery	24.9
15	Home Delivery against expected delivery *	490	15.4	110	3.5	Institutional Delivery	75.1
16	Institutional Delivery against expected delivery *	1,341	42.2	707	22.2	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	490	26.8	110	13.5	PNC within 2 days of delivery	69.7
18	Institutional Delivery against reported delivery **	1,341	73.2	707	86.5	Breastfeed within 1 hour of birth	60.7
19	Total reported Deliveries	1,831		817			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	19.2	13	11.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	336	18.4	107	13.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,117		3,119			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,822	58.5	813	26.1	BCG	86.1
24	Total Still Birth	11	0.4	7	0.2	3 dose of DPT	84.4
25	Newborn weighted at birth to live birth	1,805	99.1	803	98.8	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	80	4.4	39	4.9	3 doses of penta or hepatitis B vaccine	84.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,804	99.0	802	98.6	Full Immunization	70.9
28	Fully immunized	2,428	77.9	1,093	35.0		
29	Children who have received BCG	2,281	73.2	973	31.2		
30	Children who have received Pentavalent 1	2,653	85.1	1,097	35.2		
31	Children who have received Pentavalent 3	2,345	75.2	1,124	36.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,372	76.1	1,088	34.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	192		88			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	6.7		
35	Number of Tubectomies performed	57	170	Spacing	3.5		
36	Number of IUD insertion	48	26	Women using any method	71.4		
37	Number of IUD removals	35	25	Women using modern method	46.3		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	246	156				
39	General OPD cases per 10,000 population ***	3201	2402				
40	Ayush OPD cases per 10,000 population ***	915	579				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	2	0				
45	Total reported infant deaths	2	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	1	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	1	0				
52	Total reported maternal deaths	2	0				

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	8,004					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	5					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	170		169			
9	Expected number of Delivery	158		156			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	89	52.4	60	35.6	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	39	43.8	26	43.3	At least 4 ANC check up	40.4
12	Mothers who had 4 or more ANC check ups	1	1.1	0	0.0	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	40	44.9	21	35.0	100 IFA tablets consumed	25.4
14	PW who consumed 180 IFA tablets	71	79.8	24	40.0	Home Delivery	14.5
15	Home Delivery against expected delivery *	3	1.9	0	0.0	Institutional Delivery	85.5
16	Institutional Delivery against expected delivery *	27	17.1	17	10.9	Home Delivery by SBA	3.5
17	Home Delivery against reported delivery **	3	10.0	0	0.0	PNC within 2days of delivery	66.2
18	Institutional Delivery against reported delivery **	27	90.0	17	100.0	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	30		17			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	66.7	0	-		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	3.3	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	155		153			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	28	18.1	17	11.1	BCG	97.3
24	Total Still Birth	1	0.6	1	0.7	3 dose of DPT	90.7
25	Newborn weighted at birth to live birth	6	21.4	0	0.0	Measles First dose	90.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	16.7	0	#DIV/0!	3 doses of penta or hepatitis B vaccine	84

27	Newborns breastfed within 1 hour to total reported live birth.	6	21.4	0	0.0	Full Immunization	90.7
28	Fully immunized	63	40.8	33	21.5		
29	Children who have received BCG	35	22.6	19	12.4		
30	Children who have received Pentavalent 1	60	38.8	28	18.3		
31	Children who have received Pentavalent 3	66	42.7	28	18.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	72	46.6	33	21.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2		31			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	4.6	
35	Number of Tubectomies performed	0	0		Spacing	3.4	
36	Number of IUD insertion	0	0		Women using any method	69.1	
37	Number of IUD removals	0	0		Women using modern method	49.7	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	95	123				
39	General OPD cases per 10,000 population ***	10976	7153				
40	Ayush OPD cases per 10,000 population ***	7	23				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	63,332					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,766		1,800			
9	Expected number of Delivery	1,637		1,669			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,592	90.2	1,829	101.6	ANC Check up in first trimester	41.7
11	Mothers registered in the first trimester	1,184	74.4	738	40.3	At least 4 ANC check up	29.1
12	Mothers who had 4 or more ANC check ups	1,592	100.0	1,699	92.9	Neonatal tetanus received	73.1
13	PW who got TT 2 / Booster injection	2,960	185.9	2,943	160.9	100 IFA tablets consumed	11.2
14	PW who consumed 180 IFA tablets	1,592	100.0	1,813	99.1	Home Delivery	24.0
15	Home Delivery against expected delivery *	49	3.0	25	1.5	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	928	56.7	359	21.5	Home Delivery by SBA	4.4
17	Home Delivery against reported delivery **	49	5.0	25	6.5	PNC within 2days of delivery	53.6
18	Institutional Delivery against reported delivery **	928	95.0	359	93.5	Breastfeed within 1 hour of birth	52.2
19	Total reported Deliveries	977		384			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	40	81.6	17	68.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	159	16.3	12	3.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,605		1,636			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	965	60.1	428	26.2	BCG	82.9
24	Total Still Birth	12	0.7	11	0.7	3 dose of DPT	70.7
25	Newborn weighted at birth to live birth	965	100.0	427	99.8	Measles First dose	77.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	8	1.9	3 doses of penta or hepatitis B vaccine	64.4

27	Newborns breastfed within 1 hour to total reported live birth.	965	100.0	426	99.5	Full Immunization	60.8
28	Fully immunized	1,028	64.0	467	28.5		
29	Children who have received BCG	1,103	68.7	483	29.5		
30	Children who have received Pentavalent 1	1,083	67.5	565	34.5		
31	Children who have received Pentavalent 3	1,028	64.0	497	30.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,028	64.0	469	28.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	207		47			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	9.7
35	Number of Tubectomies performed	0		0		Spacing	4.7
36	Number of IUD insertion	141		50		Women using any method	64.9
37	Number of IUD removals	30		27		Women using modern method	57.4
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	161		72			
39	General OPD cases per 10,000 population ***	3844		2332			
40	Ayush OPD cases per 10,000 population ***	261		125			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal deaths within 24 hours	0		0			
42	Neonatal Deaths up to 4 weeks of birth	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		0			
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	0		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	0		0			
52	Total reported maternal deaths	0		0			

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	70,956					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	17					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,568		1,561			
9	Expected number of Delivery	1,454		1,448			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,880	119.9	1,072	68.7	ANC Check up in first trimester	39.9
11	Mothers registered in the first trimester	986	52.4	430	40.1	At least 4 ANC check up	34.3
12	Mothers who had 4 or more ANC check ups	416	22.1	276	25.7	Neonatal tetanus received	75.2
13	PW who got TT 2 / Booster injection	1,309	69.6	656	61.2	100 IFA tablets consumed	11.4
14	PW who consumed 180 IFA tablets	1,326	70.5	735	68.6	Home Delivery	9.2
15	Home Delivery against expected delivery *	48	3.3	19	1.3	Institutional Delivery	90.8
16	Institutional Delivery against expected delivery *	1,884	129.6	949	65.5	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	48	2.5	19	2.0	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	1,884	97.5	949	98.0	Breastfeed within 1 hour of birth	49.4
19	Total reported Deliveries	1,932		968			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	100.0	19	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	488	25.3	496	51.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,425		1,420			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,890	132.6	948	66.8	BCG	84.8
24	Total Still Birth	42	2.9	20	1.4	3 dose of DPT	71.2
25	Newborn weighted at birth to live birth	1,920	101.6	943	99.5	Measles First dose	81.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	224	11.7	108	11.5	3 doses of penta or hepatitis B vaccine	67.3

27	Newborns breastfed within 1 hour to total reported live birth.	1,874	99.2	943	99.5	Full Immunization	48.8
28	Fully immunized	1,258	88.3	608	42.8		
29	Children who have received BCG	2,078	145.8	957	67.4		
30	Children who have received Pentavalent 1	1,437	100.8	560	39.4		
31	Children who have received Pentavalent 3	1,270	89.1	601	42.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,269	89.0	613	43.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		43			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	147	106	Spacing	9.6
36	Number of IUD insertion	124	71	Women using any method	40
37	Number of IUD removals	64	51	Women using modern method	35.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	1033	612		
39	General OPD cases per 10,000 population ***	12296	7289		
40	Ayush OPD cases per 10,000 population ***	400	267		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal deaths within 24 hours	8	2		
42	Neonatal Deaths up to 4 weeks of birth	23	7		
43	Total Neonatal Death	31	9		
44	Deaths between (1 - 11) months	3	3		
45	Total reported infant deaths	34	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	4		
52	Total reported maternal deaths	5	4		

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	19,697					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	613		632			
9	Expected number of Delivery	569		586			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	239	39.0	172	27.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	97	40.6	53	30.8	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	15	6.3	13	7.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	74	31.0	75	43.6	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	94	39.3	102	59.3	Home Delivery	NA
15	Home Delivery against expected delivery *	8	1.4	1	0.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	31	5.5	15	2.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	8	20.5	1	6.3	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	31	79.5	15	93.8	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	39		16			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	37.5	1	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13	33.3	11	68.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	557		575			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	39	7.0	17	3.0	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	38	97.4	17	100.0	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	5.3	2	11.8	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	38	97.4	16	94.1	Full Immunization	NA
28	Fully immunized	186	33.4	94	16.4		
29	Children who have received BCG	63	11.3	25	4.4		
30	Children who have received Pentavalent 1	172	30.9	81	14.1		
31	Children who have received Pentavalent 3	175	31.4	77	13.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	186	33.4	94	16.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		73			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed		0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	0	10		Women using any method	NA	
37	Number of IUD removals	0	2		Women using modern method	NA	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	457	511				
39	General OPD cases per 10,000 population ***	4569	2237				
40	Ayush OPD cases per 10,000 population ***	951	608				
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	1	0				
43	Total Neonatal Death	1	0				
44	Deaths between (1 - 11) months	1	0				
45	Total reported infant deaths	2	0				
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour		0				
48	Due to Severe hypertension/fits		0				
49	Due to Bleeding		0				
50	Due to High fever		0				
51	Due to Other Causes (including causes not known)		0				
52	Total reported maternal deaths	0	0				

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	46,704					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	7					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,591		2,829			
9	Expected number of Delivery	2,402		2,624			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	308	11.9	174	6.1	ANC Check up in first trimester	62.5
11	Mothers registered in the first trimester	206	66.9	112	64.4	At least 4 ANC check up	18.3
12	Mothers who had 4 or more ANC check ups	193	62.7	91	52.3	Neonatal tetanus received	55.1
13	PW who got TT 2 / Booster injection	106	34.4	56	32.2	100 IFA tablets consumed	12.7
14	PW who consumed 180 IFA tablets	302	98.1	174	100.0	Home Delivery	26.5
15	Home Delivery against expected delivery *	35	1.5	12	0.5	Institutional Delivery	73.5
16	Institutional Delivery against expected delivery *	80	3.3	38	1.4	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	35	30.4	12	24.0	PNC within 2days of delivery	34.9
18	Institutional Delivery against reported delivery **	80	69.6	38	76.0	Breastfeed within 1 hour of birth	35.9
19	Total reported Deliveries	115		50			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	33	94.3	6	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	96	83.5	43	86.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,355		2,572			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	116	4.9	50	1.9	BCG	92.2
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	71.3
25	Newborn weighted at birth to live birth	116	100.0	47	94.0	Measles First dose	77.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.7	1	2.1	3 doses of penta or hepatitis B vaccine	71.3

27	Newborns breastfed within 1 hour to total reported live birth.	116	100.0	47	94.0	Full Immunization	63.6
28	Fully immunized	300	12.7	130	5.1		
29	Children who have received BCG	289	12.3	132	5.1		
30	Children who have received Pentavalent 1	308	13.1	130	5.1		
31	Children who have received Pentavalent 3	295	12.5	120	4.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	332	14.1	141	5.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	84		89			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	16.5		
35	Number of Tubectomies performed	1	0	Spacing	13.1		
36	Number of IUD insertion	18	21	Women using any method	46.1		
37	Number of IUD removals	11	2	Women using modern method	39.9		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	85	45				
39	General OPD cases per 10,000 population ***	1021	601				
40	Ayush OPD cases per 10,000 population ***	69	33				
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion		0				
47	Due to Obstructed/prolonged labour		0				
48	Due to Severe hypertension/fits		0				
49	Due to Bleeding		0				
50	Due to High fever		0				
51	Due to Other Causes (including causes not known)		0				
52	Total reported maternal deaths	0	0				

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	45,372					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,517		2,749			
9	Expected number of Delivery	2,334		2,549			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,102	43.8	568	20.7	ANC Check up in first trimester	45.2
11	Mothers registered in the first trimester	297	27.0	198	34.9	At least 4 ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	399	36.2	316	55.6	Neonatal tetanus received	77.0
13	PW who got TT 2 / Booster injection	174	15.8	40	7.0	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	1,056	95.8	551	97.0	Home Delivery	30.8
15	Home Delivery against expected delivery *	119	5.1	49	1.9	Institutional Delivery	69.2
16	Institutional Delivery against expected delivery *	376	16.1	271	10.6	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	119	24.0	49	15.3	PNC within 2days of delivery	62.3
18	Institutional Delivery against reported delivery **	376	76.0	271	84.7	Breastfeed within 1 hour of birth	39.0
19	Total reported Deliveries	495		320			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	105	88.2	47	95.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	277	56.0	69	21.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,288		2,499			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	488	21.3	319	12.8	BCG	100
24	Total Still Birth	2	0.1	11	0.4	3 dose of DPT	86.6
25	Newborn weighted at birth to live birth	494	101.2	319	100.0	Measles First dose	89.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	3 doses of penta or hepatitis B vaccine	76.3

27	Newborns breastfed within 1 hour to total reported live birth.	494	101.2	319	100.0	Full Immunization	71.4
28	Fully immunized	806	35.2	392	15.7		
29	Children who have received BCG	566	24.7	267	10.7		
30	Children who have received Pentavalent 1	591	25.8	320	12.8		
31	Children who have received Pentavalent 3	730	31.9	395	15.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	818	35.7	392	15.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		70			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	16.4	
35	Number of Tubectomies performed	0	0		Spacing	7.4	
36	Number of IUD insertion	48	1		Women using any method	54.1	
37	Number of IUD removals	39	5		Women using modern method	47.9	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	101	21				
39	General OPD cases per 10,000 population ***	1042	227				
40	Ayush OPD cases per 10,000 population ***	19	24				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	2	0				
42	Neonatal Deaths up to 4 weeks of birth	1	0				
43	Total Neonatal Death	3	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	3	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	20,152					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	4					
4	Primary Health Centers (PHC)	0					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	423		419			
9	Expected number of Delivery	392		388			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	261	61.8	145	34.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	131	50.2	85	58.6	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	143	54.8	76	52.4	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	91	34.9	52	35.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	41	15.7	36	24.8	Home Delivery	NA
15	Home Delivery against expected delivery *	10	2.6	5	1.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	107	27.3	33	8.5	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	10	8.5	5	13.2	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	107	91.5	33	86.8	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	117		38			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	100.0	4	80.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	2	5.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	384		381			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	116	30.2	38	10.0	BCG	NA
24	Total Still Birth	1	0.3	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	115	99.1	35	92.1	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	3.5	2	5.7	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	115	99.1	35	92.1	Full Immunization	NA
28	Fully immunized	256	66.6	144	37.8		
29	Children who have received BCG	125	32.5	48	12.6		
30	Children who have received Pentavalent 1	239	62.2	124	32.6		
31	Children who have received Pentavalent 3	247	64.3	122	32.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	256	66.6	146	38.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	53		50			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	21	9		Women using any method	NA	
37	Number of IUD removals	11	8		Women using modern method	NA	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	247	168				
39	General OPD cases per 10,000 population ***	6468	4031				
40	Ayush OPD cases per 10,000 population ***	355	197				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,776					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	12					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,134		1,133			
9	Expected number of Delivery	1,052		1,051			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,069	94.2	548	48.4	ANC Check up in first trimester	66.9
11	Mothers registered in the first trimester	470	44.0	275	50.2	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	438	41.0	350	63.9	Neonatal tetanus received	74.6
13	PW who got TT 2 / Booster injection	699	65.4	388	70.8	100 IFA tablets consumed	34.1
14	PW who consumed 180 IFA tablets	636	59.5	431	78.6	Home Delivery	9.8
15	Home Delivery against expected delivery *	11	1.0	2	0.2	Institutional Delivery	90.2
16	Institutional Delivery against expected delivery *	970	92.2	499	47.5	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	11	1.1	2	0.4	PNC within 2 days of delivery	66.2
18	Institutional Delivery against reported delivery **	970	98.9	499	99.6	Breastfeed within 1 hour of birth	52.3
19	Total reported Deliveries	981		501			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		0			
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	851	86.7	237	47.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,031		1,030			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	971	94.2	493	47.9	BCG	95.9
24	Total Still Birth	17	1.6	9	0.9	3 dose of DPT	86.8
25	Newborn weighted at birth to live birth	971	100.0	493	100.0	Measles First dose	87.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	70	7.2	30	6.1	3 doses of penta or hepatitis B vaccine	83.4

27	Newborns breastfed within 1 hour to total reported live birth.	875	90.1	483	98.0	Full Immunization	74
28	Fully immunized	714	69.2	403	39.1		
29	Children who have received BCG	999	96.9	500	48.5		
30	Children who have received Pentavalent 1	786	76.2	372	36.1		
31	Children who have received Pentavalent 3	721	69.9	362	35.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	702	68.1	403	39.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,990		1,239			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	14.6	
35	Number of Tubectomies performed	40	37		Spacing	7.3	
36	Number of IUD insertion	58	22		Women using any method	57	
37	Number of IUD removals	14	12		Women using modern method	43.5	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	455	326				
39	General OPD cases per 10,000 population ***	7472	5707				
40	Ayush OPD cases per 10,000 population ***	404	454				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	2				
42	Neonatal Deaths up to 4 weeks of birth	0	1				
43	Total Neonatal Death	0	3				
44	Deaths between (1 - 11) months	3	0				
45	Total reported infant deaths	3	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,953					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	5					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,238		1,231			
9	Expected number of Delivery	1,148		1,141			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,266	102.3	726	59.0	ANC Check up in first trimester	65.8
11	Mothers registered in the first trimester	373	29.5	180	24.8	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	301	23.8	147	20.2	Neonatal tetanus received	78.4
13	PW who got TT 2 / Booster injection	970	76.6	589	81.1	100 IFA tablets consumed	33.4
14	PW who consumed 180 IFA tablets	824	65.1	548	75.5	Home Delivery	35.5
15	Home Delivery against expected delivery *	267	23.3	127	11.1	Institutional Delivery	64.5
16	Institutional Delivery against expected delivery *	477	41.6	240	21.0	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	267	35.9	127	34.6	PNC within 2days of delivery	57.1
18	Institutional Delivery against reported delivery **	477	64.1	240	65.4	Breastfeed within 1 hour of birth	58.0
19	Total reported Deliveries	744		367			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	40.1	72	56.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	145	19.5	98	26.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,125		1,119			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	733	65.1	362	32.4	BCG	74.5
24	Total Still Birth	11	1.0	8	0.7	3 dose of DPT	59.7
25	Newborn weighted at birth to live birth	599	81.7	275	76.0	Measles First dose	61.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	4	1.5	3 doses of penta or hepatitis B vaccine	59.7

27	Newborns breastfed within 1 hour to total reported live birth.	688	93.9	343	94.8	Full Immunization	52.7
28	Fully immunized	697	61.9	373	33.3		
29	Children who have received BCG	880	78.2	413	36.9		
30	Children who have received Pentavalent 1	1,068	94.9	458	40.9		
31	Children who have received Pentavalent 3	891	79.2	407	36.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	711	63.2	385	34.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	533		673			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	7.3	
35	Number of Tubectomies performed	0	0		Spacing	4.5	
36	Number of IUD insertion	7	7		Women using any method	68.6	
37	Number of IUD removals	7	5		Women using modern method	49	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	151	101				
39	General OPD cases per 10,000 population ***	4651	3744				
40	Ayush OPD cases per 10,000 population ***	473	476				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	1	1				
42	Neonatal Deaths up to 4 weeks of birth	0	5				
43	Total Neonatal Death	1	6				
44	Deaths between (1 - 11) months	3	1				
45	Total reported infant deaths	4	7				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	1	0				
52	Total reported maternal deaths	1	0				

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	54,080					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,123		1,111			
9	Expected number of Delivery	1,041		1,031			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,066	94.9	591	53.2	ANC Check up in first trimester	56.3
11	Mothers registered in the first trimester	353	33.1	237	40.1	At least 4 ANC check up	48.6
12	Mothers who had 4 or more ANC check ups	222	20.8	114	19.3	Neonatal tetanus received	87.5
13	PW who got TT 2 / Booster injection	681	63.9	403	68.2	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	190	17.8	117	19.8	Home Delivery	9.9
15	Home Delivery against expected delivery *	26	2.5	13	1.3	Institutional Delivery	90.1
16	Institutional Delivery against expected delivery *	371	35.6	221	21.4	Home Delivery by SBA	3.6
17	Home Delivery against reported delivery **	26	6.5	13	5.6	PNC within 2 days of delivery	58.6
18	Institutional Delivery against reported delivery **	371	93.5	221	94.4	Breastfeed within 1 hour of birth	59.8
19	Total reported Deliveries	397		234			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	88.5	8	61.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	89	22.4	76	32.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,021		1,010			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	392	38.4	231	22.9	BCG	89.2
24	Total Still Birth	5	0.5	4	0.4	3 dose of DPT	77
25	Newborn weighted at birth to live birth	389	99.2	230	99.6	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	27	6.9	22	9.6	3 doses of penta or hepatitis B vaccine	79.2

27	Newborns breastfed within 1 hour to total reported live birth.	386	98.5	230	99.6	Full Immunization	73.8
28	Fully immunized	804	78.8	405	40.1		
29	Children who have received BCG	673	65.9	303	30.0		
30	Children who have received Pentavalent 1	815	79.8	365	36.1		
31	Children who have received Pentavalent 3	804	78.8	382	37.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	805	78.9	416	41.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	123		119			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	4.9	
35	Number of Tubectomies performed	9	16		Spacing	4.6	
36	Number of IUD insertion	35	33		Women using any method	75.3	
37	Number of IUD removals	27	34		Women using modern method	56.4	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	158	97				
39	General OPD cases per 10,000 population ***	9306	5927				
40	Ayush OPD cases per 10,000 population ***	300	427				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	1	1				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	1	1				
44	Deaths between (1 - 11) months	0	2				
45	Total reported infant deaths	1	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	22,630					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	3					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	475		470			
9	Expected number of Delivery	440		436			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	254	53.5	173	36.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	181	71.3	131	75.7	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	60	23.6	23	13.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	190	74.8	105	60.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	253	99.6	161	93.1	Home Delivery	NA
15	Home Delivery against expected delivery *	7	1.6	18	4.1	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	98	22.3	19	4.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	7	6.7	18	48.6	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	98	93.3	19	51.4	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	105		37			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	100.0	7	38.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	51	48.6	18	48.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	431		428			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	104	24.1	35	8.2	BCG	NA
24	Total Still Birth	1	0.2	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	104	100.0	29	82.9	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	4	13.8	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	103	99.0	30	85.7	Full Immunization	NA
28	Fully immunized	205	47.5	113	26.4		
29	Children who have received BCG	114	26.4	34	8.0		
30	Children who have received Pentavalent 1	195	45.2	77	18.0		
31	Children who have received Pentavalent 3	196	45.4	85	19.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	208	48.2	114	26.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	45		28			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	15	6		Women using any method	NA	
37	Number of IUD removals	9	2		Women using modern method	NA	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	448	263				
39	General OPD cases per 10,000 population ***	7946	5569				
40	Ayush OPD cases per 10,000 population ***	264	123				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	1	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	1	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	1	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	67,751					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,109		2,174			
9	Expected number of Delivery	1,956		2,016			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	628	29.8	405	18.6	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	213	33.9	136	33.6	At least 4 ANC check up	39.1
12	Mothers who had 4 or more ANC check ups	173	27.5	88	21.7	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	418	66.6	258	63.7	100 IFA tablets consumed	15.2
14	PW who consumed 180 IFA tablets	136	21.7	79	19.5	Home Delivery	10.2
15	Home Delivery against expected delivery *	26	1.3	7	0.3	Institutional Delivery	89.8
16	Institutional Delivery against expected delivery *	371	19.0	201	10.0	Home Delivery by SBA	2.8
17	Home Delivery against reported delivery **	26	6.5	7	3.4	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	371	93.5	201	96.6	Breastfeed within 1 hour of birth	52.5
19	Total reported Deliveries	397		208			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	38.5	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	139	35.0	71	34.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,918		1,977			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	383	20.0	206	10.4	BCG	85
24	Total Still Birth	14	0.7	3	0.2	3 dose of DPT	69.6
25	Newborn weighted at birth to live birth	391	102.1	206	100.0	Measles First dose	76.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	30	7.7	10	4.9	3 doses of penta or hepatitis B vaccine	65.9

27	Newborns breastfed within 1 hour to total reported live birth.	320	83.6	185	89.8	Full Immunization	66.5
28	Fully immunized	512	26.7	284	14.4		
29	Children who have received BCG	343	17.9	200	10.1		
30	Children who have received Pentavalent 1	511	26.6	251	12.7		
31	Children who have received Pentavalent 3	529	27.6	256	13.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	516	26.9	284	14.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	205		151			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	8.5	
35	Number of Tubectomies performed	10	14		Spacing	2.3	
36	Number of IUD insertion	36	35		Women using any method	65.9	
37	Number of IUD removals	37	43		Women using modern method	58	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	171	188				
39	General OPD cases per 10,000 population ***	3659	2592				
40	Ayush OPD cases per 10,000 population ***	357	374				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	4	3				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	4	3				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	4	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	1	0				
52	Total reported maternal deaths	1	0				

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	95,950					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,187		2,185			
9	Expected number of Delivery	2,028		2,026			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,021	92.4	1,128	51.6	ANC Check up in first trimester	61.6
11	Mothers registered in the first trimester	1,407	69.6	812	72.0	At least 4 ANC check up	35.4
12	Mothers who had 4 or more ANC check ups	1,317	65.2	784	69.5	Neonatal tetanus received	76.7
13	PW who got TT 2 / Booster injection	1,767	87.4	1,058	93.8	100 IFA tablets consumed	33.6
14	PW who consumed 180 IFA tablets	998	49.4	883	78.3	Home Delivery	36.4
15	Home Delivery against expected delivery *	265	13.1	85	4.2	Institutional Delivery	63.6
16	Institutional Delivery against expected delivery *	1,710	84.3	838	41.4	Home Delivery by SBA	6.4
17	Home Delivery against reported delivery **	265	13.4	85	9.2	PNC within 2days of delivery	51.2
18	Institutional Delivery against reported delivery **	1,710	86.6	838	90.8	Breastfeed within 1 hour of birth	47.4
19	Total reported Deliveries	1,975		923			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	44.2	33	38.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	421	21.3	309	33.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,988		1,986			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,938	97.5	911	45.9	BCG	83.5
24	Total Still Birth	39	2.0	13	0.7	3 dose of DPT	80.7
25	Newborn weighted at birth to live birth	1,871	96.5	903	99.1	Measles First dose	79.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	111	5.9	68	7.5	3 doses of penta or hepatitis B vaccine	75.1

27	Newborns breastfed within 1 hour to total reported live birth.	1,865	96.2	904	99.2	Full Immunization	67.2
28	Fully immunized	1,597	80.3	870	43.8		
29	Children who have received BCG	2,266	114.0	1,016	51.2		
30	Children who have received Pentavalent 1	1,837	92.4	847	42.6		
31	Children who have received Pentavalent 3	1,642	82.6	972	48.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,576	79.3	871	43.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	56		127			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	137	41	Spacing	5.2
36	Number of IUD insertion	29	12	Women using any method	69.5
37	Number of IUD removals	25	19	Women using modern method	48.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	321	228		
39	General OPD cases per 10,000 population ***	6186	3693		
40	Ayush OPD cases per 10,000 population ***	676	636		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal deaths within 24 hours	2	4		
42	Neonatal Deaths up to 4 weeks of birth	2	0		
43	Total Neonatal Death	4	4		
44	Deaths between (1 - 11) months	3	0		
45	Total reported infant deaths	7	4		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	15,358					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	428		436			
9	Expected number of Delivery	397		405			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	140	32.7	123	28.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	21	15.0	16	13.0	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	20	14.3	10	8.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	84	60.0	67	54.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	63	45.0	59	48.0	Home Delivery	NA
15	Home Delivery against expected delivery *	11	2.8	12	3.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	33	8.3	23	5.7	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	11	25.0	12	34.3	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	33	75.0	23	65.7	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	44		35			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	63.6	8	66.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38	86.4	24	68.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	389		397			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	42	10.8	31	7.8	BCG	NA
24	Total Still Birth	0	0.0	3	0.8	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	42	100.0	30	96.8	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	3.3	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	41	97.6	24	77.4	Full Immunization	NA
28	Fully immunized	67	17.2	98	24.7		
29	Children who have received BCG	106	27.2	47	11.8		
30	Children who have received Pentavalent 1	146	37.5	75	18.9		
31	Children who have received Pentavalent 3	144	37.0	103	26.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	97	24.9	105	26.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		83			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed			0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	2		0		Women using any method	NA
37	Number of IUD removals			0		Women using modern method	NA
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	59		55			
39	General OPD cases per 10,000 population ***	2787		2156			
40	Ayush OPD cases per 10,000 population ***	94		186			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal deaths within 24 hours	0		1			
42	Neonatal Deaths up to 4 weeks of birth	0		0			
43	Total Neonatal Death	0		1			
44	Deaths between (1 - 11) months	0		1			
45	Total reported infant deaths	0		2			
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
46	Due to Abortion			0			
47	Due to Obstructed/prolonged labour			0			
48	Due to Severe hypertension/fits			0			
49	Due to Bleeding			0			
50	Due to High fever			0			
51	Due to Other Causes (including causes not known)			0			
52	Total reported maternal deaths	0		0			

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,76,573					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	5,287		5,429			
9	Expected number of Delivery	4,903		5,034			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,112	172.3	7,374	135.8	ANC Check up in first trimester	38.4
11	Mothers registered in the first trimester	1,967	21.6	2,127	28.8	At least 4 ANC check up	39.3
12	Mothers who had 4 or more ANC check ups	2,313	25.4	1,632	22.1	Neonatal tetanus received	74.0
13	PW who got TT 2 / Booster injection	2,442	26.8	1,554	21.1	100 IFA tablets consumed	24.8
14	PW who consumed 180 IFA tablets	7,535	82.7	4,442	60.2	Home Delivery	12.0
15	Home Delivery against expected delivery *	24	0.5	19	0.4	Institutional Delivery	88.0
16	Institutional Delivery against expected delivery *	5,993	122.2	2,974	59.1	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	24	0.4	19	0.6	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	5,993	99.6	2,974	99.4	Breastfeed within 1 hour of birth	52.9
19	Total reported Deliveries	6,017		2,993			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	15	78.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,962	32.6	1,022	34.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,807		4,935			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,026	125.4	3,013	61.1	BCG	88.1
24	Total Still Birth	40	0.8	9	0.2	3 dose of DPT	76.3
25	Newborn weighted at birth to live birth	6,006	99.7	3,000	99.6	Measles First dose	77.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	302	5.0	183	6.1	3 doses of penta or hepatitis B vaccine	64.3

27	Newborns breastfed within 1 hour to total reported live birth.	3,220	53.4	1,575	52.3	Full Immunization	60.7
28	Fully immunized	3,219	67.0	1,835	37.2		
29	Children who have received BCG	5,068	105.4	2,547	51.6		
30	Children who have received Pentavalent 1	4,030	83.8	1,817	36.8		
31	Children who have received Pentavalent 3	3,359	69.9	1,781	36.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,171	66.0	1,838	37.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	542		387			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	20.3	
35	Number of Tubectomies performed	341	153		Spacing	8.8	
36	Number of IUD insertion	429	250		Women using any method	47.7	
37	Number of IUD removals	263	142		Women using modern method	41	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	759	441				
39	General OPD cases per 10,000 population ***	20475	11189				
40	Ayush OPD cases per 10,000 population ***	1122	601				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	25	6				
42	Neonatal Deaths up to 4 weeks of birth	9	5				
43	Total Neonatal Death	34	11				
44	Deaths between (1 - 11) months	6	2				
45	Total reported infant deaths	40	13				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	1	2				
52	Total reported maternal deaths	1	2				

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,310					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	0					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	258		253			
9	Expected number of Delivery	239		235			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	257	99.7	142	56.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	98	38.1	48	33.8	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	26	10.1	13	9.2	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	181	70.4	83	58.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	99	38.5	54	38.0	Home Delivery	NA
15	Home Delivery against expected delivery *	9	3.8	3	1.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	36	15.1	35	14.9	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	9	20.0	3	7.9	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	36	80.0	35	92.1	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	45		38			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	33.3	1	33.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	4.4	1	2.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	234		230			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	33	14.1	37	16.1	BCG	NA
24	Total Still Birth	1	0.4	3	1.3	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	29	87.9	21	56.8	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	3.4	0	0.0	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	30	90.9	29	78.4	Full Immunization	NA
28	Fully immunized	183	78.1	100	43.4		
29	Children who have received BCG	83	35.4	31	13.5		
30	Children who have received Pentavalent 1	200	85.4	92	40.0		
31	Children who have received Pentavalent 3	202	86.2	107	46.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	190	81.1	104	45.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	171		144			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	0	0	Spacing	NA		
36	Number of IUD insertion	24	24	Women using any method	NA		
37	Number of IUD removals	17	11	Women using modern method	NA		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	117	87				
39	General OPD cases per 10,000 population ***	7686	5748				
40	Ayush OPD cases per 10,000 population ***	769	1204				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	1				
45	Total reported infant deaths	0	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	27,924					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	617		615			
9	Expected number of Delivery	572		570			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	295	47.8	144	23.4	ANC Check up in first trimester	50.8
11	Mothers registered in the first trimester	92	31.2	41	28.5	At least 4 ANC check up	31.1
12	Mothers who had 4 or more ANC check ups	57	19.3	29	20.1	Neonatal tetanus received	78.7
13	PW who got TT 2 / Booster injection	153	51.9	100	69.4	100 IFA tablets consumed	21.5
14	PW who consumed 180 IFA tablets	170	57.6	106	73.6	Home Delivery	18.9
15	Home Delivery against expected delivery *	28	4.9	7	1.2	Institutional Delivery	81.1
16	Institutional Delivery against expected delivery *	78	13.6	26	4.6	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	28	26.4	7	21.2	PNC within 2days of delivery	56.0
18	Institutional Delivery against reported delivery **	78	73.6	26	78.8	Breastfeed within 1 hour of birth	51.4
19	Total reported Deliveries	106		33			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	71.4	7	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11	10.4	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	561		559			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	106	18.9	33	5.9	BCG	80.8
24	Total Still Birth	2	0.4	0	0.0	3 dose of DPT	81.1
25	Newborn weighted at birth to live birth	106	100.0	33	100.0	Measles First dose	77.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.9	0	0.0	3 doses of penta or hepatitis B vaccine	74.7

27	Newborns breastfed within 1 hour to total reported live birth.	106	100.0	30	90.9	Full Immunization	60.3
28	Fully immunized	294	52.4	144	25.8		
29	Children who have received BCG	147	26.2	56	10.0		
30	Children who have received Pentavalent 1	303	54.0	131	23.4		
31	Children who have received Pentavalent 3	296	52.8	141	25.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	319	56.9	187	33.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13		32			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	5		
35	Number of Tubectomies performed	0	0	Spacing	2.4		
36	Number of IUD insertion	12	3	Women using any method	73.7		
37	Number of IUD removals	4	2	Women using modern method	61		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	318	320				
39	General OPD cases per 10,000 population ***	5394	3065				
40	Ayush OPD cases per 10,000 population ***	189	137				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	12					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,279		1,293			
9	Expected number of Delivery	1,186		1,199			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	844	66.0	454	35.1	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	276	32.7	190	41.9	At least 4 ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	188	22.3	94	20.7	Neonatal tetanus received	85.3
13	PW who got TT 2 / Booster injection	607	71.9	352	77.5	100 IFA tablets consumed	28.2
14	PW who consumed 180 IFA tablets	540	64.0	320	70.5	Home Delivery	15.8
15	Home Delivery against expected delivery *	179	15.1	74	6.2	Institutional Delivery	84.2
16	Institutional Delivery against expected delivery *	359	30.3	199	16.6	Home Delivery by SBA	5.7
17	Home Delivery against reported delivery **	179	33.3	74	27.1	PNC within 2 days of delivery	49.6
18	Institutional Delivery against reported delivery **	359	66.7	199	72.9	Breastfeed within 1 hour of birth	60.6
19	Total reported Deliveries	538		273			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	26.3	21	28.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	182	33.8	108	39.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,163		1,176			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	531	45.7	272	23.1	BCG	93.1
24	Total Still Birth	10	0.9	2	0.2	3 dose of DPT	81.9
25	Newborn weighted at birth to live birth	518	97.6	264	97.1	Measles First dose	90.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	16	3.1	4	1.5	3 doses of penta or hepatitis B vaccine	77.6

27	Newborns breastfed within 1 hour to total reported live birth.	427	80.4	218	80.1	Full Immunization	67.5
28	Fully immunized	746	64.1	370	31.5		
29	Children who have received BCG	657	56.5	348	29.6		
30	Children who have received Pentavalent 1	729	62.7	358	30.5		
31	Children who have received Pentavalent 3	746	64.1	347	29.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	756	65.0	375	31.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	274		463			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	14.6	
35	Number of Tubectomies performed	0	6		Spacing	11.7	
36	Number of IUD insertion	136	62		Women using any method	62.1	
37	Number of IUD removals	22	16		Women using modern method	56.3	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	229	156				
39	General OPD cases per 10,000 population ***	6127	4698				
40	Ayush OPD cases per 10,000 population ***	720	557				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	1	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	1	0				
44	Deaths between (1 - 11) months	1	1				
45	Total reported infant deaths	2	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	55,022					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	9					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,196		1,189			
9	Expected number of Delivery	1,109		1,103			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	948	79.3	515	43.3	ANC Check up in first trimester	59.3
11	Mothers registered in the first trimester	411	43.4	218	42.3	At least 4 ANC check up	35.7
12	Mothers who had 4 or more ANC check ups	385	40.6	200	38.8	Neonatal tetanus received	73.9
13	PW who got TT 2 / Booster injection	831	87.7	470	91.3	100 IFA tablets consumed	27.4
14	PW who consumed 180 IFA tablets	729	76.9	448	87.0	Home Delivery	29.8
15	Home Delivery against expected delivery *	196	17.7	81	7.3	Institutional Delivery	70.2
16	Institutional Delivery against expected delivery *	488	44.0	184	16.7	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	196	28.7	81	30.6	PNC within 2 days of delivery	49.8
18	Institutional Delivery against reported delivery **	488	71.3	184	69.4	Breastfeed within 1 hour of birth	72.0
19	Total reported Deliveries	684		265			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	59.7	55	67.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	669	97.8	261	98.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,087		1,081			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	677	62.3	265	24.5	BCG	82.8
24	Total Still Birth	8	0.7	1	0.1	3 dose of DPT	77.4
25	Newborn weighted at birth to live birth	675	99.7	264	99.6	Measles First dose	77.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	26	3.9	4	1.5	3 doses of penta or hepatitis B vaccine	77.4

27	Newborns breastfed within 1 hour to total reported live birth.	675	99.7	264	99.6	Full Immunization	66.3
28	Fully immunized	788	72.5	404	37.4		
29	Children who have received BCG	712	65.5	278	25.7		
30	Children who have received Pentavalent 1	980	90.1	370	34.2		
31	Children who have received Pentavalent 3	835	76.8	423	39.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	788	72.5	404	37.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	180		171			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed		0		Total unmet need	10.6	
35	Number of Tubectomies performed	13	35		Spacing	8.1	
36	Number of IUD insertion	27	31		Women using any method	56.1	
37	Number of IUD removals	42	23		Women using modern method	39.4	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	219	121				
39	General OPD cases per 10,000 population ***	4188	2962				
40	Ayush OPD cases per 10,000 population ***	809	462				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	1	0				
42	Neonatal Deaths up to 4 weeks of birth	1	0				
43	Total Neonatal Death	2	0				
44	Deaths between (1 - 11) months	1	0				
45	Total reported infant deaths	3	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,320					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	724		716			
9	Expected number of Delivery	672		664			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	580	80.1	379	52.9	ANC Check up in first trimester	54.5
11	Mothers registered in the first trimester	253	43.6	162	42.7	At least 4 ANC check up	34.0
12	Mothers who had 4 or more ANC check ups	220	37.9	147	38.8	Neonatal tetanus received	73.5
13	PW who got TT 2 / Booster injection	357	61.6	253	66.8	100 IFA tablets consumed	12.6
14	PW who consumed 180 IFA tablets	468	80.7	295	77.8	Home Delivery	24.0
15	Home Delivery against expected delivery *	19	2.8	6	0.9	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	259	38.6	133	20.0	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	19	6.8	6	4.3	PNC within 2days of delivery	56.4
18	Institutional Delivery against reported delivery **	259	93.2	133	95.7	Breastfeed within 1 hour of birth	28.2
19	Total reported Deliveries	278		139			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	78.9	3	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	74.5	117	84.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	658		651			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	276	41.9	137	21.0	BCG	86.7
24	Total Still Birth	2	0.3	2	0.3	3 dose of DPT	68.4
25	Newborn weighted at birth to live birth	277	100.4	134	97.8	Measles First dose	70
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	5.1	9	6.7	3 doses of penta or hepatitis B vaccine	63.4

27	Newborns breastfed within 1 hour to total reported live birth.	256	92.8	123	89.8	Full Immunization	61.4
28	Fully immunized	471	71.5	206	31.6		
29	Children who have received BCG	278	42.2	139	21.4		
30	Children who have received Pentavalent 1	408	62.0	204	31.3		
31	Children who have received Pentavalent 3	403	61.2	211	32.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	471	71.5	206	31.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	155		71			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	19	10	Spacing	6.6
36	Number of IUD insertion	45	33	Women using any method	62
37	Number of IUD removals	40	23	Women using modern method	54
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	342	237		
39	General OPD cases per 10,000 population ***	7508	4743		
40	Ayush OPD cases per 10,000 population ***	822	237		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	79,030					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,500		2,581			
9	Expected number of Delivery	2,318		2,394			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,156	86.2	1,102	42.7	ANC Check up in first trimester	34.6
11	Mothers registered in the first trimester	722	33.5	480	43.6	At least 4 ANC check up	32.1
12	Mothers who had 4 or more ANC check ups	314	14.6	230	20.9	Neonatal tetanus received	79.1
13	PW who got TT 2 / Booster injection	747	34.6	394	35.8	100 IFA tablets consumed	23.6
14	PW who consumed 180 IFA tablets	362	16.8	1,021	92.6	Home Delivery	23.0
15	Home Delivery against expected delivery *	13	0.6	8	0.3	Institutional Delivery	77.0
16	Institutional Delivery against expected delivery *	851	36.7	374	15.6	Home Delivery by SBA	5.2
17	Home Delivery against reported delivery **	13	1.5	8	2.1	PNC within 2 days of delivery	56.7
18	Institutional Delivery against reported delivery **	851	98.5	374	97.9	Breastfeed within 1 hour of birth	56.6
19	Total reported Deliveries	864		382			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	38.5	8	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10	1.2	11	2.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,273		2,347			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	848	37.3	375	16.0	BCG	89.8
24	Total Still Birth	12	0.5	7	0.3	3 dose of DPT	75.6
25	Newborn weighted at birth to live birth	847	99.9	367	97.9	Measles First dose	84.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	44	5.2	35	9.5	3 doses of penta or hepatitis B vaccine	72.2

27	Newborns breastfed within 1 hour to total reported live birth.	609	71.8	228	60.8	Full Immunization	68.5
28	Fully immunized	824	36.3	344	14.7		
29	Children who have received BCG	805	35.4	350	14.9		
30	Children who have received Pentavalent 1	990	43.6	427	18.2		
31	Children who have received Pentavalent 3	912	40.1	443	18.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	823	36.2	346	14.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	271		104			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	17.3	
35	Number of Tubectomies performed	3	10		Spacing	8.6	
36	Number of IUD insertion	179	102		Women using any method	53.2	
37	Number of IUD removals	123	95		Women using modern method	48.4	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	129	72				
39	General OPD cases per 10,000 population ***	2756	1033				
40	Ayush OPD cases per 10,000 population ***	254	110				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,947					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,917		1,916			
9	Expected number of Delivery	1,777		1,776			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,571	82.0	886	46.3	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	1,000	63.7	545	61.5	At least 4 ANC check up	27.6
12	Mothers who had 4 or more ANC check ups	647	41.2	200	22.6	Neonatal tetanus received	64.4
13	PW who got TT 2 / Booster injection	1,065	67.8	625	70.5	100 IFA tablets consumed	18.5
14	PW who consumed 180 IFA tablets	913	58.1	548	61.9	Home Delivery	6.4
15	Home Delivery against expected delivery *	15	0.8	4	0.2	Institutional Delivery	93.6
16	Institutional Delivery against expected delivery *	548	30.8	274	15.4	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	15	2.7	4	1.4	PNC within 2 days of delivery	38.9
18	Institutional Delivery against reported delivery **	548	97.3	274	98.6	Breastfeed within 1 hour of birth	42.6
19	Total reported Deliveries	563		278			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	53.3	4	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	178	31.6	78	28.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,743		1,741			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	560	32.1	276	15.8	BCG	94
24	Total Still Birth	4	0.2	3	0.2	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	551	98.4	276	100.0	Measles First dose	65.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	5.1	24	8.7	3 doses of penta or hepatitis B vaccine	57.4

27	Newborns breastfed within 1 hour to total reported live birth.	549	98.0	272	98.6	Full Immunization	56.2
28	Fully immunized	1,075	61.7	552	31.7		
29	Children who have received BCG	814	46.7	327	18.8		
30	Children who have received Pentavalent 1	1,061	60.9	509	29.2		
31	Children who have received Pentavalent 3	1,064	61.1	519	29.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,017	58.4	553	31.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	337		200			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17
35	Number of Tubectomies performed	3		3		Spacing	13.5
36	Number of IUD insertion	224		128		Women using any method	53.8
37	Number of IUD removals	209		120		Women using modern method	47.8
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	216		116			
39	General OPD cases per 10,000 population ***	6326		3800			
40	Ayush OPD cases per 10,000 population ***	339		300			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal deaths within 24 hours	0		0			
42	Neonatal Deaths up to 4 weeks of birth	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		1			
45	Total reported infant deaths	0		1			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	0		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	0		0			
52	Total reported maternal deaths	0		0			

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,516					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	12					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,185		1,175			
9	Expected number of Delivery	1,099		1,089			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,129	95.2	655	55.8	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	286	25.3	175	26.7	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	963	85.3	472	72.1	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	676	59.9	468	71.5	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	1,051	93.1	535	81.7	Home Delivery	15.4
15	Home Delivery against expected delivery *	30	2.7	6	0.6	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,018	92.6	506	46.5	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	30	2.9	6	1.2	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,018	97.1	506	98.8	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,048		512			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	96.7	6	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	242	23.1	17	3.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,078		1,068			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,042	96.7	510	47.8	BCG	93.7
24	Total Still Birth	6	0.6	2	0.2	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,042	100.0	507	99.4	Measles First dose	86.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	86	8.3	53	10.5	3 doses of penta or hepatitis B vaccine	81

27	Newborns breastfed within 1 hour to total reported live birth.	787	75.5	417	81.8	Full Immunization	55.4
28	Fully immunized	908	84.3	400	37.5		
29	Children who have received BCG	1,014	94.1	479	44.9		
30	Children who have received Pentavalent 1	872	80.9	365	34.2		
31	Children who have received Pentavalent 3	799	74.1	377	35.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	917	85.1	400	37.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	338		241			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	15.5	
35	Number of Tubectomies performed	84	53		Spacing	8.2	
36	Number of IUD insertion	187	78		Women using any method	46.6	
37	Number of IUD removals	165	77		Women using modern method	38.9	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	431	231				
39	General OPD cases per 10,000 population ***	9345	6535				
40	Ayush OPD cases per 10,000 population ***	275	216				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal deaths within 24 hours	6	1				
42	Neonatal Deaths up to 4 weeks of birth	4	4				
43	Total Neonatal Death	10	5				
44	Deaths between (1 - 11) months	1	2				
45	Total reported infant deaths	11	7				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				