

## Manipur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	28,55,794					
2	Sex Ratio	987					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	416					
4	Primary Health Centers (PHC)	95					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	7					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	51,275		49,935			
9	Expected number of Delivery	47,173		45,941			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	47,058	91.8	16,519	33.1	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	24,000	51.0	8,593	52.0	At least 4ANC check up	79.4
12	Mothers who had 4 or more ANC check ups	16,564	35.2	5,677	34.4	Neonatal tetanus received	88.9
13	PW who got TT 2 / Booster injection	24,560	52.2	7,560	45.8	100 IFA tablets consumed	52.3
14	PW who consumed 180 IFA tablets	14,996	31.9	2,822	17.1	Home Delivery	20.1
15	Home Delivery against expected delivery *	5,759	12.2	1,333	2.9	Institutional Delivery	79.9
16	Institutional Delivery against expected delivery *	23,563	50.0	5,599	12.2	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	5,759	19.6	1,333	19.2	PNC within 2days of delivery	73.4
18	Institutional Delivery against reported delivery **	23,563	80.4	5,599	80.8		
19	Total reported Deliveries	29,322		6,932			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,492	60.6	751	56.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,605	25.9	1,971	28.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	46,614		45,396			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	29,262	62.8	6,960	15.3	Breastfed within 1 hour of birth	53.7
24	Total Still Birth	202	0.4	25	0.1	BCG	95.4
25	PC of newborn weighted at birth to live birth	29,019	99.2	6,910	99.3	3 dose of DPT	81.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,515	5.2	235	3.4	Measles First dose	76.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	24,470	83.6	5,550	79.7	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	31,228	67.0	7,436	16.4	Full Immunization	68.8
29	Children who have received BCG	30,846	66.2	9,022	19.9		
30	Children who have received Pentavalent 1	36,731	78.8	9,131	20.1		
31	Children who have received Pentavalent 3	32,416	69.5	9,647	21.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	32,368	69.4	7,813	17.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,429		2,279			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.2
35	Number of Tubectomies performed	364	59	Spacing	4.7
36	Number of IUD insertion	1,595	440	Women using any method	61.3
37	Number of IUD removals	1,247	419	Women using modern method	18.2
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	152	56		
39	General OPD cases per 10,000 population ***	3053	1273		
40	Ayush OPD cases per 10,000 population ***	152	71		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	18	7		
42	Neonatal Deaths up to 4 weeks of birth	56	15		
43	<b>Total Neonatal Death</b>	<b>74</b>	<b>22</b>		
44	Deaths between (1 - 11) months	30	3		
45	<b>Total reported infant deaths</b>	<b>104</b>	<b>25</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	4	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	10	3		
52	<b>Total reported maternal deaths</b>	<b>15</b>	<b>3</b>		

## Bishnupur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,37,399						
2	Sex Ratio	1,000						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	33						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	4,255	4,225					
9	Expected number of Delivery	3,914	3,887					
		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	3,739	87.9	1,346	31.9	ANC Check up in first trimester	84.2	
11	Mothers registered in the first trimester	2,837	75.9	1,079	80.2	At least 4ANC check up	77.4	
12	Mothers who had 4 or more ANC check ups	1,392	37.2	732	54.4	Neonatal tetanus received	88.8	
13	PW who got TT 2 / Booster injection	2,382	63.7	776	57.7	100 IFA tablets consumed	57.4	
14	PW who consumed 180 IFA tablets	1,026	27.4	47	3.5	Home Delivery	10.5	
15	Home Delivery against expected delivery *	39	1.0	3	0.1	Institutional Delivery	89.5	
16	Institutional Delivery against expected delivery *	169	4.3	45	1.2	Home Delivery by SBA	3.1	
17	Home Delivery against reported delivery **	39	18.8	3	6.3	PNC within 2days of delivery	79.0	
18	Institutional Delivery against reported delivery **	169	81.3	45	93.8			
19	Total reported Deliveries	208		48				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	43.6	2	66.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	1.0	0	0.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	3,868		3,841				
D) Child Immunization :		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	206	5.3	48	1.2	Breastfed within 1 hour of birth	48.1	
24	Total Still Birth	3	0.1	0	0.0	BCG	96.1	
25	PC of newborn weighted at birth to live birth	206	100.0	47	97.9	3 dose of DPT	77.8	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	4.9	2	4.3	Measles First dose	70.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	203	98.5	47	97.9	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,143	81.3	657	17.1	Full Immunization	66.6
29	Children who have received BCG	1,922	49.7	429	11.2		
30	Children who have received Pentavalent 1	3,173	82.0	773	20.1		
31	Children who have received Pentavalent 3	2,943	76.1	893	23.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,160	81.7	657	17.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	467		221			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20
35	Number of Tubectomies performed	0	0	Spacing	5.7
36	Number of IUD insertion	69	41	Women using any method	46.3
37	Number of IUD removals	97	41	Women using modern method	21.6
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	16	18		
39	General OPD cases per 10,000 population ***	4919	2023		
40	Ayush OPD cases per 10,000 population ***	329	147		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Chandel Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,44,182						
2	Sex Ratio	932						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	15						
4	Primary Health Centers (PHC)	2						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	1,378	1,318					
9	Expected number of Delivery	1,268	1,213					
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	1,067	77.4	298	22.6	ANC Check up in first trimester	77.6	
11	Mothers registered in the first trimester	661	61.9	180	60.4	At least 4ANC check up	66.6	
12	Mothers who had 4 or more ANC check ups	380	35.6	49	16.4	Neonatal tetanus received	94.5	
13	PW who got TT 2 / Booster injection	494	46.3	128	43.0	100 IFA tablets consumed	44.2	
14	PW who consumed 180 IFA tablets	411	38.5	42	14.1	Home Delivery	44.5	
15	Home Delivery against expected delivery *	211	16.6	44	3.6	Institutional Delivery	55.5	
16	Institutional Delivery against expected delivery *	332	26.2	84	6.9	Home Delivery by SBA	19.3	
17	Home Delivery against reported delivery **	211	38.9	44	34.4	PNC within 2days of delivery	55.0	
18	Institutional Delivery against reported delivery **	332	61.1	84	65.6			
19	Total reported Deliveries	543		128				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	192	91.0	44	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	123	22.7	58	45.3			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	1,253		1,198				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	540	43.1	127	10.6	Breastfed within 1 hour of birth	55.1	
24	Total Still Birth	3	0.2	1	0.1	BCG	96.5	
25	PC of newborn weighted at birth to live birth	537	99.4	127	100.0	3 dose of DPT	76.6	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	2.0	3	2.4	Measles First dose	60.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	493	91.3	108	85.0	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	596	47.6	167	13.9	Full Immunization	55.5
29	Children who have received BCG	714	57.0	152	12.7		
30	Children who have received Pentavalent 1	789	63.0	180	15.0		
31	Children who have received Pentavalent 3	653	52.1	212	17.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	597	47.7	167	13.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	126		49			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11
35	Number of Tubectomies performed	0	0	Spacing	4.8
36	Number of IUD insertion	36	8	Women using any method	56.6
37	Number of IUD removals	12	3	Women using modern method	23.6
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	84	45		
39	General OPD cases per 10,000 population ***	2235	922		
40	Ayush OPD cases per 10,000 population ***	107	30		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	1	1		
43	<b>Total Neonatal Death</b>	<b>1</b>	<b>2</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>1</b>	<b>2</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Churachandpur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	4,223	4,103				
9	Expected number of Delivery	3,885	3,775				
		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	4,720	111.8	1,521	37.1	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,092	65.5	1,022	67.2	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	1,587	33.6	571	37.5	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	2,501	53.0	741	48.7	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	947	20.1	242	15.9	Home Delivery	27.1
15	Home Delivery against expected delivery *	323	8.3	111	2.9	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	3,257	83.8	881	23.3	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	323	9.0	111	11.2	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	3,257	91.0	881	88.8		
19	Total reported Deliveries	3,580		992			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	15.5	7	6.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20	0.6	27	2.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,839		3,730			
D) Child Immunization :		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	3,531	92.0	1,003	26.9	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	56	1.5	4	0.1	BCG	88.9
25	PC of newborn weighted at birth to live birth	3,509	99.4	984	98.1	3 dose of DPT	76.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	140	4.0	35	3.6	Measles First dose	71.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,916	82.6	766	76.4	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	2,402	62.6	661	17.7	Full Immunization	64.9
29	Children who have received BCG	3,163	82.4	776	20.8		
30	Children who have received Pentavalent 1	3,523	91.8	868	23.3		
31	Children who have received Pentavalent 3	2,933	76.4	778	20.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,547	66.3	678	18.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,764		1,014			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	24	2	Spacing	4.2
36	Number of IUD insertion	435	119	Women using any method	61.8
37	Number of IUD removals	357	87	Women using modern method	22.6
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	422	176		
39	General OPD cases per 10,000 population ***	4969	2057		
40	Ayush OPD cases per 10,000 population ***	56	18		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	5	3		
42	Neonatal Deaths up to 4 weeks of birth	42	13		
43	<b>Total Neonatal Death</b>	<b>47</b>	<b>16</b>		
44	Deaths between (1 - 11) months	23	0		
45	<b>Total reported infant deaths</b>	<b>70</b>	<b>16</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	0		
52	<b>Total reported maternal deaths</b>	<b>3</b>	<b>0</b>		



## Imphal East Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	8,264		8,241			
9	Expected number of Delivery	7,603		7,582			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	5,321	64.4	1,771	21.5	ANC Check up in first trimester	78.6
11	Mothers registered in the first trimester	2,936	55.2	1,091	61.6	At least 4ANC check up	87.1
12	Mothers who had 4 or more ANC check ups	2,335	43.9	433	24.4	Neonatal tetanus received	89.1
13	PW who got TT 2 / Booster injection	2,681	50.4	924	52.2	100 IFA tablets consumed	55.8
14	PW who consumed 180 IFA tablets	2,312	43.5	442	25.0	Home Delivery	8.3
15	Home Delivery against expected delivery *	81	1.1	6	0.1	Institutional Delivery	91.7
16	Institutional Delivery against expected delivery *	3,713	48.8	921	12.1	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	81	2.1	6	0.6	PNC within 2days of delivery	85.4
18	Institutional Delivery against reported delivery **	3,713	97.9	921	99.4		
19	Total reported Deliveries	3,794		927			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	30.9	5	83.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,219	111.2	1,004	108.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	7,512		7,492			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	3,744	49.8	925	12.3	Breastfed within 1 hour of birth	47.4
24	Total Still Birth	50	0.7	2	0.0	BCG	100
25	PC of newborn weighted at birth to live birth	3,701	98.9	921	99.6	3 dose of DPT	83.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	28	0.8	36	3.9	Measles First dose	81.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,696	98.7	895	96.8	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	4,978	66.3	958	12.8	Full Immunization	76.2
29	Children who have received BCG	4,747	63.2	1,198	16.0		
30	Children who have received Pentavalent 1	5,436	72.4	1,293	17.3		
31	Children who have received Pentavalent 3	4,772	63.5	1,542	20.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,290	70.4	1,152	15.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	130		76			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>		
34	Number of Vasectomies performed	0	0		Total unmet need	16.7	
35	Number of Tubectomies performed	25	7		Spacing	5.4	
36	Number of IUD insertion	109	43		Women using any method	50.1	
37	Number of IUD removals	105	48		Women using modern method	16.9	
<b>F) Service delivery</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>				
38	IPD cases per 10,000 population ***	46	15				
39	General OPD cases per 10,000 population ***	2266	844				
40	Ayush OPD cases per 10,000 population ***	176	68				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>				
41	Neonatal death within 24 hours	0	1				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>1</b>				
44	Deaths between (1 - 11) months	0	0				
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>1</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	2	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	4	2				
52	<b>Total reported maternal deaths</b>	<b>6</b>	<b>2</b>				

## Imphal West Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	5,17,992						
2	Sex Ratio	1,029						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	52						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	9,451	9,359					
9	Expected number of Delivery	8,695	8,610					
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	7,452	78.8	2,775	29.7	ANC Check up in first trimester	83.2	
11	Mothers registered in the first trimester	4,591	61.6	1,800	64.9	At least 4ANC check up	93.4	
12	Mothers who had 4 or more ANC check ups	4,529	60.8	1,994	71.9	Neonatal tetanus received	92.7	
13	PW who got TT 2 / Booster injection	3,421	45.9	1,390	50.1	100 IFA tablets consumed	60.9	
14	PW who consumed 180 IFA tablets	4,204	56.4	650	23.4	Home Delivery	4.3	
15	Home Delivery against expected delivery *	192	2.2	33	0.4	Institutional Delivery	95.7	
16	Institutional Delivery against expected delivery *	10,352	119.1	2,195	25.5	Home Delivery by SBA	2.3	
17	Home Delivery against reported delivery **	192	1.8	33	1.5	PNC within 2days of delivery	90.8	
18	Institutional Delivery against reported delivery **	10,352	98.2	2,195	98.5			
19	Total reported Deliveries	10,544		2,228				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	80.2	27	81.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	2	0.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	8,592		8,508				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	10,618	123.6	2,254	26.5	Breastfed within 1 hour of birth	62.6	
24	Total Still Birth	28	0.3	9	0.1	BCG	94.7	
25	PC of newborn weighted at birth to live birth	10,530	99.2	2,254	100.0	3 dose of DPT	94.4	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,174	11.1	143	6.3	Measles First dose	88.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,342	69.1	1,447	64.2	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	5,936	69.1	1,483	17.4	Full Immunization	74.1
29	Children who have received BCG	4,525	52.7	2,630	30.9		
30	Children who have received Pentavalent 1	6,154	71.6	1,578	18.5		
31	Children who have received Pentavalent 3	5,830	67.9	1,859	21.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,106	71.1	1,519	17.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	474		217			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.5
35	Number of Tubectomies performed	287	39	Spacing	6.4
36	Number of IUD insertion	151	57	Women using any method	69.9
37	Number of IUD removals	173	80	Women using modern method	16.4
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	402	141		
39	General OPD cases per 10,000 population ***	4876	2277		
40	Ayush OPD cases per 10,000 population ***	232	126		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	4	1		
43	<b>Total Neonatal Death</b>	<b>4</b>	<b>1</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>4</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Jiribam Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	6						
4	Primary Health Centers (PHC)	1						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	815	813					
9	Expected number of Delivery	750	748					
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	631	77.4	221	27.2	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	239	37.9	34	15.4	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	28	4.4	5	2.3	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	453	71.8	156	70.6	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	12	1.9	0	0.0	Home Delivery	NA	
15	Home Delivery against expected delivery *	1	0.1	0	0.0	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	89	11.9	15	2.0	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	1	1.1	0	0.0	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	89	98.9	15	100.0			
19	Total reported Deliveries	90		15				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	741		739				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	90	12.1	15	2.0	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.3	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	88	97.8	15	100.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	15.9	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	84	93.3	15	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	164	22.1	99	13.4	Full Immunization	NA
29	Children who have received BCG	166	22.4	101	13.7		
30	Children who have received Pentavalent 1	310	41.8	127	17.2		
31	Children who have received Pentavalent 3	178	24.0	117	15.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	163	22.0	99	13.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	46		21			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	0	0	Women using modern method	NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	63	5		
39	General OPD cases per 10,000 population ***	1089	270		
40	Ayush OPD cases per 10,000 population ***	0	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Kakching Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	13						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22		2022-23				
8	Expected number of PW	2,559	2,539					
9	Expected number of Delivery	2,354	2,336					
		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	2,500	97.7	1,023	40.3	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	938	37.5	293	28.6	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	155	6.2	67	6.5	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	663	26.5	254	24.8	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	548	21.9	163	15.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	51	2.2	16	0.7	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	125	5.3	36	1.5	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	51	29.0	16	30.8	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	125	71.0	36	69.2			
19	Total reported Deliveries	176		52				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	39.2	9	56.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	156	88.6	26	50.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	2,326		2,308				
D) Child Immunization :		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	176	7.6	52	2.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	174	98.9	50	96.2	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	2.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	174	98.9	52	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,556	66.9	343	14.9	Full Immunization	NA
29	Children who have received BCG	1,217	52.3	300	13.0		
30	Children who have received Pentavalent 1	1,773	76.2	406	17.6		
31	Children who have received Pentavalent 3	1,538	66.1	462	20.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,555	66.8	349	15.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	17		3			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (20119-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	14	2	Women using any method NA
37	Number of IUD removals	27	12	Women using modern method NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	47	8	
39	General OPD cases per 10,000 population ***	1812	757	
40	Ayush OPD cases per 10,000 population ***	177	83	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>	
44	Deaths between (1 - 11) months	1	1	
45	<b>Total reported infant deaths</b>	<b>1</b>	<b>1</b>	
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>	



## Kamjong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	21						
4	Primary Health Centers (PHC)	2						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22		2022-23				
8	Expected number of PW	891	812					
9	Expected number of Delivery	820	747					
		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	448	50.3	122	15.0	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	145	32.4	42	34.4	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	32	7.1	11	9.0	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	192	42.9	40	32.8	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	146	32.6	42	34.4	Home Delivery	NA	
15	Home Delivery against expected delivery *	119	14.5	31	4.2	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	57	7.0	6	0.8	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	119	67.6	31	83.8	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	57	32.4	6	16.2			
19	Total reported Deliveries	176		37				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	24.4	8	25.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31	17.6	11	29.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	810		738				
D) Child Immunization :		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	180	22.2	38	5.2	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	168	93.3	37	97.4	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.6	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	169	93.9	37	97.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	229	28.3	53	7.2	Full Immunization	NA
29	Children who have received BCG	301	37.2	71	9.6		
30	Children who have received Pentavalent 1	351	43.3	94	12.7		
31	Children who have received Pentavalent 3	274	33.8	89	12.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	263	32.5	61	8.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	24		17			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	4	1	Women using any method	NA
37	Number of IUD removals	7	0	Women using modern method	NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	19	8		
39	General OPD cases per 10,000 population ***	963	392		
40	Ayush OPD cases per 10,000 population ***	7	3		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Kangpokpi Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	35						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	2,795	2,620					
9	Expected number of Delivery	2,572	2,411					
		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	3,930	140.6	795	30.3	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	1,220	31.0	416	52.3	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	721	18.3	160	20.1	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	1,577	40.1	391	49.2	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	827	21.0	146	18.4	Home Delivery	NA	
15	Home Delivery against expected delivery *	908	35.3	194	8.0	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	338	13.1	100	4.1	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	908	72.9	194	66.0	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	338	27.1	100	34.0			
19	Total reported Deliveries	1,246		294				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	505	55.6	95	49.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	918	73.7	211	71.8			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	2,541		2,382				
D) Child Immunization :		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	1,247	49.1	294	12.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.1	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	1,246	99.9	294	100.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.1	1	0.3	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,246	99.9	294	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,346	92.3	587	24.6	Full Immunization	NA
29	Children who have received BCG	2,583	101.6	550	23.1		
30	Children who have received Pentavalent 1	2,745	108.0	639	26.8		
31	Children who have received Pentavalent 3	2,446	96.3	699	29.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,352	92.6	588	24.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	538		236			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	85	22	Women using any method NA
37	Number of IUD removals	59	20	Women using modern method NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	74	41	
39	General OPD cases per 10,000 population ***	1700	665	
40	Ayush OPD cases per 10,000 population ***	261	98	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	1	0	
43	<b>Total Neonatal Death</b>	<b>1</b>	<b>0</b>	
44	Deaths between (1 - 11) months	1	1	
45	<b>Total reported infant deaths</b>	<b>2</b>	<b>1</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>	

## Noney Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	15						
4	Primary Health Centers (PHC)	3						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	775	724					
9	Expected number of Delivery	713	666					
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	905	116.8	253	34.9	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	359	39.7	96	37.9	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	362	40.0	97	38.3	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	518	57.2	148	58.5	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	350	38.7	42	16.6	Home Delivery	NA	
15	Home Delivery against expected delivery *	125	17.5	24	3.6	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	273	38.3	45	6.8	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	125	31.4	24	34.8	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	273	68.6	45	65.2			
19	Total reported Deliveries	398		69				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	12.0	1	4.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	0.5	4	5.8			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	705		658				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	397	56.3	66	10.0	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	1	0.1	3	0.5	BCG	NA	
25	PC of newborn weighted at birth to live birth	347	87.4	56	84.8	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	5.2	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	359	90.4	59	89.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	504	71.5	138	21.0	Full Immunization	NA
29	Children who have received BCG	595	84.4	127	19.3		
30	Children who have received Pentavalent 1	766	108.7	176	26.7		
31	Children who have received Pentavalent 3	607	86.1	161	24.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	524	74.4	143	21.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	126		50			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	1	Spacing	NA
36	Number of IUD insertion	160	34	Women using any method	NA
37	Number of IUD removals	88	32	Women using modern method	NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	78	26		
39	General OPD cases per 10,000 population ***	2464	944		
40	Ayush OPD cases per 10,000 population ***	0	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	<b>Total Neonatal Death</b>	<b>2</b>	<b>1</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>2</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Pherzawl Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	705	685					
9	Expected number of Delivery	648	630					
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	644	91.4	181	26.4	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	197	30.6	48	26.5	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	156	24.2	32	17.7	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	244	37.9	60	33.1	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	365	56.7	71	39.2	Home Delivery	NA	
15	Home Delivery against expected delivery *	71	11.0	5	0.8	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	111	17.1	22	3.5	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	71	39.0	5	18.5	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	111	61.0	22	81.5			
19	Total reported Deliveries	182		27				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	66.2	1	20.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	32	17.6	6	22.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	640		622				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	180	28.1	27	4.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	7	1.1	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	167	92.8	27	100.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	4.8	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	178	98.9	27	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	135	21.1	19	3.1	Full Immunization	NA
29	Children who have received BCG	202	31.5	51	8.2		
30	Children who have received Pentavalent 1	307	47.9	49	7.9		
31	Children who have received Pentavalent 3	216	33.7	48	7.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	173	27.0	35	5.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	57		25			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	0	1		Women using any method	NA	
37	Number of IUD removals	2	1		Women using modern method	NA	
<b>F) Service delivery</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>				
38	IPD cases per 10,000 population ***	93	25				
39	General OPD cases per 10,000 population ***	2283	578				
40	Ayush OPD cases per 10,000 population ***	46	23				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>				
41	Neonatal death within 24 hours	3	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	<b>Total Neonatal Death</b>	<b>3</b>	<b>0</b>				
44	Deaths between (1 - 11) months	1	0				
45	<b>Total reported infant deaths</b>	<b>4</b>	<b>0</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23) 1st QTR</b>				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	2	0				
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>				



## Senapati Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	5,291		4,960			
9	Expected number of Delivery	4,868		4,563			
		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,943	112.3	2,209	44.5	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,404	40.5	839	38.0	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,357	39.7	583	26.4	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	5,016	84.4	1,140	51.6	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	1,800	30.3	359	16.3	Home Delivery	54.2
15	Home Delivery against expected delivery *	2,320	47.7	582	12.8	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,762	36.2	419	9.2	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	2,320	56.8	582	58.1	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,762	43.2	419	41.9		
19	Total reported Deliveries	4,082		1,001			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,676	72.2	402	69.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,435	35.2	452	45.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,810		4,509			
D) Child Immunization :		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,081	84.8	995	22.1	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	5	0.1	0	0.0	BCG	87.2
25	PC of newborn weighted at birth to live birth	4,080	100.0	1,005	101.0	3 dose of DPT	77.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	26	0.6	2	0.2	Measles First dose	75.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,942	96.6	906	91.1	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,409	70.9	851	18.9	Full Immunization	65
29	Children who have received BCG	4,357	90.6	1,047	23.2		
30	Children who have received Pentavalent 1	4,242	88.2	1,045	23.2		
31	Children who have received Pentavalent 3	4,066	84.5	991	22.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,782	78.6	941	20.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	202		119			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	17	7	Spacing	4.1
36	Number of IUD insertion	82	27	Women using any method	65.2
37	Number of IUD removals	55	15	Women using modern method	17.5
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	97	20		
39	General OPD cases per 10,000 population ***	2500	539		
40	Ayush OPD cases per 10,000 population ***	7	12		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	3	0		
42	Neonatal Deaths up to 4 weeks of birth	3	0		
43	<b>Total Neonatal Death</b>	<b>6</b>	<b>0</b>		
44	Deaths between (1 - 11) months	2	0		
45	<b>Total reported infant deaths</b>	<b>8</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Tamenglong Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	1,147		1,072			
9	Expected number of Delivery	1,055		986			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,666	145.3	423	39.5	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	586	35.2	105	24.8	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	522	31.3	128	30.3	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	761	45.7	210	49.6	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	915	54.9	238	56.3	Home Delivery	42.3
15	Home Delivery against expected delivery *	386	36.6	77	7.8	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	484	45.9	102	10.3	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	386	44.4	77	43.0	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	484	55.6	102	57.0		
19	Total reported Deliveries	870		179			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	109	28.2	17	22.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	156	17.9	26	14.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,043		974			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	859	82.4	176	18.1	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	12	1.2	3	0.3	BCG	91.2
25	PC of newborn weighted at birth to live birth	859	100.0	174	98.9	3 dose of DPT	78.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	1	0.6	Measles First dose	77.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	815	94.9	162	92.0	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	688	66.0	171	17.6	Full Immunization	67.4
29	Children who have received BCG	1,006	96.5	190	19.5		
30	Children who have received Pentavalent 1	1,075	103.1	253	26.0		
31	Children who have received Pentavalent 3	830	79.6	300	30.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	688	66.0	171	17.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	85		36			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.4
35	Number of Tubectomies performed	0	0	Spacing	3.2
36	Number of IUD insertion	276	43	Women using any method	65.2
37	Number of IUD removals	129	35	Women using modern method	22.2
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	162	55		
39	General OPD cases per 10,000 population ***	1762	668		
40	Ayush OPD cases per 10,000 population ***	85	37		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	<b>Total Neonatal Death</b>	<b>3</b>	<b>0</b>		
44	Deaths between (1 - 11) months	2	1		
45	<b>Total reported infant deaths</b>	<b>5</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>		

## Tengnoupal Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	9						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	0						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	961	898					
9	Expected number of Delivery	884	826					
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	967	100.6	350	39.0	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	644	66.6	261	74.6	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	384	39.7	79	22.6	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	766	79.2	176	50.3	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	695	71.9	167	47.7	Home Delivery	NA	
15	Home Delivery against expected delivery *	153	17.3	41	5.0	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	77	8.7	21	2.5	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	153	66.5	41	66.1	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	77	33.5	21	33.9			
19	Total reported Deliveries	230		62				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	145	94.8	36	87.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	71	30.9	27	43.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	874		817				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
			<b>1st QTR</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	229	26.2	63	7.7	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.2	1	0.1	BCG	NA	
25	PC of newborn weighted at birth to live birth	229	100.0	63	100.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	1.7	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	213	93.0	61	96.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	637	72.9	99	12.1	Full Immunization	NA
29	Children who have received BCG	659	75.4	159	19.5		
30	Children who have received Pentavalent 1	711	81.4	183	22.4		
31	Children who have received Pentavalent 3	622	71.2	170	20.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	623	71.3	103	12.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	178		132			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	2	7	Women using any method	NA
37	Number of IUD removals	12	5	Women using modern method	NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	84	65		
39	General OPD cases per 10,000 population ***	2202	997		
40	Ayush OPD cases per 10,000 population ***	242	52		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	<b>Total Neonatal Death</b>	<b>3</b>	<b>1</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>3</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Thoubal Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,22,168						
2	Sex Ratio	1,006						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	37						
4	Primary Health Centers (PHC)	10						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	5,231	5,191					
9	Expected number of Delivery	4,813	4,776					
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	4,335	82.9	2,106	40.6	ANC Check up in first trimester	90.6	
11	Mothers registered in the first trimester	2,170	50.1	958	45.5	At least 4ANC check up	89.9	
12	Mothers who had 4 or more ANC check ups	968	22.3	413	19.6	Neonatal tetanus received	92.9	
13	PW who got TT 2 / Booster injection	1,939	44.7	735	34.9	100 IFA tablets consumed	68.5	
14	PW who consumed 180 IFA tablets	164	3.8	115	5.5	Home Delivery	12.2	
15	Home Delivery against expected delivery *	391	8.1	65	1.4	Institutional Delivery	87.8	
16	Institutional Delivery against expected delivery *	1,167	24.2	384	8.0	Home Delivery by SBA	3.3	
17	Home Delivery against reported delivery **	391	25.1	65	14.5	PNC within 2days of delivery	75.6	
18	Institutional Delivery against reported delivery **	1,167	74.9	384	85.5			
19	Total reported Deliveries	1,558		449				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	282	72.1	50	76.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	13.3	33	7.3			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	4,756		4,719				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,546	32.5	454	9.6	Breastfed within 1 hour of birth	46.5	
24	Total Still Birth	15	0.3	1	0.0	BCG	98.7	
25	PC of newborn weighted at birth to live birth	1,546	100.0	449	98.9	3 dose of DPT	84.6	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	0.7	5	1.1	Measles First dose	77.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,032	66.8	267	58.8	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	3,410	71.7	887	18.8	Full Immunization	74.2
29	Children who have received BCG	2,990	62.9	839	17.8		
30	Children who have received Pentavalent 1	3,883	81.6	1,082	22.9		
31	Children who have received Pentavalent 3	3,323	69.9	969	20.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,440	72.3	887	18.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	134		47			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6
35	Number of Tubectomies performed	9	3	Spacing	2.3
36	Number of IUD insertion	78	12	Women using any method	72.2
37	Number of IUD removals	44	13	Women using modern method	17.8
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	25	3		
39	General OPD cases per 10,000 population ***	1890	1078		
40	Ayush OPD cases per 10,000 population ***	125	82		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		



## Ukhrul Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	2,607		2,375			
9	Expected number of Delivery	2,399		2,185			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,790	107.0	1,125	47.4	ANC Check up in first trimester	58.3
11	Mothers registered in the first trimester	981	35.2	329	29.2	At least 4ANC check up	38.8
12	Mothers who had 4 or more ANC check ups	656	23.5	323	28.7	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	952	34.1	291	25.9	100 IFA tablets consumed	25.1
14	PW who consumed 180 IFA tablets	274	9.8	56	5.0	Home Delivery	55.4
15	Home Delivery against expected delivery *	388	16.2	101	4.6	Institutional Delivery	44.6
16	Institutional Delivery against expected delivery *	1,257	52.4	323	14.8	Home Delivery by SBA	9.9
17	Home Delivery against reported delivery **	388	23.6	101	23.8	PNC within 2days of delivery	44.9
18	Institutional Delivery against reported delivery **	1,257	76.4	323	76.2		
19	Total reported Deliveries	1,645		424			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	225	58.0	47	46.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	14.2	84	19.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	2,370		2,159			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,638	69.1	423	19.6	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	16	0.7	1	0.0	BCG	91.5
25	PC of newborn weighted at birth to live birth	1,632	99.6	407	96.2	3 dose of DPT	53.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	2.5	6	1.5	Measles First dose	53.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,608	98.2	407	96.2	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	1,095	46.2	263	12.2	Full Immunization	39.4
29	Children who have received BCG	1,699	71.7	402	18.6		
30	Children who have received Pentavalent 1	1,493	63.0	385	17.8		
31	Children who have received Pentavalent 3	1,185	50.0	357	16.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,105	46.6	263	12.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	61		16			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.7
35	Number of Tubectomies performed	2	0	Spacing	5.2
36	Number of IUD insertion	94	23	Women using any method	56.9
37	Number of IUD removals	80	27	Women using modern method	12.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	89	30		
39	General OPD cases per 10,000 population ***	1854	806		
40	Ayush OPD cases per 10,000 population ***	44	5		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	3	0		
43	<b>Total Neonatal Death</b>	<b>4</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>4</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		