

Manipur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	28,55,794					
2	Sex Ratio	987					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	416					
4	Primary Health Centers (PHC)	95					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	7					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	51,275		49,935			
9	Expected number of Delivery	47,173		45,941			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	47,058	91.8	31,500	63.1	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	24,000	51.0	16,350	51.9	At least 4ANC check up	79.4
12	Mothers who had 4 or more ANC check ups	16,564	35.2	11,999	38.1	Neonatal tetanus received	88.9
13	PW who got TT 2 / Booster injection	24,560	52.2	15,583	49.5	100 IFA tablets consumed	52.3
14	PW who consumed 180 IFA tablets	14,996	31.9	7,852	24.9	Home Delivery	20.1
15	Home Delivery against expected delivery *	5,759	12.2	2,772	6.0	Institutional Delivery	79.9
16	Institutional Delivery against expected delivery *	23,563	50.0	12,755	27.8	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	5,759	19.6	2,772	17.9	PNC within 2days of delivery	73.4
18	Institutional Delivery against reported delivery **	23,563	80.4	12,755	82.1		
19	Total reported Deliveries	29,322		15,527			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,492	60.6	1,561	56.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,605	25.9	4,297	27.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	46,614		45,396			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	29,262	62.8	15,908	35.0	Breastfed within 1 hour of birth	53.7
24	Total Still Birth	202	0.4	84	0.2	BCG	95.4
25	PC of newborn weighted at birth to live birth	29,019	99.2	15,430	97.0	3 dose of DPT	81.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,515	5.2	681	4.4	Measles First dose	76.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	24,470	83.6	12,720	80.0	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	31,228	67.0	16,753	36.9	Full Immunization	68.8
29	Children who have received BCG	30,846	66.2	18,832	41.5		
30	Children who have received Pentavalent 1	36,731	78.8	18,291	40.3		
31	Children who have received Pentavalent 3	32,416	69.5	18,427	40.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	32,368	69.4	17,539	38.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,429		3,596			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	15		Total unmet need	12.2	
35	Number of Tubectomies performed	364	130		Spacing	4.7	
36	Number of IUD insertion	1,595	931		Women using any method	61.3	
37	Number of IUD removals	1,247	759		Women using modern method	18.2	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	152	122				
39	General OPD cases per 10,000 population ***	3053	2832				
40	Ayush OPD cases per 10,000 population ***	152	139				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	18	13				
42	Neonatal Deaths up to 4 weeks of birth	56	24				
43	Total Neonatal Death	74	37				
44	Deaths between (1 - 11) months	30	7				
45	Total reported infant deaths	104	44				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	1	1				
49	Due to Bleeding	4	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	10	6				
52	Total reported maternal deaths	15	7				

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	4,255		4,225			
9	Expected number of Delivery	3,914		3,887			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,739	87.9	2,379	56.3	ANC Check up in first trimester	84.2
11	Mothers registered in the first trimester	2,837	75.9	1,872	78.7	At least 4ANC check up	77.4
12	Mothers who had 4 or more ANC check ups	1,392	37.2	1,585	66.6	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	2,382	63.7	1,534	64.5	100 IFA tablets consumed	57.4
14	PW who consumed 180 IFA tablets	1,026	27.4	503	21.1	Home Delivery	10.5
15	Home Delivery against expected delivery *	39	1.0	17	0.4	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	169	4.3	141	3.6	Home Delivery by SBA	3.1
17	Home Delivery against reported delivery **	39	18.8	17	10.8	PNC within 2days of delivery	79.0
18	Institutional Delivery against reported delivery **	169	81.3	141	89.2		
19	Total reported Deliveries	208		158			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	43.6	9	52.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	1.0	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,868		3,841			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	206	5.3	157	4.1	Breastfed within 1 hour of birth	48.1
24	Total Still Birth	3	0.1	1	0.0	BCG	96.1
25	PC of newborn weighted at birth to live birth	206	100.0	156	99.4	3 dose of DPT	77.8

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	4.9	4	2.6	Measles First dose	70.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	203	98.5	148	94.3	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,143	81.3	1,586	41.3	Full Immunization	66.6
29	Children who have received BCG	1,922	49.7	885	23.0		
30	Children who have received Pentavalent 1	3,173	82.0	1,521	39.6		
31	Children who have received Pentavalent 3	2,943	76.1	1,631	42.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,160	81.7	1,583	41.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	467		468			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	20	
35	Number of Tubectomies performed	0	1		Spacing	5.7	
36	Number of IUD insertion	69	83		Women using any method	46.3	
37	Number of IUD removals	97	83		Women using modern method	21.6	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	16	43				
39	General OPD cases per 10,000 population ***	4919	4425				
40	Ayush OPD cases per 10,000 population ***	329	281				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,44,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,378		1,318			
9	Expected number of Delivery	1,268		1,213			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,067	77.4	666	50.5	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	661	61.9	395	59.3	At least 4ANC check up	66.6
12	Mothers who had 4 or more ANC check ups	380	35.6	215	32.3	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	494	46.3	242	36.3	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	411	38.5	98	14.7	Home Delivery	44.5
15	Home Delivery against expected delivery *	211	16.6	112	9.2	Institutional Delivery	55.5
16	Institutional Delivery against expected delivery *	332	26.2	174	14.3	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	211	38.9	112	39.2	PNC within 2days of delivery	55.0
18	Institutional Delivery against reported delivery **	332	61.1	174	60.8		
19	Total reported Deliveries	543		286			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	192	91.0	86	76.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	123	22.7	153	53.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,253		1,198			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	540	43.1	284	23.7	Breastfed within 1 hour of birth	55.1
24	Total Still Birth	3	0.2	2	0.2	BCG	96.5
25	PC of newborn weighted at birth to live birth	537	99.4	281	98.9	3 dose of DPT	76.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	2.0	6	2.1	Measles First dose	60.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	493	91.3	250	88.0	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	596	47.6	336	28.0	Full Immunization	55.5
29	Children who have received BCG	714	57.0	321	26.8		
30	Children who have received Pentavalent 1	789	63.0	371	31.0		
31	Children who have received Pentavalent 3	653	52.1	382	31.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	597	47.7	336	28.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	126		82			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11
35	Number of Tubectomies performed	0	0	Spacing	4.8
36	Number of IUD insertion	36	20	Women using any method	56.6
37	Number of IUD removals	12	11	Women using modern method	23.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	84	83		
39	General OPD cases per 10,000 population ***	2235	2009		
40	Ayush OPD cases per 10,000 population ***	107	46		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	1	1		
43	Total Neonatal Death	1	2		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	4,223		4,103			
9	Expected number of Delivery	3,885		3,775			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,720	111.8	2,905	70.8	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,092	65.5	1,854	63.8	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	1,587	33.6	1,142	39.3	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	2,501	53.0	1,506	51.8	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	947	20.1	502	17.3	Home Delivery	27.1
15	Home Delivery against expected delivery *	323	8.3	184	4.9	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	3,257	83.8	1,835	48.6	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	323	9.0	184	9.1	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	3,257	91.0	1,835	90.9		
19	Total reported Deliveries	3,580		2,019			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	15.5	15	8.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20	0.6	27	1.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,839		3,730			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,531	92.0	2,021	54.2	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	56	1.5	13	0.3	BCG	88.9
25	PC of newborn weighted at birth to live birth	3,509	99.4	2,002	99.1	3 dose of DPT	76.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	140	4.0	58	2.9	Measles First dose	71.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,916	82.6	1,641	81.2	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	2,402	62.6	1,489	39.9	Full Immunization	64.9
29	Children who have received BCG	3,163	82.4	1,637	43.9		
30	Children who have received Pentavalent 1	3,523	91.8	1,822	48.8		
31	Children who have received Pentavalent 3	2,933	76.4	1,657	44.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,547	66.3	1,510	40.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,764		1,381			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	8.7	
35	Number of Tubectomies performed	24	12		Spacing	4.2	
36	Number of IUD insertion	435	266		Women using any method	61.8	
37	Number of IUD removals	357	159		Women using modern method	22.6	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	422	344				
39	General OPD cases per 10,000 population ***	4969	4045				
40	Ayush OPD cases per 10,000 population ***	56	32				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	5	7				
42	Neonatal Deaths up to 4 weeks of birth	42	21				
43	Total Neonatal Death	47	28				
44	Deaths between (1 - 11) months	23	0				
45	Total reported infant deaths	70	28				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	1	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	2	1				
52	Total reported maternal deaths	3	1				

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	8,264		8,241			
9	Expected number of Delivery	7,603		7,582			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,321	64.4	3,701	44.9	ANC Check up in first trimester	78.6
11	Mothers registered in the first trimester	2,936	55.2	2,234	60.4	At least 4ANC check up	87.1
12	Mothers who had 4 or more ANC check ups	2,335	43.9	1,100	29.7	Neonatal tetanus received	89.1
13	PW who got TT 2 / Booster injection	2,681	50.4	1,976	53.4	100 IFA tablets consumed	55.8
14	PW who consumed 180 IFA tablets	2,312	43.5	1,189	32.1	Home Delivery	8.3
15	Home Delivery against expected delivery *	81	1.1	9	0.1	Institutional Delivery	91.7
16	Institutional Delivery against expected delivery *	3,713	48.8	2,259	29.8	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	81	2.1	9	0.4	PNC within 2days of delivery	85.4
18	Institutional Delivery against reported delivery **	3,713	97.9	2,259	99.6		
19	Total reported Deliveries	3,794		2,268			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	30.9	7	77.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,219	111.2	2,277	100.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,512		7,492			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,744	49.8	2,272	30.3	Breastfed within 1 hour of birth	47.4
24	Total Still Birth	50	0.7	13	0.2	BCG	100
25	PC of newborn weighted at birth to live birth	3,701	98.9	2,252	99.1	3 dose of DPT	83.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	28	0.8	67	3.0	Measles First dose	81.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,696	98.7	2,229	98.1	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	4,978	66.3	2,395	32.0	Full Immunization	76.2
29	Children who have received BCG	4,747	63.2	2,482	33.1		
30	Children who have received Pentavalent 1	5,436	72.4	2,690	35.9		
31	Children who have received Pentavalent 3	4,772	63.5	2,893	38.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,290	70.4	2,825	37.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	130		125			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	16.7	
35	Number of Tubectomies performed	25	13		Spacing	5.4	
36	Number of IUD insertion	109	75		Women using any method	50.1	
37	Number of IUD removals	105	80		Women using modern method	16.9	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	46	32				
39	General OPD cases per 10,000 population ***	2266	1839				
40	Ayush OPD cases per 10,000 population ***	176	127				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	0	1				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	1				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	2	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	4	3				
52	Total reported maternal deaths	6	3				

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,17,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	9,451		9,359			
9	Expected number of Delivery	8,695		8,610			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,452	78.8	5,346	57.1	ANC Check up in first trimester	83.2
11	Mothers registered in the first trimester	4,591	61.6	3,567	66.7	At least 4ANC check up	93.4
12	Mothers who had 4 or more ANC check ups	4,529	60.8	3,999	74.8	Neonatal tetanus received	92.7
13	PW who got TT 2 / Booster injection	3,421	45.9	3,134	58.6	100 IFA tablets consumed	60.9
14	PW who consumed 180 IFA tablets	4,204	56.4	1,574	29.4	Home Delivery	4.3
15	Home Delivery against expected delivery *	192	2.2	56	0.7	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	10,352	119.1	5,210	60.5	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	192	1.8	56	1.1	PNC within 2days of delivery	90.8
18	Institutional Delivery against reported delivery **	10,352	98.2	5,210	98.9		
19	Total reported Deliveries	10,544		5,266			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	80.2	50	89.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	2	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,592		8,508			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	10,618	123.6	5,641	66.3	Breastfed within 1 hour of birth	62.6
24	Total Still Birth	28	0.3	28	0.3	BCG	94.7
25	PC of newborn weighted at birth to live birth	10,530	99.2	5,273	93.5	3 dose of DPT	94.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,174	11.1	471	8.9	Measles First dose	88.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,342	69.1	3,519	62.4	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	5,936	69.1	3,440	40.4	Full Immunization	74.1
29	Children who have received BCG	4,525	52.7	5,708	67.1		
30	Children who have received Pentavalent 1	6,154	71.6	3,158	37.1		
31	Children who have received Pentavalent 3	5,830	67.9	3,423	40.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,106	71.1	3,479	40.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	474		303			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	15	Total unmet need	12.5
35	Number of Tubectomies performed	287	86	Spacing	6.4
36	Number of IUD insertion	151	128	Women using any method	69.9
37	Number of IUD removals	173	144	Women using modern method	16.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	402	305		
39	General OPD cases per 10,000 population ***	4876	5453		
40	Ayush OPD cases per 10,000 population ***	232	246		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	4	1		
43	Total Neonatal Death	4	1		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	4	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Jiribam Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	6						
4	Primary Health Centers (PHC)	1						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22		2022-23				
8	Expected number of PW	815	813					
9	Expected number of Delivery	750	748					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	631	77.4	430	52.9	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	239	37.9	99	23.0	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	28	4.4	19	4.4	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	453	71.8	306	71.2	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	12	1.9	18	4.2	Home Delivery	NA	
15	Home Delivery against expected delivery *	1	0.1	0	0.0	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	89	11.9	33	4.4	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	1	1.1	0	0.0	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	89	98.9	33	100.0			
19	Total reported Deliveries	90		33				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	741		739				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	90	12.1	33	4.5	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.3	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	88	97.8	33	100.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	15.9	1	3.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	84	93.3	33	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	164	22.1	211	28.5	Full Immunization	NA
29	Children who have received BCG	166	22.4	179	24.2		
30	Children who have received Pentavalent 1	310	41.8	247	33.4		
31	Children who have received Pentavalent 3	178	24.0	216	29.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	163	22.0	211	28.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	46		29			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	0	0		Women using any method	NA	
37	Number of IUD removals	0	0		Women using modern method	NA	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	63	9				
39	General OPD cases per 10,000 population ***	1089	575				
40	Ayush OPD cases per 10,000 population ***	0	0				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Kakching Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	13						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22		2022-23				
8	Expected number of PW	2,559		2,539				
9	Expected number of Delivery	2,354		2,336				
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	2,500	97.7	1,880	74.0	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	938	37.5	566	30.1	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	155	6.2	130	6.9	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	663	26.5	583	31.0	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	548	21.9	365	19.4	Home Delivery	NA	
15	Home Delivery against expected delivery *	51	2.2	29	1.2	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	125	5.3	80	3.4	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	51	29.0	29	26.6	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	125	71.0	80	73.4			
19	Total reported Deliveries	176		109				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	39.2	18	62.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	156	88.6	51	46.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,326		2,308				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	176	7.6	110	4.8	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	174	98.9	103	93.6	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	1.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	174	98.9	110	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,556	66.9	796	34.5	Full Immunization	NA
29	Children who have received BCG	1,217	52.3	634	27.5		
30	Children who have received Pentavalent 1	1,773	76.2	869	37.6		
31	Children who have received Pentavalent 3	1,538	66.1	911	39.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,555	66.8	789	34.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	17		49			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	14	7	Women using any method NA
37	Number of IUD removals	27	19	Women using modern method NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	47	39	
39	General OPD cases per 10,000 population ***	1812	1778	
40	Ayush OPD cases per 10,000 population ***	177	204	
G) Mortality Details				
I) Infant Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	1	1	
45	Total reported infant deaths	1	1	
II) Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	1	0	

Kamjong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	21						
4	Primary Health Centers (PHC)	2						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22		2022-23				
8	Expected number of PW	891	812					
9	Expected number of Delivery	820	747					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	448	50.3	199	24.5	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	145	32.4	71	35.7	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	32	7.1	28	14.1	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	192	42.9	72	36.2	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	146	32.6	71	35.7	Home Delivery	NA	
15	Home Delivery against expected delivery *	119	14.5	88	11.8	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	57	7.0	11	1.5	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	119	67.6	88	88.9	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	57	32.4	11	11.1			
19	Total reported Deliveries	176		99				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	24.4	15	17.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31	17.6	23	23.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	810		738				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	180	22.2	102	13.8	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	168	93.3	96	94.1	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.6	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	169	93.9	96	94.1	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	229	28.3	119	16.1	Full Immunization	NA
29	Children who have received BCG	301	37.2	127	17.2		
30	Children who have received Pentavalent 1	351	43.3	165	22.4		
31	Children who have received Pentavalent 3	274	33.8	160	21.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	263	32.5	133	18.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	24		19			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	4	1	Women using any method NA
37	Number of IUD removals	7	0	Women using modern method NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	19	17	
39	General OPD cases per 10,000 population ***	963	655	
40	Ayush OPD cases per 10,000 population ***	7	5	
G) Mortality Details				
I) Infant Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II) Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Kangpokpi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	35						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	2,795	2,620					
9	Expected number of Delivery	2,572	2,411					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	3,930	140.6	1,550	59.2	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	1,220	31.0	825	53.2	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	721	18.3	424	27.4	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	1,577	40.1	786	50.7	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	827	21.0	398	25.7	Home Delivery	NA	
15	Home Delivery against expected delivery *	908	35.3	470	19.5	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	338	13.1	222	9.2	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	908	72.9	470	67.9	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	338	27.1	222	32.1			
19	Total reported Deliveries	1,246		692				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	505	55.6	252	53.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	918	73.7	493	71.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,541		2,382				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	1,247	49.1	693	29.1	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.1	1	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	1,246	99.9	694	100.1	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.1	10	1.4	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,246	99.9	691	99.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,346	92.3	1,208	50.7	Full Immunization	NA
29	Children who have received BCG	2,583	101.6	1,167	49.0		
30	Children who have received Pentavalent 1	2,745	108.0	1,307	54.9		
31	Children who have received Pentavalent 3	2,446	96.3	1,294	54.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,352	92.6	1,208	50.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	538		378			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	85	47	Women using any method	NA
37	Number of IUD removals	59	28	Women using modern method	NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	74	99		
39	General OPD cases per 10,000 population ***	1700	1587		
40	Ayush OPD cases per 10,000 population ***	261	178		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	2	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	15						
4	Primary Health Centers (PHC)	3						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	775	724					
9	Expected number of Delivery	713	666					
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	905	116.8	474	65.4	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	359	39.7	186	39.2	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	362	40.0	204	43.0	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	518	57.2	291	61.4	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	350	38.7	80	16.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	125	17.5	47	7.1	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	273	38.3	104	15.6	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	125	31.4	47	31.1	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	273	68.6	104	68.9			
19	Total reported Deliveries	398		151				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	12.0	10	21.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	0.5	6	4.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	705		658				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	397	56.3	147	22.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	1	0.1	4	0.6	BCG	NA	
25	PC of newborn weighted at birth to live birth	347	87.4	129	87.8	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	5.2	4	3.1	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	359	90.4	133	90.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	504	71.5	285	43.3	Full Immunization	NA
29	Children who have received BCG	595	84.4	286	43.4		
30	Children who have received Pentavalent 1	766	108.7	337	51.2		
31	Children who have received Pentavalent 3	607	86.1	305	46.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	524	74.4	291	44.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	126		69			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	1		Spacing	NA	
36	Number of IUD insertion	160	69		Women using any method	NA	
37	Number of IUD removals	88	57		Women using modern method	NA	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	78	51				
39	General OPD cases per 10,000 population ***	2464	1759				
40	Ayush OPD cases per 10,000 population ***	0	0				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	2	1				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	2	1				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	2	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Pherzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22		2022-23				
8	Expected number of PW	705	685					
9	Expected number of Delivery	648	630					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	644	91.4	359	52.4	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	197	30.6	96	26.7	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	156	24.2	82	22.8	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	244	37.9	108	30.1	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	365	56.7	208	57.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	71	11.0	20	3.2	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	111	17.1	44	7.0	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	71	39.0	20	31.3	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	111	61.0	44	68.8			
19	Total reported Deliveries	182		64				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	66.2	8	40.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	32	17.6	21	32.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	640		622				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	180	28.1	62	10.0	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	7	1.1	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	167	92.8	60	96.8	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	4.8	2	3.3	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	178	98.9	60	96.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	135	21.1	35	5.6	Full Immunization	NA
29	Children who have received BCG	202	31.5	81	13.0		
30	Children who have received Pentavalent 1	307	47.9	98	15.7		
31	Children who have received Pentavalent 3	216	33.7	101	16.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	173	27.0	64	10.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	57		41			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	0	1	Women using any method NA
37	Number of IUD removals	2	3	Women using modern method NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	93	49	
39	General OPD cases per 10,000 population ***	2283	1194	
40	Ayush OPD cases per 10,000 population ***	46	43	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	3	0	
42	Neonatal Deaths up to 4 weeks of birth	0	1	
43	Total Neonatal Death	3	1	
44	Deaths between (1 - 11) months	1	0	
45	Total reported infant deaths	4	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	2	0	
52	Total reported maternal deaths	2	0	

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	5,291		4,960			
9	Expected number of Delivery	4,868		4,563			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,943	112.3	4,534	91.4	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,404	40.5	1,500	33.1	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,357	39.7	1,019	22.5	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	5,016	84.4	2,239	49.4	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	1,800	30.3	1,389	30.6	Home Delivery	54.2
15	Home Delivery against expected delivery *	2,320	47.7	1,129	24.7	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,762	36.2	838	18.4	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	2,320	56.8	1,129	57.4	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,762	43.2	838	42.6		
19	Total reported Deliveries	4,082		1,967			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,676	72.2	782	69.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,435	35.2	816	41.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,810		4,509			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,081	84.8	1,971	43.7	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	5	0.1	2	0.0	BCG	87.2
25	PC of newborn weighted at birth to live birth	4,080	100.0	1,970	99.9	3 dose of DPT	77.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	26	0.6	12	0.6	Measles First dose	75.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,942	96.6	1,847	93.7	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,409	70.9	1,733	38.4	Full Immunization	65
29	Children who have received BCG	4,357	90.6	2,099	46.6		
30	Children who have received Pentavalent 1	4,242	88.2	2,089	46.3		
31	Children who have received Pentavalent 3	4,066	84.5	2,023	44.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,782	78.6	1,957	43.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	202		220			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	8.5	
35	Number of Tubectomies performed	17	10		Spacing	4.1	
36	Number of IUD insertion	82	46		Women using any method	65.2	
37	Number of IUD removals	55	30		Women using modern method	17.5	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	97	57				
39	General OPD cases per 10,000 population ***	2500	1201				
40	Ayush OPD cases per 10,000 population ***	7	28				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	3	0				
42	Neonatal Deaths up to 4 weeks of birth	3	0				
43	Total Neonatal Death	6	0				
44	Deaths between (1 - 11) months	2	1				
45	Total reported infant deaths	8	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,147		1,072			
9	Expected number of Delivery	1,055		986			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,666	145.3	863	80.5	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	586	35.2	215	24.9	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	522	31.3	281	32.6	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	761	45.7	411	47.6	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	915	54.9	407	47.2	Home Delivery	42.3
15	Home Delivery against expected delivery *	386	36.6	192	19.5	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	484	45.9	234	23.7	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	386	44.4	192	45.1	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	484	55.6	234	54.9		
19	Total reported Deliveries	870		426			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	109	28.2	31	16.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	156	17.9	64	15.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,043		974			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	859	82.4	422	43.3	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	12	1.2	5	0.5	BCG	91.2
25	PC of newborn weighted at birth to live birth	859	100.0	419	99.3	3 dose of DPT	78.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	5	1.2	Measles First dose	77.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	815	94.9	390	92.4	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	688	66.0	425	43.6	Full Immunization	67.4
29	Children who have received BCG	1,006	96.5	395	40.5		
30	Children who have received Pentavalent 1	1,075	103.1	464	47.6		
31	Children who have received Pentavalent 3	830	79.6	515	52.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	688	66.0	425	43.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	85		66			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	8.4	
35	Number of Tubectomies performed	0	0		Spacing	3.2	
36	Number of IUD insertion	276	106		Women using any method	65.2	
37	Number of IUD removals	129	72		Women using modern method	22.2	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	162	132				
39	General OPD cases per 10,000 population ***	1762	1482				
40	Ayush OPD cases per 10,000 population ***	85	81				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	2	1				
42	Neonatal Deaths up to 4 weeks of birth	1	0				
43	Total Neonatal Death	3	1				
44	Deaths between (1 - 11) months	2	2				
45	Total reported infant deaths	5	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	1				
49	Due to Bleeding	2	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	1				
52	Total reported maternal deaths	2	2				

Tengnoupal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	9						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	961	898					
9	Expected number of Delivery	884	826					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	967	100.6	565	62.9	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	644	66.6	422	74.7	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	384	39.7	174	30.8	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	766	79.2	349	61.8	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	695	71.9	316	55.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	153	17.3	93	11.3	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	77	8.7	44	5.3	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	153	66.5	93	67.9	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	77	33.5	44	32.1			
19	Total reported Deliveries	230		137				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	145	94.8	78	83.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	71	30.9	54	39.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	874		817				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	229	26.2	137	16.8	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.2	2	0.2	BCG	NA	
25	PC of newborn weighted at birth to live birth	229	100.0	134	97.8	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	1.7	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	213	93.0	129	94.2	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	637	72.9	238	29.1	Full Immunization	NA
29	Children who have received BCG	659	75.4	297	36.4		
30	Children who have received Pentavalent 1	711	81.4	329	40.3		
31	Children who have received Pentavalent 3	622	71.2	326	39.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	623	71.3	233	28.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	178		255			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	2	8		Women using any method	NA	
37	Number of IUD removals	12	7		Women using modern method	NA	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	84	172				
39	General OPD cases per 10,000 population ***	2202	2291				
40	Ayush OPD cases per 10,000 population ***	242	102				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	2	2				
42	Neonatal Deaths up to 4 weeks of birth	1	0				
43	Total Neonatal Death	3	2				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	3	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	5,231		5,191			
9	Expected number of Delivery	4,813		4,776			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,335	82.9	3,395	65.4	ANC Check up in first trimester	90.6
11	Mothers registered in the first trimester	2,170	50.1	1,739	51.2	At least 4ANC check up	89.9
12	Mothers who had 4 or more ANC check ups	968	22.3	1,103	32.5	Neonatal tetanus received	92.9
13	PW who got TT 2 / Booster injection	1,939	44.7	1,445	42.6	100 IFA tablets consumed	68.5
14	PW who consumed 180 IFA tablets	164	3.8	468	13.8	Home Delivery	12.2
15	Home Delivery against expected delivery *	391	8.1	124	2.6	Institutional Delivery	87.8
16	Institutional Delivery against expected delivery *	1,167	24.2	822	17.2	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	391	25.1	124	13.1	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	1,167	74.9	822	86.9		
19	Total reported Deliveries	1,558		946			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	282	72.1	88	71.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	13.3	33	3.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,756		4,719			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,546	32.5	958	20.3	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	15	0.3	1	0.0	BCG	98.7
25	PC of newborn weighted at birth to live birth	1,546	100.0	948	99.0	3 dose of DPT	84.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	0.7	14	1.5	Measles First dose	77.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,032	66.8	566	59.1	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	3,410	71.7	1,915	40.6	Full Immunization	74.2
29	Children who have received BCG	2,990	62.9	1,737	36.8		
30	Children who have received Pentavalent 1	3,883	81.6	2,057	43.6		
31	Children who have received Pentavalent 3	3,323	69.9	1,941	41.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,440	72.3	1,915	40.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	134		90			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0	0	Total unmet need	6	
35	Number of Tubectomies performed	9	3	3	Spacing	2.3	
36	Number of IUD insertion	78	30	30	Women using any method	72.2	
37	Number of IUD removals	44	22	22	Women using modern method	17.8	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
38	IPD cases per 10,000 population ***	25	20	20			
39	General OPD cases per 10,000 population ***	1890	2210	2210			
40	Ayush OPD cases per 10,000 population ***	125	166	166			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
41	Neonatal death within 24 hours	0	0	0			
42	Neonatal Deaths up to 4 weeks of birth	0	0	0			
43	Total Neonatal Death	0	0	0			
44	Deaths between (1 - 11) months	0	0	0			
45	Total reported infant deaths	0	0	0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR				
46	Due to Abortion	0	0	0			
47	Due to Obstructed/prolonged labour	0	0	0			
48	Due to Severe hypertension/fits	0	0	0			
49	Due to Bleeding	0	0	0			
50	Due to High fever	0	0	0			
51	Due to Other Causes (including causes not known)	0	0	0			
52	Total reported maternal deaths	0	0	0			

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,607		2,375			
9	Expected number of Delivery	2,399		2,185			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,790	107.0	2,254	94.9	ANC Check up in first trimester	58.3
11	Mothers registered in the first trimester	981	35.2	709	31.5	At least 4ANC check up	38.8
12	Mothers who had 4 or more ANC check ups	656	23.5	494	21.9	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	952	34.1	601	26.7	100 IFA tablets consumed	25.1
14	PW who consumed 180 IFA tablets	274	9.8	266	11.8	Home Delivery	55.4
15	Home Delivery against expected delivery *	388	16.2	202	9.2	Institutional Delivery	44.6
16	Institutional Delivery against expected delivery *	1,257	52.4	704	32.2	Home Delivery by SBA	9.9
17	Home Delivery against reported delivery **	388	23.6	202	22.3	PNC within 2days of delivery	44.9
18	Institutional Delivery against reported delivery **	1,257	76.4	704	77.7		
19	Total reported Deliveries	1,645		906			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	225	58.0	112	55.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	14.2	277	30.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,370		2,159			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,638	69.1	898	41.6	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	16	0.7	12	0.6	BCG	91.5
25	PC of newborn weighted at birth to live birth	1,632	99.6	880	98.0	3 dose of DPT	53.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	2.5	26	3.0	Measles First dose	53.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,608	98.2	878	97.8	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	1,095	46.2	542	25.1	Full Immunization	39.4
29	Children who have received BCG	1,699	71.7	797	36.9		
30	Children who have received Pentavalent 1	1,493	63.0	767	35.5		
31	Children who have received Pentavalent 3	1,185	50.0	649	30.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,105	46.6	580	26.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	61		21			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.7
35	Number of Tubectomies performed	2	4	Spacing	5.2
36	Number of IUD insertion	94	44	Women using any method	56.9
37	Number of IUD removals	80	44	Women using modern method	12.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	89	63		
39	General OPD cases per 10,000 population ***	1854	1864		
40	Ayush OPD cases per 10,000 population ***	44	10		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	3	0		
43	Total Neonatal Death	4	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	1		