

Meghalaya Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	29,66,889						
2	Sex Ratio	986						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	451						
5	Primary Health Centers (PHC)	145						
7	Community Health Centers (CHC)	28						
8	SDH	0						
9	DH	11						
C) Maternal Health:		2021-22	2022-23					
10	Expected number of PW	99,805	1,01,255					
11	Expected number of Delivery	93,453	94,811					
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,09,015	109.2	60,228	59.5	ANC Check up in first trimester	53.9	
11	Mothers registered in the first trimester	43,607	40.0	26,646	44.2	At least 4ANC check up	52.2	
12	Mothers who had 4 or more ANC check ups	57,630	52.9	35,083	58.3	Neonatal tetanus received	82.1	
13	PW who got TT 2 / Booster injection	71,715	65.8	41,335	68.6	100 IFA tablets consumed	43.1	
14	PW who consumed 180 IFA tablets	65,245	59.8	39,613	65.8	Home Delivery	41.9	
15	Home Delivery against expected delivery *	35,500	38.0	14,852	15.7	Institutional Delivery	58.1	
16	Institutional Delivery Against expected delivery *	47,508	50.8	27,328	28.8	Home Delivery by SBA	6.6	
17	Home Delivery against reported delivery **	35,500	42.8	14,852	35.2	PNC within 2days of delivery	43.9	
18	Institutional Delivery against reported delivery **	47,508	57.2	27,328	64.8			
19	Total reported Deliveries	83,008		42,180				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,495	7.0	1,696	11.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,582	51.3	22,927	54.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	90,731		92,050				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	81,463	89.8	41,575	45.2	Breastfed within 1 hour of birth	78.8	
24	Total Still Birth	2,323	2.6	1,042	1.1	BCG	89.3	

25	PC of newborn weighted at birth to live birth	79,323	97.4	40,797	98.1	3 dose of DPT	73.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,456	8.1	3,789	9.3	Measles First dose	72.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	74,993	92.1	37,500	90.2	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	70,050	77.2	33,708	36.6	Full Immunization	63.8
29	Children who have received BCG	77,684	85.6	39,878	43.3		
30	Children who have received Pentavalent 1	73,494	81.0	36,892	40.1		
31	Children who have received Pentavalent 3	63,750	70.3	36,658	39.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	70,206	77.4	33,896	36.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	37,161		24,940			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	1	Total unmet need	26.9
35	Number of Tubectomies performed	2,227	1,504	Spacing	18.3
36	Number of IUD insertion	1,647	1,318	Women using any method	27.4
37	Number of IUD removals	2,017	1,218	Women using modern method	22.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	455	349		
39	General OPD cases per 10,000 population ***	6995	4964		
40	Ayush OPD cases per 10,000 population ***	403	355		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	383	208		
42	Neonatal Deaths up to 4 weeks of birth	826	406		
43	Total Neonatal Death	1,209	614		
44	Deaths between (1 - 11) months	1,012	541		
45	Total reported infant deaths	2,221	1,155		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	5	1		
47	Due to Obstructed/prolonged labour	7	7		
48	Due to Severe hypertension/fits	13	6		
49	Due to Bleeding	36	18		
50	Due to High fever	2	0		
51	Due to Other Causes (including causes not known)	165	60		
52	Total reported maternal deaths	228	92		

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,17,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	31					
5	Primary Health Centers (PHC)	8					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	5,435		5,503			
11	Expected number of Delivery	5,089		5,153			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,047	92.9	2,271	41.3	ANC Check up in first trimester	59.2
11	Mothers registered in the first trimester	1,817	36.0	914	40.2	At least 4ANC check up	25.5
12	Mothers who had 4 or more ANC check ups	2,371	47.0	1,323	58.3	Neonatal tetanus received	74.5
13	PW who got TT 2 / Booster injection	3,600	71.3	1,690	74.4	100 IFA tablets consumed	28.8
14	PW who consumed 180 IFA tablets	3,530	69.9	1,932	85.1	Home Delivery	26.2
15	Home Delivery against expected delivery *	2,097	41.2	890	17.3	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	2,207	43.4	1,285	24.9	Home Delivery by SBA	7.5
17	Home Delivery against reported delivery **	2,097	48.7	890	40.9	PNC within 2days of delivery	59.9
18	Institutional Delivery against reported delivery **	2,207	51.3	1,285	59.1		
19	Total reported Deliveries	4,304		2,175			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	839	40.0	364	40.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,184	74.0	1,594	73.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,941		5,003			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	4,225	85.5	2,124	42.5	Breastfed within 1 hour of birth	48.0
24	Total Still Birth	84	1.7	51	1.0	BCG	81.5

25	PC of newborn weighted at birth to live birth	4,156	98.4	2,112	99.4	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	382	9.2	158	7.5	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,134	97.8	2,091	98.4	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,198	85.0	1,836	36.7	Full Immunization	72.4
29	Children who have received BCG	3,732	75.5	1,986	39.7		
30	Children who have received Pentavalent 1	3,845	77.8	2,039	40.8		
31	Children who have received Pentavalent 3	3,355	67.9	1,776	35.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,153	84.1	1,867	37.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	803		361			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	21.0
35	Number of Tubectomies performed	125	89	Spacing	12.4
36	Number of IUD insertion	176	170	Women using any method	37.0
37	Number of IUD removals	105	63	Women using modern method	35.8
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	243	171		
39	General OPD cases per 10,000 population ***	3539	2474		
40	Ayush OPD cases per 10,000 population ***	296	250		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	6	1		
42	Neonatal Deaths up to 4 weeks of birth	15	3		
43	Total Neonatal Death	21	4		
44	Deaths between (1 - 11) months	30	17		
45	Total reported infant deaths	51	21		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	1		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	5	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	4	3		
52	Total reported maternal deaths	10	6		

East Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,95,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	36					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	4,699		4,783			
11	Expected number of Delivery	4,400		4,479			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,450	94.7	2,505	52.4	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	1,454	32.7	871	34.8	At least 4ANC check up	58.6
12	Mothers who had 4 or more ANC check ups	1,190	26.7	832	33.2	Neonatal tetanus received	87.7
13	PW who got TT 2 / Booster injection	3,562	80.0	2,138	85.3	100 IFA tablets consumed	51.9
14	PW who consumed 180 IFA tablets	2,536	57.0	1,859	74.2	Home Delivery	51.6
15	Home Delivery against expected delivery *	1,582	36.0	573	12.8	Institutional Delivery	48.4
16	Institutional Delivery Against expected delivery *	1,093	24.8	761	17.0	Home Delivery by SBA	6.8
17	Home Delivery against reported delivery **	1,582	59.1	573	43.0	PNC within 2days of delivery	49.1
18	Institutional Delivery against reported delivery **	1,093	40.9	761	57.0		
19	Total reported Deliveries	2,675		1,334			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125	7.9	217	37.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,644	61.5	971	72.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,272		4,349			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	2,622	61.4	1,301	29.9	Breastfed within 1 hour of birth	85.3

24	Total Still Birth	65	1.5	33	0.8	BCG	92.6
25	PC of newborn weighted at birth to live birth	2,539	96.8	1,269	97.5	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	165	6.5	117	9.2	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,507	95.6	1,241	95.4	3 doses of penta or hepatitis B vaccine	77.8
28	Children fully immunized	3,689	86.4	1,818	41.8	Full Immunization	74.4
29	Children who have received BCG	2,886	67.6	1,458	33.5		
30	Children who have received Pentavalent 1	3,783	88.6	2,001	46.0		
31	Children who have received Pentavalent 3	3,216	75.3	2,058	47.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,707	86.8	1,820	41.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,855		1,740			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	26.0
35	Number of Tubectomies performed	0	0	Spacing	20.1
36	Number of IUD insertion	39	40	Women using any method	33.6
37	Number of IUD removals	19	14	Women using modern method	24
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	275	220		
39	General OPD cases per 10,000 population ***	4506	3330		
40	Ayush OPD cases per 10,000 population ***	272	290		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	11	9		
42	Neonatal Deaths up to 4 weeks of birth	22	10		
43	Total Neonatal Death	33	19		
44	Deaths between (1 - 11) months	21	16		
45	Total reported infant deaths	54	35		
II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	1		

52	Total reported maternal deaths	5	1	
----	--------------------------------	---	---	--

East Khasi Hills Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,25,922					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2020-21)		Number s					
3	Sub Centers (SC)	72					
5	Primary Health Centers (PHC)	44					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2021-22	2022-23				
10	Expected number of PW	27,087	27,397				
11	Expected number of Delivery	25,364	25,653				
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	36,022	133.0	19,656	71.7	ANC Check up in first trimester	56.7
11	Mothers registered in the first trimester	14,966	41.5	9,743	49.6	At least 4ANC check up	57.5
12	Mothers who had 4 or more ANC check ups	19,637	54.5	12,437	63.3	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	15,724	43.7	9,346	47.5	100 IFA tablets consumed	40.1
14	PW who consumed 180 IFA tablets	17,525	48.7	9,914	50.4	Home Delivery	36.6
15	Home Delivery against expected delivery *	6,857	27.0	2,812	11.0	Institutional Delivery	63.4
16	Institutional Delivery Against expected delivery *	16,077	63.4	9,371	36.5	Home Delivery by SBA	6.2
17	Home Delivery against reported delivery **	6,857	29.9	2,812	23.1	PNC within 2days of delivery	33.6
18	Institutional Delivery against reported delivery **	16,077	70.1	9,371	76.9		
19	Total reported Deliveries	22,934		12,183			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	113	1.6	42	1.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,644	59.5	7,577	62.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,625		24,906			

D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	22,423	91.1	11,986	48.1	Breastfed within 1 hour of birth	86.3
24	Total Still Birth	812	3.3	326	1.3	BCG	84.2
25	PC of newborn weighted at birth to live birth	21,489	95.8	11,805	98.5	3 dose of DPT	59.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,172	10.1	1,195	10.1	Measles First dose	56.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,889	84.2	9,583	80.0	3 doses of penta or hepatitis B vaccine	46.8
28	Children fully immunized	14,858	60.3	7,398	29.7	Full Immunization	49.1
29	Children who have received BCG	20,663	83.9	11,201	45.0		
30	Children who have received Pentavalent 1	15,800	64.2	8,282	33.3		
31	Children who have received Pentavalent 3	12,832	52.1	7,925	31.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,823	60.2	7,420	29.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,433		6,707			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3		0		Total unmet need	33.0
35	Number of Tubectomies performed	1,013		607		Spacing	25.2
36	Number of IUD insertion	484		330		Women using any method	12.1
37	Number of IUD removals	772		423		Women using modern method	10.6
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	774		566			
39	General OPD cases per 10,000 population ***	11659		8435			
40	Ayush OPD cases per 10,000 population ***	427		351			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	149		77			
42	Neonatal Deaths up to 4 weeks of birth	338		179			
43	Total Neonatal Death	487		256			
44	Deaths between (1 - 11) months	367		230			
45	Total reported infant deaths	854		486			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
46	Due to Abortion	1		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	4		4			

49	Due to Bleeding	2	1	
50	Due to High fever	1	0	
51	Due to Other Causes (including causes not known)	76	26	
52	Total reported maternal deaths	84	31	

North Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,17,917						
2	Sex Ratio	968						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	50						
5	Primary Health Centers (PHC)	11						
7	Community Health Centers (CHC)	1						
8	SDH	0						
9	DH	0						
C) Maternal Health:		2021-22		2022-23				
10	Expected number of PW	5,025	5,088					
11	Expected number of Delivery	4,705	4,764					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	4,595	91.4	2,467	48.5	ANC Check up in first trimester	40.3	
11	Mothers registered in the first trimester	1,766	38.4	1,100	44.6	At least 4ANC check up	24.3	
12	Mothers who had 4 or more ANC check ups	2,859	62.2	1,636	66.3	Neonatal tetanus received	55.5	
13	PW who got TT 2 / Booster injection	3,795	82.6	2,134	86.5	100 IFA tablets consumed	23.7	
14	PW who consumed 180 IFA tablets	2,478	53.9	1,812	73.4	Home Delivery	38.5	
15	Home Delivery against expected delivery *	1,497	31.8	600	12.6	Institutional Delivery	61.5	
16	Institutional Delivery Against expected delivery *	1,792	38.1	945	19.8	Home Delivery by SBA	5.9	
17	Home Delivery against reported delivery **	1,497	45.5	600	38.8	PNC within 2days of delivery	40.5	
18	Institutional Delivery against reported delivery **	1,792	54.5	945	61.2			
19	Total reported Deliveries	3,289		1,545				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	139	9.3	71	11.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,943	59.1	885	57.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	4,568		4,625				

D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,226	70.6	1,539	33.3	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	62	1.4	29	0.6	BCG	-65.9
25	PC of newborn weighted at birth to live birth	3,141	97.4	1,482	96.3	3 dose of DPT	-57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	133	4.2	62	4.2	Measles First dose	-58.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,149	97.6	1,465	95.2	3 doses of penta or hepatitis B vaccine	-39.5
28	Children fully immunized	3,947	86.4	1,691	36.6	Full Immunization	-47.5
29	Children who have received BCG	3,422	74.9	1,731	37.4		
30	Children who have received Pentavalent 1	3,714	81.3	1,793	38.8		
31	Children who have received Pentavalent 3	3,280	71.8	1,705	36.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,962	86.7	1,704	36.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	759		539			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.2
35	Number of Tubectomies performed	0		0		Spacing	12.9
36	Number of IUD insertion	42		36		Women using any method	19.2
37	Number of IUD removals	57		48		Women using modern method	17.7
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	205		161			
39	General OPD cases per 10,000 population ***	2862		2456			
40	Ayush OPD cases per 10,000 population ***	43		44			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	2		5			
42	Neonatal Deaths up to 4 weeks of birth	17		10			
43	Total Neonatal Death	19		15			
44	Deaths between (1 - 11) months	19		13			
45	Total reported infant deaths	38		28			
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		1			
48	Due to Severe hypertension/fits	0		0			

49	Due to Bleeding	2	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	2	1	
52	Total reported maternal deaths	4	3	

Ri Bhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	34					
5	Primary Health Centers (PHC)	10					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	9,213		9,403			
11	Expected number of Delivery	8,627		8,805			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,064	87.5	4,188	44.5	ANC Check up in first trimester	56.1
11	Mothers registered in the first trimester	4,146	51.4	2,387	57.0	At least 4ANC check up	61.0
12	Mothers who had 4 or more ANC check ups	4,528	56.2	3,153	75.3	Neonatal tetanus received	86.2
13	PW who got TT 2 / Booster injection	5,957	73.9	3,520	84.0	100 IFA tablets consumed	48.8
14	PW who consumed 180 IFA tablets	3,769	46.7	2,269	54.2	Home Delivery	43.1
15	Home Delivery against expected delivery *	3,273	37.9	1,408	16.0	Institutional Delivery	56.9
16	Institutional Delivery Against expected delivery *	2,958	34.3	1,703	19.3	Home Delivery by SBA	8.4
17	Home Delivery against reported delivery **	3,273	52.5	1,408	45.3	PNC within 2days of delivery	39.5
18	Institutional Delivery against reported delivery **	2,958	47.5	1,703	54.7		
19	Total reported Deliveries	6,231		3,111			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	101	3.1	40	2.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,719	43.6	1,414	45.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	8,376		8,548			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,163	73.6	3,084	36.1	Breastfed within 1 hour of birth	85.9
24	Total Still Birth	135	1.6	57	0.7	BCG	94
25	PC of newborn weighted at birth to live birth	6,019	97.7	3,053	99.0	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	309	5.1	149	4.9	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,898	95.7	2,923	94.8	3 doses of penta or hepatitis B vaccine	71.5
28	Children fully immunized	5,505	65.7	2,894	33.9	Full Immunization	74.8
29	Children who have received BCG	5,649	67.4	2,930	34.3		
30	Children who have received Pentavalent 1	6,322	75.5	3,058	35.8		
31	Children who have received Pentavalent 3	5,369	64.1	3,108	36.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,510	65.8	2,895	33.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,276		3,242			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	27.0
35	Number of Tubectomies performed	153		90		Spacing	18.4
36	Number of IUD insertion	174		158		Women using any method	33.1
37	Number of IUD removals	222		130		Women using modern method	19.7
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	290		309			
39	General OPD cases per 10,000 population ***	7203		4843			
40	Ayush OPD cases per 10,000 population ***	428		467			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	20		6			
42	Neonatal Deaths up to 4 weeks of birth	58		23			
43	Total Neonatal Death	78		29			
44	Deaths between (1 - 11) months	80		24			
45	Total reported infant deaths	158		53			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
46	Due to Abortion	2		0			
47	Due to Obstructed/prolonged labour	1		0			

48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	2	5	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	5	1	
52	Total reported maternal deaths	11	6	

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,42,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	21					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	4,858		4,936			
11	Expected number of Delivery	4,549		4,621			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,425	91.1	2,497	50.6	ANC Check up in first trimester	68.7
11	Mothers registered in the first trimester	1,620	36.6	1,040	41.6	At least 4ANC check up	33.3
12	Mothers who had 4 or more ANC check ups	1,990	45.0	1,358	54.4	Neonatal tetanus received	86.0
13	PW who got TT 2 / Booster injection	3,074	69.5	1,997	80.0	100 IFA tablets consumed	51.8
14	PW who consumed 180 IFA tablets	3,716	84.0	2,175	87.1	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,831	40.3	817	17.7	Institutional Delivery	88.3
16	Institutional Delivery Against expected delivery *	1,100	24.2	659	14.3	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	1,831	62.5	817	55.4	PNC within 2days of delivery	65.9
18	Institutional Delivery against reported delivery **	1,100	37.5	659	44.6		
19	Total reported Deliveries	2,931		1,476			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	167	9.1	22	2.7		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,395	47.6	637	43.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,416		4,487			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	2,870	65.0	1,454	32.4	Breastfed within 1 hour of birth	59.8
24	Total Still Birth	65	1.5	30	0.7	BCG	-100
25	PC of newborn weighted at birth to live birth	2,869	100.0	1,442	99.2	3 dose of DPT	-86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	132	4.6	76	5.3	Measles First dose	-89.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,864	99.8	1,441	99.1	3 doses of penta or hepatitis B vaccine	-86.8
28	Children fully immunized	3,711	84.0	1,674	37.3	Full Immunization	-86.8
29	Children who have received BCG	3,206	72.6	1,388	30.9		
30	Children who have received Pentavalent 1	3,515	79.6	1,581	35.2		
31	Children who have received Pentavalent 3	3,067	69.5	1,617	36.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,715	84.1	1,676	37.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	308		148			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.3
35	Number of Tubectomies performed	0		0		Spacing	14.4
36	Number of IUD insertion	3		1		Women using any method	37.6
37	Number of IUD removals	15		9		Women using modern method	33.3
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	178		111			
39	General OPD cases per 10,000 population ***	2966		2069			
40	Ayush OPD cases per 10,000 population ***	239		155			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	8		3			
42	Neonatal Deaths up to 4 weeks of birth	30		12			
43	Total Neonatal Death	38		15			
44	Deaths between (1 - 11) months	44		20			
45	Total reported infant deaths	82		35			
II) Maternal Mortality							

	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	1	1	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	2	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	4	4	
52	Total reported maternal deaths	6	7	

South West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,42,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	27					
5	Primary Health Centers (PHC)	9					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2021-22					2022-23
10	Expected number of PW	4,863	4,929				
11	Expected number of Delivery	4,554	4,615				
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	4,598	94.5	2,670	54.2	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	2,453	53.3	1,472	55.1	At least 4ANC check up	28.5
12	Mothers who had 4 or more ANC check ups	3,302	71.8	1,691	63.3	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	3,800	82.6	2,276	85.2	100 IFA tablets consumed	28.3
14	PW who consumed 180 IFA tablets	3,454	75.1	2,024	75.8	Home Delivery	16.3
15	Home Delivery against expected delivery *	818	18.0	309	6.7	Institutional Delivery	83.7
16	Institutional Delivery Against expected delivery *	2,959	65.0	1,386	30.0	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	818	21.7	309	18.2	PNC within 2days of delivery	60.6
18	Institutional Delivery against reported delivery **	2,959	78.3	1,386	81.8		
19	Total reported Deliveries	3,777		1,695			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	4.4	33	10.7		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,287	60.6	917	54.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,421		4,481			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,686	83.4	1,674	37.4	Breastfed within 1 hour of birth	54.5
24	Total Still Birth	101	2.3	38	0.8	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,682	99.9	1,664	99.4	3 dose of DPT	90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	349	9.5	158	9.5	Measles First dose	92.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,678	99.8	1,663	99.3	3 doses of penta or hepatitis B vaccine	89.5
28	Children fully immunized	4,159	94.1	1,955	43.6	Full Immunization	85.4
29	Children who have received BCG	3,361	76.0	1,562	34.9		
30	Children who have received Pentavalent 1	4,001	90.5	1,816	40.5		
31	Children who have received Pentavalent 3	3,768	85.2	2,024	45.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,186	94.7	1,965	43.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	800		558			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	30.4
35	Number of Tubectomies performed	45		27		Spacing	16.7
36	Number of IUD insertion	170		94		Women using any method	36.7
37	Number of IUD removals	159		104		Women using modern method	32.3
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	372		234			
39	General OPD cases per 10,000 population ***	4683		3480			
40	Ayush OPD cases per 10,000 population ***	222		228			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	8		10			
42	Neonatal Deaths up to 4 weeks of birth	34		19			
43	Total Neonatal Death	42		29			
44	Deaths between (1 - 11) months	71		21			
45	Total reported infant deaths	113		50			
II)	Maternal Mortality						

	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	2	0	
49	Due to Bleeding	3	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	3	3	
52	Total reported maternal deaths	8	3	

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,83,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2020-21)		Number s					
3	Sub Centers (SC)	20					
5	Primary Health Centers (PHC)	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2021-22					2022-23
10	Expected number of PW	3,284	3,340				
11	Expected number of Delivery	3,075	3,127				
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,898	118.7	2,184	65.4	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	1,156	29.7	720	33.0	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,954	50.1	1,237	56.6	Neonatal tetanus received	85.6
13	PW who got TT 2 / Booster injection	2,660	68.2	1,530	70.1	100 IFA tablets consumed	53.8
14	PW who consumed 180 IFA tablets	3,383	86.8	1,839	84.2	Home Delivery	58.3
15	Home Delivery against expected delivery *	2,087	67.9	809	25.9	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	803	26.1	486	15.5	Home Delivery by SBA	7.6
17	Home Delivery against reported delivery **	2,087	72.2	809	62.5	PNC within 2days of delivery	42.9
18	Institutional Delivery against reported delivery **	803	27.8	486	37.5		

19	Total reported Deliveries	2,890		1,295			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	0.5	11	1.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,235	42.7	558	43.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,985		3,036			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	2,853	95.6	1,283	42.3	Breastfed within 1 hour of birth	76.8
24	Total Still Birth	77	2.6	27	0.9	BCG	95.8
25	PC of newborn weighted at birth to live birth	2,773	97.2	1,257	98.0	3 dose of DPT	86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	122	4.4	74	5.9	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,794	97.9	1,261	98.3	3 doses of penta or hepatitis B vaccine	82.4
28	Children fully immunized	2,502	83.8	1,087	35.8	Full Immunization	78.8
29	Children who have received BCG	2,685	89.9	1,283	42.3		
30	Children who have received Pentavalent 1	2,879	96.4	1,352	44.5		
31	Children who have received Pentavalent 3	2,467	82.6	1,405	46.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,512	84.1	1,081	35.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	615		424			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	26.2
35	Number of Tubectomies performed	#VALUE!		0		Spacing	20.1
36	Number of IUD insertion	21		9		Women using any method	26.5
37	Number of IUD removals	12		5		Women using modern method	15.7
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	275		213			
39	General OPD cases per 10,000 population ***	4341		3297			
40	Ayush OPD cases per 10,000 population ***	344		289			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	26		8			
42	Neonatal Deaths up to 4 weeks of birth	27		24			
43	Total Neonatal Death	53		32			

44	Deaths between (1 - 11) months	77	48	
45	Total reported infant deaths	130	80	
II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	1	
47	Due to Obstructed/prolonged labour	0	1	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	7	2	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	6	2	
52	Total reported maternal deaths	13	6	

West Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,42,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	67					
5	Primary Health Centers (PHC)	15					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	16,498		16,720			
11	Expected number of Delivery	15,448		15,656			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,154	91.9	9,796	58.6	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	5,921	39.1	3,669	37.5	At least 4ANC check up	48.0
12	Mothers who had 4 or more ANC check ups	8,427	55.6	4,344	44.3	Neonatal tetanus received	91.3
13	PW who got TT 2 / Booster injection	11,816	78.0	6,989	71.3	100 IFA tablets consumed	48.2
14	PW who consumed 180 IFA tablets	11,993	79.1	7,434	75.9	Home Delivery	10.4
15	Home Delivery against expected delivery *	5,674	36.7	2,323	14.8	Institutional Delivery	89.6
16	Institutional Delivery Against expected delivery *	7,709	49.9	4,172	26.6	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	5,674	42.4	2,323	35.8	PNC within 2days of delivery	70.9
18	Institutional Delivery against reported delivery **	7,709	57.6	4,172	64.2		

19	Total reported Deliveries	13,383		6,495			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	133	2.3	86	3.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,856	66.2	4,618	71.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,998		15,200			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	13,122	87.5	6,360	41.8	Breastfed within 1 hour of birth	47.2
24	Total Still Birth	373	2.5	188	1.2	BCG	-100
25	PC of newborn weighted at birth to live birth	12,850	97.9	6,283	98.8	3 dose of DPT	-84.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,426	11.1	829	13.2	Measles First dose	-87.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,399	94.5	5,882	92.5	3 doses of penta or hepatitis B vaccine	-78.5
28	Children fully immunized	10,220	68.1	5,063	33.3	Full Immunization	-77.1
29	Children who have received BCG	12,222	81.5	6,169	40.6		
30	Children who have received Pentavalent 1	11,253	75.0	5,352	35.2		
31	Children who have received Pentavalent 3	9,760	65.1	5,620	37.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,314	68.8	5,149	33.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,212		1,363			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	19.7
35	Number of Tubectomies performed	405		256		Spacing	9.2
36	Number of IUD insertion	236		292		Women using any method	44.1
37	Number of IUD removals	418		259		Women using modern method	39.9
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	330		207			
39	General OPD cases per 10,000 population ***	3915		2755			
40	Ayush OPD cases per 10,000 population ***	140		120			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	39		28			
42	Neonatal Deaths up to 4 weeks of birth	130		65			
43	Total Neonatal Death	169		93			

44	Deaths between (1 - 11) months	120	68	
45	Total reported infant deaths	289	161	
II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	1	0	
47	Due to Obstructed/prolonged labour	2	0	
48	Due to Severe hypertension/fits	2	0	
49	Due to Bleeding	5	4	
50	Due to High fever	1	0	
51	Due to Other Causes (including causes not known)	39	13	
52	Total reported maternal deaths	50	17	

West Jaintia Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,95,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	46					
5	Primary Health Centers (PHC)	15					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	8,949		9,111			
11	Expected number of Delivery	8,380		8,531			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	10,506	117.4	5,704	62.6	ANC Check up in first trimester	44.0
11	Mothers registered in the first trimester	3,775	35.9	2,192	38.4	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	3,120	29.7	2,000	35.1	Neonatal tetanus received	79.2
13	PW who got TT 2 / Booster injection	8,078	76.9	4,381	76.8	100 IFA tablets consumed	32.7
14	PW who consumed 180 IFA tablets	5,536	52.7	3,559	62.4	Home Delivery	57.8
15	Home Delivery against expected delivery *	4,217	50.3	1,808	21.2	Institutional Delivery	42.2
16	Institutional Delivery Against expected delivery *	5,929	70.8	3,450	40.4	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	4,217	41.6	1,808	34.4	PNC within 2days of delivery	28.6

18	Institutional Delivery against reported delivery **	5,929	58.4	3,450	65.6		
19	Total reported Deliveries	10,146		5,258			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	88	2.1	43	2.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,807	27.7	2,002	38.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,136		8,282			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	10,003	123.0	5,193	62.7	Breastfed within 1 hour of birth	88.5
24	Total Still Birth	295	3.6	120	1.4	BCG	90.9
25	PC of newborn weighted at birth to live birth	9,628	96.3	4,967	95.6	3 dose of DPT	77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	792	8.2	661	13.3	Measles First dose	72.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,855	88.5	4,579	88.2	3 doses of penta or hepatitis B vaccine	72
28	Children fully immunized	7,282	89.5	3,870	46.7	Full Immunization	59.7
29	Children who have received BCG	9,415	115.7	4,780	57.7		
30	Children who have received Pentavalent 1	8,236	101.2	4,557	55.0		
31	Children who have received Pentavalent 3	7,180	88.3	4,811	58.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,334	90.1	3,883	46.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,920		5,376			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	29.3
35	Number of Tubectomies performed	307		267		Spacing	21.7
36	Number of IUD insertion	130		87		Women using any method	19.3
37	Number of IUD removals	117		74		Women using modern method	17.5
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	560		412			
39	General OPD cases per 10,000 population ***	7588		4880			
40	Ayush OPD cases per 10,000 population ***	554		664			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
41	Neonatal death within 24 hours	63		38			

42	Neonatal Deaths up to 4 weeks of birth	87	43	
43	Total Neonatal Death	150	81	
44	Deaths between (1 - 11) months	80	36	
45	Total reported infant deaths	230	117	
II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	3	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	2	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	7	4	
52	Total reported maternal deaths	10	8	

West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,83,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	47					
5	Primary Health Centers (PHC)	16					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	9,975		10,144			
11	Expected number of Delivery	9,340		9,498			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,256	122.9	6,290	62.0	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	4,533	37.0	2,538	40.3	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	8,252	67.3	5,072	80.6	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	9,649	78.7	5,334	84.8	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	7,325	59.8	4,796	76.2	Home Delivery	58.3
15	Home Delivery against expected delivery *	5,567	59.6	2,503	26.4	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	4,881	52.3	3,110	32.7	Home Delivery by SBA	7.2

17	Home Delivery against reported delivery **	5,567	53.3	2,503	44.6	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	4,881	46.7	3,110	55.4		
19	Total reported Deliveries	10,448		5,613			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	744	13.4	767	30.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,868	27.5	1,754	31.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	9,068		9,222			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	10,270	113.3	5,577	60.5	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	254	2.8	143	1.6	BCG	86.7
25	PC of newborn weighted at birth to live birth	10,177	99.1	5,463	98.0	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	474	4.7	310	5.7	Measles First dose	71.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,826	95.7	5,371	96.3	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	9,979	110.0	4,422	48.0	Full Immunization	62.5
29	Children who have received BCG	10,443	115.2	5,390	58.4		
30	Children who have received Pentavalent 1	10,146	111.9	5,061	54.9		
31	Children who have received Pentavalent 3	9,456	104.3	4,609	50.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,990	110.2	4,436	48.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,180		4,482			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2		1		Total unmet need	25.8
35	Number of Tubectomies performed	179		168		Spacing	21.1
36	Number of IUD insertion	172		101		Women using any method	26.3
37	Number of IUD removals	121		89		Women using modern method	15.3
F) Service delivery		HMIS (2021-22)		HMIS (2022-23) 2nd QTR			
38	IPD cases per 10,000 population ***	409		447			
39	General OPD cases per 10,000 population ***	7745		5430			
40	Ayush OPD cases per 10,000 population ***	1104		797			
G) Mortality Details							

I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	51	23	
42	Neonatal Deaths up to 4 weeks of birth	68	18	
43	Total Neonatal Death	119	41	
44	Deaths between (1 - 11) months	103	48	
45	Total reported infant deaths	222	89	
II)	Maternal Mortality			
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	1	0	
47	Due to Obstructed/prolonged labour	2	0	
48	Due to Severe hypertension/fits	2	1	
49	Due to Bleeding	6	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	16	2	
52	Total reported maternal deaths	27	4	