

## Mizoram Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,97,206					
2	Sex Ratio	975					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	377					
4	Primary Health Centers (PHC)	68					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	12					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	21,595		21,934			
9	Expected number of Delivery	19,867		20,180			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
				<b>1st QTR</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,485	99.5	6,177	28.2	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	17,315	80.6	5,102	82.6	At least 4ANC check up	58.0
12	Mothers who had 4 or more ANC check ups	13,443	62.6	3,183	51.5	Neonatal tetanus received	80.0
13	PW who got TT 2 / Booster injection	19,494	90.7	5,382	87.1	100 IFA tablets consumed	61.9
14	PW who consumed 180 IFA tablets	16,028	74.6	3,929	63.6	Home Delivery	14.2
15	Home Delivery against expected delivery *	2,463	12.4	500	2.5	Institutional Delivery	85.8
16	Institutional Delivery Against expected delivery *	16,798	84.6	3,505	17.4	Home Delivery by SBA	3.5
17	Reported Home Delivery **	2,463	12.8	500	12.5	PNC within 2days of delivery	68.0
18	Reported institutional Delivery **	16,798	87.2	3,505	87.5		
19	Total reported Deliveries	19,261		4,005			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	532	21.6	135	27.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	753	3.9	564	14.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	19,632		19,940			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
				<b>1st QTR</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	19,122	97.4	3,956	19.8	Breastfed within 1 hour of birth	60.1
24	Total Still Birth	196	1.0	32	0.2	BCG	83.4
25	PC of newborn weighted at birth to live birth	18,341	95.9	3,744	94.6	3 dose of DPT	80.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	989	5.4	203	5.4	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,197	89.9	3,675	92.9	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,101	87.1	3,811	19.1	Full Immunization	72.5
29	Children who have received BCG	15,654	79.7	3,767	18.9		
30	Children who have received Pentavalent 1	19,048	97.0	4,268	21.4		
31	Children who have received Pentavalent 3	17,475	89.0	5,191	26.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,156	87.4	3,834	19.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,340		2,612			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	1	0	Total unmet need 18.9
35	Number of Tubectomies performed	877	277	Spacing 12.8
36	Number of IUD insertion	947	332	Women using any method 31.2
37	Number of IUD removals	828	261	Women using modern method 30.8
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	673	135	
39	General OPD cases per 10,000 population ***	10068	3313	
40	Ayush OPD cases per 10,000 population ***	271	95	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	76	18	
42	Neonatal Deaths up to 4 weeks of birth	254	29	
43	<b>Total Neonatal Death</b>	<b>330</b>	<b>47</b>	
44	Deaths between (1 - 11) months	134	40	
45	<b>Total reported infant deaths</b>	<b>464</b>	<b>87</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	4	1	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	7	2	
50	Due to High fever	5	0	
51	Due to Other Causes (including causes not known)	8	1	
52	<b>Total reported maternal deaths</b>	<b>25</b>	<b>4</b>	

## Aizawl Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	73					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>				
8	Expected number of PW	8,484	8,629				
9	Expected number of Delivery	7,806	7,938				
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	6,788	80.0	2,092	24.2	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,097	89.8	1,934	92.4	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	5,204	76.7	1,216	58.1	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	5,957	87.8	1,734	82.9	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	5,601	82.5	1,507	72.0	Home Delivery	2.6
15	Home Delivery against expected delivery *	33	0.4	8	0.1	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	7,517	96.3	1,445	18.2	Home Delivery by SBA	0.3
17	Reported Home Delivery **	33	0.4	8	0.6	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	7,517	99.6	1,445	99.4		
19	Total reported Deliveries	7,550		1,453			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	57.6	6	75.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	0.1	19	1.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	7,713		7,844			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	7,504	97.3	1,388	17.7	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	49	0.6	6	0.1	BCG	81.6
25	PC of newborn weighted at birth to live birth	7,312	97.4	1,334	96.1	3 dose of DPT	79.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	439	6.0	76	5.7	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,188	82.5	1,282	92.4	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	5,809	75.3	1,272	16.2	Full Immunization	66.4
29	Children who have received BCG	3,769	48.9	1,254	16.0		
30	Children who have received Pentavalent 1	6,097	79.0	1,399	17.8		
31	Children who have received Pentavalent 3	5,737	74.4	1,679	21.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,871	76.1	1,274	16.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,806		913			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	1	0	Total unmet need 24
35	Number of Tubectomies performed	465	182	Spacing 14
36	Number of IUD insertion	351	127	Women using any method 21.6
37	Number of IUD removals	294	85	Women using modern method 21
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	928	134	
39	General OPD cases per 10,000 population ***	12691	4483	
40	Ayush OPD cases per 10,000 population ***	273	107	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	44	7	
42	Neonatal Deaths up to 4 weeks of birth	174	16	
43	<b>Total Neonatal Death</b>	<b>218</b>	<b>23</b>	
44	Deaths between (1 - 11) months	28	13	
45	<b>Total reported infant deaths</b>	<b>246</b>	<b>36</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	3	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	2	1	
50	Due to High fever	5	0	
51	Due to Other Causes (including causes not known)	2	1	
52	<b>Total reported maternal deaths</b>	<b>12</b>	<b>2</b>	

## Champhai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	32					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	1,307		1,319			
9	Expected number of Delivery	1,203		1,214			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,752	134.0	487	36.9	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,503	85.8	388	79.7	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,061	60.6	276	56.7	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,606	91.7	428	87.9	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,078	61.5	308	63.2	Home Delivery	3.3
15	Home Delivery against expected delivery *	77	6.4	15	1.2	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,550	128.9	367	30.2	Home Delivery by SBA	1.6
17	Reported Home Delivery **	77	4.7	15	3.9	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,550	95.3	367	96.1		
19	Total reported Deliveries	1,627		382			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	41	53.2	4	26.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	0.3	13	3.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,188		1,199			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,601	134.7	392	32.7	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	28	2.4	3	0.3	BCG	97.6
25	PC of newborn weighted at birth to live birth	1,582	98.8	375	95.7	3 dose of DPT	90.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	124	7.8	20	5.3	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,518	94.8	381	97.2	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,272	107.0	300	25.0	Full Immunization	85.3
29	Children who have received BCG	1,586	133.5	393	32.8		
30	Children who have received Pentavalent 1	1,420	119.5	316	26.3		
31	Children who have received Pentavalent 3	1,301	109.5	346	28.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,243	104.6	295	24.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	555		181			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 11.2
35	Number of Tubectomies performed	73	26	Spacing 8.3
36	Number of IUD insertion	119	36	Women using any method 50
37	Number of IUD removals	127	32	Women using modern method 49.6
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	948	198	
39	General OPD cases per 10,000 population ***	8774	2748	
40	Ayush OPD cases per 10,000 population ***	231	37	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	4	2	
42	Neonatal Deaths up to 4 weeks of birth	30	3	
43	<b>Total Neonatal Death</b>	<b>34</b>	<b>5</b>	
44	Deaths between (1 - 11) months	20	9	
45	<b>Total reported infant deaths</b>	<b>54</b>	<b>14</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	1	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	0	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>2</b>	

## Hnahthial Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	16						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	415	417					
9	Expected number of Delivery	381	383					
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	511	123.3	166	39.8	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	439	85.9	137	82.5	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	345	67.5	82	49.4	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	488	95.5	112	67.5	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	471	92.2	87	52.4	Home Delivery	NA	
15	Home Delivery against expected delivery *	16	4.2	0	0.0	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	295	77.4	55	14.3	Home Delivery by SBA	NA	
17	Reported Home Delivery **	16	5.1	0	0.0	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	295	94.9	55	100.0			
19	Total reported Deliveries	311		55				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	50.0	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	98	31.5	5	9.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	377		379				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	309	82.0	55	14.5	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	6	1.6	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	313	101.3	55	100.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	3.8	1	1.8	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	306	99.0	55	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	492	130.6	85	22.4	Full Immunization	NA
29	Children who have received BCG	287	76.2	55	14.5		
30	Children who have received Pentavalent 1	445	118.1	118	31.1		
31	Children who have received Pentavalent 3	430	114.1	127	33.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	479	127.1	96	25.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	140		45			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	13	4	Women using any method NA
37	Number of IUD removals	19	2	Women using modern method NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	452	108	
39	General OPD cases per 10,000 population ***	13726	4348	
40	Ayush OPD cases per 10,000 population ***	582	401	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	2	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	<b>Total Neonatal Death</b>	2	0	
44	Deaths between (1 - 11) months	5	0	
45	<b>Total reported infant deaths</b>	7	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	0	0	



## Khawzawl Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
8	Expected number of PW	701	708					
9	Expected number of Delivery	645	651					
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	638	91.0	185	26.1	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	549	86.1	162	87.6	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	436	68.3	103	55.7	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	582	91.2	153	82.7	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	482	75.5	125	67.6	Home Delivery	NA	
15	Home Delivery against expected delivery *	13	2.0	3	0.5	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	336	52.1	58	8.9	Home Delivery by SBA	NA	
17	Reported Home Delivery **	13	3.7	3	4.9	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	336	96.3	58	95.1			
19	Total reported Deliveries	349		61				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	7.7	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18	5.2	11	18.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	638		644				
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	347	54.4	63	9.8	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.3	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	310	89.3	57	90.5	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.9	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	303	87.3	58	92.1	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	630	98.8	109	16.9	Full Immunization	NA
29	Children who have received BCG	374	58.7	64	9.9		
30	Children who have received Pentavalent 1	593	93.0	110	17.1		
31	Children who have received Pentavalent 3	573	89.9	139	21.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	611	95.8	111	17.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	306		115			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	38	9	Women using any method NA
37	Number of IUD removals	49	17	Women using modern method NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	241	49	
39	General OPD cases per 10,000 population ***	6019	1596	
40	Ayush OPD cases per 10,000 population ***	877	183	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	3	1	
42	Neonatal Deaths up to 4 weeks of birth	2	2	
43	<b>Total Neonatal Death</b>	5	3	
44	Deaths between (1 - 11) months	4	0	
45	<b>Total reported infant deaths</b>	9	3	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	0	0	

## Kolasib Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	1,493		1,521			
9	Expected number of Delivery	1,374		1,400			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,751	117.3	491	32.3	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,364	77.9	419	85.3	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,221	69.7	260	53.0	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,693	96.7	463	94.3	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,211	69.2	276	56.2	Home Delivery	8.6
15	Home Delivery against expected delivery *	64	4.7	7	0.5	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,187	86.4	235	16.8	Home Delivery by SBA	2.7
17	Reported Home Delivery **	64	5.1	7	2.9	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,187	94.9	235	97.1		
19	Total reported Deliveries	1,251		242			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	53.1	2	28.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20	1.6	264	109.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,358		1,383			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,235	91.0	244	17.6	Breastfed within 1 hour of birth	63
24	Total Still Birth	17	1.3	0	0.0	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,237	100.2	233	95.5	3 dose of DPT	85.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	80	6.5	17	7.3	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,228	99.4	232	95.1	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,279	94.2	329	23.8	Full Immunization	80.4
29	Children who have received BCG	1,291	95.1	259	18.7		
30	Children who have received Pentavalent 1	1,517	111.7	366	26.5		
31	Children who have received Pentavalent 3	1,409	103.8	384	27.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,280	94.3	323	23.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	640		307			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 15.6
35	Number of Tubectomies performed	15	0	Spacing 11.7
36	Number of IUD insertion	37	11	Women using any method 38.1
37	Number of IUD removals	60	14	Women using modern method 37.9
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	533	132	
39	General OPD cases per 10,000 population ***	6378	2346	
40	Ayush OPD cases per 10,000 population ***	248	45	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	6	2	
42	Neonatal Deaths up to 4 weeks of birth	5	2	
43	<b>Total Neonatal Death</b>	11	4	
44	Deaths between (1 - 11) months	12	2	
45	<b>Total reported infant deaths</b>	<b>23</b>	<b>6</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>	

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	2,277		2,338			
9	Expected number of Delivery	2,095		2,151			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,638	115.9	695	29.7	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,566	59.4	475	68.3	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	856	32.4	260	37.4	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	1,956	74.1	571	82.2	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,443	54.7	343	49.4	Home Delivery	46.3
15	Home Delivery against expected delivery *	1,000	47.7	186	8.6	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,163	55.5	286	13.3	Home Delivery by SBA	9.3
17	Reported Home Delivery **	1,000	46.2	186	39.4	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,163	53.8	286	60.6		
19	Total reported Deliveries	2,163		472			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	106	10.6	35	18.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	327	15.1	73	15.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	2,070		2,126			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,155	104.1	478	22.5	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	18	0.9	9	0.4	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,749	81.2	419	87.7	3 dose of DPT	74.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	105	6.0	13	3.1	Measles First dose	76.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,932	89.7	439	91.8	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,665	80.4	394	18.5	Full Immunization	70.2
29	Children who have received BCG	2,317	111.9	560	26.3		
30	Children who have received Pentavalent 1	2,395	115.7	546	25.7		
31	Children who have received Pentavalent 3	1,929	93.2	760	35.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,690	81.6	406	19.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	775		297			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 17.3
35	Number of Tubectomies performed	60	9	Spacing 13
36	Number of IUD insertion	57	26	Women using any method 29.7
37	Number of IUD removals	65	36	Women using modern method 29.1

F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR
38	IPD cases per 10,000 population ***	351	108
39	General OPD cases per 10,000 population ***	5765	1731
40	Ayush OPD cases per 10,000 population ***	57	19

### G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR
41	Neonatal death within 24 hours	5	0
42	Neonatal Deaths up to 4 weeks of birth	15	2
43	<b>Total Neonatal Death</b>	20	2
44	Deaths between (1 - 11) months	16	3
45	<b>Total reported infant deaths</b>	<b>36</b>	<b>5</b>

II) Maternal Mortality		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR
<b>Maternal Deaths (In Numbers)</b>			
46	Due to Abortion	0	0
47	Due to Obstructed/prolonged labour	1	0
48	Due to Severe hypertension/fits	0	0
49	Due to Bleeding	2	0
50	Due to High fever	0	0
51	Due to Other Causes (including causes not known)	3	0
52	<b>Total reported maternal deaths</b>	<b>6</b>	<b>0</b>

## Lunglei Factsheet

Key Indicators							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
	<b>B) Infrastructure Details (RHS 2020-21)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
	<b>C) Maternal Health:</b>	<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	2,162		2,173			
9	Expected number of Delivery	1,989		1,999			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,264	104.7	582	26.8	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,591	70.3	408	70.1	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,155	51.0	270	46.4	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	2,643	116.7	688	118.2	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	1,844	81.4	478	82.1	Home Delivery	17.3
15	Home Delivery against expected delivery *	544	27.4	111	5.6	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	1,672	84.1	413	20.7	Home Delivery by SBA	3.9
17	Reported Home Delivery **	544	24.5	111	21.2	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	1,672	75.5	413	78.8		
19	Total reported Deliveries	2,216		524			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	12.7	24	21.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	0.2	68	13.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,965		1,975			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,220	113.0	525	26.6	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	22	1.1	3	0.2	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,189	98.6	507	96.6	3 dose of DPT	85

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	91	4.2	33	6.5	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,052	92.4	476	90.7	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,754	89.3	394	19.9	Full Immunization	73.8
29	Children who have received BCG	2,170	110.4	456	23.1		
30	Children who have received Pentavalent 1	1,999	101.7	445	22.5		
31	Children who have received Pentavalent 3	1,913	97.4	585	29.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,787	90.9	399	20.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	296		110			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 15.4
35	Number of Tubectomies performed	136	44	Spacing 12.5
36	Number of IUD insertion	70	33	Women using any method 33
37	Number of IUD removals	53	18	Women using modern method 33
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	579	195	
39	General OPD cases per 10,000 population ***	10623	3665	
40	Ayush OPD cases per 10,000 population ***	241	86	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	4	4	
42	Neonatal Deaths up to 4 weeks of birth	7	2	
43	<b>Total Neonatal Death</b>	11	6	
44	Deaths between (1 - 11) months	19	6	
45	<b>Total reported infant deaths</b>	<b>30</b>	<b>12</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>	



## Mamit Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
	B) Infrastructure Details (RHS 2020-21)	Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2021-22		2022-23			
8	Expected number of PW	1,659		1,708			
9	Expected number of Delivery	1,527		1,572			
		HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,897	114.3	515	30.1	ANC Check up in first trimester	64.5
11	Mothers registered in the first trimester	1,454	76.6	386	75.0	At least 4ANC check up	52.5
12	Mothers who had 4 or more ANC check ups	1,159	61.1	249	48.3	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	1,638	86.3	429	83.3	100 IFA tablets consumed	68.8
14	PW who consumed 180 IFA tablets	1,645	86.7	312	60.6	Home Delivery	25.0
15	Home Delivery against expected delivery *	449	29.4	123	7.8	Institutional Delivery	75.0
16	Institutional Delivery Against expected delivery *	895	58.6	181	11.5	Home Delivery by SBA	7.1
17	Reported Home Delivery **	449	33.4	123	40.5	PNC within 2days of delivery	63.9
18	Reported institutional Delivery **	895	66.6	181	59.5		
19	Total reported Deliveries	1,344		304			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	198	44.1	51	41.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	116	8.6	54	17.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,508		1,553			
	D) Child Immunization :	HMIS ( 2021-22)		HMIS ( 2022-23) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,329	88.1	304	19.6	Breastfed within 1 hour of birth	56.8
24	Total Still Birth	15	1.0	1	0.1	BCG	98.5
25	PC of newborn weighted at birth to live birth	1,242	93.5	273	89.8	3 dose of DPT	95.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	4.0	21	7.7	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,270	95.6	285	93.8	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,410	93.5	326	21.0	Full Immunization	85.9
29	Children who have received BCG	1,362	90.3	280	18.0		
30	Children who have received Pentavalent 1	1,680	111.4	362	23.3		
31	Children who have received Pentavalent 3	1,417	93.9	403	26.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,401	92.9	334	21.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	872		238			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 17
35	Number of Tubectomies performed	34	9	Spacing 14
36	Number of IUD insertion	24	8	Women using any method 41.6
37	Number of IUD removals	44	13	Women using modern method 41.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	360	91	
39	General OPD cases per 10,000 population ***	9412	2289	
40	Ayush OPD cases per 10,000 population ***	39	26	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	2	0	
42	Neonatal Deaths up to 4 weeks of birth	7	2	
43	<b>Total Neonatal Death</b>	9	2	
44	Deaths between (1 - 11) months	7	4	
45	<b>Total reported infant deaths</b>	<b>16</b>	<b>6</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>	

## Saiha Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	1,111		1,126			
9	Expected number of Delivery	1,023		1,036			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,395	125.5	391	34.7	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	1,192	85.4	326	83.4	At least 4ANC check up	35.5
12	Mothers who had 4 or more ANC check ups	826	59.2	162	41.4	Neonatal tetanus received	72.6
13	PW who got TT 2 / Booster injection	1,222	87.6	303	77.5	100 IFA tablets consumed	51.4
14	PW who consumed 180 IFA tablets	930	66.7	159	40.7	Home Delivery	26.2
15	Home Delivery against expected delivery *	229	22.4	38	3.7	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	1,133	110.8	262	25.3	Home Delivery by SBA	10.0
17	Reported Home Delivery **	229	16.8	38	12.7	PNC within 2days of delivery	59.6
18	Reported institutional Delivery **	1,133	83.2	262	87.3		
19	Total reported Deliveries	1,362		300			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	17.0	5	13.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	69	5.1	14	4.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,010		1,023			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,345	133.1	294	28.7	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	26	2.6	8	0.8	BCG	69.9
25	PC of newborn weighted at birth to live birth	1,345	100.0	294	100.0	3 dose of DPT	60.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	3.0	13	4.4	Measles First dose	65.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,344	99.9	284	96.6	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,138	112.6	265	25.9	Full Immunization	60.3
29	Children who have received BCG	1,298	128.5	229	22.4		
30	Children who have received Pentavalent 1	1,279	126.6	239	23.4		
31	Children who have received Pentavalent 3	1,173	116.1	302	29.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,138	112.6	265	25.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	368		223			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 22.5
35	Number of Tubectomies performed	83	7	Spacing 15.2
36	Number of IUD insertion	145	50	Women using any method 22.6
37	Number of IUD removals	38	23	Women using modern method 21.7
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	525	170	
39	General OPD cases per 10,000 population ***	8502	2423	
40	Ayush OPD cases per 10,000 population ***	442	189	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	0	2	
42	Neonatal Deaths up to 4 weeks of birth	7	0	
43	<b>Total Neonatal Death</b>	7	2	
44	Deaths between (1 - 11) months	16	3	
45	<b>Total reported infant deaths</b>	<b>23</b>	<b>5</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>	

## Saitual Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)								
1	Population 2011	NA							
2	Sex Ratio	NA							
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>							
3	Sub Centers (SC)	28							
4	Primary Health Centers (PHC)	5							
5	Community Health Centers (CHC)	1							
6	SDH	0							
7	DH	1							
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>						
8	Expected number of PW	910	926						
9	Expected number of Delivery	838	852						
		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>				
			<b>1st QTR</b>						
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>				
10	PW register for ANC	745	81.8	227	24.5	ANC Check up in first trimester	NA		
11	Mothers registered in the first trimester	608	81.6	185	81.5	At least 4ANC check up	NA		
12	Mothers who had 4 or more ANC check ups	511	68.6	130	57.3	Neonatal tetanus received	NA		
13	PW who got TT 2 / Booster injection	699	93.8	190	83.7	100 IFA tablets consumed	NA		
14	PW who consumed 180 IFA tablets	603	80.9	144	63.4	Home Delivery	NA		
15	Home Delivery against expected delivery *	21	2.5	1	0.1	Institutional Delivery	NA		
16	Institutional Delivery Against expected delivery *	437	52.2	80	9.4	Home Delivery by SBA	NA		
17	Reported Home Delivery **	21	4.6	1	1.2	PNC within 2days of delivery	NA		
18	Reported institutional Delivery **	437	95.4	80	98.8				
19	Total reported Deliveries	458		81					
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	23.8	1	100.0				
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	83	18.1	31	38.3				
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>									
22	Expected number of Live Birth	828		842					
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>				
			<b>1st QTR</b>						
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>				
23	Total reported live births	451	54.5	82	9.7	Breastfed within 1 hour of birth	NA		
24	Total Still Birth	9	1.1	2	0.2	BCG	NA		
25	PC of newborn weighted at birth to live birth	451	100.0	81	98.8	3 dose of DPT	NA		

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	4.9	1	1.2	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	449	99.6	81	98.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	686	82.9	149	17.7	Full Immunization	NA
29	Children who have received BCG	463	55.9	76	9.0		
30	Children who have received Pentavalent 1	680	82.2	138	16.4		
31	Children who have received Pentavalent 3	673	81.3	197	23.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	690	83.4	143	17.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	203		77			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	37	13	Women using any method NA
37	Number of IUD removals	34	8	Women using modern method NA
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	412	83	
39	General OPD cases per 10,000 population ***	6694	1980	
40	Ayush OPD cases per 10,000 population ***	264	141	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths up to 4 weeks of birth	3	0	
43	<b>Total Neonatal Death</b>	4	0	
44	Deaths between (1 - 11) months	3	0	
45	<b>Total reported infant deaths</b>	7	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	0	0	

## Serchhip Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	1,091		1,104			
9	Expected number of Delivery	1,004		1,016			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,106	101.4	346	31.3	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	952	86.1	282	81.5	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	669	60.5	175	50.6	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	1,010	91.3	311	89.9	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	720	65.1	190	54.9	Home Delivery	3.8
15	Home Delivery against expected delivery *	17	1.7	8	0.8	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	613	61.1	123	12.1	Home Delivery by SBA	0.6
17	Reported Home Delivery **	17	2.7	8	6.1	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	613	97.3	123	93.9		
19	Total reported Deliveries	630		131			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	70.6	7	87.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	0.6	12	9.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	992		1,004			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23) 1st QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	626	63.1	131	13.0	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	4	0.4	0	0.0	BCG	89.8
25	PC of newborn weighted at birth to live birth	611	97.6	116	88.5	3 dose of DPT	84.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	3.1	8	6.9	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	607	97.0	102	77.9	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	966	97.4	188	18.7	Full Immunization	84.7
29	Children who have received BCG	737	74.3	141	14.0		
30	Children who have received Pentavalent 1	943	95.1	229	22.8		
31	Children who have received Pentavalent 3	920	92.7	269	26.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	966	97.4	188	18.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	379		106			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 15.9
35	Number of Tubectomies performed	11	0	Spacing 11.8
36	Number of IUD insertion	56	15	Women using any method 40
37	Number of IUD removals	45	13	Women using modern method 39.4
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
38	IPD cases per 10,000 population ***	605	138	
39	General OPD cases per 10,000 population ***	10624	3061	
40	Ayush OPD cases per 10,000 population ***	512	121	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
41	Neonatal death within 24 hours	5	0	
42	Neonatal Deaths up to 4 weeks of birth	4	0	
43	<b>Total Neonatal Death</b>	9	0	
44	Deaths between (1 - 11) months	4	0	
45	<b>Total reported infant deaths</b>	<b>13</b>	<b>0</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>	