

Mizoram Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	10,97,206						
2	Sex Ratio	975						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	377						
4	Primary Health Centers (PHC)	68						
5	Community Health Centers (CHC)	9						
6	SDH	2						
7	DH	12						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	21,595	21,934					
9	Expected number of Delivery	19,867	20,180					
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	21,485	99.5	11,961	54.5	ANC Check up in first trimester	72.7	
11	Mothers registered in the first trimester	17,315	80.6	9,812	82.0	At least 4ANC check up	58.0	
12	Mothers who had 4 or more ANC check ups	13,443	62.6	7,127	59.6	Neonatal tetanus received	80.0	
13	PW who got TT 2 / Booster injection	19,494	90.7	11,179	93.5	100 IFA tablets consumed	61.9	
14	PW who consumed 180 IFA tablets	16,028	74.6	8,420	70.4	Home Delivery	14.2	
15	Home Delivery against expected delivery *	2,463	12.4	961	4.8	Institutional Delivery	85.8	
16	Institutional Delivery Against expected delivery *	16,798	84.6	8,038	39.8	Home Delivery by SBA	3.5	
17	Reported Home Delivery **	2,463	12.8	961	10.7	PNC within 2days of delivery	68.0	
18	Reported institutional Delivery **	16,798	87.2	8,038	89.3			
19	Total reported Deliveries	19,261		8,999				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	532	21.6	252	26.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	753	3.9	1,152	12.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	19,632		19,940				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	19,122	97.4	8,924	44.8	Breastfed within 1 hour of birth	60.1	
24	Total Still Birth	196	1.0	70	0.4	BCG	83.4	
25	PC of newborn weighted at birth to live birth	18,341	95.9	8,549	95.8	3 dose of DPT	80.7	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	989	5.4	492	5.8	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,197	89.9	8,086	90.6	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,101	87.1	8,369	42.0	Full Immunization	72.5
29	Children who have received BCG	15,654	79.7	7,356	36.9		
30	Children who have received Pentavalent 1	19,048	97.0	8,532	42.8		
31	Children who have received Pentavalent 3	17,475	89.0	9,286	46.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,156	87.4	8,573	43.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,340		4,186			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	1	0	Total unmet need 18.9
35	Number of Tubectomies performed	877	554	Spacing 12.8
36	Number of IUD insertion	947	664	Women using any method 31.2
37	Number of IUD removals	828	495	Women using modern method 30.8
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	673	331	
39	General OPD cases per 10,000 population ***	10068	7055	
40	Ayush OPD cases per 10,000 population ***	271	225	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	76	30	
42	Neonatal Deaths up to 4 weeks of birth	254	68	
43	Total Neonatal Death	330	98	
44	Deaths between (1 - 11) months	134	78	
45	Total reported infant deaths	464	176	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	4	1	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	7	3	
50	Due to High fever	5	0	
51	Due to Other Causes (including causes not known)	8	3	
52	Total reported maternal deaths	25	7	

Aizawl Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	73					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	8,484	8,629				
9	Expected number of Delivery	7,806	7,938				
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	6,788	80.0	3,944	45.7	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,097	89.8	3,616	91.7	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	5,204	76.7	2,917	74.0	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	5,957	87.8	3,739	94.8	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	5,601	82.5	3,277	83.1	Home Delivery	2.6
15	Home Delivery against expected delivery *	33	0.4	10	0.1	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	7,517	96.3	3,647	45.9	Home Delivery by SBA	0.3
17	Reported Home Delivery **	33	0.4	10	0.3	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	7,517	99.6	3,647	99.7		
19	Total reported Deliveries	7,550		3,657			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	57.6	6	60.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	0.1	45	1.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,713		7,844			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	7,504	97.3	3,568	45.5	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	49	0.6	14	0.2	BCG	81.6
25	PC of newborn weighted at birth to live birth	7,312	97.4	3,512	98.4	3 dose of DPT	79.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	439	6.0	203	5.8	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,188	82.5	3,063	85.8	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	5,809	75.3	2,777	35.4	Full Immunization	66.4
29	Children who have received BCG	3,769	48.9	2,105	26.8		
30	Children who have received Pentavalent 1	6,097	79.0	2,854	36.4		
31	Children who have received Pentavalent 3	5,737	74.4	3,124	39.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,871	76.1	2,921	37.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,806		1,357			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	24
35	Number of Tubectomies performed	465	337	Spacing	14
36	Number of IUD insertion	351	263	Women using any method	21.6
37	Number of IUD removals	294	169	Women using modern method	21
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	928	385		
39	General OPD cases per 10,000 population ***	12691	9532		
40	Ayush OPD cases per 10,000 population ***	273	266		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	44	10		
42	Neonatal Deaths up to 4 weeks of birth	174	43		
43	Total Neonatal Death	218	53		
44	Deaths between (1 - 11) months	28	29		
45	Total reported infant deaths	246	82		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	3	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	2	1		
50	Due to High fever	5	0		
51	Due to Other Causes (including causes not known)	2	2		
52	Total reported maternal deaths	12	3		

Champhai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	32					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,307		1,319			
9	Expected number of Delivery	1,203		1,214			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,752	134.0	953	72.2	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,503	85.8	783	82.2	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,061	60.6	648	68.0	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,606	91.7	849	89.1	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,078	61.5	616	64.6	Home Delivery	3.3
15	Home Delivery against expected delivery *	77	6.4	27	2.2	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,550	128.9	822	67.7	Home Delivery by SBA	1.6
17	Reported Home Delivery **	77	4.7	27	3.2	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,550	95.3	822	96.8		
19	Total reported Deliveries	1,627		849			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	41	53.2	11	40.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	0.3	16	1.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,188		1,199			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,601	134.7	851	71.0	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	28	2.4	11	0.9	BCG	97.6
25	PC of newborn weighted at birth to live birth	1,582	98.8	829	97.4	3 dose of DPT	90.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	124	7.8	65	7.8	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,518	94.8	820	96.4	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,272	107.0	668	55.7	Full Immunization	85.3
29	Children who have received BCG	1,586	133.5	848	70.7		
30	Children who have received Pentavalent 1	1,420	119.5	694	57.9		
31	Children who have received Pentavalent 3	1,301	109.5	687	57.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,243	104.6	658	54.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	555		313			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 11.2
35	Number of Tubectomies performed	73	51	Spacing 8.3
36	Number of IUD insertion	119	82	Women using any method 50
37	Number of IUD removals	127	63	Women using modern method 49.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	948	435	
39	General OPD cases per 10,000 population ***	8774	5963	
40	Ayush OPD cases per 10,000 population ***	231	99	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	4	2	
42	Neonatal Deaths up to 4 weeks of birth	30	9	
43	Total Neonatal Death	34	11	
44	Deaths between (1 - 11) months	20	12	
45	Total reported infant deaths	54	23	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	1	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	0	2	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	1	3	

Hnahthial Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	16						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	415	417					
9	Expected number of Delivery	381	383					
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	511	123.3	316	75.8	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	439	85.9	245	77.5	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	345	67.5	188	59.5	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	488	95.5	223	70.6	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	471	92.2	194	61.4	Home Delivery	NA	
15	Home Delivery against expected delivery *	16	4.2	2	0.5	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	295	77.4	113	29.5	Home Delivery by SBA	NA	
17	Reported Home Delivery **	16	5.1	2	1.7	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	295	94.9	113	98.3			
19	Total reported Deliveries	311		115				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	50.0	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	98	31.5	32	27.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	377		379				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	309	82.0	117	30.9	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	6	1.6	2	0.5	BCG	NA	
25	PC of newborn weighted at birth to live birth	313	101.3	117	100.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	3.8	2	1.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	306	99.0	117	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	492	130.6	205	54.1	Full Immunization	NA
29	Children who have received BCG	287	76.2	127	33.5		
30	Children who have received Pentavalent 1	445	118.1	206	54.4		
31	Children who have received Pentavalent 3	430	114.1	236	62.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	479	127.1	232	61.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	140		69			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	13	9	Women using any method NA
37	Number of IUD removals	19	6	Women using modern method NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	452	232	
39	General OPD cases per 10,000 population ***	13726	9544	
40	Ayush OPD cases per 10,000 population ***	582	1051	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	2	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	2	0	
44	Deaths between (1 - 11) months	5	0	
45	Total reported infant deaths	7	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Khawzawl Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	701	708					
9	Expected number of Delivery	645	651					
		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	638	91.0	363	51.3	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	549	86.1	325	89.5	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	436	68.3	213	58.7	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	582	91.2	306	84.3	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	482	75.5	255	70.2	Home Delivery	NA	
15	Home Delivery against expected delivery *	13	2.0	3	0.5	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	336	52.1	110	16.9	Home Delivery by SBA	NA	
17	Reported Home Delivery **	13	3.7	3	2.7	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	336	96.3	110	97.3			
19	Total reported Deliveries	349		113				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	7.7	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18	5.2	27	23.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	638		644				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	347	54.4	123	19.1	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.3	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	310	89.3	113	91.9	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.9	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	303	87.3	117	95.1	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	630	98.8	278	43.2	Full Immunization	NA
29	Children who have received BCG	374	58.7	131	20.4		
30	Children who have received Pentavalent 1	593	93.0	235	36.5		
31	Children who have received Pentavalent 3	573	89.9	275	42.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	611	95.8	281	43.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	306		192			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	38	22	Women using any method NA
37	Number of IUD removals	49	28	Women using modern method NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	241	120	
39	General OPD cases per 10,000 population ***	6019	3766	
40	Ayush OPD cases per 10,000 population ***	877	446	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	3	1	
42	Neonatal Deaths up to 4 weeks of birth	2	2	
43	Total Neonatal Death	5	3	
44	Deaths between (1 - 11) months	4	3	
45	Total reported infant deaths	9	6	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Kolasib Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,493		1,521			
9	Expected number of Delivery	1,374		1,400			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,751	117.3	946	62.2	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,364	77.9	783	82.8	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,221	69.7	572	60.5	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,693	96.7	954	100.8	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,211	69.2	612	64.7	Home Delivery	8.6
15	Home Delivery against expected delivery *	64	4.7	18	1.3	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,187	86.4	521	37.2	Home Delivery by SBA	2.7
17	Reported Home Delivery **	64	5.1	18	3.3	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,187	94.9	521	96.7		
19	Total reported Deliveries	1,251		539			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	53.1	6	33.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20	1.6	568	105.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,358		1,383			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,235	91.0	539	39.0	Breastfed within 1 hour of birth	63
24	Total Still Birth	17	1.3	2	0.1	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,237	100.2	453	84.0	3 dose of DPT	85.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	80	6.5	44	9.7	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,228	99.4	520	96.5	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,279	94.2	721	52.1	Full Immunization	80.4
29	Children who have received BCG	1,291	95.1	530	38.3		
30	Children who have received Pentavalent 1	1,517	111.7	710	51.3		
31	Children who have received Pentavalent 3	1,409	103.8	722	52.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,280	94.3	715	51.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	640		410			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 15.6
35	Number of Tubectomies performed	15	0	Spacing 11.7
36	Number of IUD insertion	37	19	Women using any method 38.1
37	Number of IUD removals	60	29	Women using modern method 37.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	533	293	
39	General OPD cases per 10,000 population ***	6378	5042	
40	Ayush OPD cases per 10,000 population ***	248	100	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	6	2	
42	Neonatal Deaths up to 4 weeks of birth	5	2	
43	Total Neonatal Death	11	4	
44	Deaths between (1 - 11) months	12	3	
45	Total reported infant deaths	23	7	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	1	
52	Total reported maternal deaths	0	1	

Lawngtlai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,277		2,338			
9	Expected number of Delivery	2,095		2,151			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,638	115.9	1,400	59.9	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,566	59.4	951	67.9	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	856	32.4	536	38.3	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	1,956	74.1	1,163	83.1	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,443	54.7	737	52.6	Home Delivery	46.3
15	Home Delivery against expected delivery *	1,000	47.7	348	16.2	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,163	55.5	618	28.7	Home Delivery by SBA	9.3
17	Reported Home Delivery **	1,000	46.2	348	36.0	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,163	53.8	618	64.0		
19	Total reported Deliveries	2,163		966			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	106	10.6	73	21.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	327	15.1	100	10.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,070		2,126			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,155	104.1	969	45.6	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	18	0.9	13	0.6	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,749	81.2	863	89.1	3 dose of DPT	74.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	105	6.0	35	4.1	Measles First dose	76.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,932	89.7	877	90.5	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,665	80.4	882	41.5	Full Immunization	70.2
29	Children who have received BCG	2,317	111.9	1,053	49.5		
30	Children who have received Pentavalent 1	2,395	115.7	1,003	47.2		
31	Children who have received Pentavalent 3	1,929	93.2	1,183	55.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,690	81.6	906	42.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	775		541			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 17.3
35	Number of Tubectomies performed	60	37	Spacing 13
36	Number of IUD insertion	57	47	Women using any method 29.7
37	Number of IUD removals	65	58	Women using modern method 29.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	351	268	
39	General OPD cases per 10,000 population ***	5765	3896	
40	Ayush OPD cases per 10,000 population ***	57	56	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	5	0	
42	Neonatal Deaths up to 4 weeks of birth	15	2	
43	Total Neonatal Death	20	2	
44	Deaths between (1 - 11) months	16	5	
45	Total reported infant deaths	36	7	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	1	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	2	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	3	0	
52	Total reported maternal deaths	6	0	

Lunglei Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
	B) Infrastructure Details (RHS 2020-21)	Numbers					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2021-22		2022-23			
8	Expected number of PW	2,162		2,173			
9	Expected number of Delivery	1,989		1,999			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,264	104.7	1,210	55.7	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,591	70.3	833	68.8	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,155	51.0	577	47.7	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	2,643	116.7	1,435	118.6	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	1,844	81.4	1,041	86.0	Home Delivery	17.3
15	Home Delivery against expected delivery *	544	27.4	225	11.3	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	1,672	84.1	877	43.9	Home Delivery by SBA	3.9
17	Reported Home Delivery **	544	24.5	225	20.4	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	1,672	75.5	877	79.6		
19	Total reported Deliveries	2,216		1,102			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	12.7	40	17.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	0.2	129	11.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,965		1,975			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,220	113.0	1,109	56.1	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	22	1.1	9	0.5	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,189	98.6	1,080	97.4	3 dose of DPT	85

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	91	4.2	67	6.2	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,052	92.4	1,017	91.7	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,754	89.3	841	42.6	Full Immunization	73.8
29	Children who have received BCG	2,170	110.4	996	50.4		
30	Children who have received Pentavalent 1	1,999	101.7	878	44.4		
31	Children who have received Pentavalent 3	1,913	97.4	993	50.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,787	90.9	855	43.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	296		171			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 15.4
35	Number of Tubectomies performed	136	91	Spacing 12.5
36	Number of IUD insertion	70	60	Women using any method 33
37	Number of IUD removals	53	37	Women using modern method 33
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	579	413	
39	General OPD cases per 10,000 population ***	10623	7382	
40	Ayush OPD cases per 10,000 population ***	241	186	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	4	4	
42	Neonatal Deaths up to 4 weeks of birth	7	3	
43	Total Neonatal Death	11	7	
44	Deaths between (1 - 11) months	19	10	
45	Total reported infant deaths	30	17	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	2	0	

Mamit Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
	B) Infrastructure Details (RHS 2020-21)	Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2021-22		2022-23			
8	Expected number of PW	1,659		1,708			
9	Expected number of Delivery	1,527		1,572			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,897	114.3	1,015	59.4	ANC Check up in first trimester	64.5
11	Mothers registered in the first trimester	1,454	76.6	776	76.5	At least 4ANC check up	52.5
12	Mothers who had 4 or more ANC check ups	1,159	61.1	503	49.6	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	1,638	86.3	893	88.0	100 IFA tablets consumed	68.8
14	PW who consumed 180 IFA tablets	1,645	86.7	644	63.4	Home Delivery	25.0
15	Home Delivery against expected delivery *	449	29.4	233	14.8	Institutional Delivery	75.0
16	Institutional Delivery Against expected delivery *	895	58.6	378	24.1	Home Delivery by SBA	7.1
17	Reported Home Delivery **	449	33.4	233	38.1	PNC within 2days of delivery	63.9
18	Reported institutional Delivery **	895	66.6	378	61.9		
19	Total reported Deliveries	1,344		611			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	198	44.1	91	39.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	116	8.6	95	15.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,508		1,553			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,329	88.1	612	39.4	Breastfed within 1 hour of birth	56.8
24	Total Still Birth	15	1.0	1	0.1	BCG	98.5
25	PC of newborn weighted at birth to live birth	1,242	93.5	568	92.8	3 dose of DPT	95.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	4.0	35	6.2	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,270	95.6	583	95.3	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,410	93.5	674	43.4	Full Immunization	85.9
29	Children who have received BCG	1,362	90.3	574	37.0		
30	Children who have received Pentavalent 1	1,680	111.4	692	44.6		
31	Children who have received Pentavalent 3	1,417	93.9	720	46.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,401	92.9	686	44.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	872		426			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 17
35	Number of Tubectomies performed	34	18	Spacing 14
36	Number of IUD insertion	24	15	Women using any method 41.6
37	Number of IUD removals	44	24	Women using modern method 41.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	360	193	
39	General OPD cases per 10,000 population ***	9412	4786	
40	Ayush OPD cases per 10,000 population ***	39	53	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	2	2	
42	Neonatal Deaths up to 4 weeks of birth	7	2	
43	Total Neonatal Death	9	4	
44	Deaths between (1 - 11) months	7	7	
45	Total reported infant deaths	16	11	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	2	0	

Saiha Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,111		1,126			
9	Expected number of Delivery	1,023		1,036			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,395	125.5	753	66.9	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	1,192	85.4	600	79.7	At least 4ANC check up	35.5
12	Mothers who had 4 or more ANC check ups	826	59.2	330	43.8	Neonatal tetanus received	72.6
13	PW who got TT 2 / Booster injection	1,222	87.6	636	84.5	100 IFA tablets consumed	51.4
14	PW who consumed 180 IFA tablets	930	66.7	343	45.6	Home Delivery	26.2
15	Home Delivery against expected delivery *	229	22.4	85	8.2	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	1,133	110.8	533	51.5	Home Delivery by SBA	10.0
17	Reported Home Delivery **	229	16.8	85	13.8	PNC within 2days of delivery	59.6
18	Reported institutional Delivery **	1,133	83.2	533	86.2		
19	Total reported Deliveries	1,362		618			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	17.0	16	18.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	69	5.1	23	3.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,010		1,023			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,345	133.1	605	59.1	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	26	2.6	15	1.5	BCG	69.9
25	PC of newborn weighted at birth to live birth	1,345	100.0	605	100.0	3 dose of DPT	60.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	3.0	26	4.3	Measles First dose	65.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,344	99.9	585	96.7	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,138	112.6	552	53.9	Full Immunization	60.3
29	Children who have received BCG	1,298	128.5	528	51.6		
30	Children who have received Pentavalent 1	1,279	126.6	505	49.4		
31	Children who have received Pentavalent 3	1,173	116.1	523	51.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,138	112.6	553	54.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	368		359			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 22.5
35	Number of Tubectomies performed	83	20	Spacing 15.2
36	Number of IUD insertion	145	88	Women using any method 22.6
37	Number of IUD removals	38	37	Women using modern method 21.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	525	341	
39	General OPD cases per 10,000 population ***	8502	4811	
40	Ayush OPD cases per 10,000 population ***	442	409	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	0	7	
42	Neonatal Deaths up to 4 weeks of birth	7	3	
43	Total Neonatal Death	7	10	
44	Deaths between (1 - 11) months	16	7	
45	Total reported infant deaths	23	17	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	1	0	

Saitual Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	28						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	910	926					
9	Expected number of Delivery	838	852					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	745	81.8	417	45.0	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	608	81.6	359	86.1	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	511	68.6	253	60.7	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	699	93.8	381	91.4	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	603	80.9	281	67.4	Home Delivery	NA	
15	Home Delivery against expected delivery *	21	2.5	2	0.2	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	437	52.2	176	20.7	Home Delivery by SBA	NA	
17	Reported Home Delivery **	21	4.6	2	1.1	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	437	95.4	176	98.9			
19	Total reported Deliveries	458		178				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	23.8	2	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	83	18.1	67	37.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	828		842				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	451	54.5	181	21.5	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	9	1.1	2	0.2	BCG	NA	
25	PC of newborn weighted at birth to live birth	451	100.0	180	99.4	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	4.9	4	2.2	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	449	99.6	175	96.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	686	82.9	331	39.3	Full Immunization	NA
29	Children who have received BCG	463	55.9	188	22.3		
30	Children who have received Pentavalent 1	680	82.2	297	35.3		
31	Children who have received Pentavalent 3	673	81.3	336	39.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	690	83.4	326	38.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	203		143			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	37	22	Women using any method NA
37	Number of IUD removals	34	15	Women using modern method NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	412	193	
39	General OPD cases per 10,000 population ***	6694	4524	
40	Ayush OPD cases per 10,000 population ***	264	265	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	1	2	
42	Neonatal Deaths up to 4 weeks of birth	3	0	
43	Total Neonatal Death	4	2	
44	Deaths between (1 - 11) months	3	2	
45	Total reported infant deaths	7	4	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Serchhip Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,091		1,104			
9	Expected number of Delivery	1,004		1,016			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,106	101.4	644	58.3	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	952	86.1	541	84.0	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	669	60.5	390	60.6	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	1,010	91.3	600	93.2	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	720	65.1	420	65.2	Home Delivery	3.8
15	Home Delivery against expected delivery *	17	1.7	8	0.8	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	613	61.1	243	23.9	Home Delivery by SBA	0.6
17	Reported Home Delivery **	17	2.7	8	3.2	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	613	97.3	243	96.8		
19	Total reported Deliveries	630		251			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	70.6	7	87.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	0.6	50	19.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	992		1,004			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	626	63.1	250	24.9	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	4	0.4	1	0.1	BCG	89.8
25	PC of newborn weighted at birth to live birth	611	97.6	229	91.6	3 dose of DPT	84.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	3.1	11	4.8	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	607	97.0	212	84.8	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	966	97.4	440	43.8	Full Immunization	84.7
29	Children who have received BCG	737	74.3	276	27.5		
30	Children who have received Pentavalent 1	943	95.1	458	45.6		
31	Children who have received Pentavalent 3	920	92.7	487	48.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	966	97.4	440	43.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	379		205			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 15.9
35	Number of Tubectomies performed	11	0	Spacing 11.8
36	Number of IUD insertion	56	37	Women using any method 40
37	Number of IUD removals	45	29	Women using modern method 39.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
38	IPD cases per 10,000 population ***	605	297	
39	General OPD cases per 10,000 population ***	10624	6689	
40	Ayush OPD cases per 10,000 population ***	512	253	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
41	Neonatal death within 24 hours	5	0	
42	Neonatal Deaths up to 4 weeks of birth	4	2	
43	Total Neonatal Death	9	2	
44	Deaths between (1 - 11) months	4	0	
45	Total reported infant deaths	13	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	1	0	