

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	19,78,502					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	445					
4	Primary Health Centers (PHC)	138					
5	Community Health Centers (CHC)	21					
6	SDH	0					
7	DH	11					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	34,794		35,145			
9	Expected number of Delivery	32,011		32,333			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	34,272	98.5	10,160	28.9	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	9,532	27.8	3,203	31.5	At least 4ANC check up	20.7
12	Mothers who had 4 or more ANC check ups	6,484	18.9	2,123	20.9	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	15,216	44.4	4,386	43.2	100 IFA tablets consumed	10.2
14	PW who consumed 180 IFA tablets	14,535	42.4	5,318	52.3	Home Delivery	54.3
15	Home Delivery against expected delivery *	3,579	11.2	745	2.3	Institutional Delivery	45.7
16	Institutional Delivery against expected delivery *	12,985	40.6	3,347	10.4	Home Delivery by SBA	10.4
17	Home Delivery against reported delivery **	3,579	21.6	745	18.2	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	12,985	78.4	3,347	81.8		
19	Total reported Deliveries	16,564		4,092			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,068	57.8	431	57.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,180	49.4	2,235	54.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,631		31,950			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	16,367	51.7	4,054	12.7	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	237	0.7	64	0.2	BCG	85.5
25	PC of newborn weighted at birth to live birth	16,016	97.9	3,978	98.1	3 dose of DPT	71.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	554	3.5	140	3.5	Measles First dose	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,469	88.4	3,490	86.1	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	16,019	50.6	3,951	12.4	Full Immunization	57.9
29	Children who have received BCG	20,482	64.8	4,707	14.7		
30	Children who have received Pentavalent 1	20,958	66.3	4,880	15.3		
31	Children who have received Pentavalent 3	17,847	56.4	5,140	16.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,593	52.5	4,148	13.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,355		1,250			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	9.1
35	Number of Tubectomies performed	900	173	Spacing	4.5
36	Number of IUD insertion	3,534	666	Women using any method	57.4
37	Number of IUD removals	1,545	528	Women using modern method	45.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	221	69		
39	General OPD cases per 10,000 population ***	4741	1410		
40	Ayush OPD cases per 10,000 population ***	78	31		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	26	2		
42	Neonatal Deaths up to 4 weeks of birth	94	21		
43	Total Neonatal Death	120	23		
44	Deaths between (1 - 11) months	31	13		
45	Total reported infant deaths	151	36		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	2	2		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	2		
52	Total reported maternal deaths	11	6		

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	53					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	7,088		7,207			
9	Expected number of Delivery	6,521		6,630			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	17,073	240.9	4,762	66.1	ANC Check up in first trimester	71.4
11	Mothers registered in the first trimester	5,072	29.7	1,616	33.9	At least 4ANC check up	50.1
12	Mothers who had 4 or more ANC check ups	2,806	16.4	655	13.8	Neonatal tetanus received	86.4
13	PW who got TT 2 / Booster injection	5,843	34.2	1,690	35.5	100 IFA tablets consumed	14.9
14	PW who consumed 180 IFA tablets	5,604	32.8	2,237	47.0	Home Delivery	26.3
15	Home Delivery against expected delivery *	446	6.8	73	1.1	Institutional Delivery	73.7
16	Institutional Delivery against expected delivery *	4,587	70.3	1,130	17.0	Home Delivery by SBA	9.4
17	Home Delivery against reported delivery **	446	8.9	73	6.1	PNC within 2days of delivery	68.7
18	Institutional Delivery against reported delivery **	4,587	91.1	1,130	93.9		
19	Total reported Deliveries	5,033		1,203			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	265	59.4	39	53.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,513	49.9	766	63.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,444		6,552			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,977	77.2	1,190	18.2	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	85	1.3	21	0.3	BCG	-85.1
25	PC of newborn weighted at birth to live birth	4,914	98.7	1,190	100.0	3 dose of DPT	-73.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	286	5.8	81	6.8	Measles First dose	-74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,620	72.7	802	67.4	3 doses of penta or hepatitis B vaccine	-71.1
28	Children fully immunized	4,114	63.8	1,069	16.3	Full Immunization	-55.9
29	Children who have received BCG	6,766	105.0	1,445	22.1		
30	Children who have received Pentavalent 1	6,622	102.8	1,484	22.7		
31	Children who have received Pentavalent 3	5,130	79.6	1,497	22.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,713	73.1	1,249	19.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	590		421			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.3
35	Number of Tubectomies performed	178	23	Spacing	5.8
36	Number of IUD insertion	132	48	Women using any method	46.9
37	Number of IUD removals	146	39	Women using modern method	38.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	510	152		
39	General OPD cases per 10,000 population ***	8018	2412		
40	Ayush OPD cases per 10,000 population ***	92	42		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	5	0		
42	Neonatal Deaths up to 4 weeks of birth	33	6		
43	Total Neonatal Death	38	6		
44	Deaths between (1 - 11) months	19	7		
45	Total reported infant deaths	57	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	2		
52	Total reported maternal deaths	6	3		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,195		1,195			
9	Expected number of Delivery	1,099		1,099			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,102	92.3	275	23.0	ANC Check up in first trimester	27.2
11	Mothers registered in the first trimester	345	31.3	117	42.5	At least 4ANC check up	5.8
12	Mothers who had 4 or more ANC check ups	397	36.0	119	43.3	Neonatal tetanus received	63
13	PW who got TT 2 / Booster injection	702	63.7	222	80.7	100 IFA tablets consumed	1.6
14	PW who consumed 180 IFA tablets	487	44.2	168	61.1	Home Delivery	65.2
15	Home Delivery against expected delivery *	194	17.7	57	5.2	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	586	53.3	159	14.5	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	194	24.9	57	26.4	PNC within 2days of delivery	31.9
18	Institutional Delivery against reported delivery **	586	75.1	159	73.6		
19	Total reported Deliveries	780		216			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	32.0	26	45.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	339	43.5	171	79.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,086		1,086			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	765	70.4	211	19.4	Breastfed within 1 hour of birth	55.5
24	Total Still Birth	19	1.7	5	0.5	BCG	82.1
25	PC of newborn weighted at birth to live birth	757	99.0	211	100.0	3 dose of DPT	60.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.2	1	0.5	Measles First dose	66.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	763	99.7	211	100.0	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	701	64.6	186	17.1	Full Immunization	42.8
29	Children who have received BCG	850	78.3	203	18.7		
30	Children who have received Pentavalent 1	838	77.2	220	20.3		
31	Children who have received Pentavalent 3	725	66.8	205	18.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	712	65.6	192	17.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	234		96			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	3	1	Spacing	10.2
36	Number of IUD insertion	248	50	Women using any method	42.5
37	Number of IUD removals	149	62	Women using modern method	32.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	118	39		
39	General OPD cases per 10,000 population ***	3956	1230		
40	Ayush OPD cases per 10,000 population ***	113	22		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	10	1		
42	Neonatal Deaths up to 4 weeks of birth	7	3		
43	Total Neonatal Death	17	4		
44	Deaths between (1 - 11) months	3	1		
45	Total reported infant deaths	20	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	5,015		5,099			
9	Expected number of Delivery	4,613		4,691			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,163	63.1	1,522	29.9	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	760	24.0	475	31.2	At least 4ANC check up	28.3
12	Mothers who had 4 or more ANC check ups	1,306	41.3	800	52.6	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	1,314	41.5	431	28.3	100 IFA tablets consumed	17.2
14	PW who consumed 180 IFA tablets	1,418	44.8	910	59.8	Home Delivery	33.1
15	Home Delivery against expected delivery *	148	3.2	32	0.7	Institutional Delivery	66.9
16	Institutional Delivery against expected delivery *	2,278	49.4	613	13.1	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	148	6.1	32	5.0	PNC within 2days of delivery	58.9
18	Institutional Delivery against reported delivery **	2,278	93.9	613	95.0		
19	Total reported Deliveries	2,426		645			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	53.4	16	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	709	29.2	161	25.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,559		4,635			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,402	52.7	639	13.8	Breastfed within 1 hour of birth	60.3
24	Total Still Birth	25	0.5	9	0.2	BCG	-100
25	PC of newborn weighted at birth to live birth	2,353	98.0	612	95.8	3 dose of DPT	-88.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	118	5.0	29	4.7	Measles First dose	-86.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,264	94.3	582	91.1	3 doses of penta or hepatitis B vaccine	-88.7
28	Children fully immunized	2,190	48.0	595	12.8	Full Immunization	-82.8
29	Children who have received BCG	2,767	60.7	669	14.4		
30	Children who have received Pentavalent 1	2,660	58.3	648	14.0		
31	Children who have received Pentavalent 3	2,348	51.5	699	15.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,229	48.9	593	12.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		231			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.1
35	Number of Tubectomies performed	265	38	Spacing	7.2
36	Number of IUD insertion	989	136	Women using any method	60.7
37	Number of IUD removals	170	57	Women using modern method	46.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	306	95		
39	General OPD cases per 10,000 population ***	7530	2078		
40	Ayush OPD cases per 10,000 population ***	65	20		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	30	4		
43	Total Neonatal Death	31	5		
44	Deaths between (1 - 11) months	3	1		
45	Total reported infant deaths	34	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	2	2		

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	815		815			
9	Expected number of Delivery	750		750			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	584	71.7	144	17.7	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	180	30.8	50	34.7	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	77	13.2	21	14.6	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	303	51.9	95	66.0	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	404	69.2	106	73.6	Home Delivery	61.3
15	Home Delivery against expected delivery *	66	8.8	16	2.1	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	311	41.5	69	9.2	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	66	17.5	16	18.8	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	311	82.5	69	81.2		
19	Total reported Deliveries	377		85			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	48.5	3	18.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	234	62.1	24	28.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	741		741			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	375	50.6	85	11.5	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	4	0.5	0	0.0	BCG	88.3
25	PC of newborn weighted at birth to live birth	352	93.9	79	92.9	3 dose of DPT	64.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	2.6	0	0.0	Measles First dose	73.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	346	92.3	78	91.8	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	546	73.7	115	15.5	Full Immunization	53
29	Children who have received BCG	526	71.0	103	13.9		
30	Children who have received Pentavalent 1	600	81.0	105	14.2		
31	Children who have received Pentavalent 3	568	76.7	147	19.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	546	73.7	115	15.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	38		35			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	60	4	Spacing	2.9
36	Number of IUD insertion	212	33	Women using any method	66.5
37	Number of IUD removals	93	26	Women using modern method	56.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	121	56		
39	General OPD cases per 10,000 population ***	4610	1358		
40	Ayush OPD cases per 10,000 population ***	242	83		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	17					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,983		2,967			
9	Expected number of Delivery	2,744		2,729			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,433	48.0	380	12.8	ANC Check up in first trimester	51.6
11	Mothers registered in the first trimester	653	45.6	238	62.6	At least 4ANC check up	18.2
12	Mothers who had 4 or more ANC check ups	338	23.6	157	41.3	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	735	51.3	231	60.8	100 IFA tablets consumed	12.5
14	PW who consumed 180 IFA tablets	388	27.1	182	47.9	Home Delivery	48.5
15	Home Delivery against expected delivery *	174	6.3	38	1.4	Institutional Delivery	51.5
16	Institutional Delivery against expected delivery *	828	30.2	220	8.1	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	174	17.4	38	14.7	PNC within 2days of delivery	47.4
18	Institutional Delivery against reported delivery **	828	82.6	220	85.3		
19	Total reported Deliveries	1,002		258			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	83.9	37	97.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	799	79.7	223	86.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,712		2,697			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	993	36.6	256	9.5	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	16	0.6	5	0.2	BCG	-96.8
25	PC of newborn weighted at birth to live birth	988	99.5	255	99.6	3 dose of DPT	-99

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	4.0	7	2.7	Measles First dose	-100
27	PC of newborns breastfed within 1 hour to total reported live birth.	986	99.3	255	99.6	3 doses of penta or hepatitis B vaccine	-96
28	Children fully immunized	952	35.1	242	9.0	Full Immunization	-92
29	Children who have received BCG	1,117	41.2	274	10.2		
30	Children who have received Pentavalent 1	1,098	40.5	246	9.1		
31	Children who have received Pentavalent 3	970	35.8	304	11.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	955	35.2	242	9.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	84		54			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.4
35	Number of Tubectomies performed	51	9	Spacing	3.4
36	Number of IUD insertion	134	40	Women using any method	66.7
37	Number of IUD removals	96	42	Women using modern method	52.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	219	73		
39	General OPD cases per 10,000 population ***	4380	1634		
40	Ayush OPD cases per 10,000 population ***	73	43		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	3	0		
42	Neonatal Deaths up to 4 weeks of birth	9	3		
43	Total Neonatal Death	12	3		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	14	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	4,406		4,449			
9	Expected number of Delivery	4,053		4,093			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,704	84.1	1,145	25.7	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	702	19.0	199	17.4	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	328	8.9	56	4.9	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	2,236	60.4	579	50.6	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	2,294	61.9	664	58.0	Home Delivery	78.6
15	Home Delivery against expected delivery *	1,036	25.6	212	5.2	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,278	31.5	348	8.5	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	1,036	44.8	212	37.9	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,278	55.2	348	62.1		
19	Total reported Deliveries	2,314		560			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	428	41.3	82	38.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,026	44.3	268	47.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,005		4,045			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,293	57.3	552	13.6	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	21	0.5	10	0.2	BCG	87.1
25	PC of newborn weighted at birth to live birth	2,211	96.4	534	96.7	3 dose of DPT	79.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	27	1.2	6	1.1	Measles First dose	83.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,161	94.2	503	91.1	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,527	63.1	586	14.5	Full Immunization	62.4
29	Children who have received BCG	2,964	74.0	678	16.8		
30	Children who have received Pentavalent 1	3,024	75.5	722	17.9		
31	Children who have received Pentavalent 3	2,747	68.6	792	19.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,402	60.0	586	14.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	352		117			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	3.7
35	Number of Tubectomies performed	82	3	Spacing	0.6
36	Number of IUD insertion	862	137	Women using any method	68.7
37	Number of IUD removals	290	138	Women using modern method	55.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	89	28		
39	General OPD cases per 10,000 population ***	2458	818		
40	Ayush OPD cases per 10,000 population ***	77	29		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	8	2		
43	Total Neonatal Death	8	2		
44	Deaths between (1 - 11) months	3	1		
45	Total reported infant deaths	11	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	1		

Noklak Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	NA						
4	Primary Health Centers (PHC)	NA						
5	Community Health Centers (CHC)	NA						
6	SDH	NA						
7	DH	NA						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	353	371					
9	Expected number of Delivery	320	341					
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
			1st QTR					
		Number	PC	Number	PC			
10	PW register for ANC	330	93.5	106	28.6	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	52	15.8	16	15.1	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	39	11.8	16	15.1	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	167	50.6	53	50.0	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	223	67.6	55	51.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	117	36.6	36	10.6	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	172	53.8	60	17.6	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	117	40.5	36	37.5	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	172	59.5	60	62.5			
19	Total reported Deliveries	289		96				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	95	81.2	28	77.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	158	54.7	50	52.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	315		337				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
			1st QTR					
		Number	PC	Number	PC			
23	Total reported live births	288	91.4	95	28.2	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.6	1	0.3	BCG	NA	
25	PC of newborn weighted at birth to live birth	286	99.3	93	97.9	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3	1.0	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	286	99.3	95	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	235	74.6	68	20.2	Full Immunization	NA
29	Children who have received BCG	263	83.5	86	25.5		
30	Children who have received Pentavalent 1	317	100.6	110	32.6		
31	Children who have received Pentavalent 3	261	82.9	85	25.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	228	72.4	66	19.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	23		11			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	33	9		Women using any method	NA	
37	Number of IUD removals	24	6		Women using modern method	NA	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR				
38	IPD cases per 10,000 population ***	107	46				
39	General OPD cases per 10,000 population ***	4782	1999				
40	Ayush OPD cases per 10,000 population ***	0	0				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Peren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,782		1,812			
9	Expected number of Delivery	1,639		1,667			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,522	85.4	400	22.1	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	340	22.3	130	32.5	At least 4ANC check up	14.5
12	Mothers who had 4 or more ANC check ups	220	14.5	55	13.8	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	892	58.6	207	51.8	100 IFA tablets consumed	6.1
14	PW who consumed 180 IFA tablets	912	59.9	290	72.5	Home Delivery	56.5
15	Home Delivery against expected delivery *	228	13.9	39	2.3	Institutional Delivery	43.5
16	Institutional Delivery against expected delivery *	492	30.0	133	8.0	Home Delivery by SBA	9.6
17	Home Delivery against reported delivery **	228	31.7	39	22.7	PNC within 2days of delivery	46.9
18	Institutional Delivery against reported delivery **	492	68.3	133	77.3		
19	Total reported Deliveries	720		172			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	90	39.5	15	38.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	28.8	38	22.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,620		1,647			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	705	43.5	173	10.5	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	15	0.9	3	0.2	BCG	86.8
25	PC of newborn weighted at birth to live birth	635	90.1	167	96.5	3 dose of DPT	71.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.9	2	1.2	Measles First dose	74.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	667	94.6	165	95.4	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	775	47.8	197	12.0	Full Immunization	63.3
29	Children who have received BCG	977	60.3	216	13.1		
30	Children who have received Pentavalent 1	1,085	67.0	253	15.4		
31	Children who have received Pentavalent 3	930	57.4	225	13.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	775	47.8	198	12.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	76		27			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.2
35	Number of Tubectomies performed	29	4	Spacing	4.5
36	Number of IUD insertion	107	14	Women using any method	58.6
37	Number of IUD removals	63	11	Women using modern method	42
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	65	26		
39	General OPD cases per 10,000 population ***	3249	886		
40	Ayush OPD cases per 10,000 population ***	87	33		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,63,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,820		2,842			
9	Expected number of Delivery	2,595		2,615			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,968	69.8	523	18.4	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	523	26.6	138	26.4	At least 4ANC check up	9.5
12	Mothers who had 4 or more ANC check ups	286	14.5	73	14.0	Neonatal tetanus received	83.8
13	PW who got TT 2 / Booster injection	1,032	52.4	243	46.5	100 IFA tablets consumed	13.5
14	PW who consumed 180 IFA tablets	1,260	64.0	316	60.4	Home Delivery	67.8
15	Home Delivery against expected delivery *	471	18.2	109	4.2	Institutional Delivery	32.2
16	Institutional Delivery against expected delivery *	672	25.9	182	7.0	Home Delivery by SBA	18.5
17	Home Delivery against reported delivery **	471	41.2	109	37.5	PNC within 2days of delivery	39.6
18	Institutional Delivery against reported delivery **	672	58.8	182	62.5		
19	Total reported Deliveries	1,143		291			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	352	74.7	78	71.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	563	49.3	138	47.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,564		2,584			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,130	44.1	286	11.1	Breastfed within 1 hour of birth	64.8
24	Total Still Birth	18	0.7	5	0.2	BCG	87.6
25	PC of newborn weighted at birth to live birth	1,093	96.7	282	98.6	3 dose of DPT	65.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.9	6	2.1	Measles First dose	71.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,095	96.9	282	98.6	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,173	45.7	257	9.9	Full Immunization	54.6
29	Children who have received BCG	1,242	48.4	310	12.0		
30	Children who have received Pentavalent 1	1,385	54.0	341	13.2		
31	Children who have received Pentavalent 3	1,240	48.4	339	13.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,173	45.7	257	9.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	104		64			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.5
35	Number of Tubectomies performed	66	59	Spacing	3.5
36	Number of IUD insertion	213	59	Women using any method	56.3
37	Number of IUD removals	186	42	Women using modern method	47.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	185	61		
39	General OPD cases per 10,000 population ***	3386	905		
40	Ayush OPD cases per 10,000 population ***	72	27		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	3	0		
43	Total Neonatal Death	5	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	5	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	3,173		2,803			
9	Expected number of Delivery	2,919		2,579			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,393	43.9	402	14.3	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	203	14.6	49	12.2	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	76	5.5	29	7.2	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	792	56.9	187	46.5	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	649	46.6	167	41.5	Home Delivery	65.2
15	Home Delivery against expected delivery *	374	12.8	68	2.6	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	678	23.2	178	6.9	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	374	35.6	68	27.6	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	678	64.4	178	72.4		
19	Total reported Deliveries	1,052		246			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	305	81.6	54	79.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	422	40.1	94	38.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,885		2,548			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,036	35.9	242	9.5	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	19	0.7	4	0.2	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,022	98.6	234	96.7	3 dose of DPT	56.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	26	2.5	4	1.7	Measles First dose	53.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,025	98.9	235	97.1	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,206	41.8	279	10.9	Full Immunization	39.9
29	Children who have received BCG	1,337	46.3	297	11.7		
30	Children who have received Pentavalent 1	1,516	52.6	354	13.9		
31	Children who have received Pentavalent 3	1,278	44.3	399	15.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,216	42.2	281	11.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	25		19			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.9
35	Number of Tubectomies performed	38	8	Spacing	5.9
36	Number of IUD insertion	185	52	Women using any method	52.6
37	Number of IUD removals	89	20	Women using modern method	37.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	60	27		
39	General OPD cases per 10,000 population ***	1648	476		
40	Ayush OPD cases per 10,000 population ***	15	8		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	3	1		
43	Total Neonatal Death	4	1		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	5	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	3,184		3,246			
9	Expected number of Delivery	2,929		2,986			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	991	31.1	258	7.9	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	372	37.5	99	38.4	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	273	27.5	75	29.1	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	619	62.5	214	82.9	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	454	45.8	132	51.2	Home Delivery	56.4
15	Home Delivery against expected delivery *	157	5.4	41	1.4	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	427	14.6	96	3.2	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	157	26.9	41	29.9	PNC within 2days of delivery	50.7
18	Institutional Delivery against reported delivery **	427	73.1	96	70.1		
19	Total reported Deliveries	584		137			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	39.5	29	70.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	548	93.8	135	98.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,895		2,951			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	587	20.3	139	4.7	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	2	0.1	0	0.0	BCG	-73.3
25	PC of newborn weighted at birth to live birth	583	99.3	138	99.3	3 dose of DPT	-61.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	0.7	Measles First dose	-66.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	584	99.5	138	99.3	3 doses of penta or hepatitis B vaccine	-55.1
28	Children fully immunized	772	26.7	155	5.3	Full Immunization	-42.8
29	Children who have received BCG	772	26.7	179	6.1		
30	Children who have received Pentavalent 1	784	27.1	177	6.0		
31	Children who have received Pentavalent 3	763	26.4	172	5.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	778	26.9	155	5.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	107		48			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.2
35	Number of Tubectomies performed	37	12	Spacing	1.4
36	Number of IUD insertion	97	8	Women using any method	64.6
37	Number of IUD removals	33	8	Women using modern method	50.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR		
38	IPD cases per 10,000 population ***	62	19		
39	General OPD cases per 10,000 population ***	2460	686		
40	Ayush OPD cases per 10,000 population ***	83	26		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,334		2,341			
9	Expected number of Delivery	2,147		2,154			
		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,009	43.2	243	10.4	ANC Check up in first trimester	46.5
11	Mothers registered in the first trimester	330	32.7	76	31.3	At least 4ANC check up	11.2
12	Mothers who had 4 or more ANC check ups	338	33.5	67	27.6	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	581	57.6	234	96.3	100 IFA tablets consumed	5.5
14	PW who consumed 180 IFA tablets	442	43.8	91	37.4	Home Delivery	65
15	Home Delivery against expected delivery *	168	7.8	24	1.1	Institutional Delivery	35
16	Institutional Delivery against expected delivery *	676	31.5	159	7.4	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	168	19.9	24	13.1	PNC within 2days of delivery	24.9
18	Institutional Delivery against reported delivery **	676	80.1	159	86.9		
19	Total reported Deliveries	844		183			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	152	90.5	24	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	662	78.4	167	91.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,121		2,128			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	816	38.5	186	8.7	Breastfed within 1 hour of birth	38.4
24	Total Still Birth	11	0.5	1	0.0	BCG	-82.2
25	PC of newborn weighted at birth to live birth	822	100.7	183	98.4	3 dose of DPT	-72.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.7	3	1.6	Measles First dose	-76.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	672	82.4	144	77.4	3 doses of penta or hepatitis B vaccine	-72.3
28	Children fully immunized	828	39.0	202	9.5	Full Immunization	-60.7
29	Children who have received BCG	901	42.5	247	11.6		
30	Children who have received Pentavalent 1	1,029	48.5	220	10.3		
31	Children who have received Pentavalent 3	887	41.8	276	13.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	866	40.8	214	10.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	420		127			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	2.8	
35	Number of Tubectomies performed	91	12		Spacing	0.7	
36	Number of IUD insertion	322	80		Women using any method	68.8	
37	Number of IUD removals	206	77		Women using modern method	56.5	
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 1st QTR				
38	IPD cases per 10,000 population ***	74	20				
39	General OPD cases per 10,000 population ***	3371	877				
40	Ayush OPD cases per 10,000 population ***	81	35				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR				
41	Neonatal death within 24 hours	2	0				
42	Neonatal Deaths up to 4 weeks of birth	1	2				
43	Total Neonatal Death	3	2				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	3	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 1st QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				