

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	19,78,502					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	445					
4	Primary Health Centers (PHC)	138					
5	Community Health Centers (CHC)	21					
6	SDH	0					
7	DH	11					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	34,794		35,145			
9	Expected number of Delivery	32,011		32,333			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	34,272	98.5	19,922	56.7	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	9,532	27.8	6,254	31.4	At least 4ANC check up	20.7
12	Mothers who had 4 or more ANC check ups	6,484	18.9	4,811	24.1	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	15,216	44.4	9,363	47.0	100 IFA tablets consumed	10.2
14	PW who consumed 180 IFA tablets	14,535	42.4	11,527	57.9	Home Delivery	54.3
15	Home Delivery against expected delivery *	3,579	11.2	1,590	4.9	Institutional Delivery	45.7
16	Institutional Delivery against expected delivery *	12,985	40.6	7,484	23.1	Home Delivery by SBA	10.4
17	Home Delivery against reported delivery **	3,579	21.6	1,590	17.5	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	12,985	78.4	7,484	82.5		
19	Total reported Deliveries	16,564		9,074			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,068	57.8	941	59.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,180	49.4	5,047	55.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,631		31,950			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	16,367	51.7	8,985	28.1	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	237	0.7	141	0.4	BCG	85.5
25	PC of newborn weighted at birth to live birth	16,016	97.9	8,839	98.4	3 dose of DPT	71.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	554	3.5	378	4.3	Measles First dose	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,469	88.4	7,652	85.2	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	16,019	50.6	8,832	27.6	Full Immunization	57.9
29	Children who have received BCG	20,482	64.8	10,217	32.0		
30	Children who have received Pentavalent 1	20,958	66.3	9,898	31.0		
31	Children who have received Pentavalent 3	17,847	56.4	9,579	30.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,593	52.5	9,318	29.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,355		2,491			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	1	Total unmet need	9.1
35	Number of Tubectomies performed	900	609	Spacing	4.5
36	Number of IUD insertion	3,534	2,075	Women using any method	57.4
37	Number of IUD removals	1,545	1,093	Women using modern method	45.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	221	155		
39	General OPD cases per 10,000 population ***	4741	2977		
40	Ayush OPD cases per 10,000 population ***	78	73		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	26	11		
42	Neonatal Deaths up to 4 weeks of birth	94	51		
43	Total Neonatal Death	120	62		
44	Deaths between (1 - 11) months	31	23		
45	Total reported infant deaths	151	85		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	2	2		
49	Due to Bleeding	3	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	3		
52	Total reported maternal deaths	11	8		

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	53					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	7,088		7,207			
9	Expected number of Delivery	6,521		6,630			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	17,073	240.9	9,114	126.5	ANC Check up in first trimester	71.4
11	Mothers registered in the first trimester	5,072	29.7	3,070	33.7	At least 4ANC check up	50.1
12	Mothers who had 4 or more ANC check ups	2,806	16.4	1,545	17.0	Neonatal tetanus received	86.4
13	PW who got TT 2 / Booster injection	5,843	34.2	3,644	40.0	100 IFA tablets consumed	14.9
14	PW who consumed 180 IFA tablets	5,604	32.8	4,191	46.0	Home Delivery	26.3
15	Home Delivery against expected delivery *	446	6.8	172	2.6	Institutional Delivery	73.7
16	Institutional Delivery against expected delivery *	4,587	70.3	2,703	40.8	Home Delivery by SBA	9.4
17	Home Delivery against reported delivery **	446	8.9	172	6.0	PNC within 2days of delivery	68.7
18	Institutional Delivery against reported delivery **	4,587	91.1	2,703	94.0		
19	Total reported Deliveries	5,033		2,875			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	265	59.4	102	59.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,513	49.9	1,898	66.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,444		6,552			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,977	77.2	2,837	43.3	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	85	1.3	59	0.9	BCG	-85.1
25	PC of newborn weighted at birth to live birth	4,914	98.7	2,836	100.0	3 dose of DPT	-73.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	286	5.8	236	8.3	Measles First dose	-74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,620	72.7	2,004	70.6	3 doses of penta or hepatitis B vaccine	-71.1
28	Children fully immunized	4,114	63.8	2,401	36.6	Full Immunization	-55.9
29	Children who have received BCG	6,766	105.0	3,413	52.1		
30	Children who have received Pentavalent 1	6,622	102.8	3,063	46.8		
31	Children who have received Pentavalent 3	5,130	79.6	2,727	41.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,713	73.1	2,849	43.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	590		760			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.3
35	Number of Tubectomies performed	178	49	Spacing	5.8
36	Number of IUD insertion	132	110	Women using any method	46.9
37	Number of IUD removals	146	98	Women using modern method	38.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	510	328		
39	General OPD cases per 10,000 population ***	8018	4659		
40	Ayush OPD cases per 10,000 population ***	92	104		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	5	0		
42	Neonatal Deaths up to 4 weeks of birth	33	17		
43	Total Neonatal Death	38	17		
44	Deaths between (1 - 11) months	19	10		
45	Total reported infant deaths	57	27		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	2	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	2		
52	Total reported maternal deaths	6	4		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,195		1,195			
9	Expected number of Delivery	1,099		1,099			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,102	92.3	505	42.3	ANC Check up in first trimester	27.2
11	Mothers registered in the first trimester	345	31.3	214	42.4	At least 4ANC check up	5.8
12	Mothers who had 4 or more ANC check ups	397	36.0	243	48.1	Neonatal tetanus received	63
13	PW who got TT 2 / Booster injection	702	63.7	399	79.0	100 IFA tablets consumed	1.6
14	PW who consumed 180 IFA tablets	487	44.2	316	62.6	Home Delivery	65.2
15	Home Delivery against expected delivery *	194	17.7	94	8.6	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	586	53.3	303	27.6	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	194	24.9	94	23.7	PNC within 2days of delivery	31.9
18	Institutional Delivery against reported delivery **	586	75.1	303	76.3		
19	Total reported Deliveries	780		397			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	32.0	48	51.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	339	43.5	310	78.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,086		1,086			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	765	70.4	388	35.7	Breastfed within 1 hour of birth	55.5
24	Total Still Birth	19	1.7	13	1.2	BCG	82.1
25	PC of newborn weighted at birth to live birth	757	99.0	387	99.7	3 dose of DPT	60.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.2	2	0.5	Measles First dose	66.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	763	99.7	387	99.7	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	701	64.6	395	36.4	Full Immunization	42.8
29	Children who have received BCG	850	78.3	403	37.1		
30	Children who have received Pentavalent 1	838	77.2	426	39.2		
31	Children who have received Pentavalent 3	725	66.8	372	34.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	712	65.6	405	37.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	234		287			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	3	24	Spacing	10.2
36	Number of IUD insertion	248	159	Women using any method	42.5
37	Number of IUD removals	149	116	Women using modern method	32.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	118	107		
39	General OPD cases per 10,000 population ***	3956	2656		
40	Ayush OPD cases per 10,000 population ***	113	48		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	10	1		
42	Neonatal Deaths up to 4 weeks of birth	7	4		
43	Total Neonatal Death	17	5		
44	Deaths between (1 - 11) months	3	2		
45	Total reported infant deaths	20	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	5,015		5,099			
9	Expected number of Delivery	4,613		4,691			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,163	63.1	2,960	58.1	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	760	24.0	888	30.0	At least 4ANC check up	28.3
12	Mothers who had 4 or more ANC check ups	1,306	41.3	1,683	56.9	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	1,314	41.5	908	30.7	100 IFA tablets consumed	17.2
14	PW who consumed 180 IFA tablets	1,418	44.8	2,616	88.4	Home Delivery	33.1
15	Home Delivery against expected delivery *	148	3.2	78	1.7	Institutional Delivery	66.9
16	Institutional Delivery against expected delivery *	2,278	49.4	1,364	29.1	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	148	6.1	78	5.4	PNC within 2days of delivery	58.9
18	Institutional Delivery against reported delivery **	2,278	93.9	1,364	94.6		
19	Total reported Deliveries	2,426		1,442			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	53.4	38	48.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	709	29.2	368	25.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,559		4,635			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,402	52.7	1,425	30.7	Breastfed within 1 hour of birth	60.3
24	Total Still Birth	25	0.5	20	0.4	BCG	-100
25	PC of newborn weighted at birth to live birth	2,353	98.0	1,388	97.4	3 dose of DPT	-88.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	118	5.0	68	4.9	Measles First dose	-86.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,264	94.3	1,146	80.4	3 doses of penta or hepatitis B vaccine	-88.7
28	Children fully immunized	2,190	48.0	1,326	28.6	Full Immunization	-82.8
29	Children who have received BCG	2,767	60.7	1,478	31.9		
30	Children who have received Pentavalent 1	2,660	58.3	1,307	28.2		
31	Children who have received Pentavalent 3	2,348	51.5	1,360	29.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,229	48.9	1,331	28.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		386			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.1
35	Number of Tubectomies performed	265	143	Spacing	7.2
36	Number of IUD insertion	989	289	Women using any method	60.7
37	Number of IUD removals	170	112	Women using modern method	46.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	306	215		
39	General OPD cases per 10,000 population ***	7530	4497		
40	Ayush OPD cases per 10,000 population ***	65	48		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	1	3		
42	Neonatal Deaths up to 4 weeks of birth	30	11		
43	Total Neonatal Death	31	14		
44	Deaths between (1 - 11) months	3	3		
45	Total reported infant deaths	34	17		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	2	2		

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	815		815			
9	Expected number of Delivery	750		750			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	584	71.7	284	34.8	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	180	30.8	105	37.0	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	77	13.2	37	13.0	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	303	51.9	192	67.6	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	404	69.2	215	75.7	Home Delivery	61.3
15	Home Delivery against expected delivery *	66	8.8	24	3.2	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	311	41.5	147	19.6	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	66	17.5	24	14.0	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	311	82.5	147	86.0		
19	Total reported Deliveries	377		171			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	48.5	6	25.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	234	62.1	46	26.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	741		741			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	375	50.6	169	22.8	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	4	0.5	0	0.0	BCG	88.3
25	PC of newborn weighted at birth to live birth	352	93.9	162	95.9	3 dose of DPT	64.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	2.6	4	2.5	Measles First dose	73.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	346	92.3	160	94.7	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	546	73.7	235	31.7	Full Immunization	53
29	Children who have received BCG	526	71.0	203	27.4		
30	Children who have received Pentavalent 1	600	81.0	224	30.2		
31	Children who have received Pentavalent 3	568	76.7	249	33.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	546	73.7	236	31.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	38		76			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	60	18	Spacing	2.9
36	Number of IUD insertion	212	154	Women using any method	66.5
37	Number of IUD removals	93	44	Women using modern method	56.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	121	115		
39	General OPD cases per 10,000 population ***	4610	3004		
40	Ayush OPD cases per 10,000 population ***	242	162		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	17					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,983		2,967			
9	Expected number of Delivery	2,744		2,729			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,433	48.0	778	26.2	ANC Check up in first trimester	51.6
11	Mothers registered in the first trimester	653	45.6	496	63.8	At least 4ANC check up	18.2
12	Mothers who had 4 or more ANC check ups	338	23.6	423	54.4	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	735	51.3	498	64.0	100 IFA tablets consumed	12.5
14	PW who consumed 180 IFA tablets	388	27.1	463	59.5	Home Delivery	48.5
15	Home Delivery against expected delivery *	174	6.3	76	2.8	Institutional Delivery	51.5
16	Institutional Delivery against expected delivery *	828	30.2	503	18.4	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	174	17.4	76	13.1	PNC within 2days of delivery	47.4
18	Institutional Delivery against reported delivery **	828	82.6	503	86.9		
19	Total reported Deliveries	1,002		579			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	83.9	74	97.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	799	79.7	500	86.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,712		2,697			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	993	36.6	570	21.1	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	16	0.6	11	0.4	BCG	-96.8
25	PC of newborn weighted at birth to live birth	988	99.5	570	100.0	3 dose of DPT	-99

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	4.0	19	3.3	Measles First dose	-100
27	PC of newborns breastfed within 1 hour to total reported live birth.	986	99.3	570	100.0	3 doses of penta or hepatitis B vaccine	-96
28	Children fully immunized	952	35.1	583	21.6	Full Immunization	-92
29	Children who have received BCG	1,117	41.2	605	22.4		
30	Children who have received Pentavalent 1	1,098	40.5	521	19.3		
31	Children who have received Pentavalent 3	970	35.8	573	21.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	955	35.2	580	21.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	84		88			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.4
35	Number of Tubectomies performed	51	24	Spacing	3.4
36	Number of IUD insertion	134	96	Women using any method	66.7
37	Number of IUD removals	96	84	Women using modern method	52.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	219	172		
39	General OPD cases per 10,000 population ***	4380	3491		
40	Ayush OPD cases per 10,000 population ***	73	110		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths up to 4 weeks of birth	9	7		
43	Total Neonatal Death	12	8		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	14	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	4,406		4,449			
9	Expected number of Delivery	4,053		4,093			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,704	84.1	2,231	50.1	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	702	19.0	413	18.5	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	328	8.9	135	6.1	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	2,236	60.4	1,287	57.7	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	2,294	61.9	1,416	63.5	Home Delivery	78.6
15	Home Delivery against expected delivery *	1,036	25.6	458	11.2	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,278	31.5	734	17.9	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	1,036	44.8	458	38.4	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,278	55.2	734	61.6		
19	Total reported Deliveries	2,314		1,192			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	428	41.3	185	40.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,026	44.3	521	43.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,005		4,045			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,293	57.3	1,188	29.4	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	21	0.5	16	0.4	BCG	87.1
25	PC of newborn weighted at birth to live birth	2,211	96.4	1,133	95.4	3 dose of DPT	79.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	27	1.2	12	1.1	Measles First dose	83.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,161	94.2	1,103	92.8	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,527	63.1	1,272	31.4	Full Immunization	62.4
29	Children who have received BCG	2,964	74.0	1,375	34.0		
30	Children who have received Pentavalent 1	3,024	75.5	1,369	33.8		
31	Children who have received Pentavalent 3	2,747	68.6	1,409	34.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,402	60.0	1,275	31.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	352		272			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	3.7
35	Number of Tubectomies performed	82	89	Spacing	0.6
36	Number of IUD insertion	862	625	Women using any method	68.7
37	Number of IUD removals	290	320	Women using modern method	55.6
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	89	66		
39	General OPD cases per 10,000 population ***	2458	1832		
40	Ayush OPD cases per 10,000 population ***	77	57		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	8	6		
43	Total Neonatal Death	8	6		
44	Deaths between (1 - 11) months	3	2		
45	Total reported infant deaths	11	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	2		

Noklak Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	NA						
4	Primary Health Centers (PHC)	NA						
5	Community Health Centers (CHC)	NA						
6	SDH	NA						
7	DH	NA						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	353	371					
9	Expected number of Delivery	320	341					
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	330	93.5	260	70.1	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	52	15.8	47	18.1	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	39	11.8	21	8.1	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	167	50.6	111	42.7	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	223	67.6	137	52.7	Home Delivery	NA	
15	Home Delivery against expected delivery *	117	36.6	68	19.9	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	172	53.8	126	36.9	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	117	40.5	68	35.1	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	172	59.5	126	64.9			
19	Total reported Deliveries	289		194				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	95	81.2	55	80.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	158	54.7	109	56.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	315		337				
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	288	91.4	192	57.0	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.6	2	0.6	BCG	NA	
25	PC of newborn weighted at birth to live birth	286	99.3	190	99.0	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3	1.0	1	0.5	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	286	99.3	192	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	235	74.6	135	40.0	Full Immunization	NA
29	Children who have received BCG	263	83.5	181	53.7		
30	Children who have received Pentavalent 1	317	100.6	217	64.4		
31	Children who have received Pentavalent 3	261	82.9	175	51.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	228	72.4	145	43.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	23		11			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	33	28	Women using any method	NA
37	Number of IUD removals	24	13	Women using modern method	NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	107	134		
39	General OPD cases per 10,000 population ***	4782	4362		
40	Ayush OPD cases per 10,000 population ***	0	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Peren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	1,782		1,812			
9	Expected number of Delivery	1,639		1,667			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,522	85.4	765	42.2	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	340	22.3	212	27.7	At least 4ANC check up	14.5
12	Mothers who had 4 or more ANC check ups	220	14.5	141	18.4	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	892	58.6	471	61.6	100 IFA tablets consumed	6.1
14	PW who consumed 180 IFA tablets	912	59.9	597	78.0	Home Delivery	56.5
15	Home Delivery against expected delivery *	228	13.9	104	6.2	Institutional Delivery	43.5
16	Institutional Delivery against expected delivery *	492	30.0	268	16.1	Home Delivery by SBA	9.6
17	Home Delivery against reported delivery **	228	31.7	104	28.0	PNC within 2days of delivery	46.9
18	Institutional Delivery against reported delivery **	492	68.3	268	72.0		
19	Total reported Deliveries	720		372			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	90	39.5	35	33.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	28.8	96	25.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,620		1,647			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	705	43.5	373	22.6	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	15	0.9	5	0.3	BCG	86.8
25	PC of newborn weighted at birth to live birth	635	90.1	358	96.0	3 dose of DPT	71.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.9	6	1.7	Measles First dose	74.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	667	94.6	355	95.2	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	775	47.8	422	25.6	Full Immunization	63.3
29	Children who have received BCG	977	60.3	451	27.4		
30	Children who have received Pentavalent 1	1,085	67.0	513	31.1		
31	Children who have received Pentavalent 3	930	57.4	471	28.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	775	47.8	422	25.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	76		53			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	6.2
35	Number of Tubectomies performed	29	48	Spacing	4.5
36	Number of IUD insertion	107	93	Women using any method	58.6
37	Number of IUD removals	63	34	Women using modern method	42
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	65	56		
39	General OPD cases per 10,000 population ***	3249	1831		
40	Ayush OPD cases per 10,000 population ***	87	73		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,63,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,820		2,842			
9	Expected number of Delivery	2,595		2,615			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,968	69.8	1,158	40.7	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	523	26.6	315	27.2	At least 4ANC check up	9.5
12	Mothers who had 4 or more ANC check ups	286	14.5	185	16.0	Neonatal tetanus received	83.8
13	PW who got TT 2 / Booster injection	1,032	52.4	562	48.5	100 IFA tablets consumed	13.5
14	PW who consumed 180 IFA tablets	1,260	64.0	778	67.2	Home Delivery	67.8
15	Home Delivery against expected delivery *	471	18.2	242	9.3	Institutional Delivery	32.2
16	Institutional Delivery against expected delivery *	672	25.9	368	14.1	Home Delivery by SBA	18.5
17	Home Delivery against reported delivery **	471	41.2	242	39.7	PNC within 2days of delivery	39.6
18	Institutional Delivery against reported delivery **	672	58.8	368	60.3		
19	Total reported Deliveries	1,143		610			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	352	74.7	170	70.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	563	49.3	334	54.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,564		2,584			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,130	44.1	604	23.4	Breastfed within 1 hour of birth	64.8
24	Total Still Birth	18	0.7	6	0.2	BCG	87.6
25	PC of newborn weighted at birth to live birth	1,093	96.7	596	98.7	3 dose of DPT	65.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.9	14	2.3	Measles First dose	71.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,095	96.9	594	98.3	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,173	45.7	597	23.1	Full Immunization	54.6
29	Children who have received BCG	1,242	48.4	642	24.8		
30	Children who have received Pentavalent 1	1,385	54.0	721	27.9		
31	Children who have received Pentavalent 3	1,240	48.4	670	25.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,173	45.7	596	23.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	104		105			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.5
35	Number of Tubectomies performed	66	93	Spacing	3.5
36	Number of IUD insertion	213	125	Women using any method	56.3
37	Number of IUD removals	186	79	Women using modern method	47.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	185	135		
39	General OPD cases per 10,000 population ***	3386	2154		
40	Ayush OPD cases per 10,000 population ***	72	62		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	2	3		
42	Neonatal Deaths up to 4 weeks of birth	3	0		
43	Total Neonatal Death	5	3		
44	Deaths between (1 - 11) months	0	2		
45	Total reported infant deaths	5	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	3,173		2,803			
9	Expected number of Delivery	2,919		2,579			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,393	43.9	792	28.3	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	203	14.6	116	14.6	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	76	5.5	64	8.1	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	792	56.9	422	53.3	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	649	46.6	324	40.9	Home Delivery	65.2
15	Home Delivery against expected delivery *	374	12.8	126	4.9	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	678	23.2	378	14.7	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	374	35.6	126	25.0	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	678	64.4	378	75.0		
19	Total reported Deliveries	1,052		504			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	305	81.6	98	77.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	422	40.1	188	37.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,885		2,548			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,036	35.9	500	19.6	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	19	0.7	5	0.2	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,022	98.6	487	97.4	3 dose of DPT	56.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	26	2.5	7	1.4	Measles First dose	53.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,025	98.9	487	97.4	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,206	41.8	591	23.2	Full Immunization	39.9
29	Children who have received BCG	1,337	46.3	602	23.6		
30	Children who have received Pentavalent 1	1,516	52.6	680	26.7		
31	Children who have received Pentavalent 3	1,278	44.3	699	27.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,216	42.2	589	23.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	25		39			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.9
35	Number of Tubectomies performed	38	46	Spacing	5.9
36	Number of IUD insertion	185	142	Women using any method	52.6
37	Number of IUD removals	89	57	Women using modern method	37.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	60	56		
39	General OPD cases per 10,000 population ***	1648	1187		
40	Ayush OPD cases per 10,000 population ***	15	16		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	3	2		
43	Total Neonatal Death	4	3		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	5	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	3,184	3,246				
9	Expected number of Delivery	2,929	2,986				
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	991	31.1	523	16.1	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	372	37.5	211	40.3	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	273	27.5	174	33.3	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	619	62.5	482	92.2	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	454	45.8	273	52.2	Home Delivery	56.4
15	Home Delivery against expected delivery *	157	5.4	88	2.9	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	427	14.6	226	7.6	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	157	26.9	88	28.0	PNC within 2days of delivery	50.7
18	Institutional Delivery against reported delivery **	427	73.1	226	72.0		
19	Total reported Deliveries	584		314			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	39.5	72	81.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	548	93.8	305	97.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,895		2,951			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	587	20.3	316	10.7	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	2	0.1	0	0.0	BCG	-73.3
25	PC of newborn weighted at birth to live birth	583	99.3	314	99.4	3 dose of DPT	-61.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	0.3	Measles First dose	-66.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	584	99.5	314	99.4	3 doses of penta or hepatitis B vaccine	-55.1
28	Children fully immunized	772	26.7	416	14.1	Full Immunization	-42.8
29	Children who have received BCG	772	26.7	413	14.0		
30	Children who have received Pentavalent 1	784	27.1	389	13.2		
31	Children who have received Pentavalent 3	763	26.4	370	12.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	778	26.9	415	14.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	107		120			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.2
35	Number of Tubectomies performed	37	32	Spacing	1.4
36	Number of IUD insertion	97	60	Women using any method	64.6
37	Number of IUD removals	33	13	Women using modern method	50.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	62	44		
39	General OPD cases per 10,000 population ***	2460	1520		
40	Ayush OPD cases per 10,000 population ***	83	68		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	2,334		2,341			
9	Expected number of Delivery	2,147		2,154			
		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,009	43.2	552	23.6	ANC Check up in first trimester	46.5
11	Mothers registered in the first trimester	330	32.7	167	30.3	At least 4ANC check up	11.2
12	Mothers who had 4 or more ANC check ups	338	33.5	160	29.0	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	581	57.6	387	70.1	100 IFA tablets consumed	5.5
14	PW who consumed 180 IFA tablets	442	43.8	201	36.4	Home Delivery	65
15	Home Delivery against expected delivery *	168	7.8	60	2.8	Institutional Delivery	35
16	Institutional Delivery against expected delivery *	676	31.5	364	16.9	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	168	19.9	60	14.2	PNC within 2days of delivery	24.9
18	Institutional Delivery against reported delivery **	676	80.1	364	85.8		
19	Total reported Deliveries	844		424			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	152	90.5	58	96.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	662	78.4	372	87.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,121		2,128			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	816	38.5	423	19.9	Breastfed within 1 hour of birth	38.4
24	Total Still Birth	11	0.5	4	0.2	BCG	-82.2
25	PC of newborn weighted at birth to live birth	822	100.7	418	98.8	3 dose of DPT	-72.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.7	8	1.9	Measles First dose	-76.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	672	82.4	340	80.4	3 doses of penta or hepatitis B vaccine	-72.3
28	Children fully immunized	828	39.0	459	21.6	Full Immunization	-60.7
29	Children who have received BCG	901	42.5	451	21.2		
30	Children who have received Pentavalent 1	1,029	48.5	468	22.0		
31	Children who have received Pentavalent 3	887	41.8	504	23.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	866	40.8	475	22.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	420		294			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.8
35	Number of Tubectomies performed	91	43	Spacing	0.7
36	Number of IUD insertion	322	194	Women using any method	68.8
37	Number of IUD removals	206	123	Women using modern method	56.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
38	IPD cases per 10,000 population ***	74	48		
39	General OPD cases per 10,000 population ***	3371	1999		
40	Ayush OPD cases per 10,000 population ***	81	98		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
41	Neonatal death within 24 hours	2	2		
42	Neonatal Deaths up to 4 weeks of birth	1	4		
43	Total Neonatal Death	3	6		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	3	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23) 2nd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		