

Sikkim Factsheet

| Key Indicators | | | | | | | |
|--|--|-----------------------|-----------|-----------------------------------|-----------|----------------------------------|------|
| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
| 1 | Population 2011 | 6,10,577 | | | | | |
| 2 | Sex Ratio | 889 | | | | | |
| | B) Infrastructure Details (RHS 2020-21) | Numbers | | | | | |
| 3 | Sub Centers (SC) | 153 | | | | | |
| 5 | Primary Health Centers (PHC) | 26 | | | | | |
| 7 | Community Health Centers (CHC) | 2 | | | | | |
| 8 | SDH | 1 | | | | | |
| 9 | DH | 4 | | | | | |
| | C) Maternal Health: | 2021-22 | | 2022-23 | | | |
| 10 | Expected number of PW # | 12,530 | | 11,993 | | | |
| 11 | Expected number of Delivery # | 11,528 | | 11,034 | | | |
| | | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 12 | PW register for ANC | 7,678 | 61.3 | 2,154 | 18.0 | ANC Check up in first trimester | 63.7 |
| 13 | Mothers registered in the first trimester | 6,314 | 82.2 | 1,864 | 86.5 | At least 4ANC check up | 58.4 |
| 14 | Number of PW received 4 or more ANC check ups | 5,722 | 74.5 | 1,386 | 64.3 | Neonatal tetanus received | 92.0 |
| 15 | PW who got TT 2 / Booster injection | 7,081 | 92.2 | 2,031 | 94.3 | 100 IFA tablets consumed | 54.7 |
| 16 | PW who consumed 180 IFA tablets | 8,327 | 108.5 | 1,554 | 72.1 | Home Delivery | 5.3 |
| 17 | Home Delivery against expected delivery * | 37 | 0.3 | 10 | 0.1 | Institutional Delivery | 94.7 |
| 18 | Institutional Delivery against expected delivery * | 6,698 | 58.1 | 1,298 | 11.8 | Home Delivery by SBA | 2.6 |
| 19 | Home Delivery against reported delivery ** | 37 | 0.5 | 10 | 0.8 | PNC within 2days of delivery | 69.3 |
| 20 | Institutional Delivery against reported delivery ** | 6,698 | 99.5 | 1,298 | 99.2 | | |
| 21 | Total reported Deliveries | 6,735 | | 1,308 | | | |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 17 | 45.9 | 7 | 70.0 | | |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 6,974 | 103.5 | 1,500 | 114.7 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. | | | | | | | |
| 24 | Expected number of Live Birth # | 11,391 | | 10,903 | | | |
| | D) Child Immunization : | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 25 | Total reported live births | 6,715 | 58.9 | 1,307 | 12.0 | Breastfed within 1 hour of birth | 33 |
| 26 | Total Still Birth | 90 | 0.8 | 10 | 0.1 | BCG | 96.6 |

| | | | | | | | |
|----|--|-------|------|-------|------|---|------|
| 27 | PC of newborn weighted at birth to live birth | 6,402 | 95.3 | 1,139 | 87.1 | 3 dose of DPT | 91.4 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 443 | 6.9 | 70 | 6.1 | Measles First dose | 90.5 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth. | 5,601 | 83.4 | 1,212 | 92.7 | 3 doses of penta or hepatitis B vaccine | 89.1 |
| 30 | Children fully immunized | 7,145 | 62.7 | 1,718 | 15.8 | Full Immunization | 80.6 |
| 31 | Children who have received BCG | 6,451 | 56.6 | 1,284 | 11.8 | | |
| 32 | Children who have received Pentavalent 1 | 6,778 | 59.5 | 1,547 | 14.2 | | |
| 33 | Children who have received Pentavalent 3 | 6,754 | 59.3 | 2,015 | 18.5 | | |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose | 7,108 | 62.4 | 1,726 | 15.8 | | |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years | 1,966 | | 919 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | NFHS-5 (2019-20) | |
|----------------------|--|----------------|---------------------------|---------------------------|------|
| 36 | Number of Vasectomies performed | 2 | 9 | Total unmet need | 11.9 |
| 37 | Number of Tubectomies performed | 87 | 11 | Spacing | 4.9 |
| 38 | Number of IUD insertion | 217 | 63 | Women using any method | 69.1 |
| 39 | Number of IUD removals | 324 | 118 | Women using modern method | 54.9 |
| F) Service delivery | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 40 | IPD cases per 10,000 population *** | 356 | 135 | | |
| 41 | General OPD cases per 10,000 population *** | 9161 | 3309 | | |
| 42 | Ayush OPD cases per 10,000 population *** | 196 | 58 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 43 | Neonatal death within 24 hours | 4 | 2 | | |
| 44 | Neonatal Deaths up to 4 weeks of birth | 27 | 1 | | |
| 45 | Total Neonatal Death | 31 | 3 | | |
| 46 | Deaths between (1 - 11) months | 31 | 6 | | |
| 47 | Total reported infant deaths | 62 | 9 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 48 | Due to Abortion | 0 | 0 | | |
| 49 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 50 | Due to Severe hypertension/fits | 0 | 0 | | |
| 51 | Due to Bleeding | 0 | 0 | | |
| 52 | Due to High fever | 0 | 0 | | |
| 53 | Due to Other Causes (including causes not known) | 15 | 1 | | |
| 54 | Total reported maternal deaths | 15 | 1 | | |

East Sikkim Factsheet

| Key Indicators | | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
| 1 | Population 2011 | 2,83,583 | | | | | |
| 2 | Sex Ratio | 872 | | | | | |
| | B) Infrastructure Details (RHS 2020-21) | Numbers | | | | | |
| 3 | Sub Centers (SC) | 54 | | | | | |
| 5 | Primary Health Centers (PHC) | 8 | | | | | |
| 7 | Community Health Centers (CHC) | 1 | | | | | |
| 8 | SDH | 1 | | | | | |
| 9 | DH | 1 | | | | | |
| | C) Maternal Health: | 2021-22 | | 2022-23 | | | |
| 10 | Expected number of PW # | 5,962 | | 5,720 | | | |
| 11 | Expected number of Delivery # | 5,485 | | 5,262 | | | |
| | | HMIS (2021-22) | | HMIS (2022-23) | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 12 | PW register for ANC | 3,687 | 61.8 | 1,034 | 18.1 | ANC Check up in first trimester | 53.4 |
| 13 | Mothers registered in the first trimester | 2,815 | 76.3 | 855 | 82.7 | At least 4ANC check up | 43.8 |
| 14 | Number of PW received 4 or more ANC check ups | 2,597 | 70.4 | 664 | 64.2 | Neonatal tetanus received | 90.3 |
| 15 | PW who got TT 2 / Booster injection | 3,252 | 88.2 | 939 | 90.8 | 100 IFA tablets consumed | 48.3 |
| 16 | PW who consumed 180 IFA tablets | 4,855 | 131.7 | 824 | 181.7 | Home Delivery | 8.2 |
| 17 | Home Delivery against expected delivery * | 20 | 0.4 | 5 | 0.1 | Institutional Delivery | 91.8 |
| 18 | Institutional Delivery against expected delivery * | 4,728 | 86.2 | 923 | 17.5 | Home Delivery by SBA | 3.9 |
| 19 | Home Delivery against reported delivery ** | 20 | 0.4 | 5 | 0.5 | PNC within 2days of delivery | 65.8 |
| 20 | Institutional Delivery against reported delivery ** | 4,728 | 99.6 | 923 | 99.5 | | |
| 21 | Total reported Deliveries | 4,748 | | 928 | | | |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 10 | 50.0 | 4 | 80.0 | | |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4,417 | 93.0 | 968 | 104.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. | | | | | | | |
| 24 | Expected number of Live Birth # | 5,420 | | 5,200 | | | |
| | D) Child Immunization : | HMIS (2021-22) | | HMIS (2022-23) | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 25 | Total reported live births | 4,714 | 87.0 | 918 | 17.7 | Breastfed within 1 hour of birth | 27.1 |
| 26 | Total Still Birth | 48 | 0.9 | 5 | 0.1 | BCG | * |

| | | | | | | | |
|----|--|-------|------|-----|------|---|---|
| 27 | PC of newborn weighted at birth to live birth | 4,532 | 96.1 | 767 | 83.6 | 3 dose of DPT | * |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 329 | 7.3 | 59 | 7.7 | Measles First dose | * |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth. | 3,786 | 80.3 | 840 | 91.5 | 3 doses of penta or hepatitis B vaccine | * |
| 30 | Children fully immunized | 3,338 | 61.6 | 864 | 16.6 | Full Immunization | * |
| 31 | Children who have received BCG | 4,459 | 82.3 | 901 | 17.3 | | |
| 32 | Children who have received Pentavalent 1 | 3,187 | 58.8 | 717 | 13.8 | | |
| 33 | Children who have received Pentavalent 3 | 3,184 | 58.7 | 961 | 18.5 | | |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose | 3,350 | 61.8 | 870 | 16.7 | | |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years | 526 | | 232 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | NFHS-5 (2019-20) | |
|----------------------|--|----------------|---------------------------|---------------------------|------|
| 36 | Number of Vasectomies performed | 2 | 2 | Total unmet need | 17.7 |
| 37 | Number of Tubectomies performed | 15 | 6 | Spacing | 7.2 |
| 38 | Number of IUD insertion | 99 | 31 | Women using any method | 54.3 |
| 39 | Number of IUD removals | 92 | 40 | Women using modern method | 42.8 |
| F) Service delivery | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 40 | IPD cases per 10,000 population *** | 285 | 108 | | |
| 41 | General OPD cases per 10,000 population *** | 7178 | 2588 | | |
| 42 | Ayush OPD cases per 10,000 population *** | 113 | 39 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 43 | Neonatal death within 24 hours | 2 | 0 | | |
| 44 | Neonatal Deaths up to 4 weeks of birth | 4 | 0 | | |
| 45 | Total Neonatal Death | 6 | 0 | | |
| 46 | Deaths between (1 - 11) months | 8 | 5 | | |
| 47 | Total reported infant deaths | 14 | 5 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 48 | Due to Abortion | 0 | 0 | | |
| 49 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 50 | Due to Severe hypertension/fits | 0 | 0 | | |
| 51 | Due to Bleeding | 0 | 0 | | |
| 52 | Due to High fever | 0 | 0 | | |
| 53 | Due to Other Causes (including causes not known) | 15 | 0 | | |
| 54 | Total reported maternal deaths | 15 | 0 | | |

North Sikkim Factsheet

| Key Indicators | | | | | | | |
|--|--|-----------------------|-----------|-----------------------------------|-----------|----------------------------------|------|
| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
| 1 | Population 2011 | 43,709 | | | | | |
| 2 | Sex Ratio | 769 | | | | | |
| | B) Infrastructure Details (RHS 2020-21) | Numbers | | | | | |
| 3 | Sub Centers (SC) | 19 | | | | | |
| 5 | Primary Health Centers (PHC) | 5 | | | | | |
| 7 | Community Health Centers (CHC) | 0 | | | | | |
| 8 | SDH | 0 | | | | | |
| 9 | DH | 1 | | | | | |
| | C) Maternal Health: | 2021-22 | | 2022-23 | | | |
| 10 | Expected number of PW # | 839 | | 798 | | | |
| 11 | Expected number of Delivery # | 772 | | 734 | | | |
| | | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 12 | PW register for ANC | 505 | 60.2 | 130 | 16.3 | ANC Check up in first trimester | 66.2 |
| 13 | Mothers registered in the first trimester | 434 | 85.9 | 113 | 86.9 | At least 4ANC check up | 59.4 |
| 14 | Number of PW received 4 or more ANC check ups | 431 | 85.3 | 0 | 71.5 | Neonatal tetanus received | 92.5 |
| 15 | PW who got TT 2 / Booster injection | 506 | 100.2 | 131 | 100.8 | 100 IFA tablets consumed | 74.0 |
| 16 | PW who consumed 180 IFA tablets | 442 | 87.5 | 95 | 73.1 | Home Delivery | 2.7 |
| 17 | Home Delivery against expected delivery * | 1 | 0.1 | 2 | 0.3 | Institutional Delivery | 97.3 |
| 18 | Institutional Delivery against expected delivery * | 123 | 15.9 | 16 | 2.2 | Home Delivery by SBA | 1.5 |
| 19 | Home Delivery against reported delivery ** | 1 | 0.8 | 2 | 11.1 | PNC within 2days of delivery | 71.3 |
| 20 | Institutional Delivery against reported delivery ** | 123 | 99.2 | 16 | 88.9 | | |
| 21 | Total reported Deliveries | 124 | | 18 | | | |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 0 | 0.0 | 1 | 50.0 | | |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 304 | 245.2 | 60 | 333.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. | | | | | | | |
| 24 | Expected number of Live Birth # | 763 | | 726 | | | |
| | D) Child Immunization : | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 25 | Total reported live births | 123 | 16.1 | 17 | 2.3 | Breastfed within 1 hour of birth | 26.1 |
| 26 | Total Still Birth | 4 | 0.5 | 1 | 0.1 | BCG | 100 |

| | | | | | | | |
|----|--|-----|------|-----|------|---|------|
| 27 | PC of newborn weighted at birth to live birth | 96 | 78.0 | 16 | 94.1 | 3 dose of DPT | 100 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 11 | 11.5 | 2 | 12.5 | Measles First dose | 96.9 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth. | 93 | 75.6 | 15 | 88.2 | 3 doses of penta or hepatitis B vaccine | 95.3 |
| 30 | Children fully immunized | 477 | 62.5 | 96 | 13.2 | Full Immunization | 90.8 |
| 31 | Children who have received BCG | 93 | 12.2 | 17 | 2.3 | | |
| 32 | Children who have received Pentavalent 1 | 432 | 56.6 | 89 | 12.3 | | |
| 33 | Children who have received Pentavalent 3 | 442 | 57.9 | 123 | 17.0 | | |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose | 477 | 62.5 | 96 | 13.2 | | |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years | 143 | | 50 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | NFHS-5 (2019-20) | |
|----------------------|--|----------------|---------------------------|---------------------------|------|
| 36 | Number of Vasectomies performed | 0 | 0 | Total unmet need | 12.8 |
| 37 | Number of Tubectomies performed | 0 | 0 | Spacing | 6.9 |
| 38 | Number of IUD insertion | 17 | 5 | Women using any method | 75.7 |
| 39 | Number of IUD removals | 27 | 13 | Women using modern method | 61 |
| F) Service delivery | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 40 | IPD cases per 10,000 population *** | 200 | 84 | | |
| 41 | General OPD cases per 10,000 population *** | 11745 | 3813 | | |
| 42 | Ayush OPD cases per 10,000 population *** | 30 | 0 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 43 | Neonatal death within 24 hours | 0 | 0 | | |
| 44 | Neonatal Deaths up to 4 weeks of birth | 1 | 0 | | |
| 45 | Total Neonatal Death | 1 | 0 | | |
| 46 | Deaths between (1 - 11) months | 4 | 0 | | |
| 47 | Total reported infant deaths | 5 | 0 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 48 | Due to Abortion | 0 | 0 | | |
| 49 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 50 | Due to Severe hypertension/fits | 0 | 0 | | |
| 51 | Due to Bleeding | 0 | 0 | | |
| 52 | Due to High fever | 0 | 0 | | |
| 53 | Due to Other Causes (including causes not known) | 0 | 1 | | |
| 54 | Total reported maternal deaths | 0 | 1 | | |

South Sikkim Factsheet

| Key Indicators | | | | | | | |
|--|--|-----------------------|-----------|-----------------------------------|-----------|----------------------------------|------|
| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
| 1 | Population 2011 | 1,46,850 | | | | | |
| 2 | Sex Ratio | 914 | | | | | |
| | B) Infrastructure Details (RHS 2020-21) | Numbers | | | | | |
| 3 | Sub Centers (SC) | 39 | | | | | |
| 5 | Primary Health Centers (PHC) | 6 | | | | | |
| 7 | Community Health Centers (CHC) | 1 | | | | | |
| 8 | SDH | 0 | | | | | |
| 9 | DH | 1 | | | | | |
| | C) Maternal Health: | 2021-22 | | 2022-23 | | | |
| 10 | Expected number of PW # | 2,990 | | 2,860 | | | |
| 11 | Expected number of Delivery # | 2,751 | | 2,631 | | | |
| | | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 12 | PW register for ANC | 1,768 | 59.1 | 485 | 17.0 | ANC Check up in first trimester | 78.1 |
| 13 | Mothers registered in the first trimester | 1,572 | 88.9 | 446 | 92.0 | At least 4ANC check up | 84.5 |
| 14 | Number of PW received 4 or more ANC check ups | 1,238 | 70.0 | 307 | 63.3 | Neonatal tetanus received | 92.3 |
| 15 | PW who got TT 2 / Booster injection | 1,614 | 91.3 | 474 | 97.7 | 100 IFA tablets consumed | 71.3 |
| 16 | PW who consumed 180 IFA tablets | 1,469 | 83.1 | 394 | 81.2 | Home Delivery | 2.6 |
| 17 | Home Delivery against expected delivery * | 5 | 0.2 | 1 | 0.0 | Institutional Delivery | 97.4 |
| 18 | Institutional Delivery against expected delivery * | 905 | 32.9 | 152 | 5.8 | Home Delivery by SBA | 2.0 |
| 19 | Home Delivery against reported delivery ** | 5 | 0.5 | 1 | 0.7 | PNC within 2days of delivery | 83.1 |
| 20 | Institutional Delivery against reported delivery ** | 905 | 99.5 | 152 | 99.3 | | |
| 21 | Total reported Deliveries | 910 | | 153 | | | |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 3 | 60.0 | 1 | 100.0 | | |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,179 | 129.6 | 238 | 155.6 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. | | | | | | | |
| 24 | Expected number of Live Birth # | 2,718 | | 2,600 | | | |
| | D) Child Immunization : | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 25 | Total reported live births | 941 | 34.6 | 163 | 6.3 | Breastfed within 1 hour of birth | 28.2 |
| 26 | Total Still Birth | 19 | 0.7 | 0 | 0.0 | BCG | 89.5 |

| | | | | | | | |
|----|--|-------|------|-----|------|---|------|
| 27 | PC of newborn weighted at birth to live birth | 886 | 94.2 | 147 | 90.2 | 3 dose of DPT | 89.5 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 39 | 4.4 | 1 | 0.7 | Measles First dose | 86.4 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth. | 876 | 93.1 | 152 | 93.3 | 3 doses of penta or hepatitis B vaccine | 83.8 |
| 30 | Children fully immunized | 1,704 | 62.7 | 364 | 14.0 | Full Immunization | 86.4 |
| 31 | Children who have received BCG | 932 | 34.3 | 169 | 6.5 | | |
| 32 | Children who have received Pentavalent 1 | 1,604 | 59.0 | 368 | 14.2 | | |
| 33 | Children who have received Pentavalent 3 | 1,576 | 58.0 | 475 | 18.3 | | |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose | 1,678 | 61.7 | 360 | 13.8 | | |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years | 419 | | 214 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | NFHS-5 (2019-20) | |
|----------------------|--|----------------|---------------------------|---------------------------|------|
| 36 | Number of Vasectomies performed | 0 | 7 | Total unmet need | 5.2 |
| 37 | Number of Tubectomies performed | 72 | 5 | Spacing | 2.8 |
| 38 | Number of IUD insertion | 31 | 9 | Women using any method | 85 |
| 39 | Number of IUD removals | 99 | 26 | Women using modern method | 67.6 |
| F) Service delivery | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 40 | IPD cases per 10,000 population *** | 465 | 186 | | |
| 41 | General OPD cases per 10,000 population *** | 10994 | 4149 | | |
| 42 | Ayush OPD cases per 10,000 population *** | 428 | 69 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 43 | Neonatal death within 24 hours | 2 | 1 | | |
| 44 | Neonatal Deaths up to 4 weeks of birth | 13 | 0 | | |
| 45 | Total Neonatal Death | 15 | 1 | | |
| 46 | Deaths between (1 - 11) months | 7 | 0 | | |
| 47 | Total reported infant deaths | 22 | 1 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 48 | Due to Abortion | 0 | 0 | | |
| 49 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 50 | Due to Severe hypertension/fits | 0 | 0 | | |
| 51 | Due to Bleeding | 0 | 0 | | |
| 52 | Due to High fever | 0 | 0 | | |
| 53 | Due to Other Causes (including causes not known) | 0 | 0 | | |
| 54 | Total reported maternal deaths | 0 | 0 | | |

West Sikkim Factsheet

| Key Indicators | | | | | | | |
|--|--|-----------------------|-----------|-------------------------------|-----------|----------------------------------|------|
| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
| 1 | Population 2011 | 1,36,435 | | | | | |
| 2 | Sex Ratio | 941 | | | | | |
| | B) Infrastructure Details (RHS 2020-21) | Numbers | | | | | |
| 3 | Sub Centers (SC) | 41 | | | | | |
| 5 | Primary Health Centers (PHC) | 7 | | | | | |
| 7 | Community Health Centers (CHC) | 0 | | | | | |
| 8 | SDH | 0 | | | | | |
| 9 | DH | 1 | | | | | |
| | C) Maternal Health: | 2021-22 | | 2022-23 | | | |
| 10 | Expected number of PW # | 2,751 | | 2,629 | | | |
| 11 | Expected number of Delivery # | 2,531 | | 2,419 | | | |
| | | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 12 | PW register for ANC | 1,718 | 62.4 | 505 | 19.2 | ANC Check up in first trimester | 75.8 |
| 13 | Mothers registered in the first trimester | 1,493 | 86.9 | 450 | 89.1 | At least 4ANC check up | 70.4 |
| 14 | Number of PW received 4 or more ANC check ups | 1,456 | 84.7 | 322 | 63.8 | Neonatal tetanus received | 95.9 |
| 15 | PW who got TT 2 / Booster injection | 1,709 | 99.5 | 487 | 96.4 | 100 IFA tablets consumed | 48.6 |
| 16 | PW who consumed 180 IFA tablets | 1,561 | 90.9 | 241 | 47.7 | Home Delivery | 0.7 |
| 17 | Home Delivery against expected delivery * | 11 | 0.4 | 2 | 0.1 | Institutional Delivery | 99.3 |
| 18 | Institutional Delivery against expected delivery * | 942 | 37.2 | 207 | 8.6 | Home Delivery by SBA | 0.0 |
| 19 | Home Delivery against reported delivery ** | 11 | 1.2 | 2 | 1.0 | PNC within 2days of delivery | 63.6 |
| 20 | Institutional Delivery against reported delivery ** | 942 | 98.8 | 207 | 99.0 | | |
| 21 | Total reported Deliveries | 953 | | 209 | | | |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 4 | 36.4 | 1 | 50.0 | | |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,074 | 112.7 | 234 | 112.0 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. | | | | | | | |
| 24 | Expected number of Live Birth # | 2,501 | | 2,390 | | | |
| | D) Child Immunization : | HMIS (2021-22) | | HMIS (2022-23) 1st QTR | | NFHS-5 (2019-20) | |
| | | Number | PC | Number | PC | | |
| 25 | Total reported live births | 937 | 37.5 | 209 | 8.7 | Breastfed within 1 hour of birth | 56.2 |
| 26 | Total Still Birth | 19 | 0.8 | 4 | 0.2 | BCG | 96.9 |

| | | | | | | | |
|----|--|-------|------|-----|-------|---|------|
| 27 | PC of newborn weighted at birth to live birth | 888 | 94.8 | 209 | 100.0 | 3 dose of DPT | 98.5 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 64 | 7.2 | 8 | 3.8 | Measles First dose | 98.5 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth. | 846 | 90.3 | 205 | 98.1 | 3 doses of penta or hepatitis B vaccine | 95.3 |
| 30 | Children fully immunized | 1,626 | 65.0 | 394 | 16.5 | Full Immunization | 96.9 |
| 31 | Children who have received BCG | 967 | 38.7 | 197 | 8.2 | | |
| 32 | Children who have received Pentavalent 1 | 1,555 | 62.2 | 373 | 15.6 | | |
| 33 | Children who have received Pentavalent 3 | 1,552 | 62.0 | 456 | 19.1 | | |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose | 1,603 | 64.1 | 400 | 16.7 | | |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years | 878 | | 423 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | NFHS-5 (2019-20) | |
|----------------------|--|----------------|---------------------------|---------------------------|------|
| 36 | Number of Vasectomies performed | 0 | 0 | Total unmet need | 4.3 |
| 37 | Number of Tubectomies performed | 0 | 0 | Spacing | 1.1 |
| 38 | Number of IUD insertion | 70 | 18 | Women using any method | 88.2 |
| 39 | Number of IUD removals | 106 | 39 | Women using modern method | 70.8 |
| F) Service delivery | | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 40 | IPD cases per 10,000 population *** | 438 | 153 | | |
| 41 | General OPD cases per 10,000 population *** | 10636 | 3796 | | |
| 42 | Ayush OPD cases per 10,000 population *** | 176 | 104 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 43 | Neonatal death within 24 hours | 0 | 1 | | |
| 44 | Neonatal Deaths up to 4 weeks of birth | 9 | 1 | | |
| 45 | Total Neonatal Death | 9 | 2 | | |
| 46 | Deaths between (1 - 11) months | 12 | 1 | | |
| 47 | Total reported infant deaths | 21 | 3 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2021-22) | HMIS (2022-23) 1st QTR | | |
| 48 | Due to Abortion | 0 | 0 | | |
| 49 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 50 | Due to Severe hypertension/fits | 0 | 0 | | |
| 51 | Due to Bleeding | 0 | 0 | | |
| 52 | Due to High fever | 0 | 0 | | |
| 53 | Due to Other Causes (including causes not known) | 0 | 0 | | |
| 54 | Total reported maternal deaths | 0 | 0 | | |