

ARUNACHAL Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)		Sl No	C) State Health Indicator (SRS 2013)			
1	Population 2011	13,82,611	9	Birth Rate		19.4	
2	Sex Ratio	920	10	Death Rate		5.8	
3	Number of districts	16	11	IMR		33	
B) Infrastructure Details (RHS 2012)			12	Growth Rate		13.6	
4	Sub Centre (SC)	286	13	TFR (SRS - 2007)		2.7	
5	Primary Health Centre (PHC)	97					
6	Community Health Centre (CHC)	48					
7	SDH	0					
8	DH	14					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	31,720	31,885				
15	Expected number of Delivery	29,413	29,566				
		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	34,401	108.5	19,153	60.1	Any ANC	61.8
17	Mothers registered in the first trimester	12,198	35.5	6,970	36.4	ANC Check up in first trimester	63.7
18	Mothers who had at least 3 Ante-Natal care check ups	10,573	30.7	6,299	32.9	3 or more ANC check up	78.3
19	PW who got TT 2 / Booster injection	13,134	38.2	7,369	38.5	At least 1 TT received	96.1
20	PW who consumed 100 IFA tablets	13,976	40.6	9,145	47.7	100 IFA tablets consumed	28.4
21	Home Delivery against expected delivery *	701	2.4	385	1.3	Full ANC	22.5
22	Institutional Delivery against expected delivery *	14,123	48	6,701	23	Home Delivery	48.5
23	Home Delivery against reported delivery **	701	5	385	5.4	Institutional Delivery	49.5
24	Institutional Delivery against reported delivery **	14,123	95	6,701	94.6	Home Delivery by SBA	3.1
25	Total reported Deliveries	14,824	50	7,086	24	PNC within 14 days of delivery	48.8
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM (%)	497	71	207	54		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,815	19	1,787	25		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	28,837	28,987				
E) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	15,114	52.4	7,531	26.0	Breastfed within 1 hour of birth	55.7

30	Total Still Birth	229	0.8	118	0.4	BCG	75.5
31	Newborn weighted at birth to live birth	14,588	96.5	7,174	95.3	3 dose of DPT	71.1
32	Newborn having weighted less than 2.5 kg to newborn weighted at birth.	927	6.1	408	5.4	Measles	60.4
33	Newborns breastfed within 1 hour to total reported live birth.	13,873	91.8	6,327	84.0	Full Immunization	49.2
34	Fully immunized	17,739	61.5	8,545	29.5		
35	Children who have received BCG	22,357	77.5	10,524	36.3		
36	Children who have received DPT1	21,747	75.4	9,286	32.0		
37	Children who have received DPT3	18,784	65.1	8,215	28.3		
38	Children who have received Measles	18,160	63.0	8,724	30.1		
39	Diarrhoea and Dehydration cases reported in children below 5 years	19,563		10,545			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	2	2	Limiting	11.7
41	Number of Tubectomies performed	1,201	576	Spacing	20.4
42	Number of IUD insertion	2,952	1,778	Women using any method	48.4
43	Number of IUD removals	1,129	780	Women using modern method	43.9
G) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		
44	IPD cases per 10,000 population ***	411	244		
45	General OPD cases per 10,000 population ***	8,872	5126		
46	Ayush OPD cases per 10,000 population ***	507	226		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR		
47	Neonatal death within 24 hours	7	11		
48	Up to 1 Weeks of Birth	14	4		
49	Between 1 week & 4 weeks of birth	1	0		
50	Neonatal Death	22	15		
51	Between 1 month and 11 months	17	7		
52	Total reported infant deaths	39	22		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR		
53	Due to Abortion	0	0		
54	Due to Obstructed/prolonged labour	0	1		
55	Due to Severe hypertension/fits	2	0		
56	Due to Bleeding	2	1		
57	Due to High fever	0	4		
58	Due to Other Causes (including causes not known)	8	0		
59	Total reported maternal deaths	12	6		

Anjaw Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	474		471			
9	Expected number of Delivery	439		436			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	392	82.7	196	41.6	Any ANC	52.1
11	Mothers registered in the first trimester	152	38.8	54	27.6	ANC Check up in first trimester	50.0
12	Mothers who had at least 3 Ante-Natal care check ups	140	35.7	52	26.5	3 or more ANC check up	65.2
13	PW who got TT 2 / Booster injection	178	45.4	87	44.4	Atleast 1 TT received	92.0
14	PW who consumed 100 IFA tablets	165	42.1	72	36.7	100 IFA tablets consumed	19.7
15	Home Delivery against expected delivery *	21	4.8	14	3.2	Full ANC	12.6
16	Institutional Delivery against expected delivery *	103	23.4	43	9.9	Home Delivery	62.0
17	Home Delivery against reported delivery **	21	16.9	14	24.6	Institutional Delivery	35.0
18	Institutional Delivery against reported delivery **	103	83.1	43	75.4	Home Delivery by SBA	4.9
19	Total reported Deliveries	124		57		PNC within 48 hrs of delivery	23.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	66.7	5	35.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	53	42.7	21	36.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	431		428			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	129	29.9	56	13.1	Breastfeed within 1 hour of birth	53.8

24	Total Still Birth	0	0.0	1	0.2	BCG	65.5
25	Newborn weighted at birth to live birth	112	86.8	50	89.3	3 dose of DPT	58.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	12.5	3	6.0	Measles	34.5
27	Newborns breastfed within 1 hour to total reported live birth.	117	90.7	52	92.9	Full Immunization	29.1
28	Fully immunized	117	27.2	44	10.3		
29	Children who have received BCG	171	39.7	79	18.5		
30	Children who have received DPT1	205	47.6	84	19.6		
31	Children who have received DPT3	162	37.6	51	11.9		
32	Children who have received Measles	141	32.7	48	11.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	739		308			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.6
35	Number of Tubectomies performed	0	0	Spacing	27.1
36	Number of IUD insertion	28	5	Women using any method	44.4
37	Number of IUD removals	11	4	Women using modern method	39.1
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		
38	IPD cases per 10,000 population ***	171	86		
39	General OPD cases per 10,000 population ***	14351	5518		
40	Ayush OPD cases per 10,000 population ***	1810	516		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Changlang Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	1,47,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,345		3,337			
9	Expected number of Delivery	3,102		3,094			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,144	123.9	2,041	61.2	Any ANC	63.2
11	Mothers registered in the first trimester	884	21.3	515	25.2	ANC Check up in first trimester	66.9
12	Mothers who had at least 3 Ante-Natal care check ups	1,327	32.0	845	41.4	3 or more ANC check up	73.5
13	PW who got TT 2 / Booster injection	1,997	48.2	1,201	58.8	Atleast 1 TT received	96.1
14	PW who consumed 100 IFA tablets	1,368	33.0	708	34.7	100 IFA tablets consumed	11.2
15	Home Delivery against expected delivery *	51	1.6	27	0.9	Full ANC	7.5
16	Institutional Delivery against expected delivery *	1,132	36.5	547	17.7	Home Delivery	46.7
17	Home Delivery against reported delivery **	51	4.3	27	4.7	Institutional Delivery	52.2
18	Institutional Delivery against reported delivery **	1,132	95.7	547	95.3	Home Delivery by SBA	0.0
19	Total reported Deliveries	1,183		574		PNC within 48 hrs of delivery	24.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	74.5	20	74.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	344	29.1	172	30.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,041		3,033			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,177	38.7	565	18.6	Breastfeed within 1 hour of birth	59.4

24	Total Still Birth	13	0.4	6	0.2	BCG	65.8
25	Newborn weighted at birth to live birth	1,175	99.8	547	96.8	3 dose of DPT	72.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	88	7.5	52	9.5	Measles	47.9
27	Newborns breastfed within 1 hour to total reported live birth.	1,167	99.2	547	96.8	Full Immunization	36.1
28	Fully immunized	1,786	58.7	735	24.2		
29	Children who have received BCG	2,418	79.5	948	31.3		
30	Children who have received DPT1	2,685	88.3	1,059	34.9		
31	Children who have received DPT3	2,114	69.5	870	28.7		
32	Children who have received Measles	1,918	63.1	793	26.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	817		477			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	13.2	
35	Number of Tubectomies performed	10	0		Spacing	24	
36	Number of IUD insertion	112	64		Women using any method	54.7	
37	Number of IUD removals	134	45		Women using modern method	50.9	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	301	175				
39	General OPD cases per 10,000 population ***	8312	4690				
40	Ayush OPD cases per 10,000 population ***	1192	389				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	178		176			
9	Expected number of Delivery	165		163			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	153	86.2	72	41.0	Any ANC	45.6
11	Mothers registered in the first trimester	81	52.9	35	48.6	ANC Check up in first trimester	68.2
12	Mothers who had at least 3 Ante-Natal care check ups	109	71.2	47	65.3	3 or more ANC check up	78.1
13	PW who got TT 2 / Booster injection	92	60.1	44	61.1	Atleast 1 TT received	100.0
14	PW who consumed 100 IFA tablets	397	259.5	54	75.0	100 IFA tablets consumed	28.0
15	Home Delivery against expected delivery *	11	6.7	7	4.3	Full ANC	20.2
16	Institutional Delivery against expected delivery *	72	43.7	38	23.3	Home Delivery	47.2
17	Home Delivery against reported delivery **	11	13.3	7	15.6	Institutional Delivery	52.5
18	Institutional Delivery against reported delivery **	72	86.7	38	84.4	Home Delivery by SBA	3.4
19	Total reported Deliveries	83		45		PNC within 48 hrs of delivery	29.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8	7	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	72	86.7	45	100.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	161		160			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	93	57.6	38	23.8	Breastfeed within 1 hour of birth	50.4

24	Total Still Birth	2	1.2	0	0.0	BCG	90.2
25	Newborn weighted at birth to live birth	84	90.3	45	118.4	3 dose of DPT	90.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	7.1	0	0.0	Measles	61
27	Newborns breastfed within 1 hour to total reported live birth.	84	90.3	45	118.4	Full Immunization	58.5
28	Fully immunized	119	73.7	32	20.0		
29	Children who have received BCG	104	64.4	45	28.2		
30	Children who have received DPT1	114	70.6	50	31.3		
31	Children who have received DPT3	108	66.9	43	26.9		
32	Children who have received Measles	114	70.6	30	18.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	459		180			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	10.2	
35	Number of Tubectomies performed	0	0		Spacing	24.5	
36	Number of IUD insertion	1	7		Women using any method	44.7	
37	Number of IUD removals	2	3		Women using modern method	43.7	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	340	128				
39	General OPD cases per 10,000 population ***	15061	6265				
40	Ayush OPD cases per 10,000 population ***	800	267				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

East Kameng Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,844		1,873			
9	Expected number of Delivery	1,709		1,737			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,234	66.9	748	39.9	Any ANC	48.0
11	Mothers registered in the first trimester	492	39.9	358	47.9	ANC Check up in first trimester	69.2
12	Mothers who had at least 3 Ante-Natal care check ups	428	34.7	335	44.8	3 or more ANC check up	70.1
13	PW who got TT 2 / Booster injection	365	29.6	254	34.0	Atleast 1 TT received	92.5
14	PW who consumed 100 IFA tablets	674	54.6	624	83.4	100 IFA tablets consumed	25.4
15	Home Delivery against expected delivery *	53	3.1	37	2.1	Full ANC	16.8
16	Institutional Delivery against expected delivery *	415	24.3	264	15.2	Home Delivery	59.5
17	Home Delivery against reported delivery **	53	11.3	37	12.3	Institutional Delivery	34.1
18	Institutional Delivery against reported delivery **	415	88.7	264	87.7	Home Delivery by SBA	2.2
19	Total reported Deliveries	468		301		PNC within 48 hrs of delivery	27.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	50.9	19	51.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	99	21.2	36	12.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,676		1,703			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	524	31.3	304	17.9	Breastfeed within 1 hour of birth	45.9

24	Total Still Birth	1	0.1	7	0.4	BCG	55.9
25	Newborn weighted at birth to live birth	458	87.4	287	94.4	3 dose of DPT	46.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	78	17.0	19	6.6	Measles	40.3
27	Newborns breastfed within 1 hour to total reported live birth.	477	91.0	237	78.0	Full Immunization	18.2
28	Fully immunized	658	39.3	298	17.5		
29	Children who have received BCG	795	47.4	250	14.7		
30	Children who have received DPT1	1,026	61.2	449	26.4		
31	Children who have received DPT3	742	44.3	303	17.8		
32	Children who have received Measles	658	39.3	298	17.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,952		820			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	10.4
35	Number of Tubectomies performed	0		0		Spacing	24
36	Number of IUD insertion	51		41		Women using any method	43.5
37	Number of IUD removals	6		17		Women using modern method	37.9
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
38	IPD cases per 10,000 population ***	404		216			
39	General OPD cases per 10,000 population ***	4768		2644			
40	Ayush OPD cases per 10,000 population ***	103		60			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	2		1			
46	Total reported infant deaths	2		1			
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		3			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		3			

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	99,019					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,219		2,203			
9	Expected number of Delivery	2,057		2,043			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,372	106.9	984	44.7	Any ANC	63.1
11	Mothers registered in the first trimester	999	42.1	458	46.5	ANC Check up in first trimester	63.2
12	Mothers who had at least 3 Ante-Natal care check ups	1,005	42.4	382	38.8	3 or more ANC check up	85.4
13	PW who got TT 2 / Booster injection	1,155	48.7	511	51.9	Atleast 1 TT received	91.8
14	PW who consumed 100 IFA tablets	1,304	55.0	507	51.5	100 IFA tablets consumed	30.8
15	Home Delivery against expected delivery *	77	3.7	25	1.2	Full ANC	22.4
16	Institutional Delivery against expected delivery *	1,573	76.5	771	37.7	Home Delivery	48.9
17	Home Delivery against reported delivery **	77	4.7	25	3.1	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	1,573	95.3	771	96.9	Home Delivery by SBA	2.1
19	Total reported Deliveries	1,650		796		PNC within 48 hrs of delivery	28.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	67	87.0	23	92.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	318	19.3	147	18.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,017		2,003			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,661	82.3	793	39.6	Breastfeed within 1 hour of birth	53.3

24	Total Still Birth	35	1.7	13	0.6	BCG	69.8
25	Newborn weighted at birth to live birth	1,523	91.7	704	88.8	3 dose of DPT	73.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	192	12.6	59	8.4	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,203	72.4	349	44.0	Full Immunization	41.5
28	Fully immunized	1,632	80.9	694	34.7		
29	Children who have received BCG	2,001	99.2	835	41.7		
30	Children who have received DPT1	1,840	91.2	731	36.5		
31	Children who have received DPT3	1,506	74.7	689	34.4		
32	Children who have received Measles	1,347	66.8	650	32.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,058		425			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	2	2		Limiting	12.7	
35	Number of Tubectomies performed	209	153		Spacing	18.3	
36	Number of IUD insertion	251	130		Women using any method	54.6	
37	Number of IUD removals	62	45		Women using modern method	49.6	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	944	642				
39	General OPD cases per 10,000 population ***	13781	8511				
40	Ayush OPD cases per 10,000 population ***	249	141				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Kurung Kumey Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,475		2,695			
9	Expected number of Delivery	2,295		2,499			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	783	31.6	547	20.3	Any ANC	46.9
11	Mothers registered in the first trimester	482	61.6	284	51.9	ANC Check up in first trimester	58.0
12	Mothers who had at least 3 Ante-Natal care check ups	433	55.3	297	54.3	3 or more ANC check up	57.0
13	PW who got TT 2 / Booster injection	290	37.0	154	28.2	Atleast 1 TT received	94.6
14	PW who consumed 100 IFA tablets	743	94.9	519	94.9	100 IFA tablets consumed	29.2
15	Home Delivery against expected delivery *	150	6.5	109	4.4	Full ANC	17.9
16	Institutional Delivery against expected delivery *	312	13.6	185	7.4	Home Delivery	66.4
17	Home Delivery against reported delivery **	150	32.5	109	37.1	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	312	67.5	185	62.9	Home Delivery by SBA	4.2
19	Total reported Deliveries	462		294		PNC within 48 hrs of delivery	20.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	87	58.0	31	28.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	187	40.5	157	53.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,250		2,450			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	435	19.3	295	12.0	Breastfeed within 1 hour of birth	67.7

24	Total Still Birth	2	0.1	0	0.0	BCG	77.6
25	Newborn weighted at birth to live birth	435	100.0	295	100.0	3 dose of DPT	76.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.1	2	0.7	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	435	100.0	295	100.0	Full Immunization	52.2
28	Fully immunized	606	26.9	328	13.4		
29	Children who have received BCG	626	27.8	445	18.2		
30	Children who have received DPT1	627	27.9	451	18.4		
31	Children who have received DPT3	589	26.2	309	12.6		
32	Children who have received Measles	598	26.6	326	13.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,270		1,048			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	11.4	
35	Number of Tubectomies performed	0	0		Spacing	29	
36	Number of IUD insertion	126	105		Women using any method	33	
37	Number of IUD removals	29	15		Women using modern method	28.6	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	136	90				
39	General OPD cases per 10,000 population ***	2951	1670				
40	Ayush OPD cases per 10,000 population ***	118	67				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,45,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,279		3,266			
9	Expected number of Delivery	3,041		3,028			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,122	125.7	2,655	81.3	Any ANC	62.8
11	Mothers registered in the first trimester	1,289	31.3	730	27.5	ANC Check up in first trimester	55.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,385	33.6	1,043	39.3	3 or more ANC check up	74.7
13	PW who got TT 2 / Booster injection	2,400	58.2	1,158	43.6	Atleast 1 TT received	96.4
14	PW who consumed 100 IFA tablets	737	17.9	590	22.2	100 IFA tablets consumed	25.2
15	Home Delivery against expected delivery *	20	0.7	10	0.3	Full ANC	19.4
16	Institutional Delivery against expected delivery *	1,340	44.1	650	21.5	Home Delivery	49.5
17	Home Delivery against reported delivery **	20	1.5	10	1.5	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	1,340	98.5	650	98.5	Home Delivery by SBA	6.4
19	Total reported Deliveries	1,360		660		PNC within 48 hrs of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	80.0	6	60.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42	3.1	24	3.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,981		2,969			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,360	45.6	653	22.0	Breastfeed within 1 hour of birth	49.3

24	Total Still Birth	18	0.6	6	0.2	BCG	67.4
25	Newborn weighted at birth to live birth	1,351	99.3	653	100.0	3 dose of DPT	69.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	125	9.3	41	6.3	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	1,329	97.7	647	99.1	Full Immunization	43
28	Fully immunized	2,267	76.0	962	32.4		
29	Children who have received BCG	3,009	100.9	1,371	46.2		
30	Children who have received DPT1	3,220	108.0	1,250	42.1		
31	Children who have received DPT3	2,746	92.1	1,124	37.9		
32	Children who have received Measles	2,305	77.3	966	32.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,516		780			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	18.5	
35	Number of Tubectomies performed	0	1		Spacing	18.2	
36	Number of IUD insertion	257	127		Women using any method	42.2	
37	Number of IUD removals	69	56		Women using modern method	40.7	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	207	115				
39	General OPD cases per 10,000 population ***	8755	5263				
40	Ayush OPD cases per 10,000 population ***	632	372				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	1	1				
46	Total reported infant deaths	1	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	1				

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,194		1,179			
9	Expected number of Delivery	1,108		1,093			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,197	100.2	620	52.6	Any ANC	72.4
11	Mothers registered in the first trimester	351	29.3	164	26.5	ANC Check up in first trimester	60.6
12	Mothers who had at least 3 Ante-Natal care check ups	695	58.1	120	19.4	3 or more ANC check up	86.2
13	PW who got TT 2 / Booster injection	669	55.9	305	49.2	Atleast 1 TT received	96.6
14	PW who consumed 100 IFA tablets	338	28.2	272	43.9	100 IFA tablets consumed	18.2
15	Home Delivery against expected delivery *	48	4.3	33	3.0	Full ANC	15.0
16	Institutional Delivery against expected delivery *	722	65.2	259	23.7	Home Delivery	33.3
17	Home Delivery against reported delivery **	48	6.2	33	11.3	Institutional Delivery	65.7
18	Institutional Delivery against reported delivery **	722	93.8	259	88.7	Home Delivery by SBA	2.5
19	Total reported Deliveries	770		292		PNC within 48 hrs of delivery	32.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	95.8	33	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	272	35.3	168	57.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,086		1,071			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	776	71.5	301	28.1	Breastfeed within 1 hour of birth	70.3

24	Total Still Birth	13	1.2	4	0.4	BCG	84.2
25	Newborn weighted at birth to live birth	767	98.8	298	99.0	3 dose of DPT	73.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	53	6.9	26	8.7	Measles	73.7
27	Newborns breastfed within 1 hour to total reported live birth.	767	98.8	290	96.3	Full Immunization	16.7
28	Fully immunized	628	57.8	317	29.6		
29	Children who have received BCG	893	82.2	416	38.8		
30	Children who have received DPT1	834	76.8	389	36.3		
31	Children who have received DPT3	730	67.2	336	31.4		
32	Children who have received Measles	681	62.7	335	31.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	794		467			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	11.3	
35	Number of Tubectomies performed	45	9		Spacing	20.1	
36	Number of IUD insertion	54	21		Women using any method	49.7	
37	Number of IUD removals	9	5		Women using modern method	39.5	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	417	223				
39	General OPD cases per 10,000 population ***	9958	5617				
40	Ayush OPD cases per 10,000 population ***	466	81				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	2	0				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	3	1				
45	Between 1 month and 11 months	3	0				
46	Total reported infant deaths	6	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	2	0				
53	Total reported maternal deaths	3	1				

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,989		2,043			
9	Expected number of Delivery	1,844		1,895			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,113	56.0	1,083	53.0	Any ANC	79.3
11	Mothers registered in the first trimester	254	22.8	212	19.6	ANC Check up in first trimester	65.0
12	Mothers who had at least 3 Ante-Natal care check ups	165	14.8	174	16.1	3 or more ANC check up	79.8
13	PW who got TT 2 / Booster injection	216	19.4	245	22.6	Atleast 1 TT received	99.2
14	PW who consumed 100 IFA tablets	191	17.2	28	2.6	100 IFA tablets consumed	31.5
15	Home Delivery against expected delivery *	3	0.2	0	0.0	Full ANC	28.6
16	Institutional Delivery against expected delivery *	493	26.7	262	13.8	Home Delivery	33.2
17	Home Delivery against reported delivery **	3	0.6	0	0.0	Institutional Delivery	65.9
18	Institutional Delivery against reported delivery **	493	99.4	262	100.0	Home Delivery by SBA	4.3
19	Total reported Deliveries	496		262		PNC within 48 hrs of delivery	38.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	0	-		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	138	27.8	62	23.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,808		1,858			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	480	26.6	284	15.3	Breastfeed within 1 hour of birth	69.2

24	Total Still Birth	16	0.9	21	1.1	BCG	89
25	Newborn weighted at birth to live birth	488	101.7	239	84.2	3 dose of DPT	83.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	32	6.6	20	8.4	Measles	76.7
27	Newborns breastfed within 1 hour to total reported live birth.	468	97.5	262	92.3	Full Immunization	68.5
28	Fully immunized	469	25.9	252	13.6		
29	Children who have received BCG	635	35.1	379	20.4		
30	Children who have received DPT1	733	40.5	374	20.1		
31	Children who have received DPT3	638	35.3	356	19.2		
32	Children who have received Measles	573	31.7	348	18.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	914		600			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	7.4
35	Number of Tubectomies performed	7		11		Spacing	11.5
36	Number of IUD insertion	157		95		Women using any method	57.4
37	Number of IUD removals	72		64		Women using modern method	50.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
38	IPD cases per 10,000 population ***	494		333			
39	General OPD cases per 10,000 population ***	5420		3148			
40	Ayush OPD cases per 10,000 population ***	224		98			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	1		2			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	2		2			
45	Between 1 month and 11 months	0		0			
46	Total reported infant deaths	2		2			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	1		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		0			
53	Total reported maternal deaths	2		0			

Papum Pare Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	1,76,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	4,196		4,295			
9	Expected number of Delivery	3,891		3,982			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	9,961	237.4	4,782	111.3	Any ANC	78.0
11	Mothers registered in the first trimester	4,113	41.3	2,087	43.6	ANC Check up in first trimester	72.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,403	14.1	1,112	23.3	3 or more ANC check up	84.9
13	PW who got TT 2 / Booster injection	1,492	15.0	1,028	21.5	Atleast 1 TT received	97.4
14	PW who consumed 100 IFA tablets	1,160	11.6	1,537	32.1	100 IFA tablets consumed	37.8
15	Home Delivery against expected delivery *	26	0.7	14	0.4	Full ANC	30.3
16	Institutional Delivery against expected delivery *	3,689	94.8	1,676	42.1	Home Delivery	22.7
17	Home Delivery against reported delivery **	26	0.7	14	0.8	Institutional Delivery	74.1
18	Institutional Delivery against reported delivery **	3,689	99.3	1,676	99.2	Home Delivery by SBA	0.9
19	Total reported Deliveries	3,715		1,690		PNC within 48 hrs of delivery	40.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	96.2	7	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	168	4.5	70	4.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,815		3,904			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	3,992	104.6	2,065	52.9	Breastfeed within 1 hour of birth	44.9

24	Total Still Birth	56	1.5	27	0.7	BCG	93
25	Newborn weighted at birth to live birth	3,843	96.3	1,981	95.9	3 dose of DPT	72.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	167	4.3	105	5.3	Measles	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	3,731	93.5	1,541	74.6	Full Immunization	65.5
28	Fully immunized	4,138	108.5	1,871	47.9		
29	Children who have received BCG	5,171	135.6	2,638	67.6		
30	Children who have received DPT1	3,527	92.5	1,269	32.5		
31	Children who have received DPT3	2,796	73.3	1,092	28.0		
32	Children who have received Measles	3,798	99.6	1,823	46.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,023		1,912			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	10.8	
35	Number of Tubectomies performed	693	278		Spacing	21.3	
36	Number of IUD insertion	692	413		Women using any method	48.4	
37	Number of IUD removals	156	112		Women using modern method	42.8	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	908	539				
39	General OPD cases per 10,000 population ***	15447	9792				
40	Ayush OPD cases per 10,000 population ***	268	173				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	5	9				
42	Up to 1 Weeks of Birth	10	1				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	15	10				
45	Between 1 month and 11 months	6	1				
46	Total reported infant deaths	21	11				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	5	0				
53	Total reported maternal deaths	5	0				

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,950					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,151		1,160			
9	Expected number of Delivery	1,067		1,075			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	792	68.8	479	41.3	Any ANC	61.5
11	Mothers registered in the first trimester	406	51.3	229	47.8	ANC Check up in first trimester	66.9
12	Mothers who had at least 3 Ante-Natal care check ups	239	30.2	86	18.0	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	388	49.0	203	42.4	Atleast 1 TT received	95.6
14	PW who consumed 100 IFA tablets	266	33.6	197	41.1	100 IFA tablets consumed	71.9
15	Home Delivery against expected delivery *	20	1.9	27	2.5	Full ANC	22.4
16	Institutional Delivery against expected delivery *	284	26.6	121	11.3	Home Delivery	62.3
17	Home Delivery against reported delivery **	20	6.6	27	18.2	Institutional Delivery	37.1
18	Institutional Delivery against reported delivery **	284	93.4	121	81.8	Home Delivery by SBA	4.2
19	Total reported Deliveries	304		148		PNC within 48 hrs of delivery	27.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	100.0	3	11.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	68	22.4	24	16.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,046		1,054			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	291	27.8	181	17.2	Breastfeed within 1 hour of birth	62

24	Total Still Birth	17	1.6	2	0.2	BCG	83.3
25	Newborn weighted at birth to live birth	272	93.5	152	84.0	3 dose of DPT	76.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	4.0	11	7.2	Measles	63.9
27	Newborns breastfed within 1 hour to total reported live birth.	226	77.7	150	82.9	Full Immunization	56.9
28	Fully immunized	720	68.8	351	33.3		
29	Children who have received BCG	687	65.7	333	31.6		
30	Children who have received DPT1	796	76.1	333	31.6		
31	Children who have received DPT3	816	78.0	320	30.4		
32	Children who have received Measles	742	70.9	363	34.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	586		459			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	14.1	
35	Number of Tubectomies performed	23	1		Spacing	17.6	
36	Number of IUD insertion	131	63		Women using any method	46.6	
37	Number of IUD removals	26	43		Women using modern method	43.4	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	174	69				
39	General OPD cases per 10,000 population ***	9382	5901				
40	Ayush OPD cases per 10,000 population ***	239	56				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	1				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	1				
45	Between 1 month and 11 months	1	0				
46	Total reported infant deaths	1	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	1	0				

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,11,997					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,496		2,474			
9	Expected number of Delivery	2,314		2,294			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,677	67.2	1,191	48.1	Any ANC	43.4
11	Mothers registered in the first trimester	697	41.6	399	33.5	ANC Check up in first trimester	58.8
12	Mothers who had at least 3 Ante-Natal care check ups	744	44.4	429	36.0	3 or more ANC check up	70.1
13	PW who got TT 2 / Booster injection	1,223	72.9	790	66.3	Atleast 1 TT received	98.8
14	PW who consumed 100 IFA tablets	399	23.8	677	56.8	100 IFA tablets consumed	41.2
15	Home Delivery against expected delivery *	158	6.8	54	2.4	Full ANC	31.7
16	Institutional Delivery against expected delivery *	602	26.0	294	12.8	Home Delivery	68.8
17	Home Delivery against reported delivery **	158	20.8	54	15.5	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	602	79.2	294	84.5	Home Delivery by SBA	6.4
19	Total reported Deliveries	760		348		PNC within 48 hrs of delivery	14.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	57.6	27	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	256	33.7	134	38.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,269		2,249			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	751	33.1	382	17.0	Breastfeed within 1 hour of birth	47.7

24	Total Still Birth	9	0.4	4	0.2	BCG	60.2
25	Newborn weighted at birth to live birth	694	92.4	350	91.6	3 dose of DPT	67
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.9	4	1.1	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	698	92.9	350	91.6	Full Immunization	33.3
28	Fully immunized	1,614	71.1	838	37.3		
29	Children who have received BCG	1,619	71.4	825	36.7		
30	Children who have received DPT1	1,894	83.5	987	43.9		
31	Children who have received DPT3	1,943	85.6	913	40.6		
32	Children who have received Measles	1,831	80.7	857	38.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,140		1,171			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	11.6
35	Number of Tubectomies performed	0		0		Spacing	22.6
36	Number of IUD insertion	73		35		Women using any method	44.6
37	Number of IUD removals	48		28		Women using modern method	42.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
38	IPD cases per 10,000 population ***	222		125			
39	General OPD cases per 10,000 population ***	6959		3600			
40	Ayush OPD cases per 10,000 population ***	1588		661			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	1		0			
46	Total reported infant deaths	2		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		0			

Upper Siang Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	778		767			
9	Expected number of Delivery	722		711			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	680	87.4	318	41.5	Any ANC	28.4
11	Mothers registered in the first trimester	253	37.2	145	45.6	ANC Check up in first trimester	72.7
12	Mothers who had at least 3 Ante-Natal care check ups	346	50.9	164	51.6	3 or more ANC check up	77.6
13	PW who got TT 2 / Booster injection	379	55.7	171	53.8	Atleast 1 TT received	90.6
14	PW who consumed 100 IFA tablets	511	75.1	229	72.0	100 IFA tablets consumed	30.8
15	Home Delivery against expected delivery *	24	3.3	18	2.5	Full ANC	21.3
16	Institutional Delivery against expected delivery *	308	42.7	104	14.6	Home Delivery	66.4
17	Home Delivery against reported delivery **	24	7.2	18	14.8	Institutional Delivery	30.1
18	Institutional Delivery against reported delivery **	308	92.8	104	85.2	Home Delivery by SBA	4.4
19	Total reported Deliveries	332		122		PNC within 48 hrs of delivery	17.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	91.7	18	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	144	43.4	71	58.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	707		697			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	333	47.1	131	18.8	Breastfeed within 1 hour of birth	70.4

24	Total Still Birth	12	1.7	2	0.3	BCG	60
25	Newborn weighted at birth to live birth	304	91.3	121	92.4	3 dose of DPT	50.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	3.6	1	0.8	Measles	40
27	Newborns breastfed within 1 hour to total reported live birth.	195	58.6	110	84.0	Full Immunization	29.1
28	Fully immunized	444	62.8	178	25.5		
29	Children who have received BCG	491	69.4	153	21.9		
30	Children who have received DPT1	521	73.6	177	25.4		
31	Children who have received DPT3	516	72.9	179	25.7		
32	Children who have received Measles	534	75.5	207	29.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	981		510			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	14.7	
35	Number of Tubectomies performed	30	10		Spacing	28.9	
36	Number of IUD insertion	103	51		Women using any method	40.6	
37	Number of IUD removals	50	16		Women using modern method	39.2	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	415	222				
39	General OPD cases per 10,000 population ***	11766	6011				
40	Ayush OPD cases per 10,000 population ***	146	336				
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	1				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	1				
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,005		2,063			
9	Expected number of Delivery	1,859		1,913			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,616	80.6	832	40.3	Any ANC	56.2
11	Mothers registered in the first trimester	398	24.6	179	21.5	ANC Check up in first trimester	63.2
12	Mothers who had at least 3 Ante-Natal care check ups	325	20.1	206	24.8	3 or more ANC check up	72.4
13	PW who got TT 2 / Booster injection	477	29.5	300	36.1	Atleast 1 TT received	98.0
14	PW who consumed 100 IFA tablets	1,061	65.7	810	97.4	100 IFA tablets consumed	14.5
15	Home Delivery against expected delivery *	37	2.0	4	0.2	Full ANC	11.1
16	Institutional Delivery against expected delivery *	870	46.8	444	23.2	Home Delivery	56.2
17	Home Delivery against reported delivery **	37	4.1	4	0.9	Institutional Delivery	43.3
18	Institutional Delivery against reported delivery **	870	95.9	444	99.1	Home Delivery by SBA	0.6
19	Total reported Deliveries	907		448		PNC within 48 hrs of delivery	19.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	81.1	2	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	213	23.5	380	84.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,823		1,876			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	930	51.0	438	23.3	Breastfeed within 1 hour of birth	54.4

24	Total Still Birth	10	0.5	7	0.4	BCG	77.9
25	Newborn weighted at birth to live birth	909	97.7	424	96.8	3 dose of DPT	81.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	2.4	4	0.9	Measles	63.2
27	Newborns breastfed within 1 hour to total reported live birth.	838	90.1	424	96.8	Full Immunization	58
28	Fully immunized	632	34.7	492	26.2		
29	Children who have received BCG	1,081	59.3	458	24.4		
30	Children who have received DPT1	1,057	58.0	460	24.5		
31	Children who have received DPT3	1,027	56.3	466	24.8		
32	Children who have received Measles	858	47.1	506	27.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	511		395			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	8.4	
35	Number of Tubectomies performed	0	83		Spacing	23	
36	Number of IUD insertion	204	129		Women using any method	46.4	
37	Number of IUD removals	124	99		Women using modern method	41.7	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	257	125				
39	General OPD cases per 10,000 population ***	4337	2703				
40	Ayush OPD cases per 10,000 population ***	164	164				
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,890		1,882			
9	Expected number of Delivery	1,752		1,745			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,385	126.2	1,603	85.2	Any ANC	70.1
11	Mothers registered in the first trimester	928	38.9	763	47.6	ANC Check up in first trimester	67.1
12	Mothers who had at least 3 Ante-Natal care check ups	898	37.7	534	33.3	3 or more ANC check up	82.6
13	PW who got TT 2 / Booster injection	868	36.4	450	28.1	Atleast 1 TT received	97.0
14	PW who consumed 100 IFA tablets	3,820	160.2	1,567	97.8	100 IFA tablets consumed	23.2
15	Home Delivery against expected delivery *	1	0.1	2	0.1	Full ANC	21.2
16	Institutional Delivery against expected delivery *	800	45.7	411	23.5	Home Delivery	50.4
17	Home Delivery against reported delivery **	1	0.1	2	0.5	Institutional Delivery	49.3
18	Institutional Delivery against reported delivery **	800	99.9	411	99.5	Home Delivery by SBA	2.4
19	Total reported Deliveries	801		413		PNC within 48 hrs of delivery	33.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	2	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	391	48.8	249	60.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,718		1,711			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	782	45.5	404	23.6	Breastfeed within 1 hour of birth	56.7

24	Total Still Birth	15	0.9	9	0.5	BCG	86.7
25	Newborn weighted at birth to live birth	780	99.7	401	99.3	3 dose of DPT	85.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	38	4.9	28	7.0	Measles	75
27	Newborns breastfed within 1 hour to total reported live birth.	770	98.5	401	99.3	Full Immunization	61.8
28	Fully immunized	746	43.4	507	29.6		
29	Children who have received BCG	1,136	66.1	617	36.1		
30	Children who have received DPT1	1,118	65.1	555	32.4		
31	Children who have received DPT3	960	55.9	512	29.9		
32	Children who have received Measles	780	45.4	533	31.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,181		758			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	11.5	
35	Number of Tubectomies performed	39	0		Spacing	15.8	
36	Number of IUD insertion	435	300		Women using any method	54.7	
37	Number of IUD removals	149	86		Women using modern method	48.7	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	340	188				
39	General OPD cases per 10,000 population ***	8114	4251				
40	Ayush OPD cases per 10,000 population ***	148	89				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	0				
45	Between 1 month and 11 months	3	4				
46	Total reported infant deaths	4	4				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	1	1				

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,12,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centre (SC)	NA					
4	Primary Health Centre (PHC)	NA					
5	Community Health Centre (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,485		2,454			
9	Expected number of Delivery	2,304		2,276			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,780	71.6	1,002	40.8	Any ANC	71.5
11	Mothers registered in the first trimester	419	23.5	358	35.7	ANC Check up in first trimester	48.7
12	Mothers who had at least 3 Ante-Natal care check ups	931	52.3	473	47.2	3 or more ANC check up	87.9
13	PW who got TT 2 / Booster injection	945	53.1	468	46.7	Atleast 1 TT received	92.1
14	PW who consumed 100 IFA tablets	842	47.3	754	75.2	100 IFA tablets consumed	42.9
15	Home Delivery against expected delivery *	1	0.0	4	0.2	Full ANC	38.7
16	Institutional Delivery against expected delivery *	1,408	61.1	632	27.8	Home Delivery	40.7
17	Home Delivery against reported delivery **	1	0.1	4	0.6	Institutional Delivery	58.6
18	Institutional Delivery against reported delivery **	1,408	99.9	632	99.4	Home Delivery by SBA	0.7
19	Total reported Deliveries	1,409		636		PNC within 48 hrs of delivery	20.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	4	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50	3.5	27	4.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,259		2,231			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,400	62.0	641	28.7	Breastfeed within 1 hour of birth	59.7

24	Total Still Birth	10	0.4	9	0.4	BCG	68.9
25	Newborn weighted at birth to live birth	1,393	99.5	627	97.8	3 dose of DPT	58.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	65	4.7	33	5.3	Measles	66.2
27	Newborns breastfed within 1 hour to total reported live birth.	1,368	97.7	627	97.8	Full Immunization	50
28	Fully immunized	1,163	51.5	646	29.0		
29	Children who have received BCG	1,520	67.3	732	32.8		
30	Children who have received DPT1	1,550	68.6	668	29.9		
31	Children who have received DPT3	1,391	61.6	652	29.2		
32	Children who have received Measles	1,282	56.8	641	28.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	622		235			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	11.1	
35	Number of Tubectomies performed	145	30		Spacing	13.6	
36	Number of IUD insertion	277	192		Women using any method	59.8	
37	Number of IUD removals	182	142		Women using modern method	54.2	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
38	IPD cases per 10,000 population ***	202	102				
39	General OPD cases per 10,000 population ***	8019	3942				
40	Ayush OPD cases per 10,000 population ***	369	125				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Expected number of PW, Expected number of delivery and Expected number of live birth of 2013-14 may differ from previous factsheet . In previous factsheet (2012-13 & 2013-14), target is calculated from provisional census data of 2011 and in this current report target is calculated from final census data of 2011.

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.