

## ARUNACHAL Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2013)			
1	Population 2011	1,382,611	9	Birth Rate		19.4	
2	Sex Ratio	920	10	Death Rate		5.8	
3	Number of districts	16	11	IMR		33	
<b>B) Infrastructure Details (RHS 2012)</b>			12	Growth Rate		13.6	
4	Sub Centers (SC)	286	13	TFR (SRS - 2007)		2.7	
5	Primary Health Centers (PHC)	97					
6	Community Health Centers (CHC)	48					
7	SDH	0					
8	DH	14					
<b>D) Maternal Health:</b>		<b>2012-13</b>		<b>2013-14</b>			
14	Expected number of PW	30,894		31,695			
15	Expected number of Delivery	28,738		29,483			
		<b>HMIS (2012-13)</b>		<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	30,559	98.9	34,401	108.5	Any ANC	63.3
17	Mothers registered in the first trimester	11,120	36.4	12,198	35.5	ANC Check up in first trimester	36.2
18	Mothers who had at least 3 Ante-Natal care check ups	9,956	32.6	10,573	30.7	3 or more ANC check up	48.2
19	PW who got TT 2 / Booster injection	17,820	58.3	19,308	56.1	Atleast 1 TT received	61.4
20	PW who consumed 100 IFA tablets	14,429	47.2	13,976	40.6	100 IFA tablets consumed	42.9
21	Home Delivery against expected delivery *	731	2.5	701	2.4	Full ANC	5.4
22	Institutional Delivery against expected delivery *	13,625	47	14,123	48	Home Delivery	52.1
23	Home Delivery against reported delivery **	731	5	701	4.7	Institutional Delivery	47.7
24	Institutional Delivery against reported delivery **	13,625	95	14,123	95.3	Home Delivery by SBA	2.3
25	Total reported Deliveries	14,356	50	14,824	50	PNC within 14 days of delivery	38.3
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	548	75	497	71		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,907	20	2,815	19		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
28	Expected number of Live Birth	28,085		28,814			
<b>E) Child Immunization :</b>		<b>HMIS (2012-13)</b>		<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		

29	Total reported live births	14,970	53.3	15,114	52.5	Breastfed within 1 hour of birth	38.1
30	Total Still Birth	335	1.2	229	0.8	BCG	58.2
31	Newborn weighted at birth to live birth	14,475	96.7	14,588	96.5	3 dose of DPT	55.6
32	Newborn having weighted less than 2.5 kg to newborn weighted at birth.	952	6.4	927	6.1	Measles	65.5
33	Newborns breastfed within 1 hour to total reported live birth.	13,286	88.8	13,873	91.8	Full Immunization	40.3
34	Fully immunized	16,505	58.8	17,739	61.6		
35	Children who have received BCG	21,954	78.2	22,357	77.6		
36	Children who have received DPT1	20,331	72.4	21,747	75.5		
37	Children who have received DPT3	17,285	61.5	18,784	65.2		
38	Children who have received Measles	16,894	60.2	18,160	63.0		
39	Diarrhoea and Dehydration cases reported in children below 5 years	22,557		19,563			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

<b>F) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>	<b>DLHS III (2007-08)</b>	
40	Number of Vasectomies performed	1	2	Limiting	10.4
41	Number of Tubectomies performed	2,096	1,201	Spacing	3.9
42	Number of IUD insertion	2,704	2,952	Women using any method	52
43	Number of IUD removals	1,232	1,129	Women using modern method	49
<b>G) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
44	IPD cases per 10,000 population ***	452	531		
45	General OPD cases per 10,000 population ***	9,394	8879		
46	Ayush OPD cases per 10,000 population ***	488	508		
<b>H) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
47	Neonatal death within 24 hours	3	7		
48	Up to 1 Weeks of Birth	22	14		
49	Between 1 week & 4 weeks of birth	1	1		
50	Neonatal Death	26	22		
51	Between 1 month and 11 months	22	17		
52	<b>Total reported infant deaths</b>	48	39		
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
	<b>Maternal Deaths (In Numbers)</b>				
53	Due to Abortion	0	0		
54	Due to Obstructed/prolonged labour	0	0		
55	Due to Severe hypertension/fits	3	2		
56	Due to Bleeding	1	2		
57	Due to High fever	1	0		
58	Due to Other Causes (including causes not known)	13	8		
59	<b>Total reported maternal deaths</b>	18	12		

## Anjaw Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	466		472			
9	Expected number of Delivery	423		429			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	457	98.1	392	83.0	Any ANC	54.3
11	Mothers registered in the first trimester	146	31.9	152	38.8	ANC Check up in first trimester	43.2
12	Mothers who had at least 3 Ante-Natal care check ups	137	30.0	140	35.7	3 or more ANC check up	52.5
13	PW who got TT 2 / Booster injection	179	39.2	178	45.4	Atleast 1 TT received	53.1
14	PW who consumed 100 IFA tablets	170	37.2	165	42.1	100 IFA tablets consumed	54.9
15	Home Delivery against expected delivery *	43	10.2	21	4.9	Full ANC	9.3
16	Institutional Delivery against expected delivery *	124	29.3	103	24.0	Home Delivery	66.0
17	Home Delivery against reported delivery **	43	25.7	21	16.9	Institutional Delivery	33.5
18	Institutional Delivery against reported delivery **	124	74.3	103	83.1	Home Delivery by SBA	2.9
19	Total reported Deliveries	167		124		PNC within 48 hrs of delivery	32.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	86.0	14	66.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	81	48.5	53	42.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	423		429			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	166	39.2	129	30.1	Breastfeed within 1 hour of birth	39.3
24	Total Still Birth	0	0.0	0	0.0	BCG	60

25	Newborn weighted at birth to live birth	134	80.7	112	86.8	3 dose of DPT	50
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	12	9.0	14	12.5	Measles	40
27	Newborns breastfed within 1 hour to total reported live birth.	134	80.7	117	90.7	Full Immunization	20
28	Fully immunized	119	28.1	117	27.3		
29	Children who have received BCG	181	42.8	171	39.8		
30	Children who have received DPT1	198	46.8	205	47.8		
31	Children who have received DPT3	141	33.3	162	37.7		
32	Children who have received Measles	139	32.8	141	32.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	839		739			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	5.3
35	Number of Tubectomies performed	0	0	Spacing	3
36	Number of IUD insertion	24	28	Women using any method	42.4
37	Number of IUD removals	9	11	Women using modern method	41.5
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	79	88		
39	General OPD cases per 10,000 population ***	13674	14404		
40	Ayush OPD cases per 10,000 population ***	1983	1817		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Changlang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	147,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	3,280		3,339			
9	Expected number of Delivery	3,032		3,086			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	3,795	115.7	4,144	124.1	Any ANC	73.2
11	Mothers registered in the first trimester	848	22.3	884	21.3	ANC Check up in first trimester	53.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,114	29.4	1,327	32.0	3 or more ANC check up	62.7
13	PW who got TT 2 / Booster injection	1,886	49.7	1,997	48.2	Atleast 1 TT received	71.7
14	PW who consumed 100 IFA tablets	1,077	28.4	1,368	33.0	100 IFA tablets consumed	30.8
15	Home Delivery against expected delivery *	39	1.3	51	1.7	Full ANC	3.7
16	Institutional Delivery against expected delivery *	1,129	37.2	1,132	36.7	Home Delivery	54.7
17	Home Delivery against reported delivery **	39	3.3	51	4.3	Institutional Delivery	45.3
18	Institutional Delivery against reported delivery **	1,129	96.7	1,132	95.7	Home Delivery by SBA	0.9
19	Total reported Deliveries	1,168		1,183		PNC within 48 hrs of delivery	45.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	69.2	38	74.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	260	22.3	344	29.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	2,982		3,036			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	1,151	38.6	1,177	38.8	Breastfeed within 1 hour of birth	54
24	Total Still Birth	18	0.6	13	0.4	BCG	84.5

25	Newborn weighted at birth to live birth	1,125	97.7	1,175	99.8	3 dose of DPT	75.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	91	8.1	88	7.5	Measles	27.2
27	Newborns breastfed within 1 hour to total reported live birth.	1,124	97.7	1,167	99.2	Full Immunization	15
28	Fully immunized	1,477	49.5	1,786	58.8		
29	Children who have received BCG	2,764	92.7	2,418	79.7		
30	Children who have received DPT1	2,746	92.1	2,685	88.4		
31	Children who have received DPT3	1,898	63.6	2,114	69.6		
32	Children who have received Measles	2,124	71.2	1,918	63.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	845		817			

**Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).**

<b>E) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>	
34	Number of Vasectomies performed	0	0	Limiting	2.9
35	Number of Tubectomies performed	332	10	Spacing	2.9
36	Number of IUD insertion	99	112	Women using any method	54.7
37	Number of IUD removals	71	134	Women using modern method	50.9
<b>F) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>		
38	IPD cases per 10,000 population ***	162	239		
39	General OPD cases per 10,000 population ***	8649	8328		
40	Ayush OPD cases per 10,000 population ***	1085	1194		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	1	0		

## Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers(PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	175		176			
9	Expected number of Delivery	159		160			
		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	183	104.7	153	86.8	Any ANC	73.2
11	Mothers registered in the first trimester	91	49.7	81	52.9	ANC Check up in first trimester	47.3
12	Mothers who had at least 3 Ante-Natal care check ups	67	36.6	109	71.2	3 or more ANC check up	43.5
13	PW who got TT 2 / Booster injection	281	153.6	92	60.1	Atleast 1 TT received	73.2
14	PW who consumed 100 IFA tablets	147	80.3	397	259.5	100 IFA tablets consumed	34.3
15	Home Delivery against expected delivery *	16	10.1	11	6.9	Full ANC	4.6
16	Institutional Delivery against expected delivery *	70	44.1	72	44.9	Home Delivery	41.8
17	Home Delivery against reported delivery **	16	18.6	11	13.3	Institutional Delivery	56.6
18	Institutional Delivery against reported delivery **	70	81.4	72	86.7	Home Delivery by SBA	1.6
19	Total reported Deliveries	86		83		PNC within 48 hrs of delivery	43.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	56.3	9	81.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	79	91.9	72	86.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	159		160			
D) Child Immunization :		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
23	Total reported live births	104	65.5	93	58.0	Breastfeed within 1 hour of birth	20.9
24	Total Still Birth	1	0.6	2	1.2	BCG	88.9



25	Newborn weighted at birth to live birth	100	96.2	84	90.3	3 dose of DPT	62.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	4.0	6	7.1	Measles	37.8
27	Newborns breastfed within 1 hour to total reported live birth.	99	95.2	84	90.3	Full Immunization	13.3
28	Fully immunized	75	47.2	119	74.2		
29	Children who have received BCG	84	52.9	104	64.9		
30	Children who have received DPT1	97	61.1	114	71.1		
31	Children who have received DPT3	95	59.8	108	67.4		
32	Children who have received Measles	70	44.1	114	71.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	315		459			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	15.5
35	Number of Tubectomies performed	0	0	Spacing	8.2
36	Number of IUD insertion	0	1	Women using any method	37.8
37	Number of IUD removals	1	2	Women using modern method	36.1

F) Service delivery		HMIS (2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	0	0		
39	General OPD cases per 10,000 population ***	16273	15167		
40	Ayush OPD cases per 10,000 population ***	253	805		

### G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS (2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		

### II) Maternal Mortality

Maternal Deaths (In Numbers)		HMIS (2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		



## East Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	1,771		1,837			
9	Expected number of Delivery	1,610		1,670			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	1,025	57.9	1,234	67.2	Any ANC	52.9
11	Mothers registered in the first trimester	335	32.7	492	39.9	ANC Check up in first trimester	15.4
12	Mothers who had at least 3 Ante-Natal care check ups	277	27.0	428	34.7	3 or more ANC check up	25.5
13	PW who got TT 2 / Booster injection	338	33.0	365	29.6	Atleast 1 TT received	52.9
14	PW who consumed 100 IFA tablets	621	60.6	674	54.6	100 IFA tablets consumed	49.3
15	Home Delivery against expected delivery *	61	3.8	53	3.2	Full ANC	1.9
16	Institutional Delivery against expected delivery *	433	26.9	415	24.8	Home Delivery	69.1
17	Home Delivery against reported delivery **	61	12.3	53	11.3	Institutional Delivery	30.6
18	Institutional Delivery against reported delivery **	433	87.7	415	88.7	Home Delivery by SBA	0.7
19	Total reported Deliveries	494		468		PNC within 48 hrs of delivery	22.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	85.2	27	50.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	327	66.2	99	21.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,610		1,670			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	511	31.7	524	31.4	Breastfeed within 1 hour of birth	48.8
24	Total Still Birth	0	0.0	1	0.1	BCG	46.8

25	Newborn weighted at birth to live birth	469	91.8	458	87.4	3 dose of DPT	38.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	6.0	78	17.0	Measles	27.7
27	Newborns breastfed within 1 hour to total reported live birth.	508	99.4	477	91.0	Full Immunization	15
28	Fully immunized	542	33.7	658	39.4		
29	Children who have received BCG	713	44.3	795	47.6		
30	Children who have received DPT1	909	56.5	1,026	61.4		
31	Children who have received DPT3	641	39.8	742	44.4		
32	Children who have received Measles	564	35.0	658	39.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,944		1,952			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	12.3
35	Number of Tubectomies performed	0	0	Spacing	5.3
36	Number of IUD insertion	45	51	Women using any method	36
37	Number of IUD removals	4	6	Women using modern method	33.7
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	27	20		
39	General OPD cases per 10,000 population ***	5680	4785		
40	Ayush OPD cases per 10,000 population ***	16	103		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	2	2		
46	<b>Total reported infant deaths</b>	<b>2</b>	<b>2</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## East Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	99,019					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers(PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	2,185		2,214			
9	Expected number of Delivery	2,016		2,043			
		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	1,809	82.8	2,372	107.1	Any ANC	68.0
11	Mothers registered in the first trimester	854	47.2	999	42.1	ANC Check up in first trimester	33.1
12	Mothers who had at least 3 Ante-Natal care check ups	771	42.6	1,005	42.4	3 or more ANC check up	49.2
13	PW who got TT 2 / Booster injection	1,011	55.9	1,155	48.7	Atleast 1 TT received	65.0
14	PW who consumed 100 IFA tablets	1,230	68.0	1,304	55.0	100 IFA tablets consumed	35.7
15	Home Delivery against expected delivery *	33	1.6	77	3.8	Full ANC	3.1
16	Institutional Delivery against expected delivery *	1,352	67.1	1,573	77.0	Home Delivery	45.5
17	Home Delivery against reported delivery **	33	2.4	77	4.7	Institutional Delivery	53.9
18	Institutional Delivery against reported delivery **	1,352	97.6	1,573	95.3	Home Delivery by SBA	0.9
19	Total reported Deliveries	1,385		1,650		PNC within 48 hrs of delivery	36.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	78.8	67	87.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	148	10.7	318	19.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,987		2,013			
D) Child Immunization :		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
23	Total reported live births	1,412	71.1	1,661	82.5	Breastfeed within 1 hour of birth	48.2

24	Total Still Birth	23	1.2	35	1.7	BCG	73.1
25	Newborn weighted at birth to live birth	1,413	100.1	1,523	91.7	3 dose of DPT	52
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	136	9.6	192	12.6	Measles	28.6
27	Newborns breastfed within 1 hour to total reported live birth.	826	58.5	1,203	72.4	Full Immunization	6.8
28	Fully immunized	1,152	58.0	1,632	81.1		
29	Children who have received BCG	1,613	81.2	2,001	99.4		
30	Children who have received DPT1	1,473	74.1	1,840	91.4		
31	Children who have received DPT3	1,391	70.0	1,506	74.8		
32	Children who have received Measles	1,219	61.4	1,347	66.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,017		1,058			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	1	2	Limiting	15.3
35	Number of Tubectomies performed	155	209	Spacing	4.1
36	Number of IUD insertion	252	251	Women using any method	57
37	Number of IUD removals	53	62	Women using modern method	55.7
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	788	802		
39	General OPD cases per 10,000 population ***	13629	13809		
40	Ayush OPD cases per 10,000 population ***	149	250		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Kurung Kumey Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers(PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	2,171		2,412			
9	Expected number of Delivery	1,974		2,193			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	787	36.3	783	32.5	Any ANC	54.5
11	Mothers registered in the first trimester	418	53.1	482	61.6	ANC Check up in first trimester	40.0
12	Mothers who had at least 3 Ante-Natal care check ups	390	49.6	433	55.3	3 or more ANC check up	52.4
13	PW who got TT 2 / Booster injection	321	40.8	290	37.0	Atleast 1 TT received	53.1
14	PW who consumed 100 IFA tablets	688	87.4	743	94.9	100 IFA tablets consumed	54.5
15	Home Delivery against expected delivery *	136	6.9	150	6.8	Full ANC	9.0
16	Institutional Delivery against expected delivery *	314	15.9	312	14.2	Home Delivery	45.5
17	Home Delivery against reported delivery **	136	30.2	150	32.5	Institutional Delivery	54.7
18	Institutional Delivery against reported delivery **	314	69.8	312	67.5	Home Delivery by SBA	1.2
19	Total reported Deliveries	450		462		PNC within 48 hrs of delivery	38.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	60.3	87	58.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	148	32.9	187	40.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,974		2,193			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	441	22.3	435	19.8	Breastfeed within 1 hour of birth	16.7
24	Total Still Birth	0	0.0	2	0.1	BCG	54.2

25	Newborn weighted at birth to live birth	435	98.6	435	100.0	3 dose of DPT	37.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	5	1.1	Measles	33.3
27	Newborns breastfed within 1 hour to total reported live birth.	440	99.8	435	100.0	Full Immunization	20.8
28	Fully immunized	789	40.0	606	27.6		
29	Children who have received BCG	1,108	56.1	626	28.5		
30	Children who have received DPT1	836	42.4	627	28.6		
31	Children who have received DPT3	836	42.4	589	26.9		
32	Children who have received Measles	1,004	50.9	598	27.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,495		1,270			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	5.5
35	Number of Tubectomies performed	0	0	Spacing	0.8
36	Number of IUD insertion	108	126	Women using any method	48.3
37	Number of IUD removals	9	29	Women using modern method	47.3
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	31	22		
39	General OPD cases per 10,000 population ***	3618	3028		
40	Ayush OPD cases per 10,000 population ***	81	121		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	3	0		
46	<b>Total reported infant deaths</b>	<b>3</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Lohit Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	145,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	3,222		3,275			
9	Expected number of Delivery	2,955		3,003			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	4,986	154.8	4,122	125.9	Any ANC	69.8
11	Mothers registered in the first trimester	1,387	27.8	1,289	31.3	ANC Check up in first trimester	23.2
12	Mothers who had at least 3 Ante-Natal care check ups	1,697	34.0	1,385	33.6	3 or more ANC check up	64.4
13	PW who got TT 2 / Booster injection	2,341	47.0	2,400	58.2	Atleast 1 TT received	68.8
14	PW who consumed 100 IFA tablets	2,232	44.8	737	17.9	100 IFA tablets consumed	34.1
15	Home Delivery against expected delivery *	4	0.1	20	0.7	Full ANC	3.8
16	Institutional Delivery against expected delivery *	1,306	44.2	1,340	44.6	Home Delivery	41.8
17	Home Delivery against reported delivery **	4	0.3	20	1.5	Institutional Delivery	57.9
18	Institutional Delivery against reported delivery **	1,306	99.7	1,340	98.5	Home Delivery by SBA	0.8
19	Total reported Deliveries	1,310		1,360		PNC within 48 hrs of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		16			
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	47		42			
			3.6		3.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	2,929		2,977			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	1,301		1,360		Breastfeed within 1 hour of birth	26.9
			44.4		45.7		



24	Total Still Birth	10	0.3	18	0.6	BCG	91.1
25	Newborn weighted at birth to live birth	1,296	99.6	1,351	99.3	3 dose of DPT	73.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	169	13.0	125	9.3	Measles	28.2
27	Newborns breastfed within 1 hour to total reported live birth.	1,281	98.5	1,329	97.7	Full Immunization	18.6
28	Fully immunized	2,265	77.3	2,267	76.1		
29	Children who have received BCG	3,105	106.0	3,009	101.1		
30	Children who have received DPT1	2,944	100.5	3,220	108.2		
31	Children who have received DPT3	2,518	86.0	2,746	92.2		
32	Children who have received Measles	2,320	79.2	2,305	77.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,398		1,516			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	7
35	Number of Tubectomies performed	0	0	Spacing	0.9
36	Number of IUD insertion	172	257	Women using any method	53.2
37	Number of IUD removals	55	69	Women using modern method	49.4
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	149	114		
39	General OPD cases per 10,000 population ***	9123	8766		
40	Ayush OPD cases per 10,000 population ***	870	633		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	1	1		
46	<b>Total reported infant deaths</b>	1	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	0		

## Lower Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	1,184		1,192			
9	Expected number of Delivery	1,115		1,122			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	1,091	92.1	1,197	100.4	Any ANC	68.8
11	Mothers registered in the first trimester	290	26.6	351	29.3	ANC Check up in first trimester	29.3
12	Mothers who had at least 3 Ante-Natal care check ups	629	57.7	695	58.1	3 or more ANC check up	37.2
13	PW who got TT 2 / Booster injection	534	48.9	669	55.9	Atleast 1 TT received	68.5
14	PW who consumed 100 IFA tablets	737	67.6	338	28.2	100 IFA tablets consumed	34.3
15	Home Delivery against expected delivery *	34	3.1	48	4.3	Full ANC	3.1
16	Institutional Delivery against expected delivery *	731	65.6	722	64.3	Home Delivery	50.7
17	Home Delivery against reported delivery **	34	4.4	48	6.2	Institutional Delivery	48.5
18	Institutional Delivery against reported delivery **	731	95.6	722	93.8	Home Delivery by SBA	2.3
19	Total reported Deliveries	765		770		PNC within 48 hrs of delivery	34.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	94.1	46	95.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	283	37.0	272	35.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,076		1,084			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	823	76.5	776	71.6	Breastfeed within 1 hour of birth	27.5

24	Total Still Birth	27	2.5	13	1.2	BCG	94.8
25	Newborn weighted at birth to live birth	813	98.8	767	98.8	3 dose of DPT	31.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	57	7.0	53	6.9	Measles	63.2
27	Newborns breastfed within 1 hour to total reported live birth.	817	99.3	767	98.8	Full Immunization	16.7
28	Fully immunized	685	63.6	628	57.9		
29	Children who have received BCG	1,003	93.2	893	82.4		
30	Children who have received DPT1	939	87.2	834	76.9		
31	Children who have received DPT3	810	75.2	730	67.3		
32	Children who have received Measles	821	76.3	681	62.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	558		794			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	16.6
35	Number of Tubectomies performed	143	45	Spacing	5.1
36	Number of IUD insertion	68	54	Women using any method	48
37	Number of IUD removals	28	9	Women using modern method	46.6
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	489	386		
39	General OPD cases per 10,000 population ***	11144	9975		
40	Ayush OPD cases per 10,000 population ***	597	467		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	2		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	0	3		
45	Between 1 month and 11 months	0	3		
46	<b>Total reported infant deaths</b>	0	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	0	3		

## Lower Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	1,892		1,984			
9	Expected number of Delivery	1,747		1,832			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	529	28.0	1,113	56.1	Any ANC	71.2
11	Mothers registered in the first trimester	253	47.8	254	22.8	ANC Check up in first trimester	41.0
12	Mothers who had at least 3 Ante-Natal care check ups	188	35.5	165	14.8	3 or more ANC check up	61.7
13	PW who got TT 2 / Booster injection	168	31.8	216	19.4	Atleast 1 TT received	67.0
14	PW who consumed 100 IFA tablets	141	26.7	191	17.2	100 IFA tablets consumed	34.3
15	Home Delivery against expected delivery *	2	0.1	3	0.2	Full ANC	4.9
16	Institutional Delivery against expected delivery *	453	25.9	493	26.9	Home Delivery	36.7
17	Home Delivery against reported delivery **	2	0.4	3	0.6	Institutional Delivery	60.7
18	Institutional Delivery against reported delivery **	453	99.6	493	99.4	Home Delivery by SBA	3.1
19	Total reported Deliveries	455		496		PNC within 48 hrs of delivery	40.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	100.0	3	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	156	34.3	138	27.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,720		1,804			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	447	26.0	480	26.6	Breastfeed within 1 hour of birth	37.7
24	Total Still Birth	12	0.7	16	0.9	BCG	62.3

25	Newborn weighted at birth to live birth	456	102.0	488	101.7	3 dose of DPT	58
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	24	5.3	32	6.6	Measles	14.1
27	Newborns breastfed within 1 hour to total reported live birth.	447	100.0	468	97.5	Full Immunization	3.8
28	Fully immunized	495	28.8	469	26.0		
29	Children who have received BCG	570	33.1	635	35.2		
30	Children who have received DPT1	607	35.3	733	40.6		
31	Children who have received DPT3	643	37.4	638	35.4		
32	Children who have received Measles	521	30.3	573	31.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,059		914			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	4.9
35	Number of Tubectomies performed	14	7	Spacing	1.5
36	Number of IUD insertion	152	157	Women using any method	54.1
37	Number of IUD removals	102	72	Women using modern method	51.5
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	0	455		
39	General OPD cases per 10,000 population ***	5278	5432		
40	Ayush OPD cases per 10,000 population ***	136	225		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	3	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	3	2		
45	Between 1 month and 11 months	4	0		
46	<b>Total reported infant deaths</b>	<b>7</b>	<b>2</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>2</b>		

## Papum Pare Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers(PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	4,013		4,192			
9	Expected number of Delivery	3,691		3,855			
		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	6,485	161.6	9,961	237.6	Any ANC	78.5
11	Mothers registered in the first trimester	3,321	51.2	4,113	41.3	ANC Check up in first trimester	49.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,675	25.8	1,403	14.1	3 or more ANC check up	57.8
13	PW who got TT 2 / Booster injection	1,650	25.4	1,492	15.0	Atleast 1 TT received	76.6
14	PW who consumed 100 IFA tablets	1,209	18.6	1,160	11.6	100 IFA tablets consumed	34.8
15	Home Delivery against expected delivery *	38	1.0	26	0.7	Full ANC	12.0
16	Institutional Delivery against expected delivery *	3,742	101.4	3,689	95.7	Home Delivery	28.4
17	Home Delivery against reported delivery **	38	1.0	26	0.7	Institutional Delivery	71.4
18	Institutional Delivery against reported delivery **	3,742	99.0	3,689	99.3	Home Delivery by SBA	0.2
19	Total reported Deliveries	3,780		3,715		PNC within 48 hrs of delivery	47.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	100.0	25	96.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	274	7.2	168	4.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	3,648		3,811			
D) Child Immunization :		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
23	Total reported live births	4,116	112.8	3,992	104.8	Breastfeed within 1 hour of birth	58.9

24	Total Still Birth	48	1.3	56	1.5	BCG	91
25	Newborn weighted at birth to live birth	4,134	100.4	3,843	96.3	3 dose of DPT	64.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	222	5.4	167	4.3	Measles	24.3
27	Newborns breastfed within 1 hour to total reported live birth.	3,473	84.4	3,731	93.5	Full Immunization	15.8
28	Fully immunized	3,423	93.8	4,138	108.6		
29	Children who have received BCG	4,167	114.2	5,171	135.7		
30	Children who have received DPT1	2,776	76.1	3,527	92.6		
31	Children who have received DPT3	2,088	57.2	2,796	73.4		
32	Children who have received Measles	2,298	63.0	3,798	99.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,530		4,023			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>	<b>DLHS III (2007-08)</b>			
34	Number of Vasectomies performed	0	0	Limiting	11.1		
35	Number of Tubectomies performed	903	693	Spacing	6		
36	Number of IUD insertion	551	692	Women using any method	60.8		
37	Number of IUD removals	194	156	Women using modern method	57.2		
<b>F) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>				
38	IPD cases per 10,000 population ***	2070	2488				
39	General OPD cases per 10,000 population ***	16495	15464				
40	Ayush OPD cases per 10,000 population ***	168	268				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>				
41	Neonatal death within 24 hours	2	5				
42	Up to 1 Weeks of Birth	18	10				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	21	15				
45	Between 1 month and 11 months	7	6				
46	<b>Total reported infant deaths</b>	<b>28</b>	<b>21</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	8	5				
53	<b>Total reported maternal deaths</b>	<b>10</b>	<b>5</b>				



## Tawang Factsheet

### Key Indicators

<b>A) Demographic Indicators (Census 2011)</b>							
1	Population 2011	<b>49,950</b>					
2	Sex Ratio	<b>701</b>					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>NA</b>					
4	Primary Health Centers (PHC)	<b>NA</b>					
5	Community Health Centers (CHC)	<b>NA</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2012-13</b>		<b>2013-14</b>			
8	Expected number of PW	1,119		1,150			
9	Expected number of Delivery	1,039		1,068			
		<b>HMIS (2012-13)</b>		<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	750	67.0	792	68.8	Any ANC	62.5
11	Mothers registered in the first trimester	433	57.7	406	51.3	ANC Check up in first trimester	44.8
12	Mothers who had at least 3 Ante-Natal care check ups	266	35.5	239	30.2	3 or more ANC check up	46.4
13	PW who got TT 2 / Booster injection	416	55.5	388	49.0	Atleast 1 TT received	60.7
14	PW who consumed 100 IFA tablets	633	84.4	266	33.6	100 IFA tablets consumed	47.9
15	Home Delivery against expected delivery *	13	1.3	20	1.9	Full ANC	9.9
16	Institutional Delivery against expected delivery *	321	30.9	284	26.6	Home Delivery	57.9
17	Home Delivery against reported delivery **	13	3.9	20	6.6	Institutional Delivery	40.6
18	Institutional Delivery against reported delivery **	321	96.1	284	93.4	Home Delivery by SBA	3.2
19	Total reported Deliveries	334		304		PNC within 48 hrs of delivery	35.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	100.0	20	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30	9.0	68	22.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,017		1,046			
<b>D) Child Immunization :</b>		<b>HMIS (2012-13)</b>		<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>	
23	Total reported live births	329	32.3	291	27.8	Breastfeed within 1 hour of birth	35.9
24	Total Still Birth	9	0.9	17	1.6	BCG	88

25	Newborn weighted at birth to live birth	318	96.7	272	93.5	3 dose of DPT	67.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	20	6.3	11	4.0	Measles	45.9
27	Newborns breastfed within 1 hour to total reported live birth.	296	90.0	226	77.7	Full Immunization	18.2
28	Fully immunized	578	56.8	720	68.8		
29	Children who have received BCG	614	60.4	687	65.7		
30	Children who have received DPT1	749	73.6	796	76.1		
31	Children who have received DPT3	744	73.2	816	78.0		
32	Children who have received Measles	633	62.2	742	70.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	967		586			

**Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).**

<b>E) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>	<b>DLHS III (2007-08)</b>	
34	Number of Vasectomies performed	0	0	Limiting	11.9
35	Number of Tubectomies performed	2	23	Spacing	3.2
36	Number of IUD insertion	171	131	Women using any method	53.1
37	Number of IUD removals	36	26	Women using modern method	50.5
<b>F) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
38	IPD cases per 10,000 population ***	4	34		
39	General OPD cases per 10,000 population ***	10570	9387		
40	Ayush OPD cases per 10,000 population ***	530	239		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	2	1		
46	<b>Total reported infant deaths</b>	<b>3</b>	<b>1</b>		
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>1</b>		

## Tirap Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	111,997					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	2,468		2,496			
9	Expected number of Delivery	2,279		2,306			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	2,211	89.6	1,677	67.2	Any ANC	56.4
11	Mothers registered in the first trimester	838	37.9	697	41.6	ANC Check up in first trimester	29.7
12	Mothers who had at least 3 Ante-Natal care check ups	598	27.0	744	44.4	3 or more ANC check up	44.6
13	PW who got TT 2 / Booster injection	1,065	48.2	1,223	72.9	Atleast 1 TT received	53.5
14	PW who consumed 100 IFA tablets	914	41.3	399	23.8	100 IFA tablets consumed	44.6
15	Home Delivery against expected delivery *	176	7.7	158	6.9	Full ANC	1.0
16	Institutional Delivery against expected delivery *	527	23.1	602	26.1	Home Delivery	50.5
17	Home Delivery against reported delivery **	176	25.0	158	20.8	Institutional Delivery	49.5
18	Institutional Delivery against reported delivery **	527	75.0	602	79.2	Home Delivery by SBA	1.0
19	Total reported Deliveries	703		760		PNC within 48 hrs of delivery	24.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	66.5	91	57.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	337	47.9	256	33.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	2,243		2,269			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	698	31.1	751	33.1	Breastfeed within 1 hour of birth	37
24	Total Still Birth	19	0.8	9	0.4	BCG	69.2

25	Newborn weighted at birth to live birth	654	93.7	694	92.4	3 dose of DPT	76.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	1.2	20	2.9	Measles	53.8
27	Newborns breastfed within 1 hour to total reported live birth.	661	94.7	698	92.9	Full Immunization	46.2
28	Fully immunized	1,258	56.1	1,614	71.1		
29	Children who have received BCG	1,651	73.6	1,619	71.3		
30	Children who have received DPT1	1,701	75.8	1,894	83.5		
31	Children who have received DPT3	1,451	64.7	1,943	85.6		
32	Children who have received Measles	1,539	68.6	1,831	80.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,739		2,140			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	4.6
35	Number of Tubectomies performed	336	0	Spacing	2
36	Number of IUD insertion	55	73	Women using any method	47.8
37	Number of IUD removals	48	48	Women using modern method	44.3
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	204	199		
39	General OPD cases per 10,000 population ***	8661	6958		
40	Ayush OPD cases per 10,000 population ***	1343	1588		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	2	1		
46	<b>Total reported infant deaths</b>	<b>3</b>	<b>2</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Upper Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers(PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	773		777			
9	Expected number of Delivery	728		732			
		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	703	90.9	680	87.5	Any ANC	36.3
11	Mothers registered in the first trimester	291	41.4	253	37.2	ANC Check up in first trimester	10.1
12	Mothers who had at least 3 Ante-Natal care check ups	231	32.9	346	50.9	3 or more ANC check up	13.4
13	PW who got TT 2 / Booster injection	316	45.0	379	55.7	Atleast 1 TT received	34.5
14	PW who consumed 100 IFA tablets	375	53.3	511	75.1	100 IFA tablets consumed	66.1
15	Home Delivery against expected delivery *	41	5.6	24	3.3	Full ANC	2.0
16	Institutional Delivery against expected delivery *	308	42.3	308	42.1	Home Delivery	86.7
17	Home Delivery against reported delivery **	41	11.7	24	7.2	Institutional Delivery	13.0
18	Institutional Delivery against reported delivery **	308	88.3	308	92.8	Home Delivery by SBA	2.1
19	Total reported Deliveries	349		332		PNC within 48 hrs of delivery	9.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	40	97.6	22	91.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	120	34.4	144	43.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	703		707			
D) Child Immunization :		HMIS (2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
23	Total reported live births	343	48.8	333	47.1	Breastfeed within 1 hour of birth	37.2
24	Total Still Birth	11	1.6	12	1.7	BCG	60

25	Newborn weighted at birth to live birth	261	76.1	304	91.3	3 dose of DPT	27.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	10	3.8	11	3.6	Measles	39.9
27	Newborns breastfed within 1 hour to total reported live birth.	267	77.8	195	58.6	Full Immunization	6.1
28	Fully immunized	476	67.7	444	62.8		
29	Children who have received BCG	732	104.2	491	69.5		
30	Children who have received DPT1	622	88.5	521	73.7		
31	Children who have received DPT3	583	83.0	516	73.0		
32	Children who have received Measles	447	63.6	534	75.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,008		981			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

<b>E) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>	<b>DLHS III (2007-08)</b>	
34	Number of Vasectomies performed	0	0	Limiting	16.9
35	Number of Tubectomies performed	64	30	Spacing	5.8
36	Number of IUD insertion	60	103	Women using any method	44.2
37	Number of IUD removals	35	50	Women using modern method	42.5
<b>F) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
38	IPD cases per 10,000 population ***	91	180		
39	General OPD cases per 10,000 population ***	11106	11776		
40	Ayush OPD cases per 10,000 population ***	104	146		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	1	0		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Upper Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers(PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	1,903		1,999			
9	Expected number of Delivery	1,751		1,839			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	1,844	96.9	1,616	80.8	Any ANC	61.4
11	Mothers registered in the first trimester	395	21.4	398	24.6	ANC Check up in first trimester	28.5
12	Mothers who had at least 3 Ante-Natal care check ups	457	24.8	325	20.1	3 or more ANC check up	51.9
13	PW who got TT 2 / Booster injection	536	29.1	477	29.5	Atleast 1 TT received	58.1
14	PW who consumed 100 IFA tablets	1,562	84.7	1,061	65.7	100 IFA tablets consumed	41.3
15	Home Delivery against expected delivery *	87	5.0	37	2.0	Full ANC	2.0
16	Institutional Delivery against expected delivery *	948	54.1	870	47.3	Home Delivery	40.6
17	Home Delivery against reported delivery **	87	8.4	37	4.1	Institutional Delivery	59.1
18	Institutional Delivery against reported delivery **	948	91.6	870	95.9	Home Delivery by SBA	0.9
19	Total reported Deliveries	1,035		907		PNC within 48 hrs of delivery	42.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	66	75.9	30	81.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	184	17.8	213	23.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,730		1,817			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	1,019	58.9	930	51.2	Breastfeed within 1 hour of birth	34.2
24	Total Still Birth	48	2.8	10	0.6	BCG	56.5



25	Newborn weighted at birth to live birth	887	87.0	909	97.7	3 dose of DPT	31.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	46	5.2	22	2.4	Measles	28.5
27	Newborns breastfed within 1 hour to total reported live birth.	955	93.7	838	90.1	Full Immunization	7.1
28	Fully immunized	569	32.9	632	34.8		
29	Children who have received BCG	1,027	59.4	1,081	59.5		
30	Children who have received DPT1	1,081	62.5	1,057	58.2		
31	Children who have received DPT3	1,120	64.7	1,027	56.5		
32	Children who have received Measles	1,046	60.4	858	47.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,150		511			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	7.5
35	Number of Tubectomies performed	0	0	Spacing	0.8
36	Number of IUD insertion	444	204	Women using any method	60.2
37	Number of IUD removals	252	124	Women using modern method	54.5
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	7	31		
39	General OPD cases per 10,000 population ***	4409	4350		
40	Ayush OPD cases per 10,000 population ***	174	165		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## West Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	1,927		1,959			
9	Expected number of Delivery	1,804		1,834			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	1,695	88.0	2,385	121.8	Any ANC	67.6
11	Mothers registered in the first trimester	856	50.5	928	38.9	ANC Check up in first trimester	48.9
12	Mothers who had at least 3 Ante-Natal care check ups	664	39.2	898	37.7	3 or more ANC check up	55.9
13	PW who got TT 2 / Booster injection	792	46.7	868	36.4	Atleast 1 TT received	64.2
14	PW who consumed 100 IFA tablets	1,284	75.8	3,820	160.2	100 IFA tablets consumed	41.7
15	Home Delivery against expected delivery *	2	0.1	1	0.1	Full ANC	7.7
16	Institutional Delivery against expected delivery *	672	37.2	800	43.6	Home Delivery	56.2
17	Home Delivery against reported delivery **	2	0.3	1	0.1	Institutional Delivery	42.9
18	Institutional Delivery against reported delivery **	672	99.7	800	99.9	Home Delivery by SBA	1.6
19	Total reported Deliveries	674		801		PNC within 48 hrs of delivery	36.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	100.0	1	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	320	47.5	391	48.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,752		1,781			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	656	37.5	782	43.9	Breastfeed within 1 hour of birth	36.4
24	Total Still Birth	16	0.9	15	0.8	BCG	88.4

25	Newborn weighted at birth to live birth	650	99.1	780	99.7	3 dose of DPT	57.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	53	8.2	38	4.9	Measles	44
27	Newborns breastfed within 1 hour to total reported live birth.	652	99.4	770	98.5	Full Immunization	7.1
28	Fully immunized	1,547	88.3	746	41.9		
29	Children who have received BCG	1,152	65.8	1,136	63.8		
30	Children who have received DPT1	1,097	62.6	1,118	62.8		
31	Children who have received DPT3	878	50.1	960	53.9		
32	Children who have received Measles	864	49.3	780	43.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	732		1,181			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

<b>E) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>	
34	Number of Vasectomies performed	0	0	Limiting	11.2
35	Number of Tubectomies performed	34	39	Spacing	2
36	Number of IUD insertion	223	435	Women using any method	51.3
37	Number of IUD removals	122	149	Women using modern method	50
<b>F) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>		
38	IPD cases per 10,000 population ***	368	322		
39	General OPD cases per 10,000 population ***	8053	7828		
40	Ayush OPD cases per 10,000 population ***	204	143		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	0	3		
46	<b>Total reported infant deaths</b>	0	4		
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	0		
53	<b>Total reported maternal deaths</b>	4	1		

## West Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	112,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	2,465		2,485			
9	Expected number of Delivery	2,450		2,470			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	2,209	89.6	1,780	71.6	Any ANC	57.1
11	Mothers registered in the first trimester	364	16.5	419	23.5	ANC Check up in first trimester	33.0
12	Mothers who had at least 3 Ante-Natal care check ups	795	36.0	931	52.3	3 or more ANC check up	44.1
13	PW who got TT 2 / Booster injection	929	42.1	945	53.1	Atleast 1 TT received	52.7
14	PW who consumed 100 IFA tablets	1,409	63.8	842	47.3	100 IFA tablets consumed	46.8
15	Home Delivery against expected delivery *	6	0.2	1	0.0	Full ANC	2.2
16	Institutional Delivery against expected delivery *	1,195	48.8	1,408	57.0	Home Delivery	45.7
17	Home Delivery against reported delivery **	6	0.5	1	0.1	Institutional Delivery	54.7
18	Institutional Delivery against reported delivery **	1,195	99.5	1,408	99.9	Home Delivery by SBA	1.1
19	Total reported Deliveries	1,201		1,409		PNC within 48 hrs of delivery	30.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	83.3	1	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	113	9.4	50	3.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	2,241		2,259			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	1,453	64.8	1,400	62.0	Breastfeed within 1 hour of birth	31
24	Total Still Birth	93	4.2	10	0.4	BCG	58.1

25	Newborn weighted at birth to live birth	1,330	91.5	1,393	99.5	3 dose of DPT	44.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	71	5.3	65	4.7	Measles	29.9
27	Newborns breastfed within 1 hour to total reported live birth.	1,306	89.9	1,368	97.7	Full Immunization	19.4
28	Fully immunized	1,055	47.1	1,163	51.5		
29	Children who have received BCG	1,470	65.6	1,520	67.3		
30	Children who have received DPT1	1,556	69.4	1,550	68.6		
31	Children who have received DPT3	1,448	64.6	1,391	61.6		
32	Children who have received Measles	1,285	57.3	1,282	56.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	961		622			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	8.5
35	Number of Tubectomies performed	113	145	Spacing	1.3
36	Number of IUD insertion	280	277	Women using any method	68.2
37	Number of IUD removals	213	182	Women using modern method	61.2
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	362	239		
39	General OPD cases per 10,000 population ***	8309	8019		
40	Ayush OPD cases per 10,000 population ***	346	369		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

\* Against Expected Delivery for the whole year

\*\* Against Reported Delivery for the 2013-14.

\*\*\* Against Estimated Population for whole year