

## MANIPUR Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2013)			
1	Population 2011	2,721,756	9	Birth Rate		14.6	
2	Sex Ratio	987	10	Death Rate		4	
3	Number of districts	9	11	IMR		10	
<b>B) Infrastructure Details (RHS 2012)</b>			12	Growth Rate		10.6	
4	Sub Centers (SC)	420	13	TFR (SRS - 2007)		1.6	
5	Primary Health Centers (PHC)	80					
6	Community Health Centers (CHC)	16					
7	SDH	1					
8	DH	7					
<b>D) Maternal Health:</b>		<b>2012-13</b>	<b>2013-14</b>				
14	Expected number of PW	43,917	44,736				
15	Expected number of Delivery	40,190	40,939				
		<b>(HMIS (2012-13))</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	78,512	178.8	87,352	195.3	Any ANC	63.3
17	Mothers registered in the first trimester	45,067	57.4	45,618	52.2	ANC Check up in first trimester	57.3
18	Mothers who had at least 3 Ante-Natal care check ups	43,349	55.2	44,641	51.1	3 or more ANC check up	58.1
19	PW who got TT 2 / Booster injection	36,677	46.7	37,953	43.4	Atleast 1 TT received	73.8
20	PW who consumed 100 IFA tablets	21,168	27.0	20,648	23.6	100 IFA tablets consumed	37.9
21	Home Delivery against expected delivery *	8,747	21.8	9,310	22.7	Full ANC	12.5
22	Institutional Delivery against expected delivery *	27,922	69.5	27,867	68.1	Home Delivery	58.2
23	Home Delivery against reported delivery **	8,747	23.9	9,310	25.0	Institutional Delivery	41.1
24	Institutional Delivery against reported delivery **	27,922	76.1	27,867	75.0	Home Delivery by SBA	24.6
25	Total reported Deliveries	36,669	91.2	37,177	90.8	PNC within 14 days of delivery	42.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,134	58.7	5,067	54.4		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,026	38.3	16,565	44.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
28	Expected number of Live Birth	39,924	40,669				
<b>E) Child Immunization:</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	36,677	91.9	37,172	91.4	Breastfed within 1 hour of birth	57.7
30	Total Still Birth	282	0.7	244	0.6	BCG	75.5

31	Newborn weighted at birth to live birth	35,593	97.0	36,142	97.2	3 dose of DPT	63.2
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,603	4.4	1,416	3.8	Measles	58.9
33	Newborns breastfed within 1 hour to total reported live birth.	28,206	76.9	28,461	76.6	Full Immunization	48.5
34	Fully immunized	40,372	101.1	42,037	103.4		
35	Children who have received BCG	52,514	131.5	52,955	130.2		
36	Children who have received DPT1	52,035	130.3	53,311	131.1		
37	Children who have received DPT3	46,249	115.8	48,648	119.6		
38	Children who have received Measles	43,632	109.3	45,502	111.9		
39	Diarrhoea and Dehydration cases reported in children below 5 years	17,541		14,631			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

F) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
40	Number of Vasectomies performed	98	130	Limiting	17.5
41	Number of Tubectomies performed	861	739	Spacing	8.1
42	Number of IUD insertion	4,604	4,837	Women using any method	44.9
43	Number of IUD removals	2,098	2,274	Women using modern method	19.6
G) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
44	IPD cases per 10,000 population ***	95	72		
45	General OPD cases per 10,000 population ***	3,919	3,865		
46	Ayush OPD cases per 10,000 population ***	382	354		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Neonatal death within 24 hours	5	4		
48	Up to 1 Weeks of Birth	11	5		
49	Between 1 week & 4 weeks of birth	3	3		
50	Neonatal Death	19	12		
51	Between 1 month and 11 months	24	24		
52	<b>Total reported infant deaths</b>	43	36		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
53	Due to Abortion	0	0		
54	Due to Obstructed/prolonged labour	1	5		
55	Due to Severe hypertension/fits	4	2		
56	Due to Bleeding	1	3		
57	Due to High fever	1	1		
58	Due to Other Causes (including causes not known)	4	8		
59	<b>Total reported maternal deaths</b>	11	19		

## Bishnupur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	240,363					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	36					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13	2013-14				
8	Expected number of PW	3,866	3,925				
9	Expected number of Delivery	3,537	3,592				
		HMIS (2012-13)	HMIS (2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC		
10	PW register for ANC	5,027	130.0	4,991	127.2	Any ANC	88.9
11	Mothers registered in the first trimester	3,814	75.9	3,745	75.0	ANC Check up in first trimester	73.5
12	Mothers who had at least 3 Ante-Natal care check ups	2,847	56.6	2,673	53.6	3 or more ANC check up	78.7
13	PW who got TT 2 / Booster injection	3,399	67.6	3,461	69.3	Atleast 1 TT received	87.9
14	PW who consumed 100 IFA tablets	1,906	37.9	1,020	20.4	100 IFA tablets consumed	33.6
15	Home Delivery against expected delivery *	281	7.9	250	7.0	Full ANC	21.4
16	Institutional Delivery against expected delivery *	888	25.1	958	26.7	Home Delivery	42.3
17	Home Delivery against reported delivery **	281	24.0	250	20.7	Institutional Delivery	57.5
18	Institutional Delivery against reported delivery **	888	76.0	958	79.3	Home Delivery by SBA	23.3
19	Total reported Deliveries	1,169		1,208		PNC within 48 hrs of delivery	57.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	254	90.4	177	70.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,299	111.1	1,483	122.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	3,514		3,568			
D) Child Immunization :		HMIS (2012-13)	HMIS (2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC		
23	Total reported live births	1,169	33.3	1,207	33.8	Breastfed within 1 hour of birth	63.6

24	Total Still Birth	4	0.1	7	0.2	BCG	89.8
25	PC of newborn weighted at birth to live birth	1,146	98.0	1,203	99.7	3 dose of DPT	77.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	32	2.8	40	3.3	Measles	68.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,083	92.6	1,197	99.2	Full Immunization	63.4
28	Children fully immunized	3,299	93.9	3,875	108.6		
29	Children who have received BCG	4,775	135.9	4,407	123.5		
30	Children who have received DPT1	4,724	134.4	4,482	125.6		
31	Children who have received DPT3	4,001	113.8	4,107	115.1		
32	Children who have received Measles	3,367	95.8	3,967	111.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,420		2,510			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>			
34	Number of Vasectomies performed	31	23	Limiting	14.8		
35	Number of Tubectomies performed	0	18	Spacing	5		
36	Number of IUD insertion	541	536	Women using any method	56.1		
37	Number of IUD removals	239	287	Women using modern method	28.1		
<b>F) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>				
38	IPD cases per 10,000 population ***	260	173				
39	General OPD cases per 10,000 population ***	7558	7269				
40	Ayush OPD cases per 10,000 population ***	777	730				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	0	2				
45	Between 1 month and 11 months	0	3				
46	<b>Total reported infant deaths</b>	0	5				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	0	1				

## Chandel Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	144,028						
2	Sex Ratio	932						
B) Infrastructure Details (RHS 2012)		Numbers						
3	Sub Centers (SC)	26						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2012-13		2013-14				
8	Expected number of PW	2,331		2,382				
9	Expected number of Delivery	2,123		2,169				
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
10	PW register for ANC	3,038	130.3	2,852	119.8	Any ANC	79.9	
11	Mothers registered in the first trimester	1,266	41.7	1,326	46.5	ANC Check up in first trimester	59.2	
12	Mothers who had at least 3 Ante-Natal care check ups	870	28.6	1,006	35.3	3 or more ANC check up	57.4	
13	PW who got TT 2 / Booster injection	1,279	42.1	1,474	51.7	Atleast 1 TT received	78.6	
14	PW who consumed 100 IFA tablets	1,376	45.3	1,185	41.5	100 IFA tablets consumed	28.0	
15	Home Delivery against expected delivery *	758	35.7	948	43.7	Full ANC	6.7	
16	Institutional Delivery against expected delivery *	307	14.5	322	14.8	Home Delivery	71.6	
17	Home Delivery against reported delivery **	758	71.2	948	74.6	Institutional Delivery	27.6	
18	Institutional Delivery against reported delivery **	307	28.8	322	25.4	Home Delivery by SBA	17.7	
19	Total reported Deliveries	1,065		1,270		PNC within 48 hrs of delivery	36.2	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	478	63.1	502	53.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	373	35.0	492	38.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	2,119		2,165				
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
23	Total reported live births	1,108	52.3	1,304	60.2	Breastfed within 1 hour of birth	50.6	

24	Total Still Birth	40	1.9	5	0.2	BCG	82.5
25	PC of newborn weighted at birth to live birth	823	74.3	927	71.1	3 dose of DPT	51.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.6	12	1.3	Measles	53.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	954	86.1	1,032	79.1	Full Immunization	40.2
28	Children fully immunized	1,886	89.0	1,681	77.6		
29	Children who have received BCG	1,891	89.2	1,940	89.6		
30	Children who have received DPT1	2,040	96.3	2,071	95.7		
31	Children who have received DPT3	2,188	103.3	1,804	83.3		
32	Children who have received Measles	1,942	91.6	1,751	80.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	592		816			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	23.8
35	Number of Tubectomies performed	0	0	Spacing	7.6
36	Number of IUD insertion	196	282	Women using any method	36
37	Number of IUD removals	43	86	Women using modern method	18.3
F) Service delivery		HMIS (2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	10	12		
39	General OPD cases per 10,000 population ***	1378	1483		
40	Ayush OPD cases per 10,000 population ***	414	301		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Churachandpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	271,274					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	61					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	4,379		4,462			
9	Expected number of Delivery	3,998		4,074			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	8,834	201.7	8,493	190.3	Any ANC	67.4
11	Mothers registered in the first trimester	4,843	54.8	5,176	60.9	ANC Check up in first trimester	45.9
12	Mothers who had at least 3 Ante-Natal care check ups	3,981	45.1	4,637	54.6	3 or more ANC check up	45.9
13	PW who got TT 2 / Booster injection	2,634	29.8	2,908	34.2	Atleast 1 TT received	63.5
14	PW who consumed 100 IFA tablets	3,296	37.3	2,741	32.3	100 IFA tablets consumed	37.6
15	Home Delivery against expected delivery *	643	16.1	799	19.6	Full ANC	4.5
16	Institutional Delivery against expected delivery *	4,234	105.9	4,107	100.8	Home Delivery	68.3
17	Home Delivery against reported delivery **	643	13.2	799	16.3	Institutional Delivery	30.5
18	Institutional Delivery against reported delivery **	4,234	86.8	4,107	83.7	Home Delivery by SBA	12.6
19	Total reported Deliveries	4,877		4,906		PNC within 48 hrs of delivery	33.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	309	48.1	416	52.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	890	18.2	1,082	22.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	3,981		4,056			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
23	Total reported live births	4,857	122.0	4,890	120.5	Breastfed within 1 hour of birth	51

24	Total Still Birth	20	0.5	15	0.4	BCG	64.5
25	PC of newborn weighted at birth to live birth	4,826	99.4	4,814	98.4	3 dose of DPT	49.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	246	5.1	147	3.1	Measles	34.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,604	94.8	4,775	97.6	Full Immunization	28.2
28	Children fully immunized	4,085	102.6	4,274	105.4		
29	Children who have received BCG	4,256	106.9	4,947	122.0		
30	Children who have received DPT1	4,939	124.1	5,516	136.0		
31	Children who have received DPT3	4,052	101.8	4,941	121.8		
32	Children who have received Measles	4,459	112.0	4,419	108.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,977		584			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	3	6	Limiting	15.1
35	Number of Tubectomies performed	225	159	Spacing	7.1
36	Number of IUD insertion	305	468	Women using any method	38.1
37	Number of IUD removals	259	210	Women using modern method	19.6
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	238	131		
39	General OPD cases per 10,000 population ***	5671	5281		
40	Ayush OPD cases per 10,000 population ***	363	170		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	3	2		
43	Between 1 week & 4 weeks of birth	3	1		
44	Neonatal Death	6	3		
45	Between 1 month and 11 months	8	5		
46	<b>Total reported infant deaths</b>	14	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	0	4		



## Imphal East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	452,661						
2	Sex Ratio	1,011						
B) Infrastructure Details (RHS 2012)		Numbers						
3	Sub Centers (SC)	53						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:			2012-13		2013-14			
8	Expected number of PW	7,275	7,381					
9	Expected number of Delivery	6,628	6,725					
			HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
			Number	PC	Number	PC		
10	PW register for ANC	10,480	144.1	11,230	152.1	Any ANC	85.0	
11	Mothers registered in the first trimester	5,691	54.3	5,621	50.1	ANC Check up in first trimester	68.8	
12	Mothers who had at least 3 Ante-Natal care check ups	3,868	36.9	3,639	32.4	3 or more ANC check up	73.4	
13	PW who got TT 2 / Booster injection	4,643	44.3	5,231	46.6	Atleast 1 TT received	84.2	
14	PW who consumed 100 IFA tablets	2,525	24.1	4,202	37.4	100 IFA tablets consumed	41.9	
15	Home Delivery against expected delivery *	335	5.1	373	5.5	Full ANC	26.5	
16	Institutional Delivery against expected delivery *	1,339	20.2	906	13.5	Home Delivery	33.3	
17	Home Delivery against reported delivery **	335	20.0	373	29.2	Institutional Delivery	66.0	
18	Institutional Delivery against reported delivery **	1,339	80.0	906	70.8	Home Delivery by SBA	16.0	
19	Total reported Deliveries	1,674		1,279		PNC within 48 hrs of delivery	61.7	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	222	66.3	246	66.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	859	51.3	1,270	99.3			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	6,614		6,710				
D) Child Immunization :			HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
			Number	PC	Number	PC		
23	Total reported live births	1,671	25.3	1,264	18.8	Breastfed within 1 hour of birth	53.3	

24	Total Still Birth	3	0.0	15	0.2	BCG	85.9
25	PC of newborn weighted at birth to live birth	1,545	92.5	1,061	83.9	3 dose of DPT	61.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	97	6.3	47	4.4	Measles	59
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,376	82.3	872	69.0	Full Immunization	47.2
28	Children fully immunized	6,043	91.4	6,762	100.8		
29	Children who have received BCG	8,373	126.6	8,518	126.9		
30	Children who have received DPT1	8,139	123.1	8,554	127.5		
31	Children who have received DPT3	7,476	113.0	8,088	120.5		
32	Children who have received Measles	6,806	102.9	7,319	109.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,657		1,469			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	28	50	Limiting	18.5
35	Number of Tubectomies performed	186	96	Spacing	6.3
36	Number of IUD insertion	725	865	Women using any method	48.8
37	Number of IUD removals	242	268	Women using modern method	20.9
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	2	2		
39	General OPD cases per 10,000 population ***	3096	2513		
40	Ayush OPD cases per 10,000 population ***	334	256		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	1	1		
46	<b>Total reported infant deaths</b>	<b>1</b>	<b>2</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	2		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>3</b>		

## Imphal West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	514,683						
2	Sex Ratio	1,029						
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	51						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
<b>C) Maternal Health:</b>		<b>2012-13</b>	<b>2013-14</b>					
8	Expected number of PW	8,282	8,413					
9	Expected number of Delivery	7,601	7,722					
		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	21,815	263.4	28,871	343.2	Any ANC	89.2	
11	Mothers registered in the first trimester	15,836	72.6	16,072	55.7	ANC Check up in first trimester	78.0	
12	Mothers who had at least 3 Ante-Natal care check ups	22,264	102.1	22,529	78.0	3 or more ANC check up	80.9	
13	PW who got TT 2 / Booster injection	6,703	30.7	5,827	20.2	Atleast 1 TT received	88.1	
14	PW who consumed 100 IFA tablets	3,431	15.7	2,385	8.3	100 IFA tablets consumed	38.0	
15	Home Delivery against expected delivery *	256	3.4	296	3.8	Full ANC	26.5	
16	Institutional Delivery against expected delivery *	17,165	225.8	16,957	219.6	Home Delivery	12.4	
17	Home Delivery against reported delivery **	256	1.5	296	1.7	Institutional Delivery	87.2	
18	Institutional Delivery against reported delivery **	17,165	98.5	16,957	98.3	Home Delivery by SBA	4.8	
19	Total reported Deliveries	17,421		17,253		PNC within 48 hrs of delivery	84.6	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	58	22.7	56	18.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,932	45.5	8,886	51.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	7,529		7,648				
<b>D) Child Immunization :</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	17,437	231.6	17,271	225.8	Breastfed within 1 hour of birth	55.2	

24	Total Still Birth	159	2.1	145	1.9	BCG	97.6
25	PC of newborn weighted at birth to live birth	17,423	99.9	17,252	99.9	3 dose of DPT	85.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,085	6.2	1,027	6.0	Measles	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,973	62.9	10,330	59.8	Full Immunization	75
28	Children fully immunized	9,488	126.0	8,588	112.3		
29	Children who have received BCG	12,353	164.1	12,369	161.7		
30	Children who have received DPT1	10,991	146.0	11,388	148.9		
31	Children who have received DPT3	9,873	131.1	10,832	141.6		
32	Children who have received Measles	10,449	138.8	10,241	133.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,133		1,663			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	33	34	Limiting	15.4
35	Number of Tubectomies performed	342	387	Spacing	6.7
36	Number of IUD insertion	996	850	Women using any method	52.4
37	Number of IUD removals	372	451	Women using modern method	20.8
F) Service delivery		HMIS (2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	22	11		
39	General OPD cases per 10,000 population ***	3631	4443		
40	Ayush OPD cases per 10,000 population ***	240	254		

### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	1	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	2	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	0		
53	<b>Total reported maternal deaths</b>	5	0		

## Senapati Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	354,972						
2	Sex Ratio	939						
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	66						
4	Primary Health Centers (PHC)	14						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2012-13</b>	<b>2013-14</b>					
8	Expected number of PW	5,764	5,909					
9	Expected number of Delivery	5,251	5,383					
		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	8,835	153.3	9,194	155.6	Any ANC	77.2	
11	Mothers registered in the first trimester	3,554	40.2	3,537	38.5	ANC Check up in first trimester	47.7	
12	Mothers who had at least 3 Ante-Natal care check ups	3,929	44.5	3,469	37.7	3 or more ANC check up	56.2	
13	PW who got TT 2 / Booster injection	5,574	63.1	5,528	60.1	Atleast 1 TT received	74.5	
14	PW who consumed 100 IFA tablets	2,932	33.2	3,257	35.4	100 IFA tablets consumed	27.7	
15	Home Delivery against expected delivery *	3,842	73.2	3,987	74.1	Full ANC	4.8	
16	Institutional Delivery against expected delivery *	1,261	24.0	1,313	24.4	Home Delivery	75.5	
17	Home Delivery against reported delivery **	3,842	75.3	3,987	75.2	Institutional Delivery	24.4	
18	Institutional Delivery against reported delivery **	1,261	24.7	1,313	24.8	Home Delivery by SBA	11.2	
19	Total reported Deliveries	5,103		5,300		PNC within 48 hrs of delivery	25.2	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,241	58.3	2,414	60.5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,157	22.7	1,335	25.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	5,240		5,372				
<b>D) Child Immunization :</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	5,097	97.3	5,296	98.6	Breastfed within 1 hour of birth	61.6	

24	Total Still Birth	13	0.2	20	0.4	BCG	94
25	PC of newborn weighted at birth to live birth	5,054	99.2	5,280	99.7	3 dose of DPT	69.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	28	0.6	13	0.2	Measles	69.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,996	98.0	5,204	98.3	Full Immunization	50.8
28	Children fully immunized	6,477	123.6	6,596	122.8		
29	Children who have received BCG	7,327	139.8	7,282	135.6		
30	Children who have received DPT1	7,715	147.2	7,768	144.6		
31	Children who have received DPT3	7,081	135.1	7,113	132.4		
32	Children who have received Measles	6,536	124.7	6,694	124.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,617		2,694			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>			
34	Number of Vasectomies performed	0	0	Limiting	24.3		
35	Number of Tubectomies performed	0	0	Spacing	10.1		
36	Number of IUD insertion	580	415	Women using any method	34.4		
37	Number of IUD removals	229	362	Women using modern method	15.9		
<b>F) Service delivery</b>		<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>				
38	IPD cases per 10,000 population ***	127	125				
39	General OPD cases per 10,000 population ***	2845	2691				
40	Ayush OPD cases per 10,000 population ***	271	310				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>				
41	Neonatal death within 24 hours	3	1				
42	Up to 1 Weeks of Birth	6	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	9	1				
45	Between 1 month and 11 months	7	5				
46	<b>Total reported infant deaths</b>	16	6				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2012-13)</b>	<b>HMIS ( 2013-14)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	2	2				

## Tamenglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	140,143						
2	Sex Ratio	953						
B) Infrastructure Details (RHS 2012)		Numbers						
3	Sub Centers (SC)	29						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:			2012-13		2013-14			
8	Expected number of PW	2,277	2,335					
9	Expected number of Delivery	2,077	2,130					
			HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
			Number	PC	Number	PC		
10	PW register for ANC	3,066	134.7	3,221	137.9	Any ANC	46.1	
11	Mothers registered in the first trimester	1,528	49.8	1,526	47.4	ANC Check up in first trimester	26.7	
12	Mothers who had at least 3 Ante-Natal care check ups	1,266	41.3	1,260	39.1	3 or more ANC check up	21.6	
13	PW who got TT 2 / Booster injection	1,311	42.8	1,406	43.7	Atleast 1 TT received	43.8	
14	PW who consumed 100 IFA tablets	1,482	48.3	1,148	35.6	100 IFA tablets consumed	57.7	
15	Home Delivery against expected delivery *	657	31.6	730	34.3	Full ANC	2.7	
16	Institutional Delivery against expected delivery *	506	24.4	540	25.4	Home Delivery	84.4	
17	Home Delivery against reported delivery **	657	56.5	730	57.5	Institutional Delivery	14.2	
18	Institutional Delivery against reported delivery **	506	43.5	540	42.5	Home Delivery by SBA	5.3	
19	Total reported Deliveries	1,163		1,270		PNC within 48 hrs of delivery	12.2	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	322	49.0	225	30.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	299	25.7	233	18.3			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	2,070		2,123				
D) Child Immunization :			HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
			Number	PC	Number	PC		
23	Total reported live births	1,155	55.8	1,261	59.4	Breastfed within 1 hour of birth	51.4	

24	Total Still Birth	15	0.7	16	0.8	BCG	40.9
25	PC of newborn weighted at birth to live birth	992	85.9	1,112	88.2	3 dose of DPT	23.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	1.9	13	1.2	Measles	27.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,027	88.9	1,063	84.3	Full Immunization	16.8
28	Children fully immunized	1,397	67.5	1,537	72.4		
29	Children who have received BCG	2,483	120.0	2,244	105.7		
30	Children who have received DPT1	2,563	123.8	2,393	112.7		
31	Children who have received DPT3	2,112	102.0	1,930	90.9		
32	Children who have received Measles	1,852	89.5	1,767	83.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	823		976			

**Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).**

E) Family Planning		HMIS (2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	1	0	Limiting	17
35	Number of Tubectomies performed	62	32	Spacing	7.3
36	Number of IUD insertion	381	594	Women using any method	38.6
37	Number of IUD removals	249	231	Women using modern method	17.1

F) Service delivery		HMIS (2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	134	135		
39	General OPD cases per 10,000 population ***	2716	2472		
40	Ayush OPD cases per 10,000 population ***	92	191		

### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	3	2		
46	<b>Total reported infant deaths</b>	<b>4</b>	<b>2</b>		

### II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		



## Thoubal Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	420,517					
2	Sex Ratio	1,006					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	58					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13	2013-14				
8	Expected number of PW	6,764	6,869				
9	Expected number of Delivery	6,195	6,291				
		HMIS (2012-13)	HMIS (2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC		
10	PW register for ANC	13,039	192.8	15,076	219.5	Any ANC	91.0
11	Mothers registered in the first trimester	6,796	52.1	6,834	45.3	ANC Check up in first trimester	79.9
12	Mothers who had at least 3 Ante-Natal care check ups	3,027	23.2	4,041	26.8	3 or more ANC check up	80.3
13	PW who got TT 2 / Booster injection	3,693	28.3	4,526	30.0	Atleast 1 TT received	90.1
14	PW who consumed 100 IFA tablets	2,812	21.6	3,237	21.5	100 IFA tablets consumed	28.4
15	Home Delivery against expected delivery *	1,034	16.7	984	15.6	Full ANC	18.7
16	Institutional Delivery against expected delivery *	1,258	20.3	1,760	28.0	Home Delivery	39.9
17	Home Delivery against reported delivery **	1,034	45.1	984	35.9	Institutional Delivery	59.4
18	Institutional Delivery against reported delivery **	1,258	54.9	1,760	64.1	Home Delivery by SBA	24.1
19	Total reported Deliveries	2,292		2,744		PNC within 48 hrs of delivery	61.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	696	67.3	626	63.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	779	34.0	1,245	45.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	6,149		6,244			
D) Child Immunization :		HMIS (2012-13)	HMIS (2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC		
23	Total reported live births	2,283	37.1	2,738	43.8	Breastfed within 1 hour of birth	61.3
24	Total Still Birth	13	0.2	7	0.1	BCG	92.4

25	PC of newborn weighted at birth to live birth	2,158	94.5	2,666	97.4	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	33	1.5	55	2.1	Measles	67.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,080	91.1	2,631	96.1	Full Immunization	60.5
28	Children fully immunized	6,228	101.3	7,052	112.9		
29	Children who have received BCG	8,475	137.8	8,854	141.8		
30	Children who have received DPT1	8,259	134.3	8,653	138.6		
31	Children who have received DPT3	7,272	118.3	7,568	121.2		
32	Children who have received Measles	6,688	108.8	7,531	120.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,457		3,182			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	11	Limiting	19
35	Number of Tubectomies performed	0	13	Spacing	4.9
36	Number of IUD insertion	757	694	Women using any method	52.9
37	Number of IUD removals	358	310	Women using modern method	25.1
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	7	10		
39	General OPD cases per 10,000 population ***	4636	4610		
40	Ayush OPD cases per 10,000 population ***	525	549		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	1	1		
46	<b>Total reported infant deaths</b>	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	1	1		
50	Due to Bleeding	0	0		
51	Due to High fever	1	1		
52	Due to Other Causes (including causes not known)	0	3		
53	<b>Total reported maternal deaths</b>	2	6		

## Ukhrul Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	183,115						
2	Sex Ratio	948						
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	40						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2012-13</b>	<b>2013-14</b>					
8	Expected number of PW	2,988	3,078					
9	Expected number of Delivery	2,740	2,822					
		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	4,378	146.5	3,424	111.3	Any ANC	59.3	
11	Mothers registered in the first trimester	1,739	39.7	1,781	52.0	ANC Check up in first trimester	41.8	
12	Mothers who had at least 3 Ante-Natal care check ups	1,297	29.6	1,387	40.5	3 or more ANC check up	30.1	
13	PW who got TT 2 / Booster injection	1,343	30.7	1,217	35.5	Atleast 1 TT received	58.9	
14	PW who consumed 100 IFA tablets	1,408	32.2	1,473	43.0	100 IFA tablets consumed	45.9	
15	Home Delivery against expected delivery *	941	34.3	943	33.4	Full ANC	3.7	
16	Institutional Delivery against expected delivery *	964	35.2	1,004	35.6	Home Delivery	86.2	
17	Home Delivery against reported delivery **	941	49.4	943	48.4	Institutional Delivery	13.4	
18	Institutional Delivery against reported delivery **	964	50.6	1,004	51.6	Home Delivery by SBA	19.5	
19	Total reported Deliveries	1,905		1,947		PNC within 48 hrs of delivery	17.4	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	554	58.9	405	42.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	438	23.0	539	27.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	2,716		2,798				
<b>D) Child Immunization :</b>		<b>HMIS (2012-13)</b>	<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,900	70.0	1,941	69.4	Breastfed within 1 hour of birth	62	

24	Total Still Birth	15	0.6	14	0.5	BCG	81.4
25	PC of newborn weighted at birth to live birth	1,626	85.6	1,827	94.1	3 dose of DPT	54.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	58	3.6	62	3.4	Measles	49.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,113	58.6	1,357	69.9	Full Immunization	36.2
28	Children fully immunized	1,469	54.1	1,672	59.8		
29	Children who have received BCG	2,581	95.0	2,394	85.6		
30	Children who have received DPT1	2,665	98.1	2,486	88.9		
31	Children who have received DPT3	2,194	80.8	2,265	81.0		
32	Children who have received Measles	1,533	56.4	1,813	64.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	865		737			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	2	6	Limiting	17.3
35	Number of Tubectomies performed	46	34	Spacing	7.5
36	Number of IUD insertion	123	133	Women using any method	36
37	Number of IUD removals	107	69	Women using modern method	11.4
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	278	225		
39	General OPD cases per 10,000 population ***	2779	2595		
40	Ayush OPD cases per 10,000 population ***	489	469		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	2	2		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	3	3		
45	Between 1 month and 11 months	3	7		
46	<b>Total reported infant deaths</b>	<b>6</b>	<b>10</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>3</b>		

\* Against Expected Delivery for the whole year

\*\* Against Reported Delivery for the 2013-14.

\*\*\* Against Estimated Population for whole year