

## MANIPUR Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	28,55,794	9	Birth Rate		14.7	
2	Sex Ratio	987	10	Death Rate		4	
3	Number of districts	9	11	IMR		10	
<b>B) Infrastructure Details (RHS 2013)</b>			12	Growth Rate		10.6	
4	Sub Centre (SC)	421	13	TFR (SRS - 2007)		1.6	
5	Primary Health Centre (PHC)	85					
6	Community Health Centre (CHC)	17					
7	SDH	0					
8	DH	7					
<b>D) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
14	Expected number of PW #	46,939	48,478				
15	Expected number of Delivery #	43,184	44,600				
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	87,352	186.1	41,456	85.5	Any ANC	75.8
17	Mothers registered in the first trimester	45,618	52.2	24,733	59.7	ANC Check up in first trimester	79.2
18	Mothers who had at least 3 Ante-Natal care check ups	44,641	51.1	21,657	52.2	3 or more ANC check up	86.9
19	PW who got TT 2 / Booster injection	31,578	36.2	16,510	39.8	Atleast 1 TT received	97.6
20	PW who consumed 100 IFA tablets	20,648	23.6	10,753	25.9	100 IFA tablets consumed	42
21	Home Delivery against expected delivery *	9,310	21.6	4,248	9.5	Full ANC	38
22	Institutional Delivery against expected delivery *	27,867	64.5	15,650	35.1	Home Delivery	37.4
23	Home Delivery against reported delivery **	9,310	25.0	4,248	21.3	Institutional Delivery	61.1
24	Institutional Delivery against reported delivery **	27,867	75.0	15,650	78.7	Home Delivery by SBA	12.4
25	Total reported Deliveries	37,177	86.1	19,898	44.6	PNC within 14 days of delivery	49.6
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,067	54.4	2,289	53.9		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,565	44.6	7,896	39.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth #	42,672	44,071				
<b>E) Child Immunization:</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	37,172	87.1	19,882	45.1	Breastfed within 1 hour of birth	43.4

30	Total Still Birth	244	0.6	116	0.3	BCG	85.5
31	Newborn weighted at birth to live birth	36,142	97.2	19,399	97.6	3 dose of DPT	75.7
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,416	3.8	737	3.7	Measles	68.8
33	Newborns breastfed within 1 hour to total reported live birth.	28,461	76.6	15,411	77.5	Full Immunization	54.1
34	Fully immunized	42,037	98.5	20,566	46.7		
35	Children who have received BCG	52,955	124.1	24,305	55.1		
36	Children who have received DPT1	53,311	124.9	24,515	55.6		
37	Children who have received DPT3	48,648	114.0	23,777	54.0		
38	Children who have received Measles	45,502	106.6	21,797	49.5		
39	Diarrhoea and Dehydration cases reported in children below 5 years	14,631		7,522			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>F) Family Planning</b>		<b>HMIS( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
40	Number of Vasectomies performed	130	55		Limiting	14.8	
41	Number of Tubectomies performed	739	396		Spacing	10	
42	Number of IUD insertion	4,837	2,894		Women using any method	19.7	
43	Number of IUD removals	2,274	1,144		Women using modern method	11.1	
<b>G) Service delivery</b>		<b>HMIS( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
44	IPD cases per 10,000 population ***	229	123				
45	General OPD cases per 10,000 population ***	3,683	1,988				
46	Ayush OPD cases per 10,000 population ***	338	206				
<b>H) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Neonatal death within 24 hours	4	2				
48	Up to 1 Weeks of Birth	5	11				
49	Between 1 week & 4 weeks of birth	3	1				
50	Neonatal Death	12	14				
51	Between 1 month and 11 months	24	11				
52	<b>Total reported infant deaths</b>	36	25				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
53	Due to Abortion	0	0				
54	Due to Obstructed/prolonged labour	5	3				
55	Due to Severe hypertension/fits	2	1				
56	Due to Bleeding	3	1				
57	Due to High fever	1	0				
58	Due to Other Causes (including causes not known)	8	3				
59	<b>Total reported maternal deaths</b>	19	8				

## Bishnupur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	34					
4	Primary Health Centre (PHC)	7					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	3,877		3,991			
9	Expected number of Delivery #	3,567		3,672			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,991	128.7	2,752	69.0	Any ANC	92.5
11	Mothers registered in the first trimester	3,745	75.0	1,957	71.1	ANC Check up in first trimester	80.2
12	Mothers who had at least 3 Ante-Natal care check ups	2,673	53.6	1,515	55.1	3 or more ANC check up	92.1
13	PW who got TT 2 / Booster injection	3,461	69.3	1,879	68.3	Atleast 1 TT received	97.9
14	PW who consumed 100 IFA tablets	1,020	20.4	813	29.5	100 IFA tablets consumed	50.0
15	Home Delivery against expected delivery *	250	7.0	132	3.6	Full ANC	44.4
16	Institutional Delivery against expected delivery *	958	26.9	545	14.8	Home Delivery	16.0
17	Home Delivery against reported delivery **	250	20.7	132	19.5	Institutional Delivery	83.7
18	Institutional Delivery against reported delivery **	958	79.3	545	80.5	Home Delivery by SBA	6.8
19	Total reported Deliveries	1,208		677		PNC within 48 hrs of delivery	70.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	177	70.8	112	84.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,483	122.8	989	146.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	3,524		3,628			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,207	34.2	677	18.7	Breastfed within 1 hour of birth	58.3

24	Total Still Birth	7	0.2	3	0.1	BCG	92.8
25	PC of newborn weighted at birth to live birth	1,203	99.7	677	100.0	3 dose of DPT	73.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.3	34	5.0	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,197	99.2	677	100.0	Full Immunization	58
28	Children fully immunized	3,875	109.9	1,858	51.2		
29	Children who have received BCG	4,407	125.0	2,062	56.8		
30	Children who have received DPT1	4,482	127.2	2,095	57.7		
31	Children who have received DPT3	4,107	116.5	2,000	55.1		
32	Children who have received Measles	3,967	112.6	1,962	54.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,510		947			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	23	10	Limiting	8.8
35	Number of Tubectomies performed	18	42	Spacing	13.1
36	Number of IUD insertion	536	316	Women using any method	29.4
37	Number of IUD removals	287	150	Women using modern method	18.6
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR		
38	IPD cases per 10,000 population ***	260	153		
39	General OPD cases per 10,000 population ***	7360	4023		
40	Ayush OPD cases per 10,000 population ***	739	473		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	2	1		
45	Between 1 month and 11 months	3	1		
46	<b>Total reported infant deaths</b>	5	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	1	0		

## Chandel Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,44,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	26					
4	Primary Health Centre (PHC)	6					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	2,384		2,470			
9	Expected number of Delivery #	2,193		2,272			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,852	119.6	2,123	86.0	Any ANC	62.3
11	Mothers registered in the first trimester	1,326	46.5	1,020	48.0	ANC Check up in first trimester	82.2
12	Mothers who had at least 3 Ante-Natal care check ups	1,006	35.3	827	39.0	3 or more ANC check up	75.8
13	PW who got TT 2 / Booster injection	1,474	51.7	770	36.3	Atleast 1 TT received	97.2
14	PW who consumed 100 IFA tablets	1,185	41.5	1,246	58.7	100 IFA tablets consumed	77.1
15	Home Delivery against expected delivery *	948	43.2	398	17.5	Full ANC	17.9
16	Institutional Delivery against expected delivery *	322	14.7	218	9.6	Home Delivery	59.4
17	Home Delivery against reported delivery **	948	74.6	398	64.6	Institutional Delivery	36.2
18	Institutional Delivery against reported delivery **	322	25.4	218	35.4	Home Delivery by SBA	14.9
19	Total reported Deliveries	1,270		616		PNC within 48 hrs of delivery	23.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	502	53.0	225	56.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	492	38.7	252	40.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	2,167		2,245			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,304	60.2	642	28.6	Breastfed within 1 hour of birth	42.9

24	Total Still Birth	5	0.2	0	0.0	BCG	86
25	PC of newborn weighted at birth to live birth	927	71.1	485	75.5	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.3	4	0.8	Measles	72.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,032	79.1	536	83.5	Full Immunization	52.3
28	Children fully immunized	1,681	77.6	899	40.0		
29	Children who have received BCG	1,940	89.5	919	40.9		
30	Children who have received DPT1	2,071	95.6	968	43.1		
31	Children who have received DPT3	1,804	83.2	848	37.8		
32	Children who have received Measles	1,751	80.8	910	40.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	816		422			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	5.4	
35	Number of Tubectomies performed	0	13		Spacing	6.3	
36	Number of IUD insertion	282	121		Women using any method	7.9	
37	Number of IUD removals	86	31		Women using modern method	5.4	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	159	147				
39	General OPD cases per 10,000 population ***	1481	1176				
40	Ayush OPD cases per 10,000 population ***	301	168				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	3				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	3				
45	Between 1 month and 11 months	0	0				
46	<b>Total reported infant deaths</b>	0	3				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	0	0				

## Churachandpur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
<b>B) Infrastructure Details (RHS 2013)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	65					
4	Primary Health Centre (PHC)	11					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	4,509		4,659			
9	Expected number of Delivery #	4,149		4,286			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	8,493	188.3	5,961	127.9	Any ANC	51.3
11	Mothers registered in the first trimester	5,176	60.9	4,044	67.8	ANC Check up in first trimester	67.7
12	Mothers who had at least 3 Ante-Natal care check ups	4,637	54.6	2,310	38.8	3 or more ANC check up	20.4
13	PW who got TT 2 / Booster injection	2,908	34.2	1,397	23.4	Atleast 1 TT received	99.2
14	PW who consumed 100 IFA tablets	2,741	32.3	2,674	44.9	100 IFA tablets consumed	75.6
15	Home Delivery against expected delivery *	799	19.3	482	11.2	Full ANC	15.0
16	Institutional Delivery against expected delivery *	4,107	99.0	1,898	44.3	Home Delivery	45.6
17	Home Delivery against reported delivery **	799	16.3	482	20.3	Institutional Delivery	51.0
18	Institutional Delivery against reported delivery **	4,107	83.7	1,898	79.7	Home Delivery by SBA	14.6
19	Total reported Deliveries	4,906		2,380		PNC within 48 hrs of delivery	44.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	416	52.1	250	51.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,082	22.1	425	17.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	4,099		4,235			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	4,890	119.3	2,369	55.9	Breastfed within 1 hour of birth	44.6

24	Total Still Birth	15	0.4	11	0.3	BCG	64.6
25	PC of newborn weighted at birth to live birth	4,814	98.4	2,348	99.1	3 dose of DPT	62.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	147	3.1	59	2.5	Measles	39.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,775	97.6	2,337	98.6	Full Immunization	18.8
28	Children fully immunized	4,274	104.3	1,755	41.4		
29	Children who have received BCG	4,947	120.7	2,083	49.2		
30	Children who have received DPT1	5,516	134.6	2,270	53.6		
31	Children who have received DPT3	4,941	120.5	2,043	48.2		
32	Children who have received Measles	4,419	107.8	1,772	41.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	584		434			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	6	5	Limiting	5.4		
35	Number of Tubectomies performed	159	66	Spacing	4.1		
36	Number of IUD insertion	468	396	Women using any method	22		
37	Number of IUD removals	210	114	Women using modern method	14.6		
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	453	201				
39	General OPD cases per 10,000 population ***	5226	2553				
40	Ayush OPD cases per 10,000 population ***	168	114				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	2	5				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	3	5				
45	Between 1 month and 11 months	5	6				
46	<b>Total reported infant deaths</b>	<b>8</b>	<b>11</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	3				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	0				
53	<b>Total reported maternal deaths</b>	<b>4</b>	<b>3</b>				



## Imphal East Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
	B) Infrastructure Details (RHS 2013)	Numbers					
3	Sub Centre (SC)	54					
4	Primary Health Centre (PHC)	11					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2013-14		2014-15			
8	Expected number of PW #	7,438		7,651			
9	Expected number of Delivery #	6,843		7,039			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	11,230	151.0	4,507	58.9	Any ANC	87.9
11	Mothers registered in the first trimester	5,621	50.1	2,489	55.2	ANC Check up in first trimester	76.3
12	Mothers who had at least 3 Ante-Natal care check ups	3,639	32.4	1,528	33.9	3 or more ANC check up	89.7
13	PW who got TT 2 / Booster injection	5,231	46.6	2,113	46.9	Atleast 1 TT received	98.7
14	PW who consumed 100 IFA tablets	4,202	37.4	1,223	27.1	100 IFA tablets consumed	52.6
15	Home Delivery against expected delivery *	373	5.5	120	1.7	Full ANC	43.7
16	Institutional Delivery against expected delivery *	906	13.2	2,748	39.0	Home Delivery	23.9
17	Home Delivery against reported delivery **	373	29.2	120	4.2	Institutional Delivery	75.6
18	Institutional Delivery against reported delivery **	906	70.8	2,748	95.8	Home Delivery by SBA	12.6
19	Total reported Deliveries	1,279		2,868		PNC within 48 hrs of delivery	65.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	246	66.0	72	60.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,270	99.3	700	24.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	6,762		6,956			
	D) Child Immunization :	HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,264	18.7	2,850	41.0	Breastfed within 1 hour of birth	40.2

24	Total Still Birth	15	0.2	11	0.2	BCG	90.4
25	PC of newborn weighted at birth to live birth	1,061	83.9	2,800	98.2	3 dose of DPT	69.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	47	4.4	22	0.8	Measles	78.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	872	69.0	2,132	74.8	Full Immunization	55.9
28	Children fully immunized	6,762	100.0	3,160	45.4		
29	Children who have received BCG	8,518	126.0	3,679	52.9		
30	Children who have received DPT1	8,554	126.5	3,572	51.4		
31	Children who have received DPT3	8,088	119.6	3,679	52.9		
32	Children who have received Measles	7,319	108.2	3,457	49.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,469		778			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	50	0	Limiting	6.8		
35	Number of Tubectomies performed	96	0	Spacing	8.8		
36	Number of IUD insertion	865	402	Women using any method	21.2		
37	Number of IUD removals	268	151	Women using modern method	12.6		
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	106	41				
39	General OPD cases per 10,000 population ***	2494	1014				
40	Ayush OPD cases per 10,000 population ***	254	160				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	1	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	0				
45	Between 1 month and 11 months	1	1				
46	<b>Total reported infant deaths</b>	<b>2</b>	<b>1</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	2	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	1				
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>1</b>				

## Imphal West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,17,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	50					
4	Primary Health Centre (PHC)	9					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	8,467		8,720			
9	Expected number of Delivery #	7,789		8,022			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	28,871	341.0	11,640	133.5	Any ANC	91.6
11	Mothers registered in the first trimester	16,072	55.7	7,773	66.8	ANC Check up in first trimester	87.5
12	Mothers who had at least 3 Ante-Natal care check ups	22,529	78.0	10,368	89.1	3 or more ANC check up	92.8
13	PW who got TT 2 / Booster injection	5,827	20.2	4,156	35.7	Atleast 1 TT received	97.4
14	PW who consumed 100 IFA tablets	2,385	8.3	1,364	11.7	100 IFA tablets consumed	58.3
15	Home Delivery against expected delivery *	296	3.8	136	1.7	Full ANC	55.0
16	Institutional Delivery against expected delivery *	16,957	217.7	7,828	97.6	Home Delivery	13.5
17	Home Delivery against reported delivery **	296	1.7	136	1.7	Institutional Delivery	85.5
18	Institutional Delivery against reported delivery **	16,957	98.3	7,828	98.3	Home Delivery by SBA	5.4
19	Total reported Deliveries	17,253		7,964		PNC within 48 hrs of delivery	69.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	56	18.9	11	8.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,886	51.5	4,032	50.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	7,697		7,927			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	17,271	224.4	7,985	100.7	Breastfed within 1 hour of birth	38.6

24	Total Still Birth	145	1.9	60	0.8	BCG	97.7
25	PC of newborn weighted at birth to live birth	17,252	99.9	7,981	99.9	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,027	6.0	542	6.8	Measles	88.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,330	59.8	4,803	60.2	Full Immunization	79.1
28	Children fully immunized	8,588	111.6	4,829	60.9		
29	Children who have received BCG	12,369	160.7	5,756	72.6		
30	Children who have received DPT1	11,388	148.0	5,307	66.9		
31	Children who have received DPT3	10,832	140.7	5,705	72.0		
32	Children who have received Measles	10,241	133.1	5,208	65.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,663		980			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	34	29	Limiting	6.2		
35	Number of Tubectomies performed	387	241	Spacing	7.9		
36	Number of IUD insertion	850	606	Women using any method	21.5		
37	Number of IUD removals	451	207	Women using modern method	12.5		
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	414	223				
39	General OPD cases per 10,000 population ***	4415	2491				
40	Ayush OPD cases per 10,000 population ***	252	168				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	1	1				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	1	2				
45	Between 1 month and 11 months	0	0				
46	<b>Total reported infant deaths</b>	<b>1</b>	<b>2</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	1				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	2				
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>3</b>				

## Senapati Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
<b>B) Infrastructure Details (RHS 2013)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	66					
4	Primary Health Centre (PHC)	14					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	7,976		8,291			
9	Expected number of Delivery #	7,338		7,627			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	9,194	115.3	4,625	55.8	Any ANC	63.1
11	Mothers registered in the first trimester	3,537	38.5	2,061	44.6	ANC Check up in first trimester	68.0
12	Mothers who had at least 3 Ante-Natal care check ups	3,469	37.7	1,918	41.5	3 or more ANC check up	78.1
13	PW who got TT 2 / Booster injection	5,528	60.1	2,669	57.7	Atleast 1 TT received	96.7
14	PW who consumed 100 IFA tablets	3,257	35.4	543	11.7	100 IFA tablets consumed	22.4
15	Home Delivery against expected delivery *	3,987	54.3	1,901	24.9	Full ANC	20.2
16	Institutional Delivery against expected delivery *	1,313	17.9	668	8.8	Home Delivery	66.6
17	Home Delivery against reported delivery **	3,987	75.2	1,901	74.0	Institutional Delivery	32.6
18	Institutional Delivery against reported delivery **	1,313	24.8	668	26.0	Home Delivery by SBA	23.1
19	Total reported Deliveries	5,300		2,569		PNC within 48 hrs of delivery	28.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,414	60.5	1,080	56.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,335	25.2	645	25.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	7,251		7,537			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,296	73.0	2,565	34.0	Breastfed within 1 hour of birth	47.7

24	Total Still Birth	20	0.3	7	0.1	BCG	87.7
25	PC of newborn weighted at birth to live birth	5,280	99.7	2,537	98.9	3 dose of DPT	66.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	0.2	26	1.0	Measles	64.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,204	98.3	2,490	97.1	Full Immunization	47.7
28	Children fully immunized	6,596	91.0	3,092	41.0		
29	Children who have received BCG	7,282	100.4	3,457	45.9		
30	Children who have received DPT1	7,768	107.1	3,940	52.3		
31	Children who have received DPT3	7,113	98.1	3,697	49.1		
32	Children who have received Measles	6,694	92.3	3,268	43.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,694		1,608			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	6	Limiting	6.2		
35	Number of Tubectomies performed	0	25	Spacing	8.2		
36	Number of IUD insertion	415	251	Women using any method	24.4		
37	Number of IUD removals	362	106	Women using modern method	9.8		
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	134	59				
39	General OPD cases per 10,000 population ***	1994	1098				
40	Ayush OPD cases per 10,000 population ***	229	109				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	0				
45	Between 1 month and 11 months	5	0				
46	<b>Total reported infant deaths</b>	6	0				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	0				
53	<b>Total reported maternal deaths</b>	2	0				

## Tamenglong Factsheet

Key Indicators							
SL No	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
	<b>B) Infrastructure Details (RHS 2013)</b>	<b>Numbers</b>					
3	Sub Centre (SC)	29					
4	Primary Health Centre (PHC)	6					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
	<b>C) Maternal Health:</b>	<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	2,344		2,437			
9	Expected number of Delivery #	2,156		2,242			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,221	137.4	1,428	58.6	Any ANC	60.5
11	Mothers registered in the first trimester	1,526	47.4	769	53.9	ANC Check up in first trimester	64.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,260	39.1	736	51.5	3 or more ANC check up	80.0
13	PW who got TT 2 / Booster injection	1,406	43.7	585	41.0	Atleast 1 TT received	92.6
14	PW who consumed 100 IFA tablets	1,148	35.6	581	40.7	100 IFA tablets consumed	71.9
15	Home Delivery against expected delivery *	730	33.9	268	12.0	Full ANC	22.9
16	Institutional Delivery against expected delivery *	540	25.0	265	11.8	Home Delivery	60.8
17	Home Delivery against reported delivery **	730	57.5	268	50.3	Institutional Delivery	38.7
18	Institutional Delivery against reported delivery **	540	42.5	265	49.7	Home Delivery by SBA	11.6
19	Total reported Deliveries	1,270		533		PNC within 48 hrs of delivery	26.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	225	30.8	75	28.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	18.3	105	19.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	2,131		2,216			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,261	59.2	531	24.0	Breastfed within 1 hour of birth	61.2

24	Total Still Birth	16	0.8	3	0.1	BCG	76.3
25	PC of newborn weighted at birth to live birth	1,112	88.2	451	84.9	3 dose of DPT	56.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.2	4	0.9	Measles	54.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,063	84.3	480	90.4	Full Immunization	29.7
28	Children fully immunized	1,537	72.1	756	34.1		
29	Children who have received BCG	2,244	105.3	1,109	50.0		
30	Children who have received DPT1	2,393	112.3	1,151	51.9		
31	Children who have received DPT3	1,930	90.6	996	44.9		
32	Children who have received Measles	1,767	82.9	811	36.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	976		415			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	7
35	Number of Tubectomies performed	32	0	Spacing	11.1
36	Number of IUD insertion	594	308	Women using any method	7.5
37	Number of IUD removals	231	150	Women using modern method	4.5
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR		
38	IPD cases per 10,000 population ***	174	109		
39	General OPD cases per 10,000 population ***	2463	1306		
40	Ayush OPD cases per 10,000 population ***	191	180		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	2	0		
46	<b>Total reported infant deaths</b>	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15) 2nd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		



## Thoubal Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
	B) Infrastructure Details (RHS 2013)	Numbers					
3	Sub Centre (SC)	57					
4	Primary Health Centre (PHC)	13					
5	Community Health Centre (CHC)	4					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2013-14		2014-15			
8	Expected number of PW #	6,896		7,100			
9	Expected number of Delivery #	6,344		6,532			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,076	218.6	6,675	94.0	Any ANC	92.0
11	Mothers registered in the first trimester	6,834	45.3	3,606	54.0	ANC Check up in first trimester	91.6
12	Mothers who had at least 3 Ante-Natal care check ups	4,041	26.8	1,916	28.7	3 or more ANC check up	89.8
13	PW who got TT 2 / Booster injection	4,526	30.0	2,222	33.3	Atleast 1 TT received	98.7
14	PW who consumed 100 IFA tablets	3,237	21.5	1,601	24.0	100 IFA tablets consumed	50.2
15	Home Delivery against expected delivery *	984	15.5	375	5.7	Full ANC	46.8
16	Institutional Delivery against expected delivery *	1,760	27.7	939	14.4	Home Delivery	24.6
17	Home Delivery against reported delivery **	984	35.9	375	28.5	Institutional Delivery	74.2
18	Institutional Delivery against reported delivery **	1,760	64.1	939	71.5	Home Delivery by SBA	12.0
19	Total reported Deliveries	2,744		1,314		PNC within 48 hrs of delivery	58.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	626	63.6	250	66.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,245	45.4	480	36.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	6,269		6,454			
	D) Child Immunization :	HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,738	43.7	1,307	20.2	Breastfed within 1 hour of birth	26.3

24	Total Still Birth	7	0.1	8	0.1	BCG	88.2
25	PC of newborn weighted at birth to live birth	2,666	97.4	1,286	98.4	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	55	2.1	18	1.4	Measles	66.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,631	96.1	1,260	96.4	Full Immunization	59.1
28	Children fully immunized	7,052	112.5	3,329	51.6		
29	Children who have received BCG	8,854	141.2	4,112	63.7		
30	Children who have received DPT1	8,653	138.0	4,047	62.7		
31	Children who have received DPT3	7,568	120.7	3,821	59.2		
32	Children who have received Measles	7,531	120.1	3,499	54.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,182		1,686			
<b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	11	5	Limiting	7.5		
35	Number of Tubectomies performed	13	3	Spacing	10.4		
36	Number of IUD insertion	694	407	Women using any method	17.5		
37	Number of IUD removals	310	217	Women using modern method	10.1		
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	166	109				
39	General OPD cases per 10,000 population ***	4592	2650				
40	Ayush OPD cases per 10,000 population ***	547	358				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	1	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	0				
45	Between 1 month and 11 months	1	0				
46	<b>Total reported infant deaths</b>	<b>2</b>	<b>0</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	3	0				
53	<b>Total reported maternal deaths</b>	<b>6</b>	<b>0</b>				

## Ukhrul Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
<b>B) Infrastructure Details (RHS 2013)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	40					
4	Primary Health Centre (PHC)	8					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	3,092		3,230			
9	Expected number of Delivery #	2,845		2,971			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,424	110.7	1,745	54.0	Any ANC	49.0
11	Mothers registered in the first trimester	1,781	52.0	1,014	58.1	ANC Check up in first trimester	58.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,387	40.5	539	30.9	3 or more ANC check up	74.8
13	PW who got TT 2 / Booster injection	1,217	35.5	719	41.2	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	1,473	43.0	708	40.6	100 IFA tablets consumed	79.3
15	Home Delivery against expected delivery *	943	33.1	436	14.7	Full ANC	17.6
16	Institutional Delivery against expected delivery *	1,004	35.3	541	18.2	Home Delivery	64.2
17	Home Delivery against reported delivery **	943	48.4	436	44.6	Institutional Delivery	32.7
18	Institutional Delivery against reported delivery **	1,004	51.6	541	55.4	Home Delivery by SBA	12.4
19	Total reported Deliveries	1,947		977		PNC within 48 hrs of delivery	24.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	405	42.9	214	49.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	539	27.7	268	27.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	2,811		2,936			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,941	69.0	956	32.6	Breastfed within 1 hour of birth	41.5

24	Total Still Birth	14	0.5	13	0.4	BCG	62.1
25	PC of newborn weighted at birth to live birth	1,827	94.1	834	87.2	3 dose of DPT	61.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	62	3.4	28	3.4	Measles	42.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,357	69.9	696	72.8	Full Immunization	33.8
28	Children fully immunized	1,672	59.5	888	30.2		
29	Children who have received BCG	2,394	85.2	1,128	38.4		
30	Children who have received DPT1	2,486	88.4	1,165	39.7		
31	Children who have received DPT3	2,265	80.6	988	33.7		
32	Children who have received Measles	1,813	64.5	910	31.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	737		252			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	6	0		Limiting	5.9	
35	Number of Tubectomies performed	34	6		Spacing	6.9	
36	Number of IUD insertion	133	87		Women using any method	15.3	
37	Number of IUD removals	69	18		Women using modern method	7.2	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	134	87				
39	General OPD cases per 10,000 population ***	2583	1531				
40	Ayush OPD cases per 10,000 population ***	466	182				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	2	2				
42	Up to 1 Weeks of Birth	0	1				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	3	3				
45	Between 1 month and 11 months	7	3				
46	<b>Total reported infant deaths</b>	10	6				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	2	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	3	1				

# Expected number of PW, Expected number of delivery and Expected number of live birth of 2013-14 may differ from previous factsheet . In previous factsheet (2012-13 & 2013-14), target is calculated from provisional census data of 2011 and in this current report target is calculated from final census data of 2011.

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.