

MEGHALAYA Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2013)			
1	Population 2011	2,964,007	9	Birth Rate		24.1	
2	Sex Ratio	986	10	Death Rate		7.6	
3	Number of districts	7	11	IMR		49	
B) Infrastructure Details (RHS 2012)		Numbers	12	Growth Rate		16.5	
4	Sub Centers (SC)	397	13	TFR (SRS - 2007)		3.1	
5	Primary Health Centers (PHC)	109					
6	Community Health Centers (CHC)	29					
7	SDH	0					
8	DH	11					
D) Maternal Health:		2012-13	2013-14				
14	Expected number of PW	80,762	83,009				
15	Expected number of Delivery	75,269	77,363				
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
16	PW register for ANC	123,583	153.0	132,354	159.4	Any ANC	55.4
17	Mothers registered in the first trimester	32,586	26.4	44,069	33.3	ANC Check up in first trimester	24.8
18	Mothers who had at least 3 Ante-Natal care check ups	61,955	50.1	67,764	51.2	3 or more ANC check up	39.4
19	PW who got TT 2 / Booster injection	52,904	42.8	53,853	40.7	Atleast 1 TT received	52
20	PW who consumed 100 IFA tablets	66,183	53.6	42,803	32.3	100 IFA tablets consumed	24
21	Home Delivery against expected delivery *	39,454	52.4	40,563	52.4	Full ANC	12.8
22	Institutional Delivery against expected delivery *	41,196	54.7	43,472	56.2	Home Delivery	74.9
23	Home Delivery against reported delivery **	39,454	48.9	40,563	48.3	Institutional Delivery	24.4
24	Institutional Delivery against reported delivery **	41,196	51.1	43,472	51.7	Home Delivery by SBA	5.9
25	Total reported Deliveries	80,650	107.1	84,035	108.6	PNC within 14 days of delivery	32.5
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,692	9.4	3,399	8.4		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31,876	39.5	33,404	39.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
28	Expected number of Live Birth	73,420		75,462			
E) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
29	Total reported live births	79,059	107.7	82,712	109.6	Breastfed within 1 hour of birth	75.4

30	Total Still Birth	1,915	2.6	1,899	2.5	BCG	74.1
31	PC of newborn weighted at birth to live birth	65,344	82.7	69,993	84.6	3 dose of DPT	38.4
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,792	7.3	5,919	7.2	Measles	52.9
33	PC of newborns breastfed within 1 hour to total reported live birth.	67,153	84.9	67,365	81.4	Full Immunization	27.6
34	Children fully immunized	65,073	88.6	68,351	90.6		
35	Children who have received BCG	84,686	115.3	87,466	115.9		
36	Children who have received DPT1	83,395	113.6	84,999	112.6		
37	Children who have received DPT3	73,946	100.7	76,756	101.7		
38	Children who have received Measles	69,640	94.9	72,138	95.6		
39	Diarrhoea and Dehydration cases reported in children below 5 years	104,031		92,002			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
F) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
40	Number of Vasectomies performed	18	14	Limiting	17.1		
41	Number of Tubectomies performed	2,724	2,493	Spacing	20.9		
42	Number of IUD insertion	4,741	4,437	Women using any method	22.9		
43	Number of IUD removals	2,072	2,347	Women using modern method	16.8		
G) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
44	IPD cases per 10,000 population ***	1,291	1,229				
45	General OPD cases per 10,000 population ***	10,882	10,507				
46	Ayush OPD cases per 10,000 population ***	716	824				
H) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
47	Neonatal death within 24 hours	440	384				
48	Up to 1 Weeks of Birth	539	624				
49	Between 1 week & 4 weeks of birth	89	59				
50	Neonatal Death	1,068	1,067				
51	Between 1 month and 11 months	1,072	1,081				
52	Total reported infant deaths	2,140	2,148				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
53	Due to Abortion	0	2				
54	Due to Obstructed/prolonged labour	0	19				
55	Due to Severe hypertension/fits	4	12				
56	Due to Bleeding	2	59				
57	Due to High fever	0	12				
58	Due to Other Causes (including causes not known)	1	137				
59	Total reported maternal deaths	7	241				

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,618					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	68					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2012-13			
8	Expected number of PW	8,638		8,861			
9	Expected number of Delivery	7,972		8,178			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	10,601	122.7	12,002	149.0	Any ANC	40.1
11	Mothers registered in the first trimester	3,660	34.5	4,232	35.3	ANC Check up in first trimester	22.8
12	Mothers who had at least 3 Ante-Natal care check ups	5,326	50.2	5,940	49.5	3 or more ANC check up	28.5
13	PW who got TT 2 / Booster injection	6,800	64.1	7,496	62.5	Atleast 1 TT received	39.0
14	PW who consumed 100 IFA tablets	7,556	71.3	5,342	44.5	100 IFA tablets consumed	63.8
15	Home Delivery against expected delivery *	4,112	51.6	4,388	53.7	Full ANC	2.7
16	Institutional Delivery Against expected delivery *	2,026	25.4	2,166	26.5	Home Delivery	89.7
17	Home Delivery against reported delivery **	4,112	67.0	4,388	67.0	Institutional Delivery	10.2
18	Institutional Delivery against reported delivery **	2,026	33.0	2,166	33.0	Home Delivery by SBA	2.3
19	Total reported Deliveries	6,138		6,554		PNC within 48 hrs of delivery	8.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	579	14.1	558	12.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,978	48.5	2,776	42.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	7,852		8,055			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	6,121	78.0	6,690	83.1	Breastfed within 1 hour of birth	79.3
24	Total Still Birth	99	1.3	135	1.7	BCG	63.6

25	PC of newborn weighted at birth to live birth	4,404	71.9	4,823	72.1	3 dose of DPT	16.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	237	5.4	216	4.5	Measles	23
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,900	80.1	5,365	80.2	Full Immunization	14.5
28	Children fully immunized	6,222	79.2	6,095	75.7		
29	Children who have received BCG	7,195	91.6	7,949	98.7		
30	Children who have received DPT1	7,979	101.6	8,002	99.3		
31	Children who have received DPT3	7,005	89.2	7,150	88.8		
32	Children who have received Measles	6,720	85.6	6,457	80.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,326		5,282			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
34	Number of Vasectomies performed	0		0		Limiting	23.7
35	Number of Tubectomies performed	62		98		Spacing	5.8
36	Number of IUD insertion	334		124		Women using any method	30.8
37	Number of IUD removals	87		297		Women using modern method	21.4
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)			
38	IPD cases per 10,000 population ***	471		358			
39	General OPD cases per 10,000 population ***	6698		6360			
40	Ayush OPD cases per 10,000 population ***	290		384			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2012-13)		HMIS (2013-14)			
41	Neonatal death within 24 hours	2		5			
42	Up to 1 Weeks of Birth	19		33			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	21		38			
45	Between 1 month and 11 months	39		88			
46	Total reported infant deaths	60		126			
II)	Maternal Mortality	HMIS (2012-13)		HMIS (2013-14)			
	Maternal Deaths (In Number)	HMIS (2012-13)		HMIS (2013-14)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		4			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		12			
51	Due to High fever	0		2			
52	Due to Other Causes (including causes not known)	0		15			
53	Total reported maternal deaths	0		34			

East Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	824,059					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	61					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	4					
C) Maternal Health:		2011-12		2012-13			
8	Expected number of PW	22,385		22,937			
9	Expected number of Delivery	20,962		21,479			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	50,472	225.5	55,355	265.5	Any ANC	84.2
11	Mothers registered in the first trimester	9,724	19.3	17,933	32.4	ANC Check up in first trimester	43.1
12	Mothers who had at least 3 Ante-Natal care check ups	28,268	56.0	28,860	52.1	3 or more ANC check up	63.0
13	PW who got TT 2 / Booster injection	15,640	31.0	16,365	29.6	Atleast 1 TT received	81.9
14	PW who consumed 100 IFA tablets	25,638	50.8	24,014	43.4	100 IFA tablets consumed	61.2
15	Home Delivery against expected delivery *	6,592	31.4	6,853	31.9	Full ANC	44.8
16	Institutional Delivery Against expected delivery *	21,207	101.2	21,233	98.9	Home Delivery	53.9
17	Home Delivery against reported delivery **	6,592	23.7	6,853	24.4	Institutional Delivery	44.7
18	Institutional Delivery against reported delivery **	21,207	76.3	21,233	75.6	Home Delivery by SBA	5.9
19	Total reported Deliveries	27,799		28,086		PNC within 48 hrs of delivery	45.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	327	5.0	338	4.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,054	29.0	8,729	31.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	20,350		20,852			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	27,012	132.7	27,308	131.0	Breastfed within 1 hour of birth	65.2
24	Total Still Birth	836	4.1	759	3.6	BCG	96.1

25	PC of newborn weighted at birth to live birth	23,579	87.3	24,093	88.2	3 dose of DPT	68.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3,125	13.3	3,121	13.0	Measles	67.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,037	81.6	18,797	68.8	Full Immunization	48.8
28	Children fully immunized	15,173	74.6	16,048	77.0		
29	Children who have received BCG	25,030	123.0	26,069	125.0		
30	Children who have received DPT1	20,434	100.4	20,370	97.7		
31	Children who have received DPT3	17,562	86.3	17,610	84.5		
32	Children who have received Measles	15,948	78.4	16,595	79.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	26,558		25,479			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	4	11	Limiting	14.9
35	Number of Tubectomies performed	1,644	1,508	Spacing	15.4
36	Number of IUD insertion	1,621	1,820	Women using any method	28.9
37	Number of IUD removals	877	684	Women using modern method	24
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	3285	2710		
39	General OPD cases per 10,000 population ***	14673	15600		
40	Ayush OPD cases per 10,000 population ***	608	823		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	211	203		
42	Up to 1 Weeks of Birth	253	285		
43	Between 1 week & 4 weeks of birth	24	33		
44	Neonatal Death	488	521		
45	Between 1 month and 11 months	311	379		
46	Total reported infant deaths	799	900		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	12		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	0	36		
53	Total reported maternal deaths	0	51		

Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	392,852					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	74					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2012-13			
8	Expected number of PW	10,741		11,078			
9	Expected number of Delivery	10,031		10,346			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	16,570	154.3	16,141	160.3	Any ANC	53.7
11	Mothers registered in the first trimester	3,843	23.2	4,158	25.8	ANC Check up in first trimester	21.8
12	Mothers who had at least 3 Ante-Natal care check ups	4,830	29.1	5,019	31.1	3 or more ANC check up	46.7
13	PW who got TT 2 / Booster injection	10,998	66.4	11,682	72.4	Atleast 1 TT received	52.6
14	PW who consumed 100 IFA tablets	7,161	43.2	1,228	7.6	100 IFA tablets consumed	63.5
15	Home Delivery against expected delivery *	6,543	65.2	6,930	67.0	Full ANC	16.1
16	Institutional Delivery Against expected delivery *	5,200	51.8	5,646	54.6	Home Delivery	73.4
17	Home Delivery against reported delivery **	6,543	55.7	6,930	55.1	Institutional Delivery	25.1
18	Institutional Delivery against reported delivery **	5,200	44.3	5,646	44.9	Home Delivery by SBA	5.8
19	Total reported Deliveries	11,743		12,576		PNC within 48 hrs of delivery	29.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	556	8.5	568	8.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,561	38.8	4,503	35.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	9,764		10,070			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	11,509	117.9	12,390	123.0	Breastfed within 1 hour of birth	70.6
24	Total Still Birth	312	3.2	320	3.2	BCG	83.1

25	PC of newborn weighted at birth to live birth	8,980	78.0	10,019	80.9	3 dose of DPT	54.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	719	8.0	684	6.8	Measles	63.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,460	90.9	11,230	90.6	Full Immunization	34
28	Children fully immunized	10,738	110.0	11,723	116.4		
29	Children who have received BCG	13,771	141.0	13,898	138.0		
30	Children who have received DPT1	13,936	142.7	14,434	143.3		
31	Children who have received DPT3	12,195	124.9	12,993	129.0		
32	Children who have received Measles	11,412	116.9	12,344	122.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	32,440		24,200			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
34	Number of Vasectomies performed	4		0		Limiting	16.5
35	Number of Tubectomies performed	262		212		Spacing	15.1
36	Number of IUD insertion	442		370		Women using any method	13.4
37	Number of IUD removals	162		180		Women using modern method	11.2
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)			
38	IPD cases per 10,000 population ***	209		339			
39	General OPD cases per 10,000 population ***	11319		8826			
40	Ayush OPD cases per 10,000 population ***	599		567			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2012-13)		HMIS (2013-14)			
41	Neonatal death within 24 hours	56		38			
42	Up to 1 Weeks of Birth	128		155			
43	Between 1 week & 4 weeks of birth	15		4			
44	Neonatal Death	199		197			
45	Between 1 month and 11 months	95		111			
46	Total reported infant deaths	294		308			
II)	Maternal Mortality	HMIS (2012-13)		HMIS (2013-14)			
	Maternal Deaths (In Number)	HMIS (2012-13)		HMIS (2013-14)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension/fits	4		4			
50	Due to Bleeding	2		13			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		13			
53	Total reported maternal deaths	7		31			

Ri Bhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	258,380					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2012-13			
8	Expected number of PW	7,083		7,324			
9	Expected number of Delivery	6,499		6,720			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	7,770	109.7	8,409	126.3	Any ANC	70.3
11	Mothers registered in the first trimester	2,033	26.2	2,333	27.7	ANC Check up in first trimester	26.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,247	54.7	5,033	59.9	3 or more ANC check up	48.6
13	PW who got TT 2 / Booster injection	5,604	72.1	5,920	70.4	Atleast 1 TT received	66.6
14	PW who consumed 100 IFA tablets	3,832	49.3	927	11.0	100 IFA tablets consumed	50.4
15	Home Delivery against expected delivery *	4,312	66.3	4,258	63.4	Full ANC	19.4
16	Institutional Delivery Against expected delivery *	1,439	22.1	1,418	21.1	Home Delivery	71.4
17	Home Delivery against reported delivery **	4,312	75.0	4,258	75.0	Institutional Delivery	27.3
18	Institutional Delivery against reported delivery **	1,439	25.0	1,418	25.0	Home Delivery by SBA	4.1
19	Total reported Deliveries	5,751		5,676		PNC within 48 hrs of delivery	27.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	370	8.6	453	10.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,449	42.6	2,529	44.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	6,439		6,658			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	5,730	89.0	5,658	85.0	Breastfed within 1 hour of birth	65.8
24	Total Still Birth	49	0.8	54	0.8	BCG	86.7

25	PC of newborn weighted at birth to live birth	3,474	60.6	3,820	67.5	3 dose of DPT	65.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	181	5.2	147	3.8	Measles	69
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,583	80.0	4,540	80.2	Full Immunization	55.9
28	Children fully immunized	5,351	83.1	5,386	80.9		
29	Children who have received BCG	6,397	99.4	6,012	90.3		
30	Children who have received DPT1	7,410	115.1	7,172	107.7		
31	Children who have received DPT3	6,221	96.6	6,221	93.4		
32	Children who have received Measles	5,808	90.2	5,991	90.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,787		8,947			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
34	Number of Vasectomies performed	0	0	Limiting	11.6		
35	Number of Tubectomies performed	113	70	Spacing	17.6		
36	Number of IUD insertion	487	276	Women using any method	18.3		
37	Number of IUD removals	133	394	Women using modern method	14.6		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
38	IPD cases per 10,000 population ***	831	759				
39	General OPD cases per 10,000 population ***	11004	10347				
40	Ayush OPD cases per 10,000 population ***	976	946				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
41	Neonatal death within 24 hours	10	16				
42	Up to 1 Weeks of Birth	13	16				
43	Between 1 week & 4 weeks of birth	7	6				
44	Neonatal Death	30	38				
45	Between 1 month and 11 months	56	55				
46	Total reported infant deaths	86	93				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	2				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	6				
53	Total reported maternal deaths	0	8				

South Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	142,574					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2011-12	2012-13				
8	Expected number of PW	3,890	4,005				
9	Expected number of Delivery	3,700	3,809				
		HMIS (2012-13)	HMIS (2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC		
10	PW register for ANC	4,079	104.8	3,985	109.5	Any ANC	34.3
11	Mothers registered in the first trimester	1,773	43.5	1,796	45.1	ANC Check up in first trimester	24.1
12	Mothers who had at least 3 Ante-Natal care check ups	2,023	49.6	2,150	54.0	3 or more ANC check up	28.0
13	PW who got TT 2 / Booster injection	2,583	63.3	2,904	72.9	Atleast 1 TT received	32.0
14	PW who consumed 100 IFA tablets	2,346	57.5	1,455	36.5	100 IFA tablets consumed	71.7
15	Home Delivery against expected delivery *	1,915	51.8	2,066	54.2	Full ANC	4.9
16	Institutional Delivery Against expected delivery *	478	12.9	648	17.0	Home Delivery	72.9
17	Home Delivery against reported delivery **	1,915	80.0	2,066	76.1	Institutional Delivery	26.7
18	Institutional Delivery against reported delivery **	478	20.0	648	23.9	Home Delivery by SBA	2.3
19	Total reported Deliveries	2,393		2,714		PNC within 48 hrs of delivery	20.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	171	8.9	199	9.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,298	54.2	1,311	48.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	3,537		3,641			
D) Child Immunization :		HMIS (2012-13)	HMIS (2013-14)		DLHS III (2007-08)		
23	Total reported live births	2,372	67.1	2,684	73.7	Breastfed within 1 hour of birth	90.2
24	Total Still Birth	30	0.8	32	0.9	BCG	66.3

25	PC of newborn weighted at birth to live birth	1,942	81.9	2,276	84.8	3 dose of DPT	20.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	48	2.5	77	3.4	Measles	42.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,155	90.9	2,549	95.0	Full Immunization	10.4
28	Children fully immunized	2,352	66.5	2,733	75.1		
29	Children who have received BCG	3,288	93.0	3,491	95.9		
30	Children who have received DPT1	3,682	104.1	3,925	107.8		
31	Children who have received DPT3	3,216	90.9	3,519	96.7		
32	Children who have received Measles	2,959	83.7	3,125	85.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,794		1,649			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	29.2
35	Number of Tubectomies performed	0	0	Spacing	2.7
36	Number of IUD insertion	103	61	Women using any method	32.1
37	Number of IUD removals	38	31	Women using modern method	19
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)		
38	IPD cases per 10,000 population ***	408	601		
39	General OPD cases per 10,000 population ***	6386	6850		
40	Ayush OPD cases per 10,000 population ***	417	657		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)		
41	Neonatal death within 24 hours	14	9		
42	Up to 1 Weeks of Birth	8	6		
43	Between 1 week & 4 weeks of birth	4	1		
44	Neonatal Death	26	16		
45	Between 1 month and 11 months	71	70		
46	Total reported infant deaths	97	86		
II)	Maternal Mortality	HMIS (2012-13)	HMIS (2013-14)		
	Maternal Deaths (In Number)				
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	12		
53	Total reported maternal deaths	0	14		

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	81					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	2					
C) Maternal Health:		2011-12		2012-13			
8	Expected number of PW	17,499		17,967			
9	Expected number of Delivery	16,322		16,758			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	19,631	112.2	20,771	127.2	Any ANC	50.3
11	Mothers registered in the first trimester	7,644	38.9	8,380	40.3	ANC Check up in first trimester	26.7
12	Mothers who had at least 3 Ante-Natal care check ups	11,045	56.3	12,682	61.1	3 or more ANC check up	28.9
13	PW who got TT 2 / Booster injection	15,494	78.9	16,031	77.2	Atleast 1 TT received	41.5
14	PW who consumed 100 IFA tablets	14,238	72.5	4,116	19.8	100 IFA tablets consumed	57.0
15	Home Delivery against expected delivery *	9,250	56.7	8,654	51.6	Full ANC	5.6
16	Institutional Delivery Against expected delivery *	7,916	48.5	8,979	53.6	Home Delivery	82.3
17	Home Delivery against reported delivery **	9,250	53.9	8,654	49.1	Institutional Delivery	17.7
18	Institutional Delivery against reported delivery **	7,916	46.1	8,979	50.9	Home Delivery by SBA	6.8
19	Total reported Deliveries	17,166		17,633		PNC within 48 hrs of delivery	15.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,043	11.3	888	10.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,578	50.0	8,652	49.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	15,909		16,334			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	16,814	105.7	17,314	106.0	Breastfed within 1 hour of birth	75.5
24	Total Still Birth	430	2.7	432	2.6	BCG	73.1

25	PC of newborn weighted at birth to live birth	16,541	98.4	17,119	98.9	3 dose of DPT	33.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,144	6.9	1,276	7.5	Measles	47.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,456	97.9	17,061	98.5	Full Immunization	30.3
28	Children fully immunized	15,399	96.8	15,961	97.7		
29	Children who have received BCG	17,160	107.9	17,633	108.0		
30	Children who have received DPT1	17,120	107.6	17,717	108.5		
31	Children who have received DPT3	16,554	104.1	17,192	105.3		
32	Children who have received Measles	16,354	102.8	16,653	102.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	12,444		11,046			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
34	Number of Vasectomies performed	10	3	Limiting	23.2		
35	Number of Tubectomies performed	627	561	Spacing	6.9		
36	Number of IUD insertion	1,580	1,664	Women using any method	32.6		
37	Number of IUD removals	750	729	Women using modern method	23.9		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
38	IPD cases per 10,000 population ***	287	335				
39	General OPD cases per 10,000 population ***	8449	7876				
40	Ayush OPD cases per 10,000 population ***	594	708				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
41	Neonatal death within 24 hours	100	64				
42	Up to 1 Weeks of Birth	80	69				
43	Between 1 week & 4 weeks of birth	19	7				
44	Neonatal Death	199	140				
45	Between 1 month and 11 months	344	244				
46	Total reported infant deaths	543	384				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
47	Due to Abortion	0	2				
48	Due to Obstructed/prolonged labour	0	12				
49	Due to Severe hypertension/fits	0	6				
50	Due to Bleeding	0	15				
51	Due to High fever	0	8				
52	Due to Other Causes (including causes not known)	0	36				
53	Total reported maternal deaths	0	79				

West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	385,601					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	64					
4	Primary Health Centers (PHC)	19					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	2					
C) Maternal Health:		2011-12		2012-13			
8	Expected number of PW	10,532		10,850			
9	Expected number of Delivery	9,751		10,046			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	14,460	137.3	15,691	159.1	Any ANC	48.0
11	Mothers registered in the first trimester	3,909	27.0	5,237	33.4	ANC Check up in first trimester	14.3
12	Mothers who had at least 3 Ante-Natal care check ups	6,216	43.0	8,080	51.5	3 or more ANC check up	28.2
13	PW who got TT 2 / Booster injection	9,123	63.1	10,234	65.2	Atleast 1 TT received	41.2
14	PW who consumed 100 IFA tablets	5,412	37.4	5,721	36.5	100 IFA tablets consumed	63.1
15	Home Delivery against expected delivery *	6,730	69.0	7,414	73.8	Full ANC	7.5
16	Institutional Delivery Against expected delivery *	2,930	30.0	3,382	33.7	Home Delivery	78.4
17	Home Delivery against reported delivery **	6,730	69.7	7,414	68.7	Institutional Delivery	21.4
18	Institutional Delivery against reported delivery **	2,930	30.3	3,382	31.3	Home Delivery by SBA	3.5
19	Total reported Deliveries	9,660		10,796		PNC within 48 hrs of delivery	28.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	646	9.6	395	5.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,958	41.0	4,904	45.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	9,574		9,864			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
23	Total reported live births	9,501	99.2	10,668	108.2	Breastfed within 1 hour of birth	80.6
24	Total Still Birth	159	1.7	167	1.7	BCG	64.5

25	PC of newborn weighted at birth to live birth	6,424	67.6	7,843	73.5	3 dose of DPT	31.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	338	5.3	398	5.1	Measles	36.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,562	69.1	7,823	73.3	Full Immunization	22
28	Children fully immunized	9,838	102.8	10,405	105.5		
29	Children who have received BCG	11,845	123.7	12,414	125.9		
30	Children who have received DPT1	12,834	134.0	13,379	135.6		
31	Children who have received DPT3	11,193	116.9	12,071	122.4		
32	Children who have received Measles	10,439	109.0	10,973	111.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,682		15,399			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
34	Number of Vasectomies performed	0	0	Limiting	11.4		
35	Number of Tubectomies performed	16	44	Spacing	29.4		
36	Number of IUD insertion	174	122	Women using any method	7.1		
37	Number of IUD removals	25	32	Women using modern method	6.7		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
38	IPD cases per 10,000 population ***	1135	1745				
39	General OPD cases per 10,000 population ***	11423	10647				
40	Ayush OPD cases per 10,000 population ***	1550	1613				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
41	Neonatal death within 24 hours	47	49				
42	Up to 1 Weeks of Birth	38	60				
43	Between 1 week & 4 weeks of birth	20	8				
44	Neonatal Death	105	117				
45	Between 1 month and 11 months	156	134				
46	Total reported infant deaths	261	251				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2012-13)	HMIS (2013-14)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	4				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	0	19				
53	Total reported maternal deaths	0	24				

* Against Expected Delivery for the whole year

** Against Reported Delivery for the 2013-14.

*** Against Estimated Population for whole year