

## MEGHALAYA Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	29,66,889	9	Birth Rate		23.9	
2	Sex Ratio	986	10	Death Rate		7.6	
3	Number of districts	7	11	IMR		47	
<b>B) Infrastructure Details (RHS 2013)</b>		<b>Numbers</b>	12	Growth Rate		16.4	
4	Sub Centre (SC)	422	13	TFR (SRS - 2007)		3.1	
5	Primary Health Centre (PHC)	108					
6	Community Health Centre (CHC)	27					
7	SDH	1					
8	DH	11					
<b>D) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
14	Expected number of PW #	83,089	85,401				
15	Expected number of Delivery #	77,802	79,966				
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	1,23,583	148.7	67,444	79.0	Any ANC	74.1
17	Mothers registered in the first trimester	32,586	26.4	21,969	32.6	ANC Check up in first trimester	71.5
18	Mothers who had at least 3 Ante-Natal care check ups	61,955	50.1	35,825	53.1	3 or more ANC check up	85.3
19	PW who got TT 2 / Booster injection	66,242	53.6	36,214	53.7	Atleast 1 TT received	93.3
20	PW who consumed 100 IFA tablets	66,183	53.6	21,764	32.3	100 IFA tablets consumed	43.7
21	Home Delivery against expected delivery *	39,454	50.7	20,192	25.3	Full ANC	32.4
22	Institutional Delivery against expected delivery *	41,196	52.9	21,547	26.9	Home Delivery	52.2
23	Home Delivery against reported delivery **	39,454	48.9	20,192	48.4	Institutional Delivery	47.3
24	Institutional Delivery against reported delivery **	41,196	51.1	21,547	51.6	Home Delivery by SBA	22.1
25	Total reported Deliveries	80,650	103.7	41,739	52.2	PNC within 14 days of delivery	74.1
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,692	9.4	1,816	9.0		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31,876	39.5	17,986	43.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth #	75,536		77,637			
<b>E) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
29	Total reported live births	79,059	104.7	41,309	53.2	Breastfed within 1 hour of birth	75.4

30	Total Still Birth	1,915	2.5	901	1.2	BCG	74.1
31	PC of newborn weighted at birth to live birth	65,344	82.7	34,735	84.1	3 dose of DPT	75.1
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,792	7.3	2,983	7.2	Measles	68.1
33	PC of newborns breastfed within 1 hour to total reported live birth.	67,153	84.9	36,004	87.2	Full Immunization	27.6
34	Children fully immunized	65,073	86.1	34,049	43.9		
35	Children who have received BCG	84,686	112.1	42,469	54.7		
36	Children who have received DPT1	83,395	110.4	41,838	53.9		
37	Children who have received DPT3	73,946	97.9	38,259	49.3		
38	Children who have received Measles	69,640	92.2	35,645	45.9		
39	Diarrhoea and Dehydration cases reported in children below 5 years	1,04,031		54,059			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>F) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
40	Number of Vasectomies performed	18		12		Limiting	15.8
41	Number of Tubectomies performed	2,724		1,120		Spacing	39.7
42	Number of IUD insertion	4,741		2,793		Women using any method	18.5
43	Number of IUD removals	2,072		948		Women using modern method	14.3
<b>G) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
44	IPD cases per 10,000 population ***	622		463			
45	General OPD cases per 10,000 population ***	10,291		5,827			
46	Ayush OPD cases per 10,000 population ***	677		442			
<b>H) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Neonatal death within 24 hours	440		178			
48	Up to 1 Weeks of Birth	539		252			
49	Between 1 week & 4 weeks of birth	89		28			
50	Neonatal Death	1,068		458			
51	Between 1 month and 11 months	1,072		541			
52	<b>Total reported infant deaths</b>	<b>2,140</b>		<b>999</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
53	Due to Abortion	0		0			
54	Due to Obstructed/prolonged labour	29		10			
55	Due to Severe hypertension/fits	16		5			
56	Due to Bleeding	45		16			
57	Due to High fever	21		4			
58	Due to Other Causes (including causes not known)	117		59			
59	<b>Total reported maternal deaths</b>	<b>228</b>		<b>94</b>			

## East Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,17,917					
2	Sex Ratio	968					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	73					
4	Primary Health Centre (PHC)	16					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	8,869 ( )		4,723			
9	Expected number of Delivery #	8,305 ( )		4,422			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	10,601	119.5	3,782	88.1	Any ANC	48.9
11	Mothers registered in the first trimester	3,660	34.5	1,106	29.2	ANC Check up in first trimester	49.1
12	Mothers who had at least 3 Ante-Natal care check ups	5,326	50.2	1,690	44.7	3 or more ANC check up	80.6
13	PW who got TT 2 / Booster injection	6,800	64.1	1,950	51.6	Atleast 1 TT received	92.1
14	PW who consumed 100 IFA tablets	7,556	71.3	1,537	40.6	100 IFA tablets consumed	61.7
15	Home Delivery against expected delivery *	4,112	49.5	1,472	33.3	Full ANC	26.9
16	Institutional Delivery Against expected delivery *	2,026	24.4	794	18.0	Home Delivery	70.4
17	Home Delivery against reported delivery **	4,112	67.0	1,472	65.0	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	2,026	33.0	794	35.0	Home Delivery by SBA	42.3
19	Total reported Deliveries	6,138		2,266		PNC within 48 hrs of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	579	14.1	87	5.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,978	48.5	725	32.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	8,063		4,293			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	6,121	75.9	2,298	53.5	Breastfed within 1 hour of birth	90.7
24	Total Still Birth	99	1.2	39	0.9	BCG	45.2

25	PC of newborn weighted at birth to live birth	4,404	71.9	1,597	69.5	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	237	5.4	116	7.3	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,900	80.1	1,862	81.0	Full Immunization	30.1
28	Children fully immunized	6,222	77.2	1,561	36.4		
29	Children who have received BCG	7,195	89.2	2,365	55.1		
30	Children who have received DPT1	7,979	99.0	2,350	54.7		
31	Children who have received DPT3	7,005	86.9	1,996	46.5		
32	Children who have received Measles	6,720	83.3	1,637	38.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,326		2,727			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	6.7
35	Number of Tubectomies performed	62		72		Spacing	61.8
36	Number of IUD insertion	334		98		Women using any method	15
37	Number of IUD removals	87		71		Women using modern method	10.5
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	290		260			
39	General OPD cases per 10,000 population ***	6523		4280			
40	Ayush OPD cases per 10,000 population ***	283		98			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	2		3			
42	Up to 1 Weeks of Birth	19		8			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	21		11			
45	Between 1 month and 11 months	39		31			
46	<b>Total reported infant deaths</b>	<b>60</b>		<b>42</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	2		0			
50	Due to Bleeding	2		1			
51	Due to High fever	1		1			
52	Due to Other Causes (including causes not known)	3		3			
53	<b>Total reported maternal deaths</b>	<b>9</b>		<b>5</b>			

## East Jaintia Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,95,124					
2	Sex Ratio	1,008					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	76					
4	Primary Health Centre (PHC)	18					
5	Community Health Centre (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	11,142 ( )		3,933			
9	Expected number of Delivery #	10,433 ( )		3,683			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	16,570	148.7	2,428	67.9	Any ANC	83.1
11	Mothers registered in the first trimester	3,843	23.2	661	27.2	ANC Check up in first trimester	70.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,830	29.1	820	33.8	3 or more ANC check up	74.3
13	PW who got TT 2 / Booster injection	10,998	66.4	1,726	71.1	Atleast 1 TT received	91.2
14	PW who consumed 100 IFA tablets	7,161	43.2	328	13.5	100 IFA tablets consumed	40.0
15	Home Delivery against expected delivery *	6,543	62.7	1,192	32.4	Full ANC	30.1
16	Institutional Delivery Against expected delivery *	5,200	49.8	313	8.5	Home Delivery	59.6
17	Home Delivery against reported delivery **	6,543	55.7	1,192	79.2	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	5,200	44.3	313	20.8	Home Delivery by SBA	12.0
19	Total reported Deliveries	11,743		1,505		PNC within 48 hrs of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	556	8.5	183	15.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,561	38.8	602	40.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	10,129		3,575			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	11,509	113.6	1,478	41.3	Breastfed within 1 hour of birth	46.3
24	Total Still Birth	312	3.1	32	0.9	BCG	81.9

25	PC of newborn weighted at birth to live birth	8,980	78.0	1,171	79.2	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	719	8.0	35	3.0	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,460	90.9	1,380	93.4	Full Immunization	57.1
28	Children fully immunized	10,738	106.0	1,810	50.6		
29	Children who have received BCG	13,771	136.0	2,037	57.0		
30	Children who have received DPT1	13,936	137.6	2,123	59.4		
31	Children who have received DPT3	12,195	120.4	1,932	54.0		
32	Children who have received Measles	11,412	112.7	1,862	52.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	32,440		4,866			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	4		0		Limiting	18.1
35	Number of Tubectomies performed	262		0		Spacing	21.9
36	Number of IUD insertion	442		46		Women using any method	20.4
37	Number of IUD removals	162		10		Women using modern method	13
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	786		214			
39	General OPD cases per 10,000 population ***	10912		4053			
40	Ayush OPD cases per 10,000 population ***	577		229			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	56		2			
42	Up to 1 Weeks of Birth	128		5			
43	Between 1 week & 4 weeks of birth	15		0			
44	Neonatal Death	199		7			
45	Between 1 month and 11 months	95		16			
46	<b>Total reported infant deaths</b>	294		23			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	6		2			
50	Due to Bleeding	4		0			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	4		1			
53	<b>Total reported maternal deaths</b>	14		4			

## East Khasi Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,25,922					
2	Sex Ratio	1,008					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	67					
4	Primary Health Centre (PHC)	23					
5	Community Health Centre (CHC)	6					
6	SDH	0					
7	DH	3					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	22,989		23,723			
9	Expected number of Delivery #	21,526		22,214			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	50,472	219.5	29,298	135.8	Any ANC	88.4
11	Mothers registered in the first trimester	9,724	19.3	8,731	29.8	ANC Check up in first trimester	79.4
12	Mothers who had at least 3 Ante-Natal care check ups	28,268	56.0	16,486	56.3	3 or more ANC check up	91.7
13	PW who got TT 2 / Booster injection	15,640	31.0	8,713	29.7	Atleast 1 TT received	93.9
14	PW who consumed 100 IFA tablets	25,638	50.8	10,731	36.6	100 IFA tablets consumed	45.4
15	Home Delivery against expected delivery *	6,592	30.6	3,379	15.2	Full ANC	34.1
16	Institutional Delivery Against expected delivery *	21,207	98.5	10,455	47.1	Home Delivery	23.5
17	Home Delivery against reported delivery **	6,592	23.7	3,379	24.4	Institutional Delivery	76.5
18	Institutional Delivery against reported delivery **	21,207	76.3	10,455	75.6	Home Delivery by SBA	9.1
19	Total reported Deliveries	27,799		13,834		PNC within 48 hrs of delivery	77.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	327	5.0	162	4.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,054	29.0	4,848	35.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	20,899		21,567			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	27,012	129.3	13,534	62.8	Breastfed within 1 hour of birth	47.1
24	Total Still Birth	836	4.0	323	1.5	BCG	58.4



25	PC of newborn weighted at birth to live birth	23,579	87.3	11,976	88.5	3 dose of DPT	73.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3,125	13.3	1,553	13.0	Measles	69.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,037	81.6	11,221	82.9	Full Immunization	52.1
28	Children fully immunized	15,173	72.6	8,014	37.2		
29	Children who have received BCG	25,030	119.8	12,703	58.9		
30	Children who have received DPT1	20,434	97.8	9,963	46.2		
31	Children who have received DPT3	17,562	84.0	8,590	39.8		
32	Children who have received Measles	15,948	76.3	8,231	38.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	26,558		13,570			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	4		7		Limiting	11.3
35	Number of Tubectomies performed	1,644		670		Spacing	29.1
36	Number of IUD insertion	1,621		1,232		Women using any method	22.8
37	Number of IUD removals	877		380		Women using modern method	31.2
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	932		805			
39	General OPD cases per 10,000 population ***	14288		8255			
40	Ayush OPD cases per 10,000 population ***	592		404			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	211		87			
42	Up to 1 Weeks of Birth	253		108			
43	Between 1 week & 4 weeks of birth	24		17			
44	Neonatal Death	488		212			
45	Between 1 month and 11 months	311		193			
46	<b>Total reported infant deaths</b>	<b>799</b>		<b>405</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		3			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	3		6			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	50		17			
53	<b>Total reported maternal deaths</b>	<b>54</b>		<b>27</b>			



## North Garo Hills Factsheet

Key Indicators							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	3,17,917					
2	Sex Ratio	968					
	<b>B) Infrastructure Details (RHS 2012)</b>	<b>Numbers</b>					
3	Sub Centre (SC)	73					
4	Primary Health Centre (PHC)	16					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	1					
	<b>C) Maternal Health:</b>	<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	8,869 ( )		4,366			
9	Expected number of Delivery #	8,305 ( )		4,088			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	10,601	119.5	1,938	48.8	Any ANC	48.9
11	Mothers registered in the first trimester	3,660	34.5	830	42.8	ANC Check up in first trimester	49.1
12	Mothers who had at least 3 Ante-Natal care check ups	5,326	50.2	1,323	68.3	3 or more ANC check up	80.6
13	PW who got TT 2 / Booster injection	6,800	64.1	1,590	82.0	Atleast 1 TT received	92.1
14	PW who consumed 100 IFA tablets	7,556	71.3	729	37.6	100 IFA tablets consumed	61.7
15	Home Delivery against expected delivery *	4,112	49.5	676	16.5	Full ANC	26.9
16	Institutional Delivery Against expected delivery *	2,026	24.4	515	12.6	Home Delivery	70.4
17	Home Delivery against reported delivery **	4,112	67.0	676	56.8	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	2,026	33.0	515	43.2	Home Delivery by SBA	42.3
19	Total reported Deliveries	6,138		1,191		PNC within 48 hrs of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	579	14.1	129	19.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,978	48.5	672	56.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	8,063		3,969			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	6,121	75.9	1,205	30.4	Breastfed within 1 hour of birth	90.7
24	Total Still Birth	99	1.2	31	0.8	BCG	45.2

25	PC of newborn weighted at birth to live birth	4,404	71.9	979	81.2	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	237	5.4	43	4.4	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,900	80.1	1,048	87.0	Full Immunization	30.1
28	Children fully immunized	6,222	77.2	1,319	33.2		
29	Children who have received BCG	7,195	89.2	1,638	41.3		
30	Children who have received DPT1	7,979	99.0	1,839	46.3		
31	Children who have received DPT3	7,005	86.9	1,751	44.1		
32	Children who have received Measles	6,720	83.3	1,377	34.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,326		893			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	6.7	
35	Number of Tubectomies performed	62	0		Spacing	61.8	
36	Number of IUD insertion	334	43		Women using any method	15	
37	Number of IUD removals	87	24		Women using modern method	10.5	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	290	194				
39	General OPD cases per 10,000 population ***	6523	2734				
40	Ayush OPD cases per 10,000 population ***	283	182				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	2	6				
42	Up to 1 Weeks of Birth	19	4				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	21	10				
45	Between 1 month and 11 months	39	13				
46	<b>Total reported infant deaths</b>	60	23				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	2				
49	Due to Severe hypertension/fits	2	0				
50	Due to Bleeding	2	0				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	3	0				
53	<b>Total reported maternal deaths</b>	9	2				

## Ri Bhoi Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	27					
4	Primary Health Centre (PHC)	8					
5	Community Health Centre (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	7,337		7,572			
9	Expected number of Delivery #	6,870		7,090			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	7,770	105.9	4,257	61.8	Any ANC	86.3
11	Mothers registered in the first trimester	2,033	26.2	1,310	30.8	ANC Check up in first trimester	76.8
12	Mothers who had at least 3 Ante-Natal care check ups	4,247	54.7	2,782	65.4	3 or more ANC check up	91.5
13	PW who got TT 2 / Booster injection	5,604	72.1	3,171	74.5	Atleast 1 TT received	96.6
14	PW who consumed 100 IFA tablets	3,832	49.3	1,020	24.0	100 IFA tablets consumed	47.2
15	Home Delivery against expected delivery *	4,312	62.8	2,277	32.1	Full ANC	40.5
16	Institutional Delivery Against expected delivery *	1,439	20.9	811	11.4	Home Delivery	50.8
17	Home Delivery against reported delivery **	4,312	75.0	2,277	73.7	Institutional Delivery	48.4
18	Institutional Delivery against reported delivery **	1,439	25.0	811	26.3	Home Delivery by SBA	31.4
19	Total reported Deliveries	5,751		3,088		PNC within 48 hrs of delivery	79.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	370	8.6	357	15.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,449	42.6	1,469	47.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	6,670		6,884			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	5,730	85.9	3,073	44.6	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	49	0.7	35	0.5	BCG	91.2

25	PC of newborn weighted at birth to live birth	3,474	60.6	2,044	66.5	3 dose of DPT	77.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	181	5.2	83	4.1	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,583	80.0	2,763	89.9	Full Immunization	54.9
28	Children fully immunized	5,351	80.2	2,914	42.3		
29	Children who have received BCG	6,397	95.9	3,176	46.1		
30	Children who have received DPT1	7,410	111.1	3,821	55.5		
31	Children who have received DPT3	6,221	93.3	3,279	47.6		
32	Children who have received Measles	5,808	87.1	3,251	47.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,787		5,044			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	19
35	Number of Tubectomies performed	113		12		Spacing	36.2
36	Number of IUD insertion	487		234		Women using any method	18.8
37	Number of IUD removals	133		47		Women using modern method	15.6
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	523		378			
39	General OPD cases per 10,000 population ***	10623		5996			
40	Ayush OPD cases per 10,000 population ***	942		525			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	10		12			
42	Up to 1 Weeks of Birth	13		13			
43	Between 1 week & 4 weeks of birth	7		1			
44	Neonatal Death	30		26			
45	Between 1 month and 11 months	56		27			
46	<b>Total reported infant deaths</b>	<b>86</b>		<b>53</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	2		2			
49	Due to Severe hypertension/fits	1		0			
50	Due to Bleeding	2		3			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	13		3			
53	<b>Total reported maternal deaths</b>	<b>19</b>		<b>8</b>			

## South Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,42,334					
2	Sex Ratio	944					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	21					
4	Primary Health Centre (PHC)	6					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	3,998		4,122			
9	Expected number of Delivery #	3,743		3,859			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,079	102.0	1,857	49.6	Any ANC	40.0
11	Mothers registered in the first trimester	1,773	43.5	835	45.0	ANC Check up in first trimester	100.0
12	Mothers who had at least 3 Ante-Natal care check ups	2,023	49.6	991	53.4	3 or more ANC check up	100.0
13	PW who got TT 2 / Booster injection	2,583	63.3	1,388	74.7	Atleast 1 TT received	82.4
14	PW who consumed 100 IFA tablets	2,346	57.5	591	31.8	100 IFA tablets consumed	66.7
15	Home Delivery against expected delivery *	1,915	51.2	937	24.3	Full ANC	22.2
16	Institutional Delivery Against expected delivery *	478	12.8	315	8.2	Home Delivery	66.7
17	Home Delivery against reported delivery **	1,915	80.0	937	74.8	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	478	20.0	315	25.2	Home Delivery by SBA	6.7
19	Total reported Deliveries	2,393		1,252		PNC within 48 hrs of delivery	42.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	171	8.9	79	8.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,298	54.2	639	51.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	3,634		3,747			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	2,372	65.3	1,239	33.1	Breastfed within 1 hour of birth	NA
24	Total Still Birth	30	0.8	15	0.4	BCG	70

25	PC of newborn weighted at birth to live birth	1,942	81.9	1,020	82.3	3 dose of DPT	70
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	48	2.5	64	6.3	Measles	50
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,155	90.9	1,186	95.7	Full Immunization	50
28	Children fully immunized	2,352	64.7	1,280	34.2		
29	Children who have received BCG	3,288	90.5	1,397	37.3		
30	Children who have received DPT1	3,682	101.3	1,794	47.9		
31	Children who have received DPT3	3,216	88.5	1,648	44.0		
32	Children who have received Measles	2,959	81.4	1,521	40.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,794		812			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	29.2
35	Number of Tubectomies performed	0		0		Spacing	44.6
36	Number of IUD insertion	103		5		Women using any method	11.9
37	Number of IUD removals	38		56		Women using modern method	10.4
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	213		169			
39	General OPD cases per 10,000 population ***	6214		3548			
40	Ayush OPD cases per 10,000 population ***	406		384			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	14		3			
42	Up to 1 Weeks of Birth	8		2			
43	Between 1 week & 4 weeks of birth	4		1			
44	Neonatal Death	26		6			
45	Between 1 month and 11 months	71		23			
46	<b>Total reported infant deaths</b>	<b>97</b>		<b>29</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		1			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	6		3			
53	<b>Total reported maternal deaths</b>	<b>9</b>		<b>4</b>			

## South West Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,42,923					
2	Sex Ratio	979					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	92					
4	Primary Health Centre (PHC)	18					
5	Community Health Centre (CHC)	6					
6	SDH	1					
7	DH	2					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	17,978 ( )		4,200			
9	Expected number of Delivery #	16,833 ( )		3,933			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	19,631	109.2	1,929	50.5	Any ANC	61.3
11	Mothers registered in the first trimester	7,644	38.9	1,084	56.2	ANC Check up in first trimester	82.4
12	Mothers who had at least 3 Ante-Natal care check ups	11,045	56.3	1,150	59.6	3 or more ANC check up	93.7
13	PW who got TT 2 / Booster injection	15,494	78.9	1,641	85.1	Atleast 1 TT received	87.4
14	PW who consumed 100 IFA tablets	14,238	72.5	834	43.2	100 IFA tablets consumed	43.2
15	Home Delivery against expected delivery *	9,250	55.0	847	21.5	Full ANC	28.0
16	Institutional Delivery Against expected delivery *	7,916	47.0	706	18.0	Home Delivery	52.6
17	Home Delivery against reported delivery **	9,250	53.9	847	54.5	Institutional Delivery	47.1
18	Institutional Delivery against reported delivery **	7,916	46.1	706	45.5	Home Delivery by SBA	17.0
19	Total reported Deliveries	17,166		1,553		PNC within 48 hrs of delivery	49.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,043	11.3	109	12.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,578	50.0	567	36.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	16,343		3,818			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	16,814	102.9	1,533	40.2	Breastfed within 1 hour of birth	86
24	Total Still Birth	430	2.6	35	0.9	BCG	43.5



25	PC of newborn weighted at birth to live birth	16,541	98.4	1,528	99.7	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,144	6.9	77	5.0	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,456	97.9	1,520	99.2	Full Immunization	34.8
28	Children fully immunized	15,399	94.2	1,582	41.4		
29	Children who have received BCG	17,160	105.0	1,640	43.0		
30	Children who have received DPT1	17,120	104.8	1,804	47.2		
31	Children who have received DPT3	16,554	101.3	1,857	48.6		
32	Children who have received Measles	16,354	100.1	1,585	41.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	12,444		1,985			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	10		0		Limiting	19.1
35	Number of Tubectomies performed	627		27		Spacing	57
36	Number of IUD insertion	1,580		111		Women using any method	8.2
37	Number of IUD removals	750		34		Women using modern method	4.6
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	474		172			
39	General OPD cases per 10,000 population ***	8225		4155			
40	Ayush OPD cases per 10,000 population ***	578		39			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	100		3			
42	Up to 1 Weeks of Birth	80		8			
43	Between 1 week & 4 weeks of birth	19		0			
44	Neonatal Death	199		11			
45	Between 1 month and 11 months	344		18			
46	<b>Total reported infant deaths</b>	<b>543</b>		<b>29</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	18		0			
49	Due to Severe hypertension/fits	7		1			
50	Due to Bleeding	25		1			
51	Due to High fever	16		0			
52	Due to Other Causes (including causes not known)	22		0			
53	<b>Total reported maternal deaths</b>	<b>88</b>		<b>2</b>			

## South West Khasi Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,83,461					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	66					
4	Primary Health Centre (PHC)	19					
5	Community Health Centre (CHC)	4					
6	SDH	0					
7	DH	2					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	10,790 ( )		2,769			
9	Expected number of Delivery #	10,103 ( )		2,593			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	14,460	134.0	1,598	63.5	Any ANC	68.4
11	Mothers registered in the first trimester	3,909	27.0	242	15.1	ANC Check up in first trimester	58.4
12	Mothers who had at least 3 Ante-Natal care check ups	6,216	43.0	766	47.9	3 or more ANC check up	78.4
13	PW who got TT 2 / Booster injection	9,123	63.1	1,086	68.0	Atleast 1 TT received	93.8
14	PW who consumed 100 IFA tablets	5,412	37.4	46	2.9	100 IFA tablets consumed	35.4
15	Home Delivery against expected delivery *	6,730	66.6	885	34.1	Full ANC	19.4
16	Institutional Delivery Against expected delivery *	2,930	29.0	205	7.9	Home Delivery	66.7
17	Home Delivery against reported delivery **	6,730	69.7	885	81.2	Institutional Delivery	32.3
18	Institutional Delivery against reported delivery **	2,930	30.3	205	18.8	Home Delivery by SBA	19.1
19	Total reported Deliveries	9,660		1,090		PNC within 48 hrs of delivery	45.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	646	9.6	3	0.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,958	41.0	578	53.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	99		2,517			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	9,501	9,606.7	1,076	42.7	Breastfed within 1 hour of birth	47.5
24	Total Still Birth	159	160.8	19	0.8	BCG	79.6

25	PC of newborn weighted at birth to live birth	6,424	67.6	773	71.8	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	338	5.3	32	4.1	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,562	69.1	657	61.1	Full Immunization	47.3
28	Children fully immunized	9,838	9,947.4	1,099	43.7		
29	Children who have received BCG	11,845	11,976.7	1,270	50.5		
30	Children who have received DPT1	12,834	12,976.7	1,439	57.2		
31	Children who have received DPT3	11,193	11,317.5	1,372	54.5		
32	Children who have received Measles	10,439	10,555.1	1,217	48.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,682		768			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	17.3
35	Number of Tubectomies performed	16		0		Spacing	29.1
36	Number of IUD insertion	174		4		Women using any method	16.9
37	Number of IUD removals	25		4		Women using modern method	14.5
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	664		232			
39	General OPD cases per 10,000 population ***	11150		2770			
40	Ayush OPD cases per 10,000 population ***	1513		372			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	47		1			
42	Up to 1 Weeks of Birth	38		6			
43	Between 1 week & 4 weeks of birth	20		5			
44	Neonatal Death	105		12			
45	Between 1 month and 11 months	156		42			
46	<b>Total reported infant deaths</b>	261		54			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	6		1			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	9		0			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	19		1			
53	<b>Total reported maternal deaths</b>	35		2			

## West Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,42,923					
2	Sex Ratio	979					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	92					
4	Primary Health Centre (PHC)	18					
5	Community Health Centre (CHC)	6					
6	SDH	1					
7	DH	2					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	17,978 ( )		14,248			
9	Expected number of Delivery #	16,833 ( )		13,341			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	19,631	109.2	8,067	6.2	Any ANC	61.3
11	Mothers registered in the first trimester	7,644	38.9	3,309	41.0	ANC Check up in first trimester	82.4
12	Mothers who had at least 3 Ante-Natal care check ups	11,045	56.3	4,759	59.0	3 or more ANC check up	93.7
13	PW who got TT 2 / Booster injection	15,494	78.9	6,135	76.1	Atleast 1 TT received	87.4
14	PW who consumed 100 IFA tablets	14,238	72.5	3,845	47.7	100 IFA tablets consumed	43.2
15	Home Delivery against expected delivery *	9,250	55.0	3,262	24.5	Full ANC	28.0
16	Institutional Delivery Against expected delivery *	7,916	47.0	3,599	27.0	Home Delivery	52.6
17	Home Delivery against reported delivery **	9,250	53.9	3,262	47.5	Institutional Delivery	47.1
18	Institutional Delivery against reported delivery **	7,916	46.1	3,599	52.5	Home Delivery by SBA	17.0
19	Total reported Deliveries	17,166		6,861		PNC within 48 hrs of delivery	49.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,043	11.3	375	11.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,578	50.0	4,082	59.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	16,343		1,29,553			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
23	Total reported live births	16,814	102.9	6,729	5.2	Breastfed within 1 hour of birth	86
24	Total Still Birth	430	2.6	154	0.1	BCG	43.5

25	PC of newborn weighted at birth to live birth	16,541	98.4	6,620	98.4	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,144	6.9	525	7.9	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,456	97.9	6,630	98.5	Full Immunization	34.8
28	Children fully immunized	15,399	94.2	6,023	4.6		
29	Children who have received BCG	17,160	105.0	6,828	5.3		
30	Children who have received DPT1	17,120	104.8	6,728	5.2		
31	Children who have received DPT3	16,554	101.3	6,700	5.2		
32	Children who have received Measles	16,354	100.1	6,223	4.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	12,444		4,284			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	10		4		Limiting	19.1
35	Number of Tubectomies performed	627		205		Spacing	57
36	Number of IUD insertion	1,580		724		Women using any method	8.2
37	Number of IUD removals	750		234		Women using modern method	4.6
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	474		255			
39	General OPD cases per 10,000 population ***	8225		3954			
40	Ayush OPD cases per 10,000 population ***	578		427			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	100		18			
42	Up to 1 Weeks of Birth	80		14			
43	Between 1 week & 4 weeks of birth	19		1			
44	Neonatal Death	199		33			
45	Between 1 month and 11 months	344		103			
46	<b>Total reported infant deaths</b>	<b>543</b>		<b>136</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	18		1			
49	Due to Severe hypertension/fits	7		1			
50	Due to Bleeding	25		3			
51	Due to High fever	16		1			
52	Due to Other Causes (including causes not known)	22		16			
53	<b>Total reported maternal deaths</b>	<b>88</b>		<b>22</b>			

## West Khasi Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,83,461					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	66					
4	Primary Health Centre (PHC)	19					
5	Community Health Centre (CHC)	4					
6	SDH	0					
7	DH	2					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	10,790 ( )		8,411			
9	Expected number of Delivery #	10,103 ( )		7,876			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	14,460	134.0	6,498	85.0	Any ANC	68.4
11	Mothers registered in the first trimester	3,909	27.0	1,917	29.5	ANC Check up in first trimester	58.4
12	Mothers who had at least 3 Ante-Natal care check ups	6,216	43.0	3,240	49.9	3 or more ANC check up	78.4
13	PW who got TT 2 / Booster injection	9,123	63.1	4,367	67.2	Atleast 1 TT received	93.8
14	PW who consumed 100 IFA tablets	5,412	37.4	1,568	24.1	100 IFA tablets consumed	35.4
15	Home Delivery against expected delivery *	6,730	66.6	2,820	35.8	Full ANC	19.4
16	Institutional Delivery Against expected delivery *	2,930	29.0	1,677	21.3	Home Delivery	66.7
17	Home Delivery against reported delivery **	6,730	69.7	2,820	62.7	Institutional Delivery	32.3
18	Institutional Delivery against reported delivery **	2,930	30.3	1,677	37.3	Home Delivery by SBA	19.1
19	Total reported Deliveries	9,660		4,497		PNC within 48 hrs of delivery	45.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	646	9.6	183	6.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,958	41.0	2,105	46.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	99		7,646			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	9,501	9,606.7	4,444	58.1	Breastfed within 1 hour of birth	47.5
24	Total Still Birth	159	160.8	85	1.1	BCG	79.6

25	PC of newborn weighted at birth to live birth	6,424	67.6	3,324	74.8	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	338	5.3	158	4.8	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,562	69.1	3,492	78.6	Full Immunization	47.3
28	Children fully immunized	9,838	9,947.4	4,367	57.1		
29	Children who have received BCG	11,845	11,976.7	5,020	65.7		
30	Children who have received DPT1	12,834	12,976.7	5,409	70.7		
31	Children who have received DPT3	11,193	11,317.5	4,703	61.5		
32	Children who have received Measles	10,439	10,555.1	4,519	59.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,682		8,323			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	17.3
35	Number of Tubectomies performed	16		57		Spacing	29.1
36	Number of IUD insertion	174		99		Women using any method	16.9
37	Number of IUD removals	25		21		Women using modern method	14.5
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	664		425			
39	General OPD cases per 10,000 population ***	11150		6649			
40	Ayush OPD cases per 10,000 population ***	1513		913			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	47		17			
42	Up to 1 Weeks of Birth	38		24			
43	Between 1 week & 4 weeks of birth	20		2			
44	Neonatal Death	105		43			
45	Between 1 month and 11 months	156		37			
46	<b>Total reported infant deaths</b>	261		80			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	6		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	9		0			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	19		12			
53	<b>Total reported maternal deaths</b>	35		12			



## West Jaintia Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,95,124					
2	Sex Ratio	1,008					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	76					
4	Primary Health Centre (PHC)	18					
5	Community Health Centre (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	11,142 ( )		7,490			
9	Expected number of Delivery #	10,433 ( )		7,014			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	16,570	148.7	5,792	85.1	Any ANC	83.1
11	Mothers registered in the first trimester	3,843	23.2	1,944	33.6	ANC Check up in first trimester	70.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,830	29.1	1,818	31.4	3 or more ANC check up	74.3
13	PW who got TT 2 / Booster injection	10,998	66.4	4,447	76.8	Atleast 1 TT received	91.2
14	PW who consumed 100 IFA tablets	7,161	43.2	535	9.2	100 IFA tablets consumed	40.0
15	Home Delivery against expected delivery *	6,543	62.7	2,445	34.9	Full ANC	30.1
16	Institutional Delivery Against expected delivery *	5,200	49.8	2,157	30.8	Home Delivery	59.6
17	Home Delivery against reported delivery **	6,543	55.7	2,445	53.1	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	5,200	44.3	2,157	46.9	Home Delivery by SBA	12.0
19	Total reported Deliveries	11,743		4,602		PNC within 48 hrs of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	556	8.5	149	6.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,561	38.8	1,699	36.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	10,129		6,810			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
23	Total reported live births	11,509	113.6	4,700	69.0	Breastfed within 1 hour of birth	46.3
24	Total Still Birth	312	3.1	133	2.0	BCG	81.9

25	PC of newborn weighted at birth to live birth	8,980	78.0	3,703	78.8	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	719	8.0	297	8.0	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,460	90.9	4,245	90.3	Full Immunization	57.1
28	Children fully immunized	10,738	106.0	4,080	59.9		
29	Children who have received BCG	13,771	136.0	4,395	64.5		
30	Children who have received DPT1	13,936	137.6	4,568	67.1		
31	Children who have received DPT3	12,195	120.4	4,431	65.1		
32	Children who have received Measles	11,412	112.7	4,222	62.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	32,440		10,787			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	4		1		Limiting	18.1
35	Number of Tubectomies performed	262		77		Spacing	21.9
36	Number of IUD insertion	442		197		Women using any method	20.4
37	Number of IUD removals	162		67		Women using modern method	13
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	786		571			
39	General OPD cases per 10,000 population ***	10912		5715			
40	Ayush OPD cases per 10,000 population ***	577		593			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	56		26			
42	Up to 1 Weeks of Birth	128		60			
43	Between 1 week & 4 weeks of birth	15		1			
44	Neonatal Death	199		87			
45	Between 1 month and 11 months	95		38			
46	<b>Total reported infant deaths</b>	294		125			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	6		0			
50	Due to Bleeding	4		2			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	4		3			
53	<b>Total reported maternal deaths</b>	14		6			

# Expected number of PW, Expected number of delivery and Expected number of live birth of 2013-14 may differ from previous factsheet . In previous factsheet (2012-13 & 2013-14), target is calculated from provisional census data of 2011 and in this current report target is calculated from final census data of 2011.

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.

**Note** : Presently Meghalaya have 11 districts. East Garo Hills is bifurcated as East Garo Hills and North Garo Hills. Jaintia Hills is bifurcated as East Jaintia Hills and West Jaintia Hills. West Khasi Hills is bifurcated as West Khasi Hills and South West Khasi Hills. West Garo Hills is bifurcated as South West Garo Hills and West Garo Hills.

( ) East Garo Hills target was considered for both East Garo Hills and North Garo Hills for the year 2013-14. District bifurcation was done during 2013-14, so target for 2014-15 was calculated from actual population of these districts. Same process was done for all district except Ri-Bhoi , East Khasi Hills and South Garo Hills.