

## Mizoram Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)			C) State Health Indicator (SRS 2012)			
1	Population 2011	1,091,014	9	Birth Rate		16.3	
2	Sex Ratio	975	10	Death Rate		4.4	
3	Number of districts	9	11	IMR		35	
<b>B) Infrastructure Details (RHS 2012)</b>			12	Growth Rate		11.9	
4	Sub Centers (SC)	370	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	57					
6	Community Health Centers (CHC)	9					
7	SDH	2					
8	DH	8					
<b>D) Maternal Health:</b>		<b>2012-13</b>		<b>2013-14</b>			
14	Expected number of PW	20,376		20,840			
15	Expected number of Delivery	18,752		19,180			
		<b>HMIS (2012-13)</b>		<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	26,873	131.9	24,749	118.8	Any ANC	89.5
17	Mothers registered in the first trimester	14,597	54.3	16,807	67.9	ANC Check up in first trimester	44
18	Mothers who had at least 3 Ante-Natal care check ups	18,127	67.5	15,907	64.3	3 or more ANC check up	62.6
19	PW who got TT 2 / Booster injection	13,841	51.5	13,958	56.4	Atleast 1 TT received	86.3
20	PW who consumed 100 IFA tablets	18,877	70.2	17,270	69.8	100 IFA tablets consumed	41.1
21	Home Delivery against expected delivery *	2,690	14.3	2,241	11.7	Full ANC	28.2
22	Institutional Delivery against expected delivery *	16,130	86.0	18,814	98.1	Home Delivery	43.7
23	Reported Home Delivery **	2,690	14.3	2,241	10.6	Institutional Delivery	55.9
24	Reported institutional Delivery **	16,130	85.7	18,814	89.4	Home Delivery by SBA	17.4
25	Total reported Deliveries	18,820	100.4	21,055	109.8	PNC within 14 days of delivery	47.2
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,005	37.4	753	33.6		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,652	88.5	18,392	87.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
28	Expected number of Live Birth	18,523		18,945			
<b>F) Child Immunization :</b>		<b>HMIS (2012-13)</b>		<b>HMIS (2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	19,862	107.2	21,188	111.8	Breastfed within 1 hour of birth	78.4
30	Total Still Birth	251	1.4	225	1.2	BCG	91.6

31	Newborn weighted at birth to live birth	19,142	96.4	20,536	96.9	3 dose of DPT	60.6
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,010	5.1	1,033	4.9	Measles	83.9
33	Newborns breastfed within 1 hour to total reported live birth.	18,925	95.3	20,431	96.4	Full Immunization	50
34	Fully immunized	19,922	107.6	19,299	101.9		
35	Children who have received BCG	22,852	123.4	23,093	121.9		
36	Children who have received DPT1	21,347	115.2	20,900	110.3		
37	Children who have received DPT3	21,486	116.0	20,821	109.9		
38	Children who have received Measles	19,362	104.5	19,736	104.2		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,504		8,520			

**Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).**

<b>Family Planning</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>	
40	Number of Vasectomies performed	1	0	Limiting	6
41	Number of Tubectomies performed	1,992	1,732	Spacing	10.7
42	Number of IUD insertion	2,817	2,818	Women using any method	53.9
43	Number of IUD removals	1,160	1,408	Women using modern method	53.1
<b>I) Service delivery</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>		
44	IPD cases per 10,000 population ***	558	751		
45	General OPD cases per 10,000 population ***	9,525	10,693		
46	Ayush OPD cases per 10,000 population ***	244	267		
<b>J) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>		
47	Neonatal death within 24 hours	9	12		
48	Up to 1 Weeks of Birth	105	152		
49	Between 1 week & 4 weeks of birth	10	7		
50	Neonatal Death	124	171		
51	Between 1 month and 11 months	476	567		
52	<b>Total reported infant deaths</b>	600	738		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>		
53	Due to Abortion	0	1		
54	Due to Obstructed/prolonged labour	1	2		
55	Due to Severe hypertension/fits	1	3		
56	Due to Bleeding	2	5		
57	Due to High fever	2	1		
58	Due to Other Causes (including causes not known)	6	5		
59	<b>Total reported maternal deaths</b>	12	17		

## Aizawl East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	240,589					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2012-13</b>		<b>2013-14</b>			
8	Expected number of PW	4,499		4,607			
9	Expected number of Delivery	4,195		4,296			
		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	7,903	175.7	5,325	115.6	Any ANC	95.6
11	Mothers registered in the first trimester	3,523	44.6	3,902	73.3	ANC Check up in first trimester	60.8
12	Mothers who had at least 3 Ante-Natal care check ups	5,317	67.3	4,004	75.2	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	4,770	60.4	4,855	91.2	Atleast 1 TT received	92.4
14	PW who consumed 100 IFA tablets	3,874	49.0	3,359	63.1	100 IFA tablets consumed	48.9
15	Home Delivery against expected delivery *	100	2.4	82	1.9	Full ANC	41.0
16	Institutional Delivery Against expected delivery *	1,419	33.8	3,601	83.8	Home Delivery	10.6
17	Reported Home Delivery **	100	6.6	82	2.2	Institutional Delivery	88.5
18	Reported institutional Delivery **	1,419	93.4	3,601	97.8	Home Delivery by SBA	4.8
19	Total reported Deliveries	1,519		3,683		PNC within 48 hrs of delivery	71.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	53.0	37	45.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,849	253.4	4,752	129.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	4,090		4,188			
<b>D) Child Immunization :</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,561	62.6	3,672	87.7	Breastfed within 1 hour of birth	72.2
24	Total Still Birth	64	1.6	42	1.0	BCG	95.7

25	PC of newborn weighted at birth to live birth	2,454	95.8	3,652	99.5	3 dose of DPT	74.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	196	8.0	236	6.5	Measles	87.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,425	94.7	3,516	95.8	Full Immunization	64
28	Children fully immunized	5,056	123.6	4,966	118.6		
29	Children who have received BCG	4,872	119.1	4,254	101.6		
30	Children who have received DPT1	5,197	127.1	5,350	127.7		
31	Children who have received DPT3	5,459	133.5	5,275	125.9		
32	Children who have received Measles	4,240	103.7	5,209	124.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	801		746			

**Note:** In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	4.8
35	Number of Tubectomies performed	236	330	Spacing	8
36	Number of IUD insertion	491	456	Women using any method	65.5
37	Number of IUD removals	180	280	Women using modern method	65.1
F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	522.69	636.24		
39	General OPD cases per 10,000 population ***	4785.25	5850.73		
40	Ayush OPD cases per 10,000 population ***	39.41	126.59		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	1	5		
42	Up to 1 Weeks of Birth	30	32		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	31	38		
45	Between 1 month and 11 months	117	114		
46	<b>Total reported infant deaths</b>	148	152		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	2		
50	Due to Bleeding	0	0		
51	Due to High fever	2	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	2	2		

## Aizawl West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	163,465						
2	Sex Ratio	1,009						
B) Infrastructure Details (RHS 2012)		Numbers						
3	Sub Centers (SC)	40						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2012-13	2013-14					
8	Expected number of PW	3,057	3,130					
9	Expected number of Delivery	2,809	2,876					
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
10	PW register for ANC	3,550	116.1	3,862	123.4	Any ANC	95.6	
11	Mothers registered in the first trimester	2,085	58.7	2,689	69.6	ANC Check up in first trimester	60.8	
12	Mothers who had at least 3 Ante-Natal care check ups	2,511	70.7	2,443	63.3	3 or more ANC check up	75.0	
13	PW who got TT 2 / Booster injection	3,166	89.2	3,195	82.7	Atleast 1 TT received	92.4	
14	PW who consumed 100 IFA tablets	2,453	69.1	2,490	64.5	100 IFA tablets consumed	48.9	
15	Home Delivery against expected delivery *	46	1.6	12	0.4	Full ANC	41.0	
16	Institutional Delivery Against expected delivery *	5,527	196.8	5,973	207.7	Home Delivery	10.6	
17	Reported Home Delivery **	46	0.8	12	0.2	Institutional Delivery	88.5	
18	Reported institutional Delivery **	5,527	99.2	5,973	99.8	Home Delivery by SBA	4.8	
19	Total reported Deliveries	5,573		5,985		PNC within 48 hrs of delivery	71.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	54.3	10	83.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,895	69.9	4,410	73.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	2,779		2,846				
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
23	Total reported live births	5,510	198.3	5,928	208.3	Breastfed within 1 hour of birth	72.2	

24	Total Still Birth	62	2.2	57	2.0	BCG	95.7
25	PC of newborn weighted at birth to live birth	5,507	99.9	5,927	100.0	3 dose of DPT	74.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	372	6.8	313	5.3	Measles	87.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,505	99.9	5,925	99.9	Full Immunization	64
28	Children fully immunized	2,825	101.7	2,857	100.4		
29	Children who have received BCG	4,636	166.8	5,829	204.8		
30	Children who have received DPT1	2,912	104.8	2,861	100.5		
31	Children who have received DPT3	2,894	104.1	2,890	101.6		
32	Children who have received Measles	2,867	103.2	2,869	100.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	800		920			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>			
34	Number of Vasectomies performed	1	0	Limiting	4.8		
35	Number of Tubectomies performed	985	807	Spacing	8		
36	Number of IUD insertion	704	749	Women using any method	65.5		
37	Number of IUD removals	265	302	Women using modern method	65.1		
<b>F) Service delivery</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
38	IPD cases per 10,000 population ***	509.32	1339.27				
39	General OPD cases per 10,000 population ***	24521.57	29702.17				
40	Ayush OPD cases per 10,000 population ***	470.73	595.00				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	37	64				
43	Between 1 week & 4 weeks of birth	3	0				
44	Neonatal Death	41	64				
45	Between 1 month and 11 months	74	135				
46	<b>Total reported infant deaths</b>	<b>115</b>	<b>199</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>				

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	125,370						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2012)		Numbers						
3	Sub Centers (SC)	59						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2012-13	2013-14					
8	Expected number of PW	2,327	2,365					
9	Expected number of Delivery	2,154	2,189					
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
10	PW register for ANC	3,290	141.4	3,358	142.0	Any ANC	93.3	
11	Mothers registered in the first trimester	2,288	69.5	2,392	71.2	ANC Check up in first trimester	45.7	
12	Mothers who had at least 3 Ante-Natal care check ups	2,533	77.0	2,317	69.0	3 or more ANC check up	64.0	
13	PW who got TT 2 / Booster injection	2,850	86.6	2,808	83.6	Atleast 1 TT received	87.8	
14	PW who consumed 100 IFA tablets	2,841	86.4	2,581	76.9	100 IFA tablets consumed	47.2	
15	Home Delivery against expected delivery *	219	10.2	150	6.9	Full ANC	35.1	
16	Institutional Delivery Against expected delivery *	2,086	96.8	2,270	103.7	Home Delivery	45.5	
17	Reported Home Delivery **	219	9.5	150	6.2	Institutional Delivery	55.0	
18	Reported institutional Delivery **	2,086	90.5	2,270	93.8	Home Delivery by SBA	4.8	
19	Total reported Deliveries	2,305		2,420		PNC within 48 hrs of delivery	41.2	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	60	27.4	26	17.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,920	83.3	2,034	84.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	2,115		2,150				
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
23	Total reported live births	2,327	110.0	2,421	112.6	Breastfed within 1 hour of birth	78.8	

24	Total Still Birth	43	2.0	15	0.7	BCG	92.8
25	PC of newborn weighted at birth to live birth	2,280	98.0	2,344	96.8	3 dose of DPT	59.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	90	3.9	119	5.1	Measles	74.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,294	98.6	2,411	99.6	Full Immunization	47.4
28	Children fully immunized	2,634	124.5	2,635	122.6		
29	Children who have received BCG	2,700	127.7	2,683	124.8		
30	Children who have received DPT1	2,773	131.1	2,752	128.0		
31	Children who have received DPT3	2,789	131.9	2,849	132.5		
32	Children who have received Measles	2,719	128.6	2,674	124.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,654		1,790			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	6.6
35	Number of Tubectomies performed	86	70	Spacing	10.3
36	Number of IUD insertion	502	347	Women using any method	55.8
37	Number of IUD removals	244	320	Women using modern method	55.4
F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	464.07	494.00		
39	General OPD cases per 10,000 population ***	7153.09	7873.94		
40	Ayush OPD cases per 10,000 population ***	85.00	51.35		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	19	20		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	22	21		
45	Between 1 month and 11 months	33	32		
46	<b>Total reported infant deaths</b>	<b>55</b>	<b>53</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>3</b>		



## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,054					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	1,556		1,596			
9	Expected number of Delivery	1,425		1,462			
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	2,020	129.8	1,999	125.2	Any ANC	87.8
11	Mothers registered in the first trimester	1,300	64.4	1,431	71.6	ANC Check up in first trimester	47.9
12	Mothers who had at least 3 Ante-Natal care check ups	1,574	77.9	1,423	71.2	3 or more ANC check up	64.3
13	PW who got TT 2 / Booster injection	1,862	92.2	1,799	90.0	Atleast 1 TT received	82.4
14	PW who consumed 100 IFA tablets	1,677	83.0	1,524	76.2	100 IFA tablets consumed	48.5
15	Home Delivery against expected delivery *	152	10.7	98	6.7	Full ANC	34.1
16	Institutional Delivery Against expected delivery *	1,342	94.2	1,098	75.1	Home Delivery	29.5
17	Reported Home Delivery **	152	10.2	98	8.2	Institutional Delivery	70.5
18	Reported institutional Delivery **	1,342	89.8	1,098	91.8	Home Delivery by SBA	3.8
19	Total reported Deliveries	1,494		1,196		PNC within 48 hrs of delivery	52.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	71	46.7	37	37.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,647	110.2	1,334	111.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,414		1,451			
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
23	Total reported live births	1,483	104.8	1,430	98.5	Breastfed within 1 hour of birth	82

24	Total Still Birth	15	1.1	28	1.9	BCG	87.8
25	PC of newborn weighted at birth to live birth	1,494	100.7	1,349	94.3	3 dose of DPT	65.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	62	4.1	78	5.8	Measles	79.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,469	99.1	1,366	95.5	Full Immunization	56.4
28	Children fully immunized	1,711	121.0	1,546	106.5		
29	Children who have received BCG	2,290	161.9	2,167	149.3		
30	Children who have received DPT1	1,801	127.3	1,676	115.5		
31	Children who have received DPT3	1,755	124.1	1,595	109.9		
32	Children who have received Measles	1,734	122.6	1,562	107.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,277		1,409			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	7.5
35	Number of Tubectomies performed	121	64	Spacing	9
36	Number of IUD insertion	69	63	Women using any method	54.7
37	Number of IUD removals	73	52	Women using modern method	53.8
F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	925.75	875.13		
39	General OPD cases per 10,000 population ***	8011.92	8643.34		
40	Ayush OPD cases per 10,000 population ***	539.75	432.88		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	3	2		
42	Up to 1 Weeks of Birth	1	11		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	5	14		
45	Between 1 month and 11 months	35	36		
46	<b>Total reported infant deaths</b>	<b>40</b>	<b>50</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	0		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>0</b>		

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	117,444						
2	Sex Ratio	945						
B) Infrastructure Details (RHS 2012)		Numbers						
3	Sub Centers (SC)	37						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2012-13	2013-14					
8	Expected number of PW	2,218	2,293					
9	Expected number of Delivery	2,030	2,099					
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
10	PW register for ANC	2,620	118.1	2,531	110.4	Any ANC	77.0	
11	Mothers registered in the first trimester	1,166	44.5	1,598	63.1	ANC Check up in first trimester	30.6	
12	Mothers who had at least 3 Ante-Natal care check ups	1,118	42.7	1,268	50.1	3 or more ANC check up	48.7	
13	PW who got TT 2 / Booster injection	1,882	71.8	1,833	72.4	Atleast 1 TT received	75.6	
14	PW who consumed 100 IFA tablets	2,040	77.9	1,940	76.6	100 IFA tablets consumed	56.6	
15	Home Delivery against expected delivery *	716	35.3	588	28.0	Full ANC	27.2	
16	Institutional Delivery Against expected delivery *	817	40.2	1,019	48.5	Home Delivery	71.2	
17	Reported Home Delivery **	716	46.7	588	36.6	Institutional Delivery	28.8	
18	Reported institutional Delivery **	817	53.3	1,019	63.4	Home Delivery by SBA	17.8	
19	Total reported Deliveries	1,533		1,607		PNC within 48 hrs of delivery	29.0	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	186	26.0	129	21.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	742	48.4	707	44.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	2,016		2,085				
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
23	Total reported live births	1,594	79.1	1,610	77.2	Breastfed within 1 hour of birth	88.1	

24	Total Still Birth	10	0.5	24	1.2	BCG	81.1
25	PC of newborn weighted at birth to live birth	1,289	80.9	1,440	89.4	3 dose of DPT	41.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	1.9	66	4.6	Measles	78.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,273	79.9	1,498	93.0	Full Immunization	36.8
28	Children fully immunized	1,794	89.0	1,508	72.3		
29	Children who have received BCG	1,922	95.3	1,715	82.3		
30	Children who have received DPT1	1,975	98.0	1,795	86.1		
31	Children who have received DPT3	1,942	96.3	1,685	80.8		
32	Children who have received Measles	1,798	89.2	1,536	73.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	763		437			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	8
35	Number of Tubectomies performed	114	49	Spacing	5.9
36	Number of IUD insertion	50	145	Women using any method	49.5
37	Number of IUD removals	33	80	Women using modern method	49.5

F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	3.71	8.92		
39	General OPD cases per 10,000 population ***	4805.74	5000.98		
40	Ayush OPD cases per 10,000 population ***	244.55	66.65		

### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	5	5		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	8	5		
45	Between 1 month and 11 months	41	52		
46	<b>Total reported infant deaths</b>	49	57		

II)	Maternal Mortality	HMIS ( 2012-13)	HMIS ( 2013-14)		
Maternal Deaths (In Numbers)		HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	1	4		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	2	5		

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	154,094					
2	Sex Ratio	944					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	71					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2012-13</b>		<b>2013-14</b>			
8	Expected number of PW	2,848		2,883			
9	Expected number of Delivery	2,609		2,641			
		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,932	102.9	2,805	97.3	Any ANC	87.4
11	Mothers registered in the first trimester	1,676	57.2	1,686	60.1	ANC Check up in first trimester	43.5
12	Mothers who had at least 3 Ante-Natal care check ups	2,081	71.0	1,717	61.2	3 or more ANC check up	55.7
13	PW who got TT 2 / Booster injection	2,604	88.8	2,438	86.9	Atleast 1 TT received	83.5
14	PW who consumed 100 IFA tablets	2,631	89.7	2,154	76.8	100 IFA tablets consumed	52.0
15	Home Delivery against expected delivery *	544	20.8	458	17.3	Full ANC	31.9
16	Institutional Delivery Against expected delivery *	2,382	91.3	2,257	85.4	Home Delivery	45.7
17	Reported Home Delivery **	544	18.6	458	16.9	Institutional Delivery	55.6
18	Reported institutional Delivery **	2,382	81.4	2,257	83.1	Home Delivery by SBA	3.8
19	Total reported Deliveries	2,926		2,715		PNC within 48 hrs of delivery	53.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	268	49.3	203	44.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,761	94.4	3,064	112.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	2,589		2,621			
<b>D) Child Immunization :</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,911	112.4	2,698	102.9	Breastfed within 1 hour of birth	74

24	Total Still Birth	19	0.7	21	0.8	BCG	93.1
25	PC of newborn weighted at birth to live birth	2,870	98.6	2,677	99.2	3 dose of DPT	73.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	133	4.6	133	5.0	Measles	85.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,741	94.2	2,442	90.5	Full Immunization	67.8
28	Children fully immunized	2,479	95.7	2,317	88.4		
29	Children who have received BCG	2,671	103.2	2,848	108.7		
30	Children who have received DPT1	2,777	107.2	2,678	102.2		
31	Children who have received DPT3	2,791	107.8	2,753	105.0		
32	Children who have received Measles	2,487	96.0	2,381	90.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,085		1,167			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	6.8
35	Number of Tubectomies performed	258	288	Spacing	6.4
36	Number of IUD insertion	409	384	Women using any method	59.5
37	Number of IUD removals	111	137	Women using modern method	59.3
F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	14.30	55.54		
39	General OPD cases per 10,000 population ***	11496.28	10737.92		
40	Ayush OPD cases per 10,000 population ***	272.91	329.38		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	1	2		
42	Up to 1 Weeks of Birth	1	2		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	3	6		
45	Between 1 month and 11 months	73	62		
46	<b>Total reported infant deaths</b>	<b>76</b>	<b>68</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	3		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>4</b>		

## Mamit Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	85,757					
2	Sex Ratio	924					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2012-13</b>		<b>2013-14</b>			
8	Expected number of PW	1,623		1,683			
9	Expected number of Delivery	1,492		1,547			
		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,620	99.8	1,755	104.3	Any ANC	81.8
11	Mothers registered in the first trimester	938	57.9	1,060	60.4	ANC Check up in first trimester	36.3
12	Mothers who had at least 3 Ante-Natal care check ups	845	52.2	842	48.0	3 or more ANC check up	55.4
13	PW who got TT 2 / Booster injection	1,286	79.4	1,394	79.4	Atleast 1 TT received	76.7
14	PW who consumed 100 IFA tablets	1,108	68.4	1,215	69.2	100 IFA tablets consumed	41.7
15	Home Delivery against expected delivery *	401	26.9	418	27.0	Full ANC	20.5
16	Institutional Delivery Against expected delivery *	810	54.3	750	48.5	Home Delivery	61.1
17	Reported Home Delivery **	401	33.1	418	35.8	Institutional Delivery	41.1
18	Reported institutional Delivery **	810	66.9	750	64.2	Home Delivery by SBA	4.5
19	Total reported Deliveries	1,211		1,168		PNC within 48 hrs of delivery	32.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	80	20.0	117	28.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	819	67.6	900	77.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	1,476		1,530			
<b>D) Child Immunization :</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,190	80.6	1,156	75.6	Breastfed within 1 hour of birth	87.1

24	Total Still Birth	19	1.3	13	0.8	BCG	89.1
25	PC of newborn weighted at birth to live birth	1,005	84.5	923	79.8	3 dose of DPT	55.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	39	3.9	15	1.6	Measles	70.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,095	92.0	1,093	94.6	Full Immunization	35.2
28	Children fully immunized	1,207	81.8	1,237	80.9		
29	Children who have received BCG	1,364	92.4	1,404	91.8		
30	Children who have received DPT1	1,426	96.6	1,511	98.8		
31	Children who have received DPT3	1,463	99.1	1,430	93.5		
32	Children who have received Measles	1,252	84.8	1,257	82.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	958		1,050			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
34	Number of Vasectomies performed	0		0		Limiting	10.1
35	Number of Tubectomies performed	81		36		Spacing	8.4
36	Number of IUD insertion	163		136		Women using any method	50.8
37	Number of IUD removals	44		57		Women using modern method	50.2
<b>F) Service delivery</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>			
38	IPD cases per 10,000 population ***	607.57		594.48			
39	General OPD cases per 10,000 population ***	6577.77		6965.03			
40	Ayush OPD cases per 10,000 population ***	40.50		13.35			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	2		3			
43	Between 1 week & 4 weeks of birth	0		1			
44	Neonatal Death	3		4			
45	Between 1 month and 11 months	11		20			
46	<b>Total reported infant deaths</b>	14		24			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		1			



## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,366					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	1,050		1,070			
9	Expected number of Delivery	958		977			
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	1,550	147.7	1,675	156.5	Any ANC	95.8
11	Mothers registered in the first trimester	856	55.2	1,079	64.4	ANC Check up in first trimester	46.5
12	Mothers who had at least 3 Ante-Natal care check ups	952	61.4	920	54.9	3 or more ANC check up	63.3
13	PW who got TT 2 / Booster injection	1,253	80.8	1,207	72.1	Atleast 1 TT received	93.8
14	PW who consumed 100 IFA tablets	1,026	66.2	936	55.9	100 IFA tablets consumed	48.6
15	Home Delivery against expected delivery *	406	42.4	367	37.6	Full ANC	36.0
16	Institutional Delivery Against expected delivery *	736	76.8	995	101.9	Home Delivery	50.7
17	Reported Home Delivery **	406	35.6	367	26.9	Institutional Delivery	47.8
18	Reported institutional Delivery **	736	64.4	995	73.1	Home Delivery by SBA	10.2
19	Total reported Deliveries	1,142		1,362		PNC within 48 hrs of delivery	35.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	175	43.1	148	40.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	412	36.1	526	38.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	954		973			
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
23	Total reported live births	1,177	123.4	1,363	140.1	Breastfed within 1 hour of birth	69.7

24	Total Still Birth	8	0.8	15	1.5	BCG	96.5
25	PC of newborn weighted at birth to live birth	1,136	96.5	1,310	96.1	3 dose of DPT	72.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	34	3.0	56	4.3	Measles	80.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,082	91.9	1,281	94.0	Full Immunization	51.8
28	Children fully immunized	1,044	109.4	1,106	113.7		
29	Children who have received BCG	1,206	126.4	1,152	118.4		
30	Children who have received DPT1	1,267	132.8	1,151	118.3		
31	Children who have received DPT3	1,171	122.7	1,174	120.7		
32	Children who have received Measles	1,093	114.6	1,119	115.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	809		626			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	4.8
35	Number of Tubectomies performed	59	50	Spacing	6.3
36	Number of IUD insertion	291	416	Women using any method	57.8
37	Number of IUD removals	130	84	Women using modern method	57.1
F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	2942.92	3668.67		
39	General OPD cases per 10,000 population ***	6190.48	7218.07		
40	Ayush OPD cases per 10,000 population ***	439.48	473.98		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	2	11		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	3	12		
45	Between 1 month and 11 months	60	95		
46	<b>Total reported infant deaths</b>	<b>63</b>	<b>107</b>		
II)	Maternal Mortality	HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>2</b>		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	64,875						
2	Sex Ratio	976						
B) Infrastructure Details (RHS 2012)		Numbers						
3	Sub Centers (SC)	26						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2012-13	2013-14					
8	Expected number of PW	1,207	1,230					
9	Expected number of Delivery	1,106	1,127					
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
10	PW register for ANC	1,388	115.0	1,439	117.0	Any ANC	99.6	
11	Mothers registered in the first trimester	765	55.1	970	67.4	ANC Check up in first trimester	54.1	
12	Mothers who had at least 3 Ante-Natal care check ups	1,196	86.2	973	67.6	3 or more ANC check up	78.9	
13	PW who got TT 2 / Booster injection	1,270	91.5	1,193	82.9	Atleast 1 TT received	99.6	
14	PW who consumed 100 IFA tablets	1,227	88.4	1,071	74.4	100 IFA tablets consumed	46.7	
15	Home Delivery against expected delivery *	106	9.6	68	6.0	Full ANC	41.7	
16	Institutional Delivery Against expected delivery *	1,011	91.4	851	75.5	Home Delivery	28.2	
17	Reported Home Delivery **	106	9.5	68	7.4	Institutional Delivery	73.8	
18	Reported institutional Delivery **	1,011	90.5	851	92.6	Home Delivery by SBA	4.8	
19	Total reported Deliveries	1,117		919		PNC within 48 hrs of delivery	56.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	87	82.1	46	67.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	607	54.3	665	72.4			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
22	Expected number of Live Birth	1,098		1,119				
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)		
		Number	PC	Number	PC			
23	Total reported live births	1,109	101.0	910	81.4	Breastfed within 1 hour of birth	70.9	

24	Total Still Birth	11	1.0	10	0.9	BCG	97.1
25	PC of newborn weighted at birth to live birth	1,107	99.8	914	100.4	3 dose of DPT	74.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	59	5.3	17	1.9	Measles	90.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,041	93.9	899	98.8	Full Immunization	63.6
28	Children fully immunized	1,172	106.8	1,127	100.8		
29	Children who have received BCG	1,191	108.5	1,041	93.1		
30	Children who have received DPT1	1,219	111.1	1,126	100.7		
31	Children who have received DPT3	1,222	111.3	1,170	104.6		
32	Children who have received Measles	1,172	106.8	1,129	100.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	357		375			

**Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).**

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	0	0	Limiting	3.2
35	Number of Tubectomies performed	52	38	Spacing	5.7
36	Number of IUD insertion	138	122	Women using any method	64.7
37	Number of IUD removals	80	96	Women using modern method	64.4

F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	671.40	692.35		
39	General OPD cases per 10,000 population ***	6550.67	7014.15		
40	Ayush OPD cases per 10,000 population ***	397.64	555.81		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	0	2		
42	Up to 1 Weeks of Birth	8	4		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	8	7		
45	Between 1 month and 11 months	32	21		
46	<b>Total reported infant deaths</b>	40	28		
II)	Maternal Mortality	HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	0		

\* Against Expected Delivery for the whole year

\*\* Against Reported Delivery for the 2013-14.

\*\*\* Against Estimated Population for whole year