

## Mizoram Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)			C) State Health Indicator (SRS 2014)			
1	Population 2011	10,97,206	9	Birth Rate		16.1	
2	Sex Ratio	975	10	Death Rate		4.3	
3	Number of districts	9	11	IMR		35	
<b>B) Infrastructure Details (RHS 2013)</b>			12	Growth Rate		11.8	
4	Sub Centre (SC)	370	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centre (PHC)	57					
6	Community Health Centre (CHC)	9					
7	SDH	2					
8	DH	8					
<b>D) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
14	Expected number of PW #	20,598		21,048			
15	Expected number of Delivery #	19,282		19,364			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	24,749	120.2	12,634	60.0	Any ANC	83.3
17	Mothers registered in the first trimester	16,807	67.9	9,090	71.9	ANC Check up in first trimester	73.7
18	Mothers who had at least 3 Ante-Natal care check ups	15,907	64.3	8,510	67.4	3 or more ANC check up	87.7
19	PW who got TT 2 / Booster injection	20,722	83.7	10,845	85.8	Atleast 1 TT received	96
20	PW who consumed 100 IFA tablets	17,270	69.8	8,981	71.1	100 IFA tablets consumed	55.9
21	Home Delivery against expected delivery *	2,241	11.6	1,077	5.6	Full ANC	47.3
22	Institutional Delivery against expected delivery *	18,814	97.6	9,552	49.3	Home Delivery	27.1
23	Reported Home Delivery **	2,241	10.6	1,077	10.1	Institutional Delivery	72.4
24	Reported institutional Delivery **	18,814	89.4	9,552	89.9	Home Delivery by SBA	7.2
25	Total reported Deliveries	21,055	109.2	10,629	54.9	PNC within 14 days of delivery	49.7
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	753	33.6	287	26.6		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,392	87.4	9,301	87.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth #	19,053		19,135			
<b>F) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	21,188	111.2	10,979	57.4	Breastfed within 1 hour of birth	84.5
30	Total Still Birth	225	1.2	110	0.6	BCG	88.4

31	Newborn weighted at birth to live birth	20,536	96.9	10,560	96.2	3 dose of DPT	82.5
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,033	4.9	517	4.7	Measles	79.7
33	Newborns breastfed within 1 hour to total reported live birth.	20,431	96.4	10,404	94.8	Full Immunization	71.2
34	Fully immunized	19,299	101.3	9,321	48.7		
35	Children who have received BCG	23,093	121.2	11,688	61.1		
36	Children who have received DPT1	20,900	109.7	10,259	53.6		
37	Children who have received DPT3	20,821	109.3	10,197	53.3		
38	Children who have received Measles	19,736	103.6	9,531	49.8		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,520		4,458			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
40	Number of Vasectomies performed	0		0		Limiting	2.9
41	Number of Tubectomies performed	1,732		887		Spacing	18.5
42	Number of IUD insertion	2,818		1,376		Women using any method	59.6
43	Number of IUD removals	1,408		658		Women using modern method	59
<b>I) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 2nd QTR</b>			
44	IPD cases per 10,000 population ***	904		450			
45	General OPD cases per 10,000 population ***	10,633		5,352			
46	Ayush OPD cases per 10,000 population ***	266		137			
<b>J) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 2nd QTR</b>			
47	Neonatal death within 24 hours	12		7			
48	Up to 1 Weeks of Birth	152		90			
49	Between 1 week & 4 weeks of birth	7		8			
50	Neonatal Death	171		105			
51	Between 1 month and 11 months	567		221			
52	<b>Total reported infant deaths</b>	<b>738</b>		<b>326</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 2nd QTR</b>			
53	Due to Abortion	1		0			
54	Due to Obstructed/prolonged labour	2		1			
55	Due to Severe hypertension/fits	3		0			
56	Due to Bleeding	5		1			
57	Due to High fever	1		1			
58	Due to Other Causes (including causes not known)	5		9			
59	<b>Total reported maternal deaths</b>	<b>17</b>		<b>12</b>			

## Aizawl East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,40,589					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2013)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	40					
4	Primary Health Centre (PHC)	5					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	4,607		4,633			
9	Expected number of Delivery #	4,239		4,262			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	5,325	115.6	2,843	61.4	Any ANC	97.7
11	Mothers registered in the first trimester	3,902	73.3	2,182	76.7	ANC Check up in first trimester	76.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,004	75.2	2,046	72.0	3 or more ANC check up	93.2
13	PW who got TT 2 / Booster injection	4,855	91.2	2,560	90.0	Atleast 1 TT received	98.7
14	PW who consumed 100 IFA tablets	3,359	63.1	1,745	61.4	100 IFA tablets consumed	69.1
15	Home Delivery against expected delivery *	82	1.9	24	0.6	Full ANC	61.4
16	Institutional Delivery Against expected delivery *	3,601	85.0	1,623	38.1	Home Delivery	6.6
17	Reported Home Delivery **	82	2.2	24	1.5	Institutional Delivery	63.4
18	Reported institutional Delivery **	3,601	97.8	1,623	98.5	Home Delivery by SBA	2.9
19	Total reported Deliveries	3,683		1,647		PNC within 48 hrs of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	45.1	9	37.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,752	129.0	2,330	141.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth #	4,188		4,212			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	3,672	87.7	1,655	39.3	Breastfed within 1 hour	87.7

						of birth	
24	Total Still Birth	42	1.0	19	0.5	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,652	99.5	1,630	98.5	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	236	6.5	79	4.8	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,516	95.8	1,553	93.8	Full Immunization	87
28	Children fully immunized	4,966	118.6	2,502	59.4		
29	Children who have received BCG	4,254	101.6	2,279	54.1		
30	Children who have received DPT1	5,350	127.7	2,543	60.4		
31	Children who have received DPT3	5,275	125.9	2,512	59.6		
32	Children who have received Measles	5,209	124.4	2,531	60.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	746		300			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	1.6	
35	Number of Tubectomies performed	330	125		Spacing	14.4	
36	Number of IUD insertion	456	193		Women using any method	63.9	
37	Number of IUD removals	280	103		Women using modern method	62.9	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	1034.08	537.92				
39	General OPD cases per 10,000 population ***	5850.73	3174.66				
40	Ayush OPD cases per 10,000 population ***	126.59	68.08				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	5	0				
42	Up to 1 Weeks of Birth	32	15				
43	Between 1 week & 4 weeks of birth	1	1				
44	Neonatal Death	38	16				
45	Between 1 month and 11 months	114	28				
46	<b>Total reported infant deaths</b>	152	44				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension/fits	2	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	2	2				

## Aizawl West Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,59,720					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2013)</b>		<b>Numbers</b>					
3	Sub Centre (SC)	54					
4	Primary Health Centre (PHC)	5					
5	Community Health Centre (CHC)	0					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW #	3,059		3,076			
9	Expected number of Delivery #	2,814		2,830			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,862	126.3	1,927	62.7	Any ANC	97.7
11	Mothers registered in the first trimester	2,689	69.6	1,323	68.7	ANC Check up in first trimester	76.5
12	Mothers who had at least 3 Ante-Natal care check ups	2,443	63.3	1,370	71.1	3 or more ANC check up	93.2
13	PW who got TT 2 / Booster injection	3,195	82.7	1,618	84.0	Atleast 1 TT received	98.7
14	PW who consumed 100 IFA tablets	2,490	64.5	1,266	65.7	100 IFA tablets consumed	69.1
15	Home Delivery against expected delivery *	12	0.4	5	0.2	Full ANC	61.4
16	Institutional Delivery Against expected delivery *	5,973	212.3	3,185	112.6	Home Delivery	6.6
17	Reported Home Delivery **	12	0.2	5	0.2	Institutional Delivery	63.4
18	Reported institutional Delivery **	5,973	99.8	3,185	99.8	Home Delivery by SBA	2.9
19	Total reported Deliveries	5,985		3,190		PNC within 48 hrs of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	83.3	5	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,410	73.7	2,421	75.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,781		2,796			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,928	213.2	3,093	110.6	Breastfed within 1 hour of birth	87.7
24	Total Still Birth	57	2.0	27	1.0	BCG	98.6

25	PC of newborn weighted at birth to live birth	5,927	100.0	3,090	99.9	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	313	5.3	138	4.5	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,925	99.9	3,089	99.9	Full Immunization	87
28	Children fully immunized	2,857	102.8	1,327	47.5		
29	Children who have received BCG	5,829	209.6	2,905	103.9		
30	Children who have received DPT1	2,861	102.9	1,443	51.6		
31	Children who have received DPT3	2,890	103.9	1,452	51.9		
32	Children who have received Measles	2,869	103.2	1,327	47.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	920		518			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	1.6	
35	Number of Tubectomies performed	807	409		Spacing	14.4	
36	Number of IUD insertion	749	336		Women using any method	63.9	
37	Number of IUD removals	302	150		Women using modern method	62.9	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	1303.39	658.53				
39	General OPD cases per 10,000 population ***	30398.60	14278.52				
40	Ayush OPD cases per 10,000 population ***	608.95	208.36				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	64	32				
43	Between 1 week & 4 weeks of birth	0	2				
44	Neonatal Death	64	34				
45	Between 1 month and 11 months	135	49				
46	<b>Total reported infant deaths</b>	199	83				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	0	1				

## Champhai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	59					
4	Primary Health Centre (PHC)	11					
5	Community Health Centre (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	2,372		2,367			
9	Expected number of Delivery #	2,182		2,177			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,358	141.6	1,631	68.9	Any ANC	91.3
11	Mothers registered in the first trimester	2,392	71.2	1,278	78.4	ANC Check up in first trimester	75.4
12	Mothers who had at least 3 Ante-Natal care check ups	2,317	69.0	1,208	74.1	3 or more ANC check up	94.6
13	PW who got TT 2 / Booster injection	2,808	83.6	1,441	88.4	Atleast 1 TT received	96.2
14	PW who consumed 100 IFA tablets	2,581	76.9	1,391	85.3	100 IFA tablets consumed	56.2
15	Home Delivery against expected delivery *	150	6.9	76	3.5	Full ANC	47.7
16	Institutional Delivery Against expected delivery *	2,270	104.0	1,187	54.5	Home Delivery	21.7
17	Reported Home Delivery **	150	6.2	76	6.0	Institutional Delivery	78.3
18	Reported institutional Delivery **	2,270	93.8	1,187	94.0	Home Delivery by SBA	8.7
19	Total reported Deliveries	2,420		1,263		PNC within 48 hrs of delivery	32.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	17.3	10	13.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,034	84.0	1,004	79.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,156		2,152			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,421	112.3	1,270	59.0	Breastfed within 1 hour of birth	91

24	Total Still Birth	15	0.7	11	0.5	BCG	95.1
25	PC of newborn weighted at birth to live birth	2,344	96.8	1,252	98.6	3 dose of DPT	90.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	119	5.1	88	7.0	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,411	99.6	1,234	97.2	Full Immunization	82.9
28	Children fully immunized	2,635	122.2	1,234	57.4		
29	Children who have received BCG	2,683	124.4	1,322	61.4		
30	Children who have received DPT1	2,752	127.6	1,431	66.5		
31	Children who have received DPT3	2,849	132.1	1,384	64.3		
32	Children who have received Measles	2,674	124.0	1,261	58.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,790		760			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	2.7	
35	Number of Tubectomies performed	70	61		Spacing	19.7	
36	Number of IUD insertion	347	214		Women using any method	59.2	
37	Number of IUD removals	320	187		Women using modern method	58.7	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	999.92	454.47				
39	General OPD cases per 10,000 population ***	7850.46	3930.80				
40	Ayush OPD cases per 10,000 population ***	51.20	55.68				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	4				
42	Up to 1 Weeks of Birth	20	12				
43	Between 1 week & 4 weeks of birth	1	2				
44	Neonatal Death	21	18				
45	Between 1 month and 11 months	32	17				
46	<b>Total reported infant deaths</b>	<b>53</b>	<b>35</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	1	4				
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>4</b>				



## Kolasib Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	30					
4	Primary Health Centre (PHC)	5					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	1,614		1,625			
9	Expected number of Delivery #	1,484		1,495			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,999	123.9	1,137	70.0	Any ANC	95.1
11	Mothers registered in the first trimester	1,431	71.6	835	73.4	ANC Check up in first trimester	77.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,423	71.2	780	68.6	3 or more ANC check up	88.1
13	PW who got TT 2 / Booster injection	1,799	90.0	1,016	89.4	Atleast 1 TT received	97.9
14	PW who consumed 100 IFA tablets	1,524	76.2	758	66.7	100 IFA tablets consumed	54.3
15	Home Delivery against expected delivery *	98	6.6	60	4.0	Full ANC	48.2
16	Institutional Delivery Against expected delivery *	1,098	74.0	459	30.7	Home Delivery	22.5
17	Reported Home Delivery **	98	8.2	60	11.6	Institutional Delivery	77.5
18	Reported institutional Delivery **	1,098	91.8	459	88.4	Home Delivery by SBA	6.9
19	Total reported Deliveries	1,196		519		PNC within 48 hrs of delivery	52.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	37.8	10	16.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,334	111.5	599	115.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	1,467		1,478			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,430	97.5	972	65.8	Breastfed within 1 hour of birth	82.2
24	Total Still Birth	28	1.9	15	1.0	BCG	99

25	PC of newborn weighted at birth to live birth	1,349	94.3	734	75.5	3 dose of DPT	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	78	5.8	46	6.3	Measles	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,366	95.5	660	67.9	Full Immunization	83.7
28	Children fully immunized	1,546	105.4	769	52.0		
29	Children who have received BCG	2,167	147.7	798	54.0		
30	Children who have received DPT1	1,676	114.3	787	53.3		
31	Children who have received DPT3	1,595	108.7	819	55.4		
32	Children who have received Measles	1,562	106.5	770	52.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,409		665			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	2.2
35	Number of Tubectomies performed	64		38		Spacing	18.2
36	Number of IUD insertion	63		66		Women using any method	56.8
37	Number of IUD removals	52		20		Women using modern method	56.2
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
38	IPD cases per 10,000 population ***	985.47		362.81			
39	General OPD cases per 10,000 population ***	8550.58		3729.67			
40	Ayush OPD cases per 10,000 population ***	428.23		217.09			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
41	Neonatal death within 24 hours	2		1			
42	Up to 1 Weeks of Birth	11		1			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	14		2			
45	Between 1 month and 11 months	36		8			
46	<b>Total reported infant deaths</b>	50		10			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 2nd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		1			
53	<b>Total reported maternal deaths</b>	0		1			

## Lawngtlai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	37					
4	Primary Health Centre (PHC)	6					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	2,302		2,337			
9	Expected number of Delivery #	2,118		2,150			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,531	109.9	1,269	54.3	Any ANC	37.9
11	Mothers registered in the first trimester	1,598	63.1	860	67.8	ANC Check up in first trimester	60.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,268	50.1	700	55.2	3 or more ANC check up	74.8
13	PW who got TT 2 / Booster injection	1,833	72.4	978	77.1	Atleast 1 TT received	92.2
14	PW who consumed 100 IFA tablets	1,940	76.6	995	78.4	100 IFA tablets consumed	42.2
15	Home Delivery against expected delivery *	588	27.8	286	13.3	Full ANC	32.3
16	Institutional Delivery Against expected delivery *	1,019	48.1	710	33.0	Home Delivery	70.1
17	Reported Home Delivery **	588	36.6	286	28.7	Institutional Delivery	27.7
18	Reported institutional Delivery **	1,019	63.4	710	71.3	Home Delivery by SBA	3.5
19	Total reported Deliveries	1,607		996		PNC within 48 hrs of delivery	74.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	129	21.9	46	16.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	707	44.0	354	35.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,093		2,125			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,610	76.9	995	46.8	Breastfed within 1 hour of birth	56.5

24	Total Still Birth	24	1.1	16	0.8	BCG	40.8
25	PC of newborn weighted at birth to live birth	1,440	89.4	947	95.2	3 dose of DPT	44.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	66	4.6	42	4.4	Measles	35.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,498	93.0	964	96.9	Full Immunization	26.3
28	Children fully immunized	1,508	72.1	717	33.7		
29	Children who have received BCG	1,715	82.0	914	43.0		
30	Children who have received DPT1	1,795	85.8	930	43.8		
31	Children who have received DPT3	1,685	80.5	897	42.2		
32	Children who have received Measles	1,536	73.4	801	37.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	437		305			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	6.3	
35	Number of Tubectomies performed	49	51		Spacing	23.6	
36	Number of IUD insertion	145	100		Women using any method	47.4	
37	Number of IUD removals	80	50		Women using modern method	46.2	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	510.13	270.09				
39	General OPD cases per 10,000 population ***	4981.89	2676.53				
40	Ayush OPD cases per 10,000 population ***	66.39	37.28				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	5	3				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	5	4				
45	Between 1 month and 11 months	52	21				
46	<b>Total reported infant deaths</b>	<b>57</b>	<b>25</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	4	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>1</b>				

## Lunglei Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	71					
4	Primary Health Centre (PHC)	9					
5	Community Health Centre (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	3,021		3,002			
9	Expected number of Delivery #	2,779		2,762			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,805	92.9	1,399	46.6	Any ANC	74.2
11	Mothers registered in the first trimester	1,686	60.1	900	64.3	ANC Check up in first trimester	63.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,717	61.2	863	61.7	3 or more ANC check up	81.2
13	PW who got TT 2 / Booster injection	2,438	86.9	1,274	91.1	Atleast 1 TT received	90.4
14	PW who consumed 100 IFA tablets	2,154	76.8	1,066	76.2	100 IFA tablets consumed	45.0
15	Home Delivery against expected delivery *	458	16.5	187	6.8	Full ANC	33.0
16	Institutional Delivery Against expected delivery *	2,257	81.2	1,061	38.4	Home Delivery	38.5
17	Reported Home Delivery **	458	16.9	187	15.0	Institutional Delivery	61.2
18	Reported institutional Delivery **	2,257	83.1	1,061	85.0	Home Delivery by SBA	11.3
19	Total reported Deliveries	2,715		1,248		PNC within 48 hrs of delivery	53.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	203	44.3	69	36.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,064	112.9	1,323	106.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,746		2,729			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,698	98.3	1,241	45.5	Breastfed within 1 hour of birth	90.2

24	Total Still Birth	21	0.8	9	0.3	BCG	85.5
25	PC of newborn weighted at birth to live birth	2,677	99.2	1,246	100.4	3 dose of DPT	75
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	133	5.0	58	4.7	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,442	90.5	1,202	96.9	Full Immunization	59.2
28	Children fully immunized	2,317	84.4	1,087	39.8		
29	Children who have received BCG	2,848	103.7	1,425	52.2		
30	Children who have received DPT1	2,678	97.5	1,174	43.0		
31	Children who have received DPT3	2,753	100.3	1,320	48.4		
32	Children who have received Measles	2,381	86.7	1,114	40.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,167		712			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	1.8	
35	Number of Tubectomies performed	288	118		Spacing	17.4	
36	Number of IUD insertion	384	178		Women using any method	64.8	
37	Number of IUD removals	137	74		Women using modern method	64.2	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	813.56	419.16				
39	General OPD cases per 10,000 population ***	10250.07	5742.62				
40	Ayush OPD cases per 10,000 population ***	314.41	218.21				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	2	0				
42	Up to 1 Weeks of Birth	2	5				
43	Between 1 week & 4 weeks of birth	2	0				
44	Neonatal Death	6	5				
45	Between 1 month and 11 months	62	15				
46	<b>Total reported infant deaths</b>	68	20				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	3	1				
53	<b>Total reported maternal deaths</b>	4	1				

## Mamit Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	29					
4	Primary Health Centre (PHC)	7					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	1,695		1,725			
9	Expected number of Delivery #	1,559		1,587			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,755	103.6	907	52.6	Any ANC	78.0
11	Mothers registered in the first trimester	1,060	60.4	559	61.6	ANC Check up in first trimester	65.3
12	Mothers who had at least 3 Ante-Natal care check ups	842	48.0	494	54.5	3 or more ANC check up	88.1
13	PW who got TT 2 / Booster injection	1,394	79.4	673	74.2	Atleast 1 TT received	96.7
14	PW who consumed 100 IFA tablets	1,215	69.2	679	74.9	100 IFA tablets consumed	48.7
15	Home Delivery against expected delivery *	418	26.8	243	15.3	Full ANC	38.2
16	Institutional Delivery Against expected delivery *	750	48.1	372	23.4	Home Delivery	37.7
17	Reported Home Delivery **	418	35.8	243	39.5	Institutional Delivery	62.0
18	Reported institutional Delivery **	750	64.2	372	60.5	Home Delivery by SBA	10.1
19	Total reported Deliveries	1,168		615		PNC within 48 hrs of delivery	51.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	28.0	51	21.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	900	77.1	456	74.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	1,540		1,568			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,156	75.0	600	38.3	Breastfed within 1 hour of birth	91.6
24	Total Still Birth	13	0.8	7	0.4	BCG	90.2

25	PC of newborn weighted at birth to live birth	923	79.8	535	89.2	3 dose of DPT	79.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	1.6	11	2.1	Measles	70.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,093	94.6	582	97.0	Full Immunization	59.8
28	Children fully immunized	1,237	80.3	648	41.3		
29	Children who have received BCG	1,404	91.1	751	47.9		
30	Children who have received DPT1	1,511	98.1	752	48.0		
31	Children who have received DPT3	1,430	92.8	705	45.0		
32	Children who have received Measles	1,257	81.6	652	41.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,050		579			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	2.3	
35	Number of Tubectomies performed	36	17		Spacing	21.3	
36	Number of IUD insertion	136	86		Women using any method	58.6	
37	Number of IUD removals	57	24		Women using modern method	58.2	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	541.92	329.12				
39	General OPD cases per 10,000 population ***	6916.08	3958.20				
40	Ayush OPD cases per 10,000 population ***	13.25	0.00				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	0	2				
42	Up to 1 Weeks of Birth	3	2				
43	Between 1 week & 4 weeks of birth	1	1				
44	Neonatal Death	4	5				
45	Between 1 month and 11 months	20	14				
46	<b>Total reported infant deaths</b>	24	19				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	1	0				



## Saiha Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	24					
4	Primary Health Centre (PHC)	4					
5	Community Health Centre (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	1,074	1,076				
9	Expected number of Delivery #	988	989				
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,675	155.9	828	77.0	Any ANC	73.9
11	Mothers registered in the first trimester	1,079	64.4	606	73.2	ANC Check up in first trimester	78.7
12	Mothers who had at least 3 Ante-Natal care check ups	920	54.9	535	64.6	3 or more ANC check up	77.8
13	PW who got TT 2 / Booster injection	1,207	72.1	665	80.3	Atleast 1 TT received	89.4
14	PW who consumed 100 IFA tablets	936	55.9	541	65.3	100 IFA tablets consumed	48.1
15	Home Delivery against expected delivery *	367	37.1	183	18.5	Full ANC	39.0
16	Institutional Delivery Against expected delivery *	995	100.7	542	54.8	Home Delivery	42.4
17	Reported Home Delivery **	367	26.9	183	25.2	Institutional Delivery	56.5
18	Reported institutional Delivery **	995	73.1	542	74.8	Home Delivery by SBA	17.2
19	Total reported Deliveries	1,362		725		PNC within 48 hrs of delivery	41.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	148	40.3	82	44.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	526	38.6	449	61.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	977		978			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,363	139.6	727	74.4	Breastfed within 1 hour of birth	92

24	Total Still Birth	15	1.5	4	0.4	BCG	80.6
25	PC of newborn weighted at birth to live birth	1,310	96.1	700	96.3	3 dose of DPT	72
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	56	4.3	41	5.9	Measles	73.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,281	94.0	696	95.7	Full Immunization	60.2
28	Children fully immunized	1,106	113.3	491	50.2		
29	Children who have received BCG	1,152	118.0	742	75.9		
30	Children who have received DPT1	1,151	117.9	623	63.7		
31	Children who have received DPT3	1,174	120.2	539	55.1		
32	Children who have received Measles	1,119	114.6	529	54.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	626		376			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	5.8	
35	Number of Tubectomies performed	50	56		Spacing	22.2	
36	Number of IUD insertion	416	137		Women using any method	53.9	
37	Number of IUD removals	84	22		Women using modern method	53.4	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	823.44	410.77				
39	General OPD cases per 10,000 population ***	7191.53	3606.53				
40	Ayush OPD cases per 10,000 population ***	472.24	290.74				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	11	16				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	12	17				
45	Between 1 month and 11 months	95	58				
46	<b>Total reported infant deaths</b>	107	75				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	1	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	2				
53	<b>Total reported maternal deaths</b>	2	2				

## Serchhip Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (RHS 2013)		Numbers					
3	Sub Centre (SC)	26					
4	Primary Health Centre (PHC)	5					
5	Community Health Centre (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	1,232		1,232			
9	Expected number of Delivery #	1,133		1,134			
		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,439	116.8	693	56.2	Any ANC	99.7
11	Mothers registered in the first trimester	970	67.4	547	78.9	ANC Check up in first trimester	73.9
12	Mothers who had at least 3 Ante-Natal care check ups	973	67.6	514	74.2	3 or more ANC check up	87.6
13	PW who got TT 2 / Booster injection	1,193	82.9	620	89.5	Atleast 1 TT received	99.0
14	PW who consumed 100 IFA tablets	1,071	74.4	540	77.9	100 IFA tablets consumed	49.8
15	Home Delivery against expected delivery *	68	6.0	13	1.1	Full ANC	41.7
16	Institutional Delivery Against expected delivery *	851	75.1	413	36.4	Home Delivery	16.3
17	Reported Home Delivery **	68	7.4	13	3.1	Institutional Delivery	83.1
18	Reported institutional Delivery **	851	92.6	413	96.9	Home Delivery by SBA	8.6
19	Total reported Deliveries	919		426		PNC within 48 hrs of delivery	49.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	67.6	5	38.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	665	72.4	365	85.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	1,120		1,120			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	910	81.3	426	38.0	Breastfed within 1 hour of birth	78.6

24	Total Still Birth	10	0.9	2	0.2	BCG	97.4
25	PC of newborn weighted at birth to live birth	914	100.4	426	100.0	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.9	14	3.3	Measles	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	899	98.8	424	99.5	Full Immunization	82.3
28	Children fully immunized	1,127	100.7	546	48.7		
29	Children who have received BCG	1,041	93.0	552	49.3		
30	Children who have received DPT1	1,126	100.6	576	51.4		
31	Children who have received DPT3	1,170	104.5	569	50.8		
32	Children who have received Measles	1,129	100.8	546	48.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	375		243			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	2.5		
35	Number of Tubectomies performed	38	12	Spacing	14.4		
36	Number of IUD insertion	122	66	Women using any method	65.7		
37	Number of IUD removals	96	28	Women using modern method	64.8		
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
38	IPD cases per 10,000 population ***	651.36	316.88				
39	General OPD cases per 10,000 population ***	7007.45	3613.09				
40	Ayush OPD cases per 10,000 population ***	555.28	307.56				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
41	Neonatal death within 24 hours	2	0				
42	Up to 1 Weeks of Birth	4	4				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	7	4				
45	Between 1 month and 11 months	21	11				
46	<b>Total reported infant deaths</b>	<b>28</b>	<b>15</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 2nd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>				

# Expected number of PW, Expected number of delivery and Expected number of live birth of 2013-14 may differ from previous factsheet . In previous factsheet (2012-13 & 2013-14), target is calculated from provisional census data of 2011 and in this current report target is calculated from final census data of 2011.

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.