

NAGALAND Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		Sl No	C) State Health Indicator (SRS 2013)			
1	Population 2011	1,980,602	9	Birth Rate		15.6	
2	Sex Ratio	931	10	Death Rate		3.2	
3	Number of districts	11	11	IMR		18	
B) Infrastructure Details (RHS 2012)			12	Growth Rate		12.4	
4	Sub Centers (SC)	396	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	126					
6	Community Health Centers (CHC)	21					
7	SDH	0					
8	DH	11					
D) Maternal Health:		2012-13		2013-14			
14	Expected number of PW	35,060		35,043			
15	Expected number of Delivery	32,327		32,312			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
16	PW register for ANC	51,724	147.5	47,156	134.6	Any ANC	NA
17	Mothers registered in the first trimester	19,642	38.0	17,653	37.4	ANC Check up in first trimester	NA
18	Mothers who had at least 3 Ante-Natal care check ups	17,497	33.8	14,271	30.3	3 or more ANC check up	NA
19	Mothers who got TT2/ Booster injection (%)	21,551	41.7	20,524	43.5	Atleast 1 TT received	NA
20	PW who consumed 100 IFA tablets	17,948	34.7	14,948	31.7	100 IFA tablets consumed	NA
21	Home Delivery against expected delivery *	5,615	17.4	5,643	17.5	Full ANC	NA
22	Institutional Delivery against expected delivery *	15,122	46.8	15,555	48.1	Home Delivery	NA
23	Home Delivery against reported delivery **	5,615	27.1	5,643	26.6	Institutional Delivery	NA
24	Institutional Delivery against reported delivery **	15,122	72.9	15,555	73.4	Home Delivery by SBA	NA
25	Total reported Deliveries	20,737	64.1	21,198	65.6	PNC within 14 days of delivery	NA
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,552	81.1	4,626	82.0		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,817	23.2	5,910	27.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
28	Expected number of Live Birth	31,873		31,858			
E) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
29	Total reported live births	20,578	64.6	21,031	66.0	Breastfed within 1 hour of birth	NA

30	Total Still Birth	304	1.0	269	0.8	BCG	NA
31	Newborn weighted at birth to live birth	18,838	91.5	19,677	93.6	3 dose of DPT	NA
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	721	3.5	708	3.4	Measles	NA
33	Newborns breastfed within 1 hour to total reported live birth.	18,196	88.4	18,907	89.9	Full Immunization	NA
34	Fully immunized	19,453	61.0	19,876	62.4		
35	Children who have received BCG	27,856	87.4	28,355	89.0		
36	Children who have received DPT1	26,918	84.5	26,552	83.3		
37	Children who have received DPT3	24,039	75.4	22,774	71.5		
38	Children who have received Measles	21,855	68.6	21,077	66.2		
39	Diarrhoea and Dehydration cases reported in children below 5 years	6,790		5,076			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
F) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
40	Number of Vasectomies performed	13	15	Limiting	NA		
41	Number of Tubectomies performed	2,155	1,771	Spacing	NA		
42	Number of IUD insertion	3,268	3,803	Women using any method	NA		
43	Number of IUD removals	1,314	1,349	Women using modern method	NA		
I) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
44	IPD cases per 10,000 population ***	361	428				
45	General OPD cases per 10,000 population ***	4,557	4,547				
46	Ayush OPD cases per 10,000 population ***	115	140				
J) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
47	Neonatal death within 24 hours	4	4				
48	Up to 1 Weeks of Birth	24	42				
49	Between 1 week & 4 weeks of birth	8	5				
50	Neonatal Death	36	51				
51	Between 1 month and 11 months	36	38				
52	Total reported infant deaths	72	89				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
53	Due to Abortion	1	1				
54	Due to Obstructed/prolonged labour	0	0				
55	Due to Severe hypertension/fits	1	0				
56	Due to Bleeding	1	3				
57	Due to High fever	0	3				
58	Due to Other Causes (including causes not known)	6	6				
59	Total reported maternal deaths	9	13				

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	379,769			
2	Sex Ratio	916			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	47			
4	Primary Health Centers (PHC)	8			
5	Community Health Centers (CHC)	2			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	6,881		7,040	
9	Expected number of Delivery	6,397		6,545	
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	22,321	324.4	18,800	267.0
11	Mothers registered in the first trimester	9,940	44.5	8,083	43.0
12	Mothers who had at least 3 Ante-Natal care check ups	9,914	44.4	7,507	39.9
13	PW who got TT 2 / Booster injection	6,976	31.3	6,779	36.1
14	PW who consumed 100 IFA tablets	6,677	29.9	4,889	26.0
15	Home Delivery against expected delivery *	929	14.5	1,026	15.7
16	Institutional Delivery against expected delivery *	5,992	93.7	6,281	96.0
17	Home Delivery against reported delivery **	929	13.4	1,026	14.0
18	Institutional Delivery against reported delivery **	5,992	86.6	6,281	89.7
19	Total reported Deliveries	6,921		7,307	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	594	63.9	679	66.2
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,635	23.6	1,377	18.8
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	6,256		6,400	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	6,813	108.9	7,240	113.1
24	Total Still Birth	153	2.4	124	1.9
25	PC of newborn weighted at birth to live birth	6,528	95.8	6,982	96.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	359	5.5	410	5.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,495	80.7	6,071	83.9
28	Children fully immunized	7,079	113.2	7,073	110.5
29	Children who have received BCG	9,710	155.2	10,447	163.2
30	Children who have received DPT1	8,987	143.7	9,022	141.0
31	Children who have received DPT3	8,028	128.3	7,502	117.2
32	Children who have received Measles	7,560	120.8	7,137	111.5
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,826		1,397	
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).					
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)	
34	Number of Vasectomies performed	5		14	
35	Number of Tubectomies performed	768		570	
36	Number of IUD insertion	815		682	
37	Number of IUD removals	401		349	
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)	
38	IPD cases per 10,000 population ***	1103.71		823.54	
39	General OPD cases per 10,000 population ***	8451.41		7586.15	
40	Ayush OPD cases per 10,000 population ***	72.58		110.93	
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2012-13)		HMIS (2013-14)	
41	Neonatal death within 24 hours	2		0	
42	Up to 1 Weeks of Birth	12		15	
43	Between 1 week & 4 weeks of birth	3		2	
44	Neonatal Death	17		17	
45	Between 1 month and 11 months	11		16	
46	Total reported infant deaths	28		33	
II)	Maternal Mortality	HMIS (2012-13)		HMIS (2013-14)	
	Maternal Deaths (In Numbers)	HMIS (2012-13)		HMIS (2013-14)	
47	Due to Abortion	1		1	
48	Due to Obstructed/prolonged labour	0		0	
49	Due to Severe hypertension/fits	0		0	
50	Due to Bleeding	0		0	
51	Due to High fever	0		0	
52	Due to Other Causes (including causes not known)	1		4	
53	Total reported maternal deaths	2		5	

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	74,033			
2	Sex Ratio	961			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	19			
4	Primary Health Centers (PHC)	4			
5	Community Health Centers (CHC)	1			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	1,271		1,232	
9	Expected number of Delivery	1,175		1,139	
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	1,478	116.3	1,135	92.1
11	Mothers registered in the first trimester	400	27.1	367	32.3
12	Mothers who had at least 3 Ante-Natal care check ups	347	23.5	273	24.1
13	PW who got TT 2 / Booster injection	435	29.4	480	42.3
14	PW who consumed 100 IFA tablets	603	40.8	568	50.0
15	Home Delivery against expected delivery *	313	26.6	327	28.7
16	Institutional Delivery against expected delivery *	463	39.4	481	42.2
17	Home Delivery against reported delivery **	313	40.3	327	40.5
18	Institutional Delivery against reported delivery **	463	59.7	481	62.2
19	Total reported Deliveries	776		808	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	237	75.7	282	86.2
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	237	30.5	274	33.9
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	1,156		1,120	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	759	65.7	798	71.2
24	Total Still Birth	22	1.9	15	1.3
25	PC of newborn weighted at birth to live birth	716	94.3	750	94.0
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3	0.4	25	3.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	750	98.8	771	96.6
28	Children fully immunized	767	66.4	624	55.7
29	Children who have received BCG	974	84.3	955	85.2
30	Children who have received DPT1	909	78.7	875	78.1
31	Children who have received DPT3	794	68.7	790	70.5
32	Children who have received Measles	847	73.3	788	70.3
33	Diarrhoea and Dehydration cases reported in children below 5 years	818		817	
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).					
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)	
34	Number of Vasectomies performed	2		0	
35	Number of Tubectomies performed	90		71	
36	Number of IUD insertion	118		197	
37	Number of IUD removals	19		18	
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)	
38	IPD cases per 10,000 population ***	1254.25		1097.15	
39	General OPD cases per 10,000 population ***	3360.92		4082.49	
40	Ayush OPD cases per 10,000 population ***	101.01		109.23	
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
41	Neonatal death within 24 hours	0		0	
42	Up to 1 Weeks of Birth	0		1	
43	Between 1 week & 4 weeks of birth	0		1	
44	Neonatal Death	0		2	
45	Between 1 month and 11 months	3		1	
46	Total reported infant deaths	3		3	
II) Maternal Mortality		HMIS (2012-13)		HMIS (2013-14)	
Maternal Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
47	Due to Abortion	0		0	
48	Due to Obstructed/prolonged labour	0		0	
49	Due to Severe hypertension/fits	0		0	
50	Due to Bleeding	0		0	
51	Due to High fever	0		1	
52	Due to Other Causes (including causes not known)	0		0	
53	Total reported maternal deaths	0		1	

Kohima Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	270,063			
2	Sex Ratio	927			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	40			
4	Primary Health Centers (PHC)	13			
5	Community Health Centers (CHC)	3			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	4,892	5,003		
9	Expected number of Delivery	4,462	4,563		
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	7,155	146.3	8,766	175.2
11	Mothers registered in the first trimester	1,302	18.2	1,552	17.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,497	20.9	1,748	19.9
13	PW who got TT 2 / Booster injection	1,397	19.5	1,783	20.3
14	PW who consumed 100 IFA tablets	368	5.1	626	7.1
15	Home Delivery against expected delivery *	302	6.8	281	6.2
16	Institutional Delivery against expected delivery *	2,223	49.8	2,556	56.0
17	Home Delivery against reported delivery **	302	12.0	281	9.9
18	Institutional Delivery against reported delivery **	2,223	88.0	2,556	78.3
19	Total reported Deliveries	2,525		2,837	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	219	72.5	218	77.6
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	465	18.4	879	31.0
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	4,447		4,549	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	2,527	56.8	2,834	62.3
24	Total Still Birth	8	0.2	11	0.2
25	PC of newborn weighted at birth to live birth	2,264	89.6	2,454	86.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	124	5.5	50	2.0

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,417	95.6	2,552	90.0
28	Children fully immunized	3,308	74.4	3,070	67.5
29	Children who have received BCG	3,939	88.6	3,794	83.4
30	Children who have received DPT1	3,828	86.1	3,465	76.2
31	Children who have received DPT3	3,636	81.8	3,202	70.4
32	Children who have received Measles	3,339	75.1	3,137	69.0
33	Diarrhoea and Dehydration cases reported in children below 5 years	920		664	
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).					
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)	
34	Number of Vasectomies performed	0		0	
35	Number of Tubectomies performed	391		370	
36	Number of IUD insertion	599		691	
37	Number of IUD removals	106		150	
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)	
38	IPD cases per 10,000 population ***	3.19		19.47	
39	General OPD cases per 10,000 population ***	5278.39		5438.76	
40	Ayush OPD cases per 10,000 population ***	206.10		153.62	
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
41	Neonatal death within 24 hours	0		1	
42	Up to 1 Weeks of Birth	2		2	
43	Between 1 week & 4 weeks of birth	4		1	
44	Neonatal Death	6		4	
45	Between 1 month and 11 months	2		9	
46	Total reported infant deaths	8		13	
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
47	Due to Abortion	0		0	
48	Due to Obstructed/prolonged labour	0		0	
49	Due to Severe hypertension/fits	0		0	
50	Due to Bleeding	0		0	
51	Due to High fever	0		0	
52	Due to Other Causes (including causes not known)	0		0	
53	Total reported maternal deaths	0		0	

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	50,593			
2	Sex Ratio	903			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	8			
4	Primary Health Centers (PHC)	3			
5	Community Health Centers (CHC)	0			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	844		794	
9	Expected number of Delivery	785		739	
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	1,062	125.9	1,081	136.1
11	Mothers registered in the first trimester	434	40.9	505	46.7
12	Mothers who had at least 3 Ante-Natal care check ups	444	41.8	352	32.6
13	PW who got TT 2 / Booster injection	539	50.8	544	50.3
14	PW who consumed 100 IFA tablets	527	49.6	619	57.3
15	Home Delivery against expected delivery *	339	43.2	325	44.0
16	Institutional Delivery against expected delivery *	247	31.5	311	42.1
17	Home Delivery against reported delivery **	339	57.8	325	51.1
18	Institutional Delivery against reported delivery **	247	42.2	311	82.7
19	Total reported Deliveries	586		636	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	335	98.8	324	99.7
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	219	37.4	253	39.8
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	767		722	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	580	75.6	636	88.1
24	Total Still Birth	8	1.0	0	0.0
25	PC of newborn weighted at birth to live birth	572	98.6	622	97.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	4.0	10	1.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	568	97.9	625	98.3
28	Children fully immunized	573	74.7	744	103.0
29	Children who have received BCG	634	82.7	746	103.3
30	Children who have received DPT1	734	95.7	849	117.6
31	Children who have received DPT3	630	82.1	774	107.2
32	Children who have received Measles	625	81.5	755	104.5
33	Diarrhoea and Dehydration cases reported in children below 5 years	265		180	

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)
34	Number of Vasectomies performed	0	0
35	Number of Tubectomies performed	0	12
36	Number of IUD insertion	79	95
37	Number of IUD removals	27	48
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)
38	IPD cases per 10,000 population ***	35.69	7.13
39	General OPD cases per 10,000 population ***	4390.53	6586.67
40	Ayush OPD cases per 10,000 population ***	25.61	119.71
G) Mortality Details			
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)
41	Neonatal death within 24 hours	0	0
42	Up to 1 Weeks of Birth	0	0
43	Between 1 week & 4 weeks of birth	0	0
44	Neonatal Death	0	0
45	Between 1 month and 11 months	0	0
46	Total reported infant deaths	0	0
II)	Maternal Mortality	HMIS (2012-13)	HMIS (2013-14)
Maternal Deaths (In Numbers)		HMIS (2012-13)	HMIS (2013-14)
47	Due to Abortion	0	0
48	Due to Obstructed/prolonged labour	0	0
49	Due to Severe hypertension/fits	1	0
50	Due to Bleeding	0	0
51	Due to High fever	0	0
52	Due to Other Causes (including causes not known)	0	0
53	Total reported maternal deaths	1	0

Mokokchung Factsheet

Key Indicators

Sl NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	193,171			
2	Sex Ratio	927			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	51			
4	Primary Health Centers (PHC)	14			
5	Community Health Centers (CHC)	3			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	3,364		3,307	
9	Expected number of Delivery	3,106		3,054	
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	2,373	70.5	1,886	57.0
11	Mothers registered in the first trimester	914	38.5	777	41.2
12	Mothers who had at least 3 Ante-Natal care check ups	994	41.9	762	40.4
13	PW who got TT 2 / Booster injection	1,078	45.4	682	36.2
14	PW who consumed 100 IFA tablets	326	13.7	392	20.8
15	Home Delivery against expected delivery *	398	12.8	326	10.7
16	Institutional Delivery against expected delivery *	1,051	33.8	965	31.6
17	Home Delivery against reported delivery **	398	27.5	326	25.3
18	Institutional Delivery against reported delivery **	1,051	72.5	965	72.4
19	Total reported Deliveries	1,449		1,291	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	293	73.6	256	78.5
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	204	14.1	349	27.0
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	3,058		3,007	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	1,420	46.4	1,267	42.1
24	Total Still Birth	29	0.9	24	0.8
25	PC of newborn weighted at birth to live birth	1,251	88.1	1,219	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	35	2.8	40	3.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,246	87.7	1,101	86.9
28	Children fully immunized	1,139	37.2	1,295	43.1
29	Children who have received BCG	1,548	50.6	1,508	50.2
30	Children who have received DPT1	1,482	48.5	1,457	48.5
31	Children who have received DPT3	1,392	45.5	1,326	44.1
32	Children who have received Measles	1,187	38.8	1,306	43.4
33	Diarrhoea and Dehydration cases reported in children below 5 years	332		135	

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)
34	Number of Vasectomies performed	1	1
35	Number of Tubectomies performed	237	223
36	Number of IUD insertion	333	301
37	Number of IUD removals	85	67
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)
38	IPD cases per 10,000 population ***	23.38	822.83
39	General OPD cases per 10,000 population ***	4985.11	5228.91
40	Ayush OPD cases per 10,000 population ***	136.52	183.94
G) Mortality Details			
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)
41	Neonatal death within 24 hours	2	1
42	Up to 1 Weeks of Birth	10	18
43	Between 1 week & 4 weeks of birth	0	0
44	Neonatal Death	12	19
45	Between 1 month and 11 months	5	0
46	Total reported infant deaths	17	19
II)	Maternal Mortality	HMIS (2012-13)	HMIS (2013-14)
Maternal Deaths (In Numbers)		HMIS (2012-13)	HMIS (2013-14)
47	Due to Abortion	0	0
48	Due to Obstructed/prolonged labour	0	0
49	Due to Severe hypertension/fits	0	0
50	Due to Bleeding	0	0
51	Due to High fever	0	0
52	Due to Other Causes (including causes not known)	3	0
53	Total reported maternal deaths	3	0

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	250,671			
2	Sex Ratio	898			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	50			
4	Primary Health Centers (PHC)	15			
5	Community Health Centers (CHC)	2			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	4,422		4,405	
9	Expected number of Delivery	4,067		4,051	
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	4,939	111.7	4,871	110.6
11	Mothers registered in the first trimester	1,657	33.5	1,526	31.3
12	Mothers who had at least 3 Ante-Natal care check ups	665	13.5	605	12.4
13	PW who got TT 2 / Booster injection	1,727	35.0	1,936	39.7
14	PW who consumed 100 IFA tablets	2,731	55.3	1,765	36.2
15	Home Delivery against expected delivery *	577	14.2	998	24.6
16	Institutional Delivery against expected delivery *	809	19.9	953	23.5
17	Home Delivery against reported delivery **	577	41.6	998	51.2
18	Institutional Delivery against reported delivery **	809	58.4	953	76.9
19	Total reported Deliveries	1,386		1,951	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	508	88.0	810	81.2
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	175	12.6	486	24.9
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	4,020		4,005	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	1,437	35.7	1,924	48.0
24	Total Still Birth	14	0.3	29	0.7
25	PC of newborn weighted at birth to live birth	1,342	93.4	1,878	97.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	61	4.5	92	4.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,414	98.4	1,907	99.1
28	Children fully immunized	1,490	37.1	1,713	42.8
29	Children who have received BCG	2,551	63.5	2,813	70.2
30	Children who have received DPT1	2,683	66.7	2,826	70.6
31	Children who have received DPT3	2,149	53.5	2,184	54.5
32	Children who have received Measles	1,717	42.7	1,771	44.2
33	Diarrhoea and Dehydration cases reported in children below 5 years	373		383	

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)
34	Number of Vasectomies performed	0	0
35	Number of Tubectomies performed	65	93
36	Number of IUD insertion	300	458
37	Number of IUD removals	290	264
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)
38	IPD cases per 10,000 population ***	4.37	454.18
39	General OPD cases per 10,000 population ***	2496.41	2308.46
40	Ayush OPD cases per 10,000 population ***	52.58	74.49
G) Mortality Details			
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)
41	Neonatal death within 24 hours	0	1
42	Up to 1 Weeks of Birth	0	3
43	Between 1 week & 4 weeks of birth	0	0
44	Neonatal Death	0	4
45	Between 1 month and 11 months	0	2
46	Total reported infant deaths	0	6
II)	Maternal Mortality		
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)
47	Due to Abortion	0	0
48	Due to Obstructed/prolonged labour	0	0
49	Due to Severe hypertension/fits	0	0
50	Due to Bleeding	0	2
51	Due to High fever	0	0
52	Due to Other Causes (including causes not known)	0	0
53	Total reported maternal deaths	0	2

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	163,294			
2	Sex Ratio	951			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	43			
4	Primary Health Centers (PHC)	23			
5	Community Health Centers (CHC)	3			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13	2013-14		
8	Expected number of PW	1,689	1,697		
9	Expected number of Delivery	1,549	1,556		
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	2,707	160.2	1,879	110.7
11	Mothers registered in the first trimester	908	33.5	875	46.6
12	Mothers who had at least 3 Ante-Natal care check ups	880	32.5	742	39.5
13	PW who got TT 2 / Booster injection	1,229	45.4	1,045	55.6
14	PW who consumed 100 IFA tablets	1,643	60.7	1,692	90.0
15	Home Delivery against expected delivery *	752	48.5	745	47.9
16	Institutional Delivery against expected delivery *	771	49.8	699	44.9
17	Home Delivery against reported delivery **	752	49.4	745	51.6
18	Institutional Delivery against reported delivery **	771	50.6	699	95.8
19	Total reported Deliveries	1,523		1,444	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	716	95.2	738	99.1
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	447	29.3	682	47.2
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	1,536		1,543	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	1,513	98.5	1,427	92.5
24	Total Still Birth	10	0.7	17	1.1
25	PC of newborn weighted at birth to live birth	1,490	98.5	1,396	97.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	0.5	2	0.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,483	98.0	1,400	98.1
28	Children fully immunized	1,680	109.4	1,383	89.6
29	Children who have received BCG	2,018	131.4	1,701	110.2
30	Children who have received DPT1	1,896	123.5	1,798	116.5
31	Children who have received DPT3	1,883	122.6	1,710	110.8
32	Children who have received Measles	1,725	112.3	1,534	99.4
33	Diarrhoea and Dehydration cases reported in children below 5 years	372		159	
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).					
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)	
34	Number of Vasectomies performed	5		0	
35	Number of Tubectomies performed	194		80	
36	Number of IUD insertion	320		411	
37	Number of IUD removals	119		133	
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)	
38	IPD cases per 10,000 population ***	197.61		94.33	
39	General OPD cases per 10,000 population ***	6202.21		5772.22	
40	Ayush OPD cases per 10,000 population ***	191.11		196.49	
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
41	Neonatal death within 24 hours	0		0	
42	Up to 1 Weeks of Birth	0		0	
43	Between 1 week & 4 weeks of birth	0		0	
44	Neonatal Death	0		0	
45	Between 1 month and 11 months	0		0	
46	Total reported infant deaths	0		0	
II) Maternal Mortality		HMIS (2012-13)		HMIS (2013-14)	
Maternal Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
47	Due to Abortion	0		0	
48	Due to Obstructed/prolonged labour	0		0	
49	Due to Severe hypertension/fits	0		0	
50	Due to Bleeding	0		0	
51	Due to High fever	0		0	
52	Due to Other Causes (including causes not known)	0		0	
53	Total reported maternal deaths	0		0	

Pheren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	94,954			
2	Sex Ratio	917			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	16			
4	Primary Health Centers (PHC)	8			
5	Community Health Centers (CHC)	1			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	2,921		2,951	
9	Expected number of Delivery	2,675		2,702	
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	1,907	65.3	2,134	72.3
11	Mothers registered in the first trimester	1,033	54.2	999	46.8
12	Mothers who had at least 3 Ante-Natal care check ups	402	21.1	512	24.0
13	PW who got TT 2 / Booster injection	759	39.8	787	36.9
14	PW who consumed 100 IFA tablets	1,132	59.4	1,341	62.8
15	Home Delivery against expected delivery *	263	9.8	242	9.0
16	Institutional Delivery against expected delivery *	794	29.7	732	27.1
17	Home Delivery against reported delivery **	263	24.9	242	24.8
18	Institutional Delivery against reported delivery **	794	75.1	732	55.2
19	Total reported Deliveries	1,057		974	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	171	65.0	174	71.9
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	403	38.1	377	38.7
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	2,656		2,683	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	1,052	39.6	965	36.0
24	Total Still Birth	8	0.3	11	0.4
25	PC of newborn weighted at birth to live birth	918	87.3	918	95.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.2	22	2.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	988	93.9	947	98.1
28	Children fully immunized	638	24.0	722	26.9
29	Children who have received BCG	1,354	51.0	1,282	47.8
30	Children who have received DPT1	1,234	46.5	1,270	47.3
31	Children who have received DPT3	933	35.1	997	37.2
32	Children who have received Measles	770	29.0	915	34.1
33	Diarrhoea and Dehydration cases reported in children below 5 years	370		313	

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)
34	Number of Vasectomies performed	0	0
35	Number of Tubectomies performed	33	54
36	Number of IUD insertion	184	192
37	Number of IUD removals	61	68
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)
38	IPD cases per 10,000 population ***	59.41	95.54
39	General OPD cases per 10,000 population ***	1468.74	1898.24
40	Ayush OPD cases per 10,000 population ***	178.41	190.29
G) Mortality Details			
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)
41	Neonatal death within 24 hours	0	1
42	Up to 1 Weeks of Birth	0	3
43	Between 1 week & 4 weeks of birth	1	0
44	Neonatal Death	1	4
45	Between 1 month and 11 months	3	1
46	Total reported infant deaths	4	5
II)	Maternal Mortality	HMIS (2012-13)	HMIS (2013-14)
Maternal Deaths (In Numbers)		HMIS (2012-13)	HMIS (2013-14)
47	Due to Abortion	0	0
48	Due to Obstructed/prolonged labour	0	0
49	Due to Severe hypertension/fits	0	0
50	Due to Bleeding	0	0
51	Due to High fever	0	1
52	Due to Other Causes (including causes not known)	0	0
53	Total reported maternal deaths	0	1

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	196,801			
2	Sex Ratio	930			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	38			
4	Primary Health Centers (PHC)	13			
5	Community Health Centers (CHC)	2			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13	2013-14		
8	Expected number of PW	3,506	3,526		
9	Expected number of Delivery	3,211	3,230		
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	3,208	91.5	2,786	79.0
11	Mothers registered in the first trimester	1,295	40.4	1,390	49.9
12	Mothers who had at least 3 Ante-Natal care check ups	895	27.9	668	24.0
13	PW who got TT 2 / Booster injection	1,494	46.6	1,240	44.5
14	PW who consumed 100 IFA tablets	1,847	57.6	1,354	48.6
15	Home Delivery against expected delivery *	770	24.0	679	21.0
16	Institutional Delivery against expected delivery *	1,185	36.9	1,108	34.3
17	Home Delivery against reported delivery **	770	39.4	679	38.0
18	Institutional Delivery against reported delivery **	1,185	60.6	1,108	98.6
19	Total reported Deliveries	1,955		1,787	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	538	69.9	484	71.3
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	575	29.4	327	18.3
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	3,187		3,205	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	1,945	61.0	1,778	55.5
24	Total Still Birth	18	0.6	20	0.6
25	PC of newborn weighted at birth to live birth	1,477	75.9	1,440	81.0
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	32	2.2	20	1.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,493	76.8	1,493	84.0
28	Children fully immunized	1,147	36.0	1,355	42.3
29	Children who have received BCG	2,279	71.5	2,290	71.4
30	Children who have received DPT1	2,182	68.5	2,148	67.0
31	Children who have received DPT3	1,862	58.4	1,658	51.7
32	Children who have received Measles	1,711	53.7	1,532	47.8
33	Diarrhoea and Dehydration cases reported in children below 5 years	694		458	
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).					
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)	
34	Number of Vasectomies performed	0		0	
35	Number of Tubectomies performed	102		142	
36	Number of IUD insertion	151		212	
37	Number of IUD removals	44		60	
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)	
38	IPD cases per 10,000 population ***	743.79		644.07	
39	General OPD cases per 10,000 population ***	2034.11		2240.64	
40	Ayush OPD cases per 10,000 population ***	47.64		124.76	
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
41	Neonatal death within 24 hours	0		0	
42	Up to 1 Weeks of Birth	0		0	
43	Between 1 week & 4 weeks of birth	0		1	
44	Neonatal Death	0		1	
45	Between 1 month and 11 months	5		7	
46	Total reported infant deaths	5		8	
II) Maternal Mortality		HMIS (2012-13)		HMIS (2013-14)	
Maternal Deaths (In Numbers)		HMIS (2012-13)		HMIS (2013-14)	
47	Due to Abortion	0		0	
48	Due to Obstructed/prolonged labour	0		0	
49	Due to Severe hypertension/fits	0		0	
50	Due to Bleeding	0		1	
51	Due to High fever	0		0	
52	Due to Other Causes (including causes not known)	2		2	
53	Total reported maternal deaths	2		3	

Wokha Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	166,239			
2	Sex Ratio	969			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	37			
4	Primary Health Centers (PHC)	12			
5	Community Health Centers (CHC)	2			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13		2013-14	
8	Expected number of PW	2,953		2,962	
9	Expected number of Delivery	2,708		2,717	
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	2,321	78.6	2,238	75.5
11	Mothers registered in the first trimester	884	38.1	969	43.3
12	Mothers who had at least 3 Ante-Natal care check ups	905	39.0	776	34.7
13	PW who got TT 2 / Booster injection	1,102	47.5	978	43.7
14	PW who consumed 100 IFA tablets	1,291	55.6	1,339	59.8
15	Home Delivery against expected delivery *	291	10.7	238	8.8
16	Institutional Delivery against expected delivery *	823	30.4	725	26.7
17	Home Delivery against reported delivery **	291	26.1	238	24.7
18	Institutional Delivery against reported delivery **	823	73.9	725	84.9
19	Total reported Deliveries	1,114		963	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	279	95.9	236	99.2
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	241	21.6	356	37.0
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	2,685		2,693	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	1,104	41.1	965	35.8
24	Total Still Birth	13	0.5	2	0.1
25	PC of newborn weighted at birth to live birth	915	82.9	862	89.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	1.6	20	2.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,052	95.3	938	97.2
28	Children fully immunized	1,029	38.3	1,240	46.0
29	Children who have received BCG	1,552	57.8	1,514	56.2
30	Children who have received DPT1	1,721	64.1	1,646	61.1
31	Children who have received DPT3	1,664	62.0	1,576	58.5
32	Children who have received Measles	1,342	50.0	1,282	47.6
33	Diarrhoea and Dehydration cases reported in children below 5 years	221		112	

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)
34	Number of Vasectomies performed	0	0
35	Number of Tubectomies performed	205	104
36	Number of IUD insertion	32	176
37	Number of IUD removals	19	41
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)
38	IPD cases per 10,000 population ***	39.58	65.52
39	General OPD cases per 10,000 population ***	2801.16	2843.59
40	Ayush OPD cases per 10,000 population ***	102.90	157.70
G) Mortality Details			
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)
41	Neonatal death within 24 hours	0	0
42	Up to 1 Weeks of Birth	0	0
43	Between 1 week & 4 weeks of birth	0	0
44	Neonatal Death	0	0
45	Between 1 month and 11 months	5	1
46	Total reported infant deaths	5	1
II)	Maternal Mortality	HMIS (2012-13)	HMIS (2013-14)
Maternal Deaths (In Numbers)		HMIS (2012-13)	HMIS (2013-14)
47	Due to Abortion	0	0
48	Due to Obstructed/prolonged labour	0	0
49	Due to Severe hypertension/fits	0	0
50	Due to Bleeding	0	0
51	Due to High fever	0	0
52	Due to Other Causes (including causes not known)	0	0
53	Total reported maternal deaths	0	0

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	141,014			
2	Sex Ratio	981			
B) Infrastructure Details (RHS 2012)		Numbers			
3	Sub Centers (SC)	47			
4	Primary Health Centers (PHC)	13			
5	Community Health Centers (CHC)	2			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2012-13	2013-14		
8	Expected number of PW	2,475	2,454		
9	Expected number of Delivery	2,287	2,267		
		HMIS (2012-13)		HMIS (2013-14)	
		Number	PC	Number	PC
10	PW register for ANC	2,253	91.0	1,580	64.4
11	Mothers registered in the first trimester	875	38.8	610	38.6
12	Mothers who had at least 3 Ante-Natal care check ups	554	24.6	326	20.6
13	PW who got TT 2 / Booster injection	924	41.0	635	40.2
14	PW who consumed 100 IFA tablets	803	35.6	363	23.0
15	Home Delivery against expected delivery *	681	29.8	456	20.1
16	Institutional Delivery against expected delivery *	764	33.4	744	32.8
17	Home Delivery against reported delivery **	681	47.1	456	38.0
18	Institutional Delivery against reported delivery **	764	52.9	744	92.8
19	Total reported Deliveries	1,445		1,200	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	662	97.2	425	93.2
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	216	14.9	550	45.8
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).					
22	Expected number of Live Birth	2,250		2,231	
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14) upto December	
23	Total reported live births	1,428	63.5	1,197	53.7
24	Total Still Birth	21	0.9	16	0.7
25	PC of newborn weighted at birth to live birth	1,365	95.6	1,156	96.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	3.0	17	1.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,290	90.3	1,102	92.1
28	Children fully immunized	603	26.8	657	29.5
29	Children who have received BCG	1,297	57.6	1,305	58.5
30	Children who have received DPT1	1,262	56.1	1,196	53.6
31	Children who have received DPT3	1,068	47.5	1,055	47.3
32	Children who have received Measles	1,032	45.9	920	41.2
33	Diarrhoea and Dehydration cases reported in children below 5 years	599		458	

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2012-13)	HMIS (2013-14)
34	Number of Vasectomies performed	0	0
35	Number of Tubectomies performed	70	52
36	Number of IUD insertion	337	388
37	Number of IUD removals	143	151
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)
38	IPD cases per 10,000 population ***	34.48	41.14
39	General OPD cases per 10,000 population ***	3969.89	3771.68
40	Ayush OPD cases per 10,000 population ***	153.03	152.30
G) Mortality Details			
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)
41	Neonatal death within 24 hours	0	0
42	Up to 1 Weeks of Birth	0	0
43	Between 1 week & 4 weeks of birth	0	0
44	Neonatal Death	0	0
45	Between 1 month and 11 months	2	1
46	Total reported infant deaths	2	1
II)	Maternal Mortality	HMIS (2012-13)	HMIS (2013-14)
Maternal Deaths (In Numbers)		HMIS (2012-13)	HMIS (2013-14)
47	Due to Abortion	0	0
48	Due to Obstructed/prolonged labour	0	0
49	Due to Severe hypertension/fits	0	0
50	Due to Bleeding	1	0
51	Due to High fever	0	1
52	Due to Other Causes (including causes not known)	0	0
53	Total reported maternal deaths	1	1

* Against Expected Delivery for the whole year

** Against Reported Delivery for the 2013-14.

*** Against Estimated Population for whole year