

NAGALAND Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	19,78,502	9	Birth Rate		15.4	
2	Sex Ratio	931	10	Death Rate		3.1	
3	Number of districts	11	11	IMR		18	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		12.3	
4	Sub Centers (SC)	396	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	126					
6	Community Health Centers (CHC)	21					
7	SDH	0					
8	DH	11					
D) Maternal Health:		2011-12	2011-12				
14	Expected number of PW	37,433	37,433				
15	Expected number of Delivery	34,439	34,439				
		HMIS (2013-14)	HMIS (2014-15) 2nd QTR	DLHS-4 (2012-13)			
		Number	PC	Number	PC		
16	PW register for ANC	47,156	126.0	22,336	59.7	Any ANC	41.8
17	Mothers registered in the first trimester	17,653	37.4	11,653	52.2	ANC Check up in first trimester	23.8
18	Mothers who had at least 3 Ante-Natal care check ups	14,271	30.3	7,342	32.9	3 or more ANC check up	26.5
19	Mothers who got TT2/ Booster injection (%)	16,889	35.8	8,651	38.7	Atleast 1 TT received	39.4
20	PW who consumed 100 IFA tablets	14,948	31.7	7,561	33.9	100 IFA tablets consumed	12
21	Home Delivery against expected delivery *	5,643	16.4	2,653	7.7	Full ANC	9.7
22	Institutional Delivery against expected delivery *	15,555	45.2	8,439	24.5	Home Delivery	66.1
23	Home Delivery against reported delivery **	5,643	26.6	2,653	23.9	Institutional Delivery	30.1
24	Institutional Delivery against reported delivery **	15,555	73.4	8,439	76.1	Home Delivery by SBA	17.5
25	Total reported Deliveries	21,198	61.6	11,092	32.2	PNC within 14 days of delivery	63.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,626	82.0	2,118	79.8		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,910	27.9	3,697	33.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	34,030	34,030				
E) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 2nd QTR	DLHS-4 (2012-13)			
		Number	PC	Number	PC		
29	Total reported live births	21,031	61.8	10,939	32.1	Breastfed within 1 hour of birth	44.5

30	Total Still Birth	269	0.8	211	0.6	BCG	61.2
31	Newborn weighted at birth to live birth	19,677	93.6	10,374	94.8	3 dose of DPT	66
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	708	3.4	438	4.0	Measles	49
33	Newborns breastfed within 1 hour to total reported live birth.	18,907	89.9	9,521	87.0	Full Immunization	35.6
34	Fully immunized	19,876	58.4	10,351	30.4		
35	Children who have received BCG	28,355	83.3	13,769	40.5		
36	Children who have received DPT1	26,552	78.0	12,450	36.6		
37	Children who have received DPT3	22,774	66.9	11,238	33.0		
38	Children who have received Measles	21,077	61.9	10,824	31.8		
39	Diarrhoea and Dehydration cases reported in children below 5 years	5,076		3,030			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
F) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
40	Number of Vasectomies performed	15	5		Limiting	23	
41	Number of Tubectomies performed	1,771	788		Spacing	18.6	
42	Number of IUD insertion	3,803	2,176		Women using any method	33.1	
43	Number of IUD removals	1,349	792		Women using modern method	23.9	
I) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
44	IPD cases per 10,000 population ***	384	215				
45	General OPD cases per 10,000 population ***	4,547	2,733				
46	Ayush OPD cases per 10,000 population ***	140	73				
J) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
47	Neonatal death within 24 hours	4	2				
48	Up to 1 Weeks of Birth	42	27				
49	Between 1 week & 4 weeks of birth	5	1				
50	Neonatal Death	51	30				
51	Between 1 month and 11 months	38	26				
52	Total reported infant deaths	89	56				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
53	Due to Abortion	1	0				
54	Due to Obstructed/prolonged labour	0	1				
55	Due to Severe hypertension/fits	0	2				
56	Due to Bleeding	3	4				
57	Due to High fever	3	0				
58	Due to Other Causes (including causes not known)	6	7				
59	Total reported maternal deaths	13	14				

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12	2011-12				
8	Expected number of PW	7,167	7,167				
9	Expected number of Delivery	6,594	6,594				
		HMIS (2013-14)	HMIS (2014-15) 2ndQTR	DLHS-4 (2012-13)			
		Number	PC	Number	PC		
10	PW register for ANC	18,800	262.3	11,867	165.6	Any ANC	57.1
11	Mothers registered in the first trimester	8,083	43.0	7,518	63.4	ANC Check up in first trimester	37.8
12	Mothers who had at least 3 Ante-Natal care check ups	7,507	39.9	4,022	33.9	3 or more ANC check up	38
13	PW who got TT 2 / Booster injection	6,779	36.1	3,669	30.9	Atleast 1 TT received	53
14	PW who consumed 100 IFA tablets	4,889	26.0	2,399	20.2	100 IFA tablets consumed	16.9
15	Home Delivery against expected delivery *	1,026	15.6	511	7.7	Full ANC	12.8
16	Institutional Delivery against expected delivery *	6,281	95.3	3,578	54.3	Home Delivery	47.7
17	Home Delivery against reported delivery **	1,026	14.0	511	12.5	Institutional Delivery	52
18	Institutional Delivery against reported delivery **	6,281	86.0	3,578	89.7	Home Delivery by SBA	65.6
19	Total reported Deliveries	7,307		4,089		PNC within 48 hrs of delivery	70.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	679	66.2	461	90.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,377	18.8	804	19.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,516		6,516			
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 2ndQTR	DLHS-4 (2012-13)			
		Number	PC	Number	PC		
23	Total reported live births	7,240	111.1	4,003	61.4	Breastfed within 1 hour of birth	45.8

24	Total Still Birth	124	1.9	115	1.8	BCG	71.4
25	PC of newborn weighted at birth to live birth	6,982	96.4	3,966	99.1	3 dose of DPT	68.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	410	5.9	290	7.3	Measles	50.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,071	83.9	3,095	77.3	Full Immunization	38.1
28	Children fully immunized	7,073	108.6	3,815	58.6		
29	Children who have received BCG	10,447	160.3	5,322	81.7		
30	Children who have received DPT1	9,022	138.5	4,253	65.3		
31	Children who have received DPT3	7,502	115.1	3,811	58.5		
32	Children who have received Measles	7,137	109.5	3,815	58.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,397		878			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	14	1		Limiting	23	
35	Number of Tubectomies performed	570	243		Spacing	12.7	
36	Number of IUD insertion	682	373		Women using any method	36.2	
37	Number of IUD removals	349	208		Women using modern method	28.3	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
38	IPD cases per 10,000 population ***	770	522				
39	General OPD cases per 10,000 population ***	7961	5530				
40	Ayush OPD cases per 10,000 population ***	116	63				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	15	20				
43	Between 1 week & 4 weeks of birth	2	1				
44	Neonatal Death	17	22				
45	Between 1 month and 11 months	16	16				
46	Total reported infant deaths	33	38				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
47	Due to Abortion	1	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	4				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	4	2				
53	Total reported maternal deaths	5	7				

Kiphrie Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12	2011-12				
8	Expected number of PW	1,400		1,400			
9	Expected number of Delivery	1,288		1,288			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,135	81.1	563	40.2	Any ANC	14.7
11	Mothers registered in the first trimester	367	32.3	159	28.2	ANC Check up in first trimester	2.9
12	Mothers who had at least 3 Ante-Natal care check ups	273	24.1	153	27.2	3 or more ANC check up	5.9
13	PW who got TT 2 / Booster injection	480	42.3	211	37.5	Atleast 1 TT received	11.8
14	PW who consumed 100 IFA tablets	568	50.0	422	75.0	100 IFA tablets consumed	5.9
15	Home Delivery against expected delivery *	327	25.4	167	13.0	Full ANC	2.9
16	Institutional Delivery against expected delivery *	481	37.3	270	21.0	Home Delivery	58.8
17	Home Delivery against reported delivery **	327	40.5	167	38.2	Institutional Delivery	32.4
18	Institutional Delivery against reported delivery **	481	59.5	270	62.2	Home Delivery by SBA	35.3
19	Total reported Deliveries	808		437		PNC within 48 hrs of delivery	63.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	282	86.2	124	74.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	274	33.9	222	50.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,273		1,273			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	798	62.7	429	33.7	Breastfed within 1 hour of birth	88.2

24	Total Still Birth	15	1.2	9	0.7	BCG	60
25	PC of newborn weighted at birth to live birth	750	94.0	408	95.1	3 dose of DPT	40
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	3.3	4	1.0	Measles	20
27	PC of newborns breastfed within 1 hour to total reported live birth.	771	96.6	417	97.2	Full Immunization	20
28	Children fully immunized	624	49.0	325	25.5		
29	Children who have received BCG	955	75.0	522	41.0		
30	Children who have received DPT1	875	68.7	434	34.1		
31	Children who have received DPT3	790	62.1	446	35.0		
32	Children who have received Measles	788	61.9	371	29.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	817		458			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	39.4
35	Number of Tubectomies performed	71		60		Spacing	11.6
36	Number of IUD insertion	197		83		Women using any method	35.1
37	Number of IUD removals	18		13		Women using modern method	26.1
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
38	IPD cases per 10,000 population ***	354		204			
39	General OPD cases per 10,000 population ***	3838		2211			
40	Ayush OPD cases per 10,000 population ***	103		48			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		0			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	2		0			
45	Between 1 month and 11 months	1		2			
46	Total reported infant deaths	3		2			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		0			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	1		1			

Kohima Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12	2011-12				
8	Expected number of PW	5,070		5,070			
9	Expected number of Delivery	4,665		4,665			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,766	172.9	1,723	34.0	Any ANC	72.4
11	Mothers registered in the first trimester	1,552	17.7	810	47.0	ANC Check up in first trimester	45.2
12	Mothers who had at least 3 Ante-Natal care check ups	1,748	19.9	876	50.8	3 or more ANC check up	42.4
13	PW who got TT 2 / Booster injection	1,783	20.3	1,055	61.2	Atleast 1 TT received	67.7
14	PW who consumed 100 IFA tablets	626	7.1	335	19.4	100 IFA tablets consumed	17.7
15	Home Delivery against expected delivery *	281	6.0	136	2.9	Full ANC	14.5
16	Institutional Delivery against expected delivery *	2,556	54.8	1,289	27.6	Home Delivery	50
17	Home Delivery against reported delivery **	281	9.9	136	9.5	Institutional Delivery	44.4
18	Institutional Delivery against reported delivery **	2,556	90.1	1,289	78.3	Home Delivery by SBA	15.3
19	Total reported Deliveries	2,837		1,425		PNC within 48 hrs of delivery	55.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	218	77.6	107	78.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	879	31.0	564	39.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,609		4,609			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,834	61.5	1,402	30.4	Breastfed within 1 hour of birth	46

24	Total Still Birth	11	0.2	23	0.5	BCG	63.9
25	PC of newborn weighted at birth to live birth	2,454	86.6	1,158	82.6	3 dose of DPT	69.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	2.0	26	2.2	Measles	58.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,552	90.0	1,127	80.4	Full Immunization	38.9
28	Children fully immunized	3,070	66.6	1,515	32.9		
29	Children who have received BCG	3,794	82.3	1,812	39.3		
30	Children who have received DPT1	3,465	75.2	1,589	34.5		
31	Children who have received DPT3	3,202	69.5	1,545	33.5		
32	Children who have received Measles	3,137	68.1	1,520	33.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	664		313			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	20.5
35	Number of Tubectomies performed	370		144		Spacing	15.7
36	Number of IUD insertion	691		425		Women using any method	44.4
37	Number of IUD removals	150		133		Women using modern method	25.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
38	IPD cases per 10,000 population ***	403		291			
39	General OPD cases per 10,000 population ***	5734		3553			
40	Ayush OPD cases per 10,000 population ***	162		92			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
41	Neonatal death within 24 hours	1		1			
42	Up to 1 Weeks of Birth	2		0			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	4		1			
45	Between 1 month and 11 months	9		4			
46	Total reported infant deaths	13		5			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		4			
53	Total reported maternal deaths	0		4			

Longleng Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12	2011-12				
8	Expected number of PW	955		955			
9	Expected number of Delivery	879		879			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,081	113.2	386	40.4	Any ANC	18.8
11	Mothers registered in the first trimester	505	46.7	257	66.6	ANC Check up in first trimester	7.2
12	Mothers who had at least 3 Ante-Natal care check ups	352	32.6	113	29.3	3 or more ANC check up	11.4
13	PW who got TT 2 / Booster injection	544	50.3	160	41.5	Atleast 1 TT received	17.4
14	PW who consumed 100 IFA tablets	619	57.3	266	68.9	100 IFA tablets consumed	7.2
15	Home Delivery against expected delivery *	325	37.0	127	14.5	Full ANC	7.2
16	Institutional Delivery against expected delivery *	311	35.4	178	20.3	Home Delivery	82.6
17	Home Delivery against reported delivery **	325	51.1	127	41.6	Institutional Delivery	17.4
18	Institutional Delivery against reported delivery **	311	48.9	178	82.7	Home Delivery by SBA	12.9
19	Total reported Deliveries	636		305		PNC within 48 hrs of delivery	83.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	324	99.7	127	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	253	39.8	152	49.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	868		868			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	636	73.2	308	35.5	Breastfed within 1 hour of birth	80

24	Total Still Birth	0	0.0	3	0.3	BCG	55.6
25	PC of newborn weighted at birth to live birth	622	97.8	289	93.8	3 dose of DPT	66.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	1.6	9	3.1	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	625	98.3	306	99.4	Full Immunization	22.2
28	Children fully immunized	744	85.7	630	72.6		
29	Children who have received BCG	746	85.9	342	39.4		
30	Children who have received DPT1	849	97.8	402	46.3		
31	Children who have received DPT3	774	89.1	360	41.5		
32	Children who have received Measles	755	86.9	365	42.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	180		101			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	24.2
35	Number of Tubectomies performed	12		37		Spacing	10.6
36	Number of IUD insertion	95		106		Women using any method	31.3
37	Number of IUD removals	48		26		Women using modern method	22.3
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
38	IPD cases per 10,000 population ***	141		99			
39	General OPD cases per 10,000 population ***	5853		3323			
40	Ayush OPD cases per 10,000 population ***	106		109			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	Total reported infant deaths	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		0			

Mokokchung Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12	2011-12				
8	Expected number of PW	3,682		3,682			
9	Expected number of Delivery	3,388		3,388			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,886	51.2	824	22.4	Any ANC	74.6
11	Mothers registered in the first trimester	777	41.2	277	33.6	ANC Check up in first trimester	27.6
12	Mothers who had at least 3 Ante-Natal care check ups	762	40.4	307	37.3	3 or more ANC check up	46.6
13	PW who got TT 2 / Booster injection	682	36.2	361	43.8	Atleast 1 TT received	72.4
14	PW who consumed 100 IFA tablets	392	20.8	201	24.4	100 IFA tablets consumed	26.1
15	Home Delivery against expected delivery *	326	9.6	169	5.0	Full ANC	21.6
16	Institutional Delivery against expected delivery *	965	28.5	462	13.6	Home Delivery	56.4
17	Home Delivery against reported delivery **	326	25.3	169	26.8	Institutional Delivery	42.9
18	Institutional Delivery against reported delivery **	965	74.7	462	72.4	Home Delivery by SBA	35.8
19	Total reported Deliveries	1,291		631		PNC within 48 hrs of delivery	66.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	256	78.5	118	69.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	349	27.0	257	40.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,347		3,347			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,267	37.8	621	18.6	Breastfed within 1 hour of birth	34.7

24	Total Still Birth	24	0.7	10	0.3	BCG	89.1
25	PC of newborn weighted at birth to live birth	1,219	96.2	609	98.1	3 dose of DPT	80.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.3	17	2.8	Measles	78.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,101	86.9	609	98.1	Full Immunization	60.9
28	Children fully immunized	1,295	38.7	651	19.4		
29	Children who have received BCG	1,508	45.0	734	21.9		
30	Children who have received DPT1	1,457	43.5	673	20.1		
31	Children who have received DPT3	1,326	39.6	664	19.8		
32	Children who have received Measles	1,306	39.0	676	20.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	135		26			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1		2		Limiting	22
35	Number of Tubectomies performed	223		57		Spacing	11.3
36	Number of IUD insertion	301		91		Women using any method	51.7
37	Number of IUD removals	67		49		Women using modern method	34.3
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
38	IPD cases per 10,000 population ***	872		230			
39	General OPD cases per 10,000 population ***	5017		2521			
40	Ayush OPD cases per 10,000 population ***	176		105			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	18		5			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	19		5			
45	Between 1 month and 11 months	0		0			
46	Total reported infant deaths	19		5			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		1			

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12	2011-12				
8	Expected number of PW	4,735	4,735				
9	Expected number of Delivery	4,356	4,356				
		HMIS (2013-14)	HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	4,871	102.9	2,050	43.3	Any ANC	25.6
11	Mothers registered in the first trimester	1,526	31.3	688	33.6	ANC Check up in first trimester	10.5
12	Mothers who had at least 3 Ante-Natal care check ups	605	12.4	334	16.3	3 or more ANC check up	9.7
13	PW who got TT 2 / Booster injection	1,936	39.7	966	47.1	Atleast 1 TT received	25.6
14	PW who consumed 100 IFA tablets	1,765	36.2	944	46.0	100 IFA tablets consumed	4.8
15	Home Delivery against expected delivery *	998	22.9	442	10.1	Full ANC	3.2
16	Institutional Delivery against expected delivery *	953	21.9	625	14.3	Home Delivery	84
17	Home Delivery against reported delivery **	998	51.2	442	41.4	Institutional Delivery	16
18	Institutional Delivery against reported delivery **	953	48.8	625	76.9	Home Delivery by SBA	24
19	Total reported Deliveries	1,951		1,067		PNC within 48 hrs of delivery	75
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	810	81.2	350	79.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	486	24.9	330	30.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,304		4,304			
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
23	Total reported live births	1,924	44.7	1,045	24.3	Breastfed within 1 hour of birth	22.1

24	Total Still Birth	29	0.7	22	0.5	BCG	42.9
25	PC of newborn weighted at birth to live birth	1,878	97.6	1,002	95.9	3 dose of DPT	65
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	92	4.9	56	5.6	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,907	99.1	1,034	98.9	Full Immunization	20
28	Children fully immunized	1,713	39.8	788	18.3		
29	Children who have received BCG	2,813	65.4	1,226	28.5		
30	Children who have received DPT1	2,826	65.7	1,189	27.6		
31	Children who have received DPT3	2,184	50.7	1,031	24.0		
32	Children who have received Measles	1,771	41.1	898	20.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	383		379			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	19.3
35	Number of Tubectomies performed	93		34		Spacing	33.8
36	Number of IUD insertion	458		455		Women using any method	30.9
37	Number of IUD removals	264		151		Women using modern method	28
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
38	IPD cases per 10,000 population ***	134		62			
39	General OPD cases per 10,000 population ***	2295		1234			
40	Ayush OPD cases per 10,000 population ***	74		28			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	3		1			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	4		1			
45	Between 1 month and 11 months	2		2			
46	Total reported infant deaths	6		3			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	2		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		1			
53	Total reported maternal deaths	2		1			

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,63,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	1,802		1,802			
9	Expected number of Delivery	2,845		2,845			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,879	104.3	1,110	61.6	Any ANC	51.9
11	Mothers registered in the first trimester	875	46.6	452	40.7	ANC Check up in first trimester	37
12	Mothers who had at least 3 Ante-Natal care check ups	742	39.5	247	22.3	3 or more ANC check up	40.7
13	PW who got TT 2 / Booster injection	1,045	55.6	379	34.1	Atleast 1 TT received	51.9
14	PW who consumed 100 IFA tablets	1,692	90.0	729	65.7	100 IFA tablets consumed	18.5
15	Home Delivery against expected delivery *	745	26.2	125	4.4	Full ANC	18.5
16	Institutional Delivery against expected delivery *	699	24.6	383	13.5	Home Delivery	66.7
17	Home Delivery against reported delivery **	745	51.6	125	24.6	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	699	48.4	383	95.8	Home Delivery by SBA	29.6
19	Total reported Deliveries	1,444		508		PNC within 48 hrs of delivery	44.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	738	99.1	88	70.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	682	47.2	253	49.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,811		2,811			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,427	50.8	506	18.0	Breastfed within 1 hour of birth	40

24	Total Still Birth	17	0.6	6	0.2	BCG	42.9
25	PC of newborn weighted at birth to live birth	1,396	97.8	486	96.0	3 dose of DPT	42.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.1	4	0.8	Measles	14.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,400	98.1	488	96.4	Full Immunization	0
28	Children fully immunized	1,383	49.2	362	12.9		
29	Children who have received BCG	1,701	60.5	544	19.4		
30	Children who have received DPT1	1,798	64.0	587	20.9		
31	Children who have received DPT3	1,710	60.8	490	17.4		
32	Children who have received Measles	1,534	54.6	423	15.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	159		139			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2ndQTR	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	2	Limiting	19.3		
35	Number of Tubectomies performed	80	33	Spacing	25.9		
36	Number of IUD insertion	411	89	Women using any method	21.4		
37	Number of IUD removals	133	52	Women using modern method	11.1		
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
38	IPD cases per 10,000 population ***	166	43				
39	General OPD cases per 10,000 population ***	3385	1048				
40	Ayush OPD cases per 10,000 population ***	115	81				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	1				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	1				
45	Between 1 month and 11 months	0	1				
46	Total reported infant deaths	0	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Pheren Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12	2011-12				
8	Expected number of PW	3,092		3,092			
9	Expected number of Delivery	1,657		1,657			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,134	69.0	1,054	34.1	Any ANC	34.7
11	Mothers registered in the first trimester	999	46.8	504	47.8	ANC Check up in first trimester	15.3
12	Mothers who had at least 3 Ante-Natal care check ups	512	24.0	410	38.9	3 or more ANC check up	16.3
13	PW who got TT 2 / Booster injection	787	36.9	504	47.8	Atleast 1 TT received	33.7
14	PW who consumed 100 IFA tablets	1,341	62.8	865	82.1	100 IFA tablets consumed	5.1
15	Home Delivery against expected delivery *	242	14.6	407	24.6	Full ANC	3
16	Institutional Delivery against expected delivery *	732	44.2	325	19.6	Home Delivery	78.8
17	Home Delivery against reported delivery **	242	24.8	407	55.6	Institutional Delivery	21.2
18	Institutional Delivery against reported delivery **	732	75.2	325	55.2	Home Delivery by SBA	12.2
19	Total reported Deliveries	974		732		PNC within 48 hrs of delivery	28.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	174	71.9	394	96.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	377	38.7	391	53.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,638		1,638			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	965	58.9	728	44.4	Breastfed within 1 hour of birth	45.2

24	Total Still Birth	11	0.7	5	0.3	BCG	63.2
25	PC of newborn weighted at birth to live birth	918	95.1	673	92.4	3 dose of DPT	84.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	2.4	4	0.6	Measles	57.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	947	98.1	692	95.1	Full Immunization	52.6
28	Children fully immunized	722	44.1	607	37.1		
29	Children who have received BCG	1,282	78.3	886	54.1		
30	Children who have received DPT1	1,270	77.5	854	52.1		
31	Children who have received DPT3	997	60.9	762	46.5		
32	Children who have received Measles	915	55.9	751	45.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	313		212			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	8.7	
35	Number of Tubectomies performed	54	48		Spacing	41.5	
36	Number of IUD insertion	192	194		Women using any method	12.5	
37	Number of IUD removals	68	64		Women using modern method	8.7	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
38	IPD cases per 10,000 population ***	136	152				
39	General OPD cases per 10,000 population ***	3322	3470				
40	Ayush OPD cases per 10,000 population ***	333	169				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	3	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	4	0				
45	Between 1 month and 11 months	1	0				
46	Total reported infant deaths	5	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	1	0				

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,720		3,720			
9	Expected number of Delivery	3,422		3,422			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,786	74.9	1,042	28.0	Any ANC	19.6
11	Mothers registered in the first trimester	1,390	49.9	287	27.5	ANC Check up in first trimester	9.1
12	Mothers who had at least 3 Ante-Natal care check ups	668	24.0	381	36.6	3 or more ANC check up	10.5
13	PW who got TT 2 / Booster injection	1,240	44.5	583	56.0	Atleast 1 TT received	15.8
14	PW who consumed 100 IFA tablets	1,354	48.6	517	49.6	100 IFA tablets consumed	4.9
15	Home Delivery against expected delivery *	679	19.8	274	8.0	Full ANC	4.2
16	Institutional Delivery against expected delivery *	1,108	32.4	593	17.3	Home Delivery	75.2
17	Home Delivery against reported delivery **	679	38.0	274	31.6	Institutional Delivery	10.5
18	Institutional Delivery against reported delivery **	1,108	62.0	593	98.6	Home Delivery by SBA	3.9
19	Total reported Deliveries	1,787		867		PNC within 48 hrs of delivery	50
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	484	71.3	70	25.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	327	18.3	185	21.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,381		3,381			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,778	52.6	868	25.7	Breastfed within 1 hour of birth	53.2

24	Total Still Birth	20	0.6	14	0.4	BCG	50.6
25	PC of newborn weighted at birth to live birth	1,440	81.0	812	93.5	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.4	10	1.2	Measles	44.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,493	84.0	800	92.2	Full Immunization	34.2
28	Children fully immunized	1,355	40.1	593	17.5		
29	Children who have received BCG	2,290	67.7	1,083	32.0		
30	Children who have received DPT1	2,148	63.5	1,066	31.5		
31	Children who have received DPT3	1,658	49.0	869	25.7		
32	Children who have received Measles	1,532	45.3	784	23.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	458		284			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	30.6
35	Number of Tubectomies performed	142		85		Spacing	21.1
36	Number of IUD insertion	212		103		Women using any method	37.6
37	Number of IUD removals	60		34		Women using modern method	29.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
38	IPD cases per 10,000 population ***	213		121			
39	General OPD cases per 10,000 population ***	2269		1018			
40	Ayush OPD cases per 10,000 population ***	126		64			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	7		1			
46	Total reported infant deaths	8		1			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	1		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	2		0			
53	Total reported maternal deaths	3		0			

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,147		3,147			
9	Expected number of Delivery	2,895		2,895			
		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,238	71.1	1,003	31.9	Any ANC	30.1
11	Mothers registered in the first trimester	969	43.3	400	39.9	ANC Check up in first trimester	25.4
12	Mothers who had at least 3 Ante-Natal care check ups	776	34.7	331	33.0	3 or more ANC check up	25.6
13	PW who got TT 2 / Booster injection	978	43.7	451	45.0	Atleast 1 TT received	30.1
14	PW who consumed 100 IFA tablets	1,339	59.8	653	65.1	100 IFA tablets consumed	6
15	Home Delivery against expected delivery *	238	8.2	100	3.5	Full ANC	6
16	Institutional Delivery against expected delivery *	725	25.0	366	12.6	Home Delivery	81.8
17	Home Delivery against reported delivery **	238	24.7	100	21.5	Institutional Delivery	18.2
18	Institutional Delivery against reported delivery **	725	75.3	366	84.9	Home Delivery by SBA	35.3
19	Total reported Deliveries	963		466		PNC within 48 hrs of delivery	70.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	236	99.2	99	99.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	356	37.0	179	38.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,861		2,861			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	965	33.7	466	16.3	Breastfed within 1 hour of birth	33.7

24	Total Still Birth	2	0.1	0	0.0	BCG	41.7
25	PC of newborn weighted at birth to live birth	862	89.3	424	91.0	3 dose of DPT	37.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.3	12	2.8	Measles	21.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	938	97.2	458	98.3	Full Immunization	13.5
28	Children fully immunized	1,240	43.3	680	23.8		
29	Children who have received BCG	1,514	52.9	731	25.5		
30	Children who have received DPT1	1,646	57.5	797	27.9		
31	Children who have received DPT3	1,576	55.1	772	27.0		
32	Children who have received Measles	1,282	44.8	709	24.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	112		15			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	22
35	Number of Tubectomies performed	104		37		Spacing	14
36	Number of IUD insertion	176		55		Women using any method	33.6
37	Number of IUD removals	41		14		Women using modern method	25.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
38	IPD cases per 10,000 population ***	146		86			
39	General OPD cases per 10,000 population ***	2860		1436			
40	Ayush OPD cases per 10,000 population ***	159		47			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	1		0			
46	Total reported infant deaths	1		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2ndQTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		0			

Zunheboto Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12	2011-12				
8	Expected number of PW	2,663	2,663				
9	Expected number of Delivery	2,450	2,450				
		HMIS (2013-14)	HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	1,580	59.3	714	26.8	Any ANC	38.6
11	Mothers registered in the first trimester	610	38.6	301	42.2	ANC Check up in first trimester	18.6
12	Mothers who had at least 3 Ante-Natal care check ups	326	20.6	168	23.5	3 or more ANC check up	31.8
13	PW who got TT 2 / Booster injection	635	40.2	312	43.7	Atleast 1 TT received	36.4
14	PW who consumed 100 IFA tablets	363	23.0	230	32.2	100 IFA tablets consumed	15.9
15	Home Delivery against expected delivery *	456	18.6	195	8.0	Full ANC	13.6
16	Institutional Delivery against expected delivery *	744	30.4	370	15.1	Home Delivery	75
17	Home Delivery against reported delivery **	456	38.0	195	34.5	Institutional Delivery	20.7
18	Institutional Delivery against reported delivery **	744	62.0	370	92.8	Home Delivery by SBA	27.3
19	Total reported Deliveries	1,200		565		PNC within 48 hrs of delivery	70
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	425	93.2	180	92.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	550	45.8	360	63.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,421		2,421			
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
23	Total reported live births	1,197	49.4	563	23.3	Breastfed within 1 hour of birth	44.4

24	Total Still Birth	16	0.7	4	0.2	BCG	62.5
25	PC of newborn weighted at birth to live birth	1,156	96.6	547	97.2	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.5	6	1.1	Measles	75
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,102	92.1	495	87.9	Full Immunization	25
28	Children fully immunized	657	27.1	385	15.9		
29	Children who have received BCG	1,305	53.9	567	23.4		
30	Children who have received DPT1	1,196	49.4	606	25.0		
31	Children who have received DPT3	1,055	43.6	488	20.2		
32	Children who have received Measles	920	38.0	512	21.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	458		225			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2ndQTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	19.5	
35	Number of Tubectomies performed	52	10		Spacing	15.2	
36	Number of IUD insertion	388	202		Women using any method	26.7	
37	Number of IUD removals	151	48		Women using modern method	19	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
38	IPD cases per 10,000 population ***	122	69				
39	General OPD cases per 10,000 population ***	3712	2054				
40	Ayush OPD cases per 10,000 population ***	150	74				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	1	0				
46	Total reported infant deaths	1	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2ndQTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	1	0				

Note : Negative decadal growth rate was reported in Nagaland from 2001 to 2011 census. For this reason, the factsheet considers 2011 census data and corresponding targets.

* Against Expected Delivery for the year 2011-12.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Population for year 2011-12.