

## Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2013)			
1	Population 2011	607,688	9	Birth Rate		17.2	
2	Sex Ratio	889	10	Death Rate		5.4	
3	Number of districts	4	11	IMR		24	
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>	12	Growth Rate		11.9	
4	Sub Centers (SC)	147	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	24					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	4					
<b>D) Maternal Health:</b>		<b>2012-13</b>	<b>2013-14</b>				
14	Expected number of PW	11,910	9,956				
15	Expected number of Delivery	10,961	9,052				
		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	9,316	78.2	9,424	94.7	Any ANC	55.4
17	Mothers registered in the first trimester	5,917	63.5	6,784	72.0	ANC Check up in first trimester	24.8
18	Mothers who had at least 3 Ante-Natal care check ups	7,314	78.5	7,803	82.8	3 or more ANC check up	39.4
19	PW who got TT 2 / Booster injection	7,560	88.6	7,643	88.6	Atleast 1 TT received	52
20	PW who consumed 100 IFA tablets	7,863	84.4	7,614	80.8	100 IFA tablets consumed	24
21	Home Delivery against expected delivery *	846	7.7	548	6.1	Full ANC	12.8
22	Institutional Delivery against expected delivery *	6,600	60.2	7,416	81.9	Home Delivery	74.9
23	Home Delivery against reported delivery **	846	11	548	6.9	Institutional Delivery	24.4
24	Institutional Delivery against reported delivery **	6,600	89	7,416	93.1	Home Delivery by SBA	5.9
25	Total reported Deliveries	7,446	68	7,964	88	PNC within 14 days of delivery	32.5
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	180	21	245	45		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,761	77	6,732	85		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
28	Expected number of Live Birth	10,828		9,052			
<b>E) Child Immunization :</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	7,515	69.4	7,912	87.4	Breastfed within 1 hour of birth	75.4

30	Total Still Birth	96	0.9	111	1.2	BCG	74.1
31	PC of newborn weighted at birth to live birth	7,109	94.6	7,796	98.5	3 dose of DPT	38.4
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	397	5.3	630	8.0	Measles	52.9
33	PC of newborns breastfed within 1 hour to total reported live birth.	6,982	92.9	7,748	97.9	Full Immunization	27.6
34	Children fully immunized	8,377	77.4	8,308	91.8		
35	Children who have received BCG	8,181	75.6	8,060	89.0		
36	Children who have received DPT1	8,073	74.6	7,960	87.9		
37	Children who have received DPT3	8,326	76.9	8,133	89.8		
38	Children who have received Measles	8,524	78.7	8,416	93.0		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,546		8,401			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>F) Family Planning</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>			
40	Number of Vasectomies performed	45	49	Limiting	17.1		
41	Number of Tubectomies performed	140	167	Spacing	20.9		
42	Number of IUD insertion	1,079	1,441	Women using any method	22.9		
43	Number of IUD removals	549	568	Women using modern method	16.8		
<b>G) Service delivery</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
44	IPD cases per 10,000 population ***	211.36	410.80				
45	General OPD cases per 10,000 population ***	14188	15019				
46	Ayush OPD cases per 10,000 population ***	216.66	406.60				
<b>H) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
47	Neonatal death within 24 hours	2	4				
48	Up to 1 Weeks of Birth	1	31				
49	Between 1 week & 4 weeks of birth	1	4				
50	Neonatal Death	4	39				
51	Between 1 month and 11 months	3	21				
52	<b>Total reported infant deaths</b>	<b>7</b>	<b>60</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
53	Due to Abortion	0	0				
54	Due to Obstructed/prolonged labour	0	0				
55	Due to Severe hypertension/fits	1	4				
56	Due to Bleeding	2	3				
57	Due to High fever	0	0				
58	Due to Other Causes (including causes not known)	9	4				
59	<b>Total reported maternal deaths</b>	<b>12</b>	<b>11</b>				

## East Sikkim Factsheet

Key Indicators							
<b>SL No</b>		<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	<b>281,293</b>					
2	Sex Ratio	<b>872</b>					
<b>B) Infrastructure Details (RHS 2012)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>48</b>					
4	Primary Health Centers (PHC)	<b>6</b>					
5	Community Health Centers (CHC)	<b>1</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2012-13</b>		<b>2013-14</b>			
8	Expected number of PW	5,526		4,610			
9	Expected number of Delivery	5,042		4,191			
		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,138	74.9	4,381	95.0	Any ANC	93.0
11	Mothers registered in the first trimester	2,630	63.6	3,095	70.6	ANC Check up in first trimester	61.5
12	Mothers who had at least 3 Ante-Natal care check ups	2,934	70.9	3,640	83.1	3 or more ANC check up	72.9
13	PW who got TT 2 / Booster injection	3,555	85.9	3,770	86.1	Atleast 1 TT received	95.3
14	PW who consumed 100 IFA tablets	3,871	93.5	3,469	79.2	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	213	4.2	167	4.0	Full ANC	31.0
16	Institutional Delivery against expected delivery *	3,579	71.0	4,505	107.5	Home Delivery	33.3
17	Home Delivery against reported delivery **	213	5.6	167	3.6	Institutional Delivery	66.3
18	Institutional Delivery against reported delivery **	3,579	94.4	4,505	96.4	Home Delivery by SBA	3.7
19	Total reported Deliveries	3,792		4,672		PNC within 48 hrs of delivery	61.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	21	9.9	75	44.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,304	60.8	3,245	69.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	5,024		4,191			
<b>D) Child Immunization :</b>		<b>HMIS ( 2012-13)</b>		<b>HMIS ( 2013-14)</b>		<b>DLHS III (2007-08)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	3,846	76.6	4,665	111.3	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	23	0.5	51	1.2	BCG	98.9

25	PC of newborn weighted at birth to live birth	3,681	95.7	4,595	98.5	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	293	8.0	482	10.5	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,463	90.0	4,500	96.5	Full Immunization	85.7
28	Children fully immunized	3,892	77.5	3,945	94.1		
29	Children who have received BCG	4,420	88.0	4,649	110.9		
30	Children who have received DPT1	3,558	70.8	3,631	86.6		
31	Children who have received DPT3	3,710	73.8	3,685	87.9		
32	Children who have received Measles	3,844	76.5	3,994	95.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,295		3,532			

Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS ( 2012-13)	HMIS ( 2013-14)	DLHS III (2007-08)	
34	Number of Vasectomies performed	14	12	Limiting	12.6
35	Number of Tubectomies performed	73	92	Spacing	2.9
36	Number of IUD insertion	400	644	Women using any method	72.3
37	Number of IUD removals	149	134	Women using modern method	61.9
F) Service delivery		HMIS ( 2012-13)	HMIS ( 2013-14)		
38	IPD cases per 10,000 population ***	0.33	608.29		
39	General OPD cases per 10,000 population ***	47.68	17740.73		
40	Ayush OPD cases per 10,000 population ***	0.44	196.84		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2012-13)	HMIS ( 2013-14)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	0	16		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	0	21		
45	Between 1 month and 11 months	0	9		
46	<b>Total reported infant deaths</b>	0	30		
II)	Maternal Mortality	HMIS ( 2012-13)	HMIS ( 2013-14)		
Maternal Deaths (In Numbers)		HMIS ( 2012-13)	HMIS ( 2013-14)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	3		
50	Due to Bleeding	2	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	3		
53	<b>Total reported maternal deaths</b>	3	7		

## North Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,354					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	844		709			
9	Expected number of Delivery	786		645			
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	704	83.4	665	93.8	Any ANC	95.9
11	Mothers registered in the first trimester	374	53.1	515	77.4	ANC Check up in first trimester	47.6
12	Mothers who had at least 3 Ante-Natal care check ups	580	82.4	594	89.3	3 or more ANC check up	67.9
13	PW who got TT 2 / Booster injection	624	88.6	609	91.6	Atleast 1 TT received	97.9
14	PW who consumed 100 IFA tablets	608	86.4	519	78.0	100 IFA tablets consumed	37.7
15	Home Delivery against expected delivery *	79	10.1	24	3.7	Full ANC	31.3
16	Institutional Delivery against expected delivery *	270	34.4	306	47.4	Home Delivery	51.2
17	Home Delivery against reported delivery **	79	22.6	24	7.3	Institutional Delivery	47.4
18	Institutional Delivery against reported delivery **	270	77.4	306	92.7	Home Delivery by SBA	7.7
19	Total reported Deliveries	349		330		PNC within 48 hrs of delivery	44.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	46.8	14	58.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	320	91.7	360	109.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	767		645			
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
23	Total reported live births	348	45.4	320	49.6	Breastfed within 1 hour of birth	73.7
24	Total Still Birth	7	0.9	5	0.8	BCG	99
25	PC of newborn weighted at birth to live birth	296	85.1	303	94.7	3 dose of DPT	89.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	3.4	14	4.6	Measles	95.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	327	94.0	320	100.0	Full Immunization	81.5
28	Children fully immunized	543	70.8	543	84.2		
29	Children who have received BCG	359	46.8	339	52.6		
30	Children who have received DPT1	577	75.2	549	85.1		
31	Children who have received DPT3	616	80.3	571	88.5		
32	Children who have received Measles	630	82.1	552	85.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	667		806			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>			
34	Number of Vasectomies performed	0	0	Limiting	13.8		
35	Number of Tubectomies performed	0	0	Spacing	2.6		
36	Number of IUD insertion	62	67	Women using any method	70.6		
37	Number of IUD removals	28	29	Women using modern method	64.8		
<b>F) Service delivery</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
38	IPD cases per 10,000 population ***	0.00	39.91				
39	General OPD cases per 10,000 population ***	5.34	11683.12				
40	Ayush OPD cases per 10,000 population ***	0.00	55.19				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	1	1				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	1	2				
45	Between 1 month and 11 months	1	2				
46	<b>Total reported infant deaths</b>	2	4				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	1				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	0	3				

## South Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,742					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	2,874		2,404			
9	Expected number of Delivery	2,663		2,186			
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	2,248	78.2	2,195	91.3	Any ANC	93.8
11	Mothers registered in the first trimester	1,563	69.5	1,625	74.0	ANC Check up in first trimester	45.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,841	81.9	1,752	79.8	3 or more ANC check up	73.8
13	PW who got TT 2 / Booster injection	2,039	90.7	1,982	90.3	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	1,853	82.4	1,716	78.2	100 IFA tablets consumed	27.9
15	Home Delivery against expected delivery *	252	9.5	162	7.4	Full ANC	24.3
16	Institutional Delivery against expected delivery *	1,648	61.9	1,572	71.9	Home Delivery	51.0
17	Home Delivery against reported delivery **	252	13.3	162	9.3	Institutional Delivery	47.5
18	Institutional Delivery against reported delivery **	1,648	86.7	1,572	90.7	Home Delivery by SBA	5.7
19	Total reported Deliveries	1,900		1,734		PNC within 48 hrs of delivery	45.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	73	29.0	77	47.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,552	81.7	1,474	85.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	2,613		2,186			
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
23	Total reported live births	1,899	72.7	1,705	78.0	Breastfed within 1 hour of birth	57.3
24	Total Still Birth	36	1.4	29	1.3	BCG	97.7
25	PC of newborn weighted at birth to live birth	1,826	96.2	1,705	100.0	3 dose of DPT	84.8

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	2.7	63	3.7	Measles	91.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,834	96.6	1,731	101.5	Full Immunization	73.9
28	Children fully immunized	1,965	75.2	1,952	89.3		
29	Children who have received BCG	1,642	62.9	1,731	79.2		
30	Children who have received DPT1	1,974	75.6	1,925	88.1		
31	Children who have received DPT3	2,043	78.2	1,977	90.4		
32	Children who have received Measles	2,033	77.8	1,967	90.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,274		2,010			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>			
34	Number of Vasectomies performed	31	37	Limiting	13.4		
35	Number of Tubectomies performed	64	75	Spacing	3		
36	Number of IUD insertion	255	202	Women using any method	69.7		
37	Number of IUD removals	159	93	Women using modern method	55.2		
<b>F) Service delivery</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
38	IPD cases per 10,000 population ***	0.29	196.13				
39	General OPD cases per 10,000 population ***	18.43	13932.13				
40	Ayush OPD cases per 10,000 population ***	0.60	687.55				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	9				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	9				
45	Between 1 month and 11 months	0	5				
46	<b>Total reported infant deaths</b>	0	14				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	3	0				
53	<b>Total reported maternal deaths</b>	3	1				



## West Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,299					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2012)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2012-13		2013-14			
8	Expected number of PW	2,667		2,233			
9	Expected number of Delivery	2,482		2,030			
		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
10	PW register for ANC	2,226	83.5	2,183	97.8	Any ANC	92.5
11	Mothers registered in the first trimester	1,350	60.6	1,549	71.0	ANC Check up in first trimester	46.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,959	88.0	1,817	83.2	3 or more ANC check up	62.9
13	PW who got TT 2 / Booster injection	2,035	91.4	1,984	90.9	Atleast 1 TT received	92.9
14	PW who consumed 100 IFA tablets	1,531	68.8	1,910	87.5	100 IFA tablets consumed	37.4
15	Home Delivery against expected delivery *	302	12.2	195	9.6	Full ANC	25.8
16	Institutional Delivery against expected delivery *	1,103	44.4	1,033	50.9	Home Delivery	56.9
17	Home Delivery against reported delivery **	302	21.5	195	15.9	Institutional Delivery	41.8
18	Institutional Delivery against reported delivery **	1,103	78.5	1,033	84.1	Home Delivery by SBA	8.2
19	Total reported Deliveries	1,405		1,228		PNC within 48 hrs of delivery	32.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	49	16.2	79	40.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,585	112.8	1,653	134.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
22	Expected number of Live Birth	2,424		2,030			
D) Child Immunization :		HMIS ( 2012-13)		HMIS ( 2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
23	Total reported live births	1,422	58.7	1,222	60.2	Breastfed within 1 hour of birth	73.4
24	Total Still Birth	30	1.2	26	1.3	BCG	99
25	PC of newborn weighted at birth to live birth	1,306	91.8	1,193	97.6	3 dose of DPT	88.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	3.4	71	6.0	Measles	95.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,358	95.5	1,197	98.0	Full Immunization	69
28	Children fully immunized	1,977	81.6	1,868	92.0		
29	Children who have received BCG	1,760	72.6	1,341	66.1		
30	Children who have received DPT1	1,964	81.0	1,855	91.4		
31	Children who have received DPT3	1,957	80.7	1,900	93.6		
32	Children who have received Measles	2,017	83.2	1,903	93.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,310		2,053			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>	<b>DLHS III (2007-08)</b>			
34	Number of Vasectomies performed	0	0	Limiting	13.1		
35	Number of Tubectomies performed	3	0	Spacing	2.2		
36	Number of IUD insertion	362	528	Women using any method	68.5		
37	Number of IUD removals	213	312	Women using modern method	60.8		
<b>F) Service delivery</b>		<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
38	IPD cases per 10,000 population ***	0.68	347.99				
39	General OPD cases per 10,000 population ***	15.83	11567.80				
40	Ayush OPD cases per 10,000 population ***	0.29	650.50				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
41	Neonatal death within 24 hours	2	1				
42	Up to 1 Weeks of Birth	0	5				
43	Between 1 week & 4 weeks of birth	1	1				
44	Neonatal Death	3	7				
45	Between 1 month and 11 months	2	5				
46	<b>Total reported infant deaths</b>	5	12				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2012-13)</b>	<b>HMIS ( 2013-14)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	6	0				
53	<b>Total reported maternal deaths</b>	6	0				

\* Against Expected Delivery for the whole year

\*\* Against Reported Delivery for the 2013-14.

\*\*\* Against Estimated Population for whole year