

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2013)			
1	Population 2011	3,671,032	9	Birth Rate		13.9	
2	Sex Ratio	961	10	Death Rate		4.8	
3	Number of districts	8	11	IMR		28	
B) Infrastructure Details (RHS 2012)			12	Growth Rate		9.2	
4	Sub Centers (SC)	719	13	TFR (SRS - 2007)		1.7	
5	Primary Health Centers (PHC)	79					
6	Community Health Centers (CHC)	12					
7	SDH	11					
8	DH	2					
D) Maternal Health:		2012-13		2013-14			
14	Expected number of PW	58,594		59,456			
15	Expected number of Delivery	54,406		55,205			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
16	PW register for ANC	73,963	126.2	78,125	131.4	Any ANC	67.4
17	Mothers registered in the first trimester	40,919	55.3	44,334	56.7	ANC Check up in first trimester	39.7
18	Mothers who had at least 3 Ante-Natal care check ups	45,257	61.2	47,990	61.4	3 or more ANC check up	44
19	PW who got TT 2 / Booster injection	56,219	67.6	55,774	64.9	Atleast 1 TT received	63
20	PW who consumed 100 IFA tablets	43,616	59.0	34,761	44.5	100 IFA tablets consumed	15
21	Home Delivery against expected delivery *	7,190	13.2	8,039	14.6	Full ANC	8.7
22	Institutional Delivery against expected delivery *	45,028	82.8	44,178	80.0	Home Delivery	53.5
23	Home Delivery against reported delivery **	7,190	14	8,039	15.4	Institutional Delivery	46.3
24	Institutional Delivery against reported delivery **	45,028	86	44,178	84.6	Home Delivery by SBA	1.8
25	Total reported Deliveries	52,218	96	52,217	95	PNC within 14 days of delivery	28.5
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	203	3	188	2		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31,071	60	34,255	66		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
28	Expected number of Live Birth	53,267		54,050			
E) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
29	Total reported live births	51,519	96.7	51,845	95.9	Breastfed within 1 hour of birth	42.5

30	Total Still Birth	1,085	2.0	1,213	2.2	BCG	66.5
31	Newborn weighted at birth to live birth	48,752	94.6	48,264	93.1	3 dose of DPT	45.2
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5,032	10.3	5,051	10.5	Measles	51.7
33	Newborns breastfed within 1 hour to total reported live birth.	48,222	93.6	47,769	92.1	Full Immunization	38.9
34	Fully immunized	46,013	86.4	47,319	87.5		
35	Children who have received BCG	56,169	105.4	55,918	103.5		
36	Children who have received DPT1	60,560	113.7	60,664	112.2		
37	Children who have received DPT3	54,449	102.2	55,788	103.2		
38	Children who have received Measles	52,541	98.6	54,416	100.7		
39	Diarrhoea and Dehydration cases reported in children below 5 years	30,322		32,385			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
F) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
40	Number of Vasectomies performed	155	23	Limiting	10.5		
41	Number of Tubectomies performed	6,671	5,389	Spacing	3.9		
42	Number of IUD insertion	883	984	Women using any method	68.5		
43	Number of IUD removals	485	839	Women using modern method	40.8		
G) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
44	IPD cases per 10,000 population ***	2,022	1,959				
45	General OPD cases per 10,000 population ***	8,748	8,892				
46	Ayush OPD cases per 10,000 population ***	986	994				
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
47	Neonatal death within 24 hours	13	9				
48	Up to 1 Weeks of Birth	83	147				
49	Between 1 week & 4 weeks of birth	36	20				
50	Neonatal Death	132	176				
51	Between 1 month and 11 months	148	170				
52	Total reported infant deaths	280	346				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
53	Due to Abortion	0	1				
54	Due to Obstructed/prolonged labour	0	2				
55	Due to Severe hypertension/fits	0	10				
56	Due to Bleeding	0	7				
57	Due to High fever	0	1				
58	Due to Other Causes (including causes not known)	0	21				
59	Total reported maternal deaths	0	42				

Dhalai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	377,988					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2012)		Number					
4	Sub Centers(SC)	113					
5	Primary Health Centers(PHC)	11					
6	Community Health Centers (CHC)	1					
7	SDH	3					
8	DH	0					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	6,081		6,122			
10	Expected number of Delivery	5,679		5,716			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	8,047	132.3	7,857	128.3	Any ANC	63.4
12	Mothers registered in the first trimester	5,421	67.4	5,640	71.8	ANC Check up in first trimester	38.0
13	Mothers who had at least 3 Ante-Natal care check ups	4,972	61.8	4,611	58.7	3 or more ANC check up	37.2
14	PW who got TT 2 / Booster injection	6,228	77.4	6,113	77.8	Atleast 1 TT received	57.3
15	PW who consumed 100 IFA tablets	6,896	85.7	6,834	87.0	100 IFA tablets consumed	51.3
16	Home Delivery against expected delivery *	876	15.4	806	14.1	Full ANC	12.8
17	Institutional Delivery against expected delivery *	4,799	84.5	5,009	87.6	Home Delivery	55.6
18	Home Delivery against reported delivery **	876	15.4	806	13.9	Institutional Delivery	43.4
19	Institutional Delivery against reported delivery **	4,799	84.6	5,009	86.1	Home Delivery by SBA	2.1
20	Total reported Deliveries	5,675		5,815		PNC within 48 hrs of delivery	28.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	6.1	61	7.6		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,084	36.7	2,589	44.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	5,528		5,565			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	5,620	101.7	5,750	103.3	Breastfed within 1 hour of birth	45.6

25	Total Still Birth	138	2.5	129	2.3	BCG	65.5
26	PC of newborn weighted at birth to live birth	5,231	93.1	5,385	93.7	3 dose of DPT	39.9
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	521	10.0	545	10.1	Measles	39.2
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,026	89.4	5,008	87.1	Full Immunization	26.6
29	Children fully immunized	5,052	91.4	5,145	92.4		
30	Children who have received BCG	6,112	110.6	5,986	107.6		
31	Children who have received DPT1	7,626	137.9	6,998	125.7		
32	Children who have received DPT3	6,257	113.2	6,057	108.8		
33	Children who have received Measles	5,797	104.9	5,495	98.7		
34	Diarrhoea and Dehydration cases reported in children below 5 years	6,280		5,994			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
36	Number of Vasectomies performed	2	0	Limiting	12.5		
37	Number of Tubectomies performed	694	510	Spacing	2.5		
38	Number of IUD insertion	204	305	Women using any method	62.6		
39	Number of IUD removals	113	142	Women using modern method	38		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
40	IPD cases per 10,000 population ***	1517	1675				
41	General OPD cases per 10,000 population ***	7166.2	7175.2				
42	Ayush OPD cases per 10,000 population ***	890.2	627.3				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
43	Neonatal death within 24 hours	0	1				
44	Up to 1 Weeks of Birth	9	32				
45	Between 1 week & 4 weeks of birth	1	1				
46	Neonatal Death	10	34				
47	Between 1 month and 11 months	22	41				
48	Total reported infant deaths	32	75				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
49	Due to Abortion	0	1				
50	Due to Obstructed/prolonged labour	0	1				
51	Due to Severe hypertension/fits	0	1				
52	Due to Bleeding	0	3				
53	Due to High fever	0	1				
54	Due to Other Causes (including causes not known)	0	3				
55	Total reported maternal deaths	0	10				

Gomati Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2012)		Numbers					
4	Sub Centers(SC)	90					
5	Primary Health Centers(PHC)	10					
6	Community Health Centers (CHC)	2					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	6,973		7,075			
10	Expected number of Delivery	6,451		6,546			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	8,293	118.9	8,452	119.5	Any ANC	NA
12	Mothers registered in the first trimester	4,799	57.9	4,522	53.5	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,087	61.3	5,026	59.5	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	5,991	72.2	5,952	70.4	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	6,085	73.4	4,420	52.3	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	1,003	15.5	1,416	21.6	Full ANC	NA
17	Institutional Delivery against expected delivery *	5,754	89.2	5,661	86.5	Home Delivery	NA
18	Home Delivery against reported delivery **	1,003	14.8	1,416	20.0	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	5,754	85.2	5,661	80.0	Home Delivery by SBA	NA
20	Total reported Deliveries	6,757		7,077		PNC within 48 hrs of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	3.1	8	0.6		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,771	55.8	4,024	56.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	6,339		6,432			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	6,704	105.8	7,009	109.0	Breastfed within 1 hour of birth	NA
25	Total Still Birth	103	1.6	105	1.6	BCG	NA

26	PC of newborn weighted at birth to live birth	6,274	93.6	6,136	87.5	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	504	8.0	626	10.2	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	6,297	93.9	6,620	94.4	Full Immunization	NA
29	Children fully immunized	5,314	83.8	5,150	80.1		
30	Children who have received BCG	5,705	90.0	6,668	103.7		
31	Children who have received DPT1	6,963	109.8	7,602	118.2		
32	Children who have received DPT3	6,183	97.5	6,478	100.7		
33	Children who have received Measles	5,578	88.0	5,721	88.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,225		1,776			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
36	Number of Vasectomies performed	16	0	Limiting	NA		
37	Number of Tubectomies performed	714	391	Spacing	NA		
38	Number of IUD insertion	53	104	Women using any method	NA		
39	Number of IUD removals	39	118	Women using modern method	NA		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
40	IPD cases per 10,000 population ***	2577	1931				
41	General OPD cases per 10,000 population ***	7294.5	6514.0				
42	Ayush OPD cases per 10,000 population ***	772.1	671.6				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
43	Neonatal death within 24 hours	0	1				
44	Up to 1 Weeks of Birth	0	1				
45	Between 1 week & 4 weeks of birth	3	0				
46	Neonatal Death	3	2				
47	Between 1 month and 11 months	16	29				
48	Total reported infant deaths	19	31				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	1				
52	Due to Bleeding	0	1				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	0	1				
55	Total reported maternal deaths	0	3				

Khowai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2012)		Numbers					
4	Sub Centers(SC)	82					
5	Primary Health Centers(PHC)	6					
6	Community Health Centers (CHC)	2					
7	SDH	1					
8	DH	0					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	5,226		5,302			
10	Expected number of Delivery	4,805		4,876			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	5,779	110.6	5,386	101.6	Any ANC	NA
12	Mothers registered in the first trimester	4,123	71.3	4,149	77.0	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,922	67.9	3,884	72.1	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	5,054	87.5	4,528	84.1	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,580	79.3	3,085	57.3	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	476	9.9	572	11.7	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,872	59.8	2,884	59.1	Home Delivery	NA
18	Home Delivery against reported delivery **	476	14.2	572	16.6	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,872	85.8	2,884	83.4	Home Delivery by SBA	NA
20	Total reported Deliveries	3,348		3,456		PNC within 48 hrs of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	10.5	44	7.7		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,564	46.7	1,474	42.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	4,751		4,820			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	3,331	70.1	3,411	70.8	Breastfed within 1 hour of birth	NA
25	Total Still Birth	50	1.1	50	1.0	BCG	NA

26	PC of newborn weighted at birth to live birth	3,068	92.1	3,155	92.5	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	416	13.6	425	13.5	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	2,993	89.9	3,063	89.8	Full Immunization	NA
29	Children fully immunized	5,391	113.5	4,929	102.3		
30	Children who have received BCG	4,591	96.6	3,965	82.3		
31	Children who have received DPT1	5,605	118.0	5,000	103.7		
32	Children who have received DPT3	5,486	115.5	4,970	103.1		
33	Children who have received Measles	5,507	115.9	5,018	104.1		
34	Diarrhoea and Dehydration cases reported in children below 5 years	1,120		1,065			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
36	Number of Vasectomies performed	7	0	Limiting	NA		
37	Number of Tubectomies performed	502	239	Spacing	NA		
38	Number of IUD insertion	8	30	Women using any method	NA		
39	Number of IUD removals	90	103	Women using modern method	NA		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
40	IPD cases per 10,000 population ***	261	250				
41	General OPD cases per 10,000 population ***	7856.2	7678.0				
42	Ayush OPD cases per 10,000 population ***	1020.7	1116.2				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
43	Neonatal death within 24 hours	0	1				
44	Up to 1 Weeks of Birth	6	4				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	6	5				
47	Between 1 month and 11 months	7	8				
48	Total reported infant deaths	13	13				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	0				
52	Due to Bleeding	0	1				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	0	0				
55	Total reported maternal deaths	0	1				

North Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2012)		Numbers					
4	Sub Centers(SC)	70					
5	Primary Health Centers(PHC)	13					
6	Community Health Centers (CHC)	0					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	6,656		6,737			
10	Expected number of Delivery	6,160		6,234			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	8,170	122.7	8,425	125.1	Any ANC	76.2
12	Mothers registered in the first trimester	3,509	42.9	3,908	46.4	ANC Check up in first trimester	41.5
13	Mothers who had at least 3 Ante-Natal care check ups	4,523	55.4	4,592	54.5	3 or more ANC check up	51.1
14	PW who got TT 2 / Booster injection	5,886	72.0	6,125	72.7	Atleast 1 TT received	70.1
15	PW who consumed 100 IFA tablets	4,547	55.7	2,822	33.5	100 IFA tablets consumed	46.5
16	Home Delivery against expected delivery *	1,561	25.3	1,734	27.8	Full ANC	20.7
17	Institutional Delivery against expected delivery *	3,254	52.8	3,009	48.3	Home Delivery	47.0
18	Home Delivery against reported delivery **	1,561	32.4	1,734	36.6	Institutional Delivery	52.6
19	Institutional Delivery against reported delivery **	3,254	67.6	3,009	63.4	Home Delivery by SBA	1.3
20	Total reported Deliveries	4,815		4,743		PNC within 48 hrs of delivery	35.9
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	2.9	8	0.5		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,174	65.9	3,615	76.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	6,051		6,124			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	4,737	78.3	4,657	76.0	Breastfed within 1 hour of birth	45.5
25	Total Still Birth	92	1.5	110	1.8	BCG	56.6

26	PC of newborn weighted at birth to live birth	4,655	98.3	4,536	97.4	3 dose of DPT	37.4
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	357	7.7	341	7.5	Measles	34.8
28	PC of newborns breastfed within 1 hour to total reported live birth.	4,548	96.0	4,456	95.7	Full Immunization	27.4
29	Children fully immunized	4,442	73.4	4,883	79.7		
30	Children who have received BCG	6,178	102.1	5,915	96.6		
31	Children who have received DPT1	7,627	126.0	8,020	131.0		
32	Children who have received DPT3	6,088	100.6	6,586	107.5		
33	Children who have received Measles	5,507	91.0	5,966	97.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,957		3,559			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
36	Number of Vasectomies performed	0		0		Limiting	9.1
37	Number of Tubectomies performed	99		108		Spacing	2.9
38	Number of IUD insertion	112		40		Women using any method	66.4
39	Number of IUD removals	29		21		Women using modern method	35.8
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)			
40	IPD cases per 10,000 population ***	1730		1646			
41	General OPD cases per 10,000 population ***	6984.6		6376.6			
42	Ayush OPD cases per 10,000 population ***	1091.7		1037.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)		HMIS (2013-14)			
43	Neonatal death within 24 hours	1		2			
44	Up to 1 Weeks of Birth	7		10			
45	Between 1 week & 4 weeks of birth	4		2			
46	Neonatal Death	12		14			
47	Between 1 month and 11 months	22		16			
48	Total reported infant deaths	34		30			
II)	Maternal Mortality	HMIS (2012-13)		HMIS (2013-14)			
	Maternal Deaths (In Numbers)	HMIS (2012-13)		HMIS (2013-14)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		1			
51	Due to Severe hypertension/fits	0		2			
52	Due to Bleeding	0		1			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	0		8			
55	Total reported maternal deaths	0		12			

Sipahijala Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2012)		Numbers					
4	Sub Centers(SC)	96					
5	Primary Health Centers(PHC)	12					
6	Community Health Centers (CHC)	2					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	7,729		7,843			
10	Expected number of Delivery	7,128		7,233			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	7,895	102.1	8,096	103.2	Any ANC	NA
12	Mothers registered in the first trimester	4,839	61.3	5,319	65.7	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	4,330	54.8	5,138	63.5	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	6,750	85.5	7,048	87.1	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,746	60.1	3,953	48.8	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	728	10.2	836	11.6	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,347	47.0	3,123	43.2	Home Delivery	NA
18	Home Delivery against reported delivery **	728	17.9	836	21.1	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,347	82.1	3,123	78.9	Home Delivery by SBA	NA
20	Total reported Deliveries	4,075		3,959		PNC within 48 hrs of delivery	
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	12	1.4		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,281	80.5	3,077	77.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	7,026		7,130			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	4,035	57.4	3,945	55.3	Breastfed within 1 hour of birth	NA
25	Total Still Birth	52	0.7	46	0.6	BCG	NA

26	PC of newborn weighted at birth to live birth	3,568	88.4	3,370	85.4	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	337	9.4	372	11.0	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,804	94.3	3,622	91.8	Full Immunization	NA
29	Children fully immunized	6,788	96.6	6,800	95.4		
30	Children who have received BCG	6,527	92.9	5,908	82.9		
31	Children who have received DPT1	7,712	109.8	7,657	107.4		
32	Children who have received DPT3	7,430	105.7	7,629	107.0		
33	Children who have received Measles	7,259	103.3	7,124	99.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,403		2,460			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
36	Number of Vasectomies performed	25	12	Limiting	NA		
37	Number of Tubectomies performed	688	534	Spacing	NA		
38	Number of IUD insertion	133	44	Women using any method	NA		
39	Number of IUD removals	47	13	Women using modern method	NA		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
40	IPD cases per 10,000 population ***	697	668				
41	General OPD cases per 10,000 population ***	8423.4	9227.3				
42	Ayush OPD cases per 10,000 population ***	1421.3	1533.9				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
43	Neonatal death within 24 hours	1	3				
44	Up to 1 Weeks of Birth	1	5				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	2	8				
47	Between 1 month and 11 months	5	8				
48	Total reported infant deaths	7	16				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	4				
52	Due to Bleeding	0	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	0	1				
55	Total reported maternal deaths	0	5				

South Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2012)		Numbers					
4	Sub Centers(SC)	104					
5	Primary Health Centers(PHC)	14					
6	Community Health Centers (CHC)	2					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	6,918		7,025			
10	Expected number of Delivery	6,355		6,452			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	7,488	108.2	7,965	113.4	Any ANC	71.4
12	Mothers registered in the first trimester	3,743	50.0	4,245	53.3	ANC Check up in first trimester	45.9
13	Mothers who had at least 3 Ante-Natal care check ups	4,532	60.5	5,131	64.4	3 or more ANC check up	40.2
14	PW who got TT 2 / Booster injection	5,962	79.6	6,656	83.6	Atleast 1 TT received	69.9
15	PW who consumed 100 IFA tablets	6,527	87.2	5,043	63.3	100 IFA tablets consumed	44.1
16	Home Delivery against expected delivery *	1,063	16.7	890	13.8	Full ANC	12.4
17	Institutional Delivery against expected delivery *	4,170	65.6	4,239	65.7	Home Delivery	54.7
18	Home Delivery against reported delivery **	1,063	20.3	890	17.4	Institutional Delivery	45.8
19	Institutional Delivery against reported delivery **	4,170	79.7	4,239	82.6	Home Delivery by SBA	0.3
20	Total reported Deliveries	5,233		5,129		PNC within 48 hrs of delivery	12.9
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	0.2	7	0.8		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,974	75.9	4,120	80.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	6,289		6,386			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	5,211	82.9	5,106	80.0	Breastfed within 1 hour of birth	37.9
25	Total Still Birth	51	0.8	44	0.7	BCG	77.2

26	PC of newborn weighted at birth to live birth	4,633	88.9	4,722	92.5	3 dose of DPT	58
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	409	8.8	433	9.2	Measles	66.5
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,083	97.5	5,031	98.5	Full Immunization	50
29	Children fully immunized	5,285	84.0	5,709	89.4		
30	Children who have received BCG	5,625	89.4	6,075	95.1		
31	Children who have received DPT1	6,902	109.7	7,106	111.3		
32	Children who have received DPT3	6,413	102.0	6,857	107.4		
33	Children who have received Measles	6,105	97.1	6,564	102.8		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,142		2,030			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
36	Number of Vasectomies performed	13	2	Limiting	8.4		
37	Number of Tubectomies performed	327	250	Spacing	2.5		
38	Number of IUD insertion	133	118	Women using any method	73.1		
39	Number of IUD removals	100	167	Women using modern method	46.5		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
40	IPD cases per 10,000 population ***	1974	1938				
41	General OPD cases per 10,000 population ***	8715.2	8533.3				
42	Ayush OPD cases per 10,000 population ***	1266.7	1184.5				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
43	Neonatal death within 24 hours	1	1				
44	Up to 1 Weeks of Birth	3	3				
45	Between 1 week & 4 weeks of birth	0	3				
46	Neonatal Death	4	7				
47	Between 1 month and 11 months	13	15				
48	Total reported infant deaths	17	22				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	1				
52	Due to Bleeding	0	1				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	0	0				
55	Total reported maternal deaths	0	2				

Unakoti Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2012)		Numbers					
4	Sub Centers(SC)	60					
5	Primary Health Centers(PHC)	6					
6	Community Health Centers (CHC)	1					
7	SDH	0					
8	DH	1					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	4,427		4,492			
10	Expected number of Delivery	4,140		4,201			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	5,239	118.4	5,701	126.9	Any ANC	NA
12	Mothers registered in the first trimester	1,825	34.8	2,223	39.0	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	2,740	52.3	3,146	55.2	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,016	76.7	4,473	78.5	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,670	70.1	1,312	23.0	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	631	15.2	917	21.8	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,319	80.2	2,899	69.0	Home Delivery	NA
18	Home Delivery against reported delivery **	631	16.0	917	24.0	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,319	84.0	2,899	76.0	Home Delivery by SBA	NA
20	Total reported Deliveries	3,950		3,816		PNC within 48 hrs of delivery	
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	0.5	29	3.2		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,762	44.6	1,881	49.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	4,024		4,083			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	3,846	95.6	3,717	91.0	Breastfed within 1 hour of birth	NA
25	Total Still Birth	115	2.9	108	2.6	BCG	NA

26	PC of newborn weighted at birth to live birth	3,704	96.3	3,399	91.4	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	456	12.3	423	12.4	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,028	78.7	2,927	78.7	Full Immunization	NA
29	Children fully immunized	2,953	73.4	3,572	87.5		
30	Children who have received BCG	3,982	99.0	4,525	110.8		
31	Children who have received DPT1	5,177	128.6	5,459	133.7		
32	Children who have received DPT3	4,236	105.3	4,919	120.5		
33	Children who have received Measles	3,161	78.5	4,158	101.8		
34	Diarrhoea and Dehydration cases reported in children below 5 years	5,840		5,858			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)	HMIS (2013-14)	DLHS III (2007-08)			
36	Number of Vasectomies performed	0	0	Limiting	NA		
37	Number of Tubectomies performed	239	236	Spacing	NA		
38	Number of IUD insertion	37	26	Women using any method	NA		
39	Number of IUD removals	17	12	Women using modern method	NA		
F) Service delivery		HMIS (2012-13)	HMIS (2013-14)				
40	IPD cases per 10,000 population ***	2414	1923				
41	General OPD cases per 10,000 population ***	6966.3	6731.8				
42	Ayush OPD cases per 10,000 population ***	1313.7	1781.9				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
43	Neonatal death within 24 hours	8	0				
44	Up to 1 Weeks of Birth	25	27				
45	Between 1 week & 4 weeks of birth	4	4				
46	Neonatal Death	37	31				
47	Between 1 month and 11 months	2	1				
48	Total reported infant deaths	39	32				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2012-13)	HMIS (2013-14)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	0				
52	Due to Bleeding	0	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	0	7				
55	Total reported maternal deaths	0	7				

West Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2012)		Numbers					
4	Sub Centers(SC)	104					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	0					
C) Maternal Health:		2012-12		2013-14			
9	Expected number of PW	14,613		14,860			
10	Expected number of Delivery	13,641		13,871			
		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
11	PW register for ANC	23,052	157.7	26,243	176.6	Any ANC	88.5
12	Mothers registered in the first trimester	12,660	54.9	14,328	54.6	ANC Check up in first trimester	47.8
13	Mothers who had at least 3 Ante-Natal care check ups	15,151	65.7	16,462	62.7	3 or more ANC check up	50.6
14	PW who got TT 2 / Booster injection	10,117	43.9	9,781	37.3	Atleast 1 TT received	83.4
15	PW who consumed 100 IFA tablets	6,565	28.5	7,292	27.8	100 IFA tablets consumed	34.0
16	Home Delivery against expected delivery *	852	6.2	868	6.3	Full ANC	15.4
17	Institutional Delivery against expected delivery *	17,513	128.4	17,354	125.1	Home Delivery	32.8
18	Home Delivery against reported delivery **	852	4.6	868	4.8	Institutional Delivery	66.7
19	Institutional Delivery against reported delivery **	17,513	95.4	17,354	95.2	Home Delivery by SBA	0.5
20	Total reported Deliveries	18,365		18,222		PNC within 48 hrs of delivery	29.0
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	2.2	19	2.2		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,461	62.4	13,475	73.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
23	Expected number of Live Birth	13,285		13,509			
D) Child Immunization :		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
		Number	PC	Number	PC		
24	Total reported live births	18,035	135.8	18,250	135.1	Breastfed within 1 hour of birth	34.3
25	Total Still Birth	484	3.6	621	4.6	BCG	92.8

26	PC of newborn weighted at birth to live birth	17,619	97.7	17,561	96.2	3 dose of DPT	66.9
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,032	11.5	1,886	10.7	Measles	71.2
28	PC of newborns breastfed within 1 hour to total reported live birth.	17,443	96.7	17,042	93.4	Full Immunization	59.6
29	Children fully immunized	10,788	81.2	11,131	82.4		
30	Children who have received BCG	17,449	131.3	16,876	124.9		
31	Children who have received DPT1	12,948	97.5	12,822	94.9		
32	Children who have received DPT3	12,356	93.0	12,292	91.0		
33	Children who have received Measles	13,627	102.6	14,370	106.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	6,355		9,643			
Note: In case of HMIS data, Proportions are calculated for 0-11 years old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2012-13)		HMIS (2013-14)		DLHS III (2007-08)	
36	Number of Vasectomies performed	92		9		Limiting	6.1
37	Number of Tubectomies performed	3,408		3,121		Spacing	3.3
38	Number of IUD insertion	203		317		Women using any method	76.7
39	Number of IUD removals	50		263		Women using modern method	50
F) Service delivery		HMIS (2012-13)		HMIS (2013-14)			
40	IPD cases per 10,000 population ***	3331		3543			
41	General OPD cases per 10,000 population ***	11933.5		12949.1			
42	Ayush OPD cases per 10,000 population ***	604.6		621.8			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2012-13)		HMIS (2013-14)			
43	Neonatal death within 24 hours	2		0			
44	Up to 1 Weeks of Birth	32		65			
45	Between 1 week & 4 weeks of birth	24		10			
46	Neonatal Death	58		75			
47	Between 1 month and 11 months	61		52			
48	Total reported infant deaths	119		127			
II)	Maternal Mortality	HMIS (2012-13)		HMIS (2013-14)			
	Maternal Deaths (In Numbers)	HMIS (2012-13)		HMIS (2013-14)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	0		1			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	0		1			
55	Total reported maternal deaths	0		2			

* Against Expected Delivery for the whole year

** Against Reported Delivery for the 2013-14.

*** Against Estimated Population for whole year