

Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		Sl No	C) State Health Indicator (SRS 2014)			
1	Population 2011	36,73,917	9	Birth Rate		13.7	
2	Sex Ratio	961	10	Death Rate		4.7	
3	Number of districts	8	11	IMR		26	
B) Infrastructure Details (RHS 2013)			12	Growth Rate		9	
4	Sub Centre (SC)	828	13	TFR (SRS - 2007)		1.7	
5	Primary Health Centre (PHC)	83					
6	Community Health Centre (CHC)	18					
7	SDH	13					
8	DH	3					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	57,808	58,667				
15	Expected number of Delivery	53,604	54,400				
		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	78,125	135.1	40,046	68.3	Any ANC	83.7
17	Mothers registered in the first trimester	44,334	56.7	24,792	61.9	ANC Check up in first trimester	81.9
18	Mothers who had at least 3 Ante-Natal care check ups	47,990	61.4	27,212	68.0	3 or more ANC check up	79.5
19	PW who got TT 2 / Booster injection	50,676	64.9	26,795	66.9	Atleast 1 TT received	95.6
20	PW who consumed 100 IFA tablets	34,761	44.5	23,974	59.9	100 IFA tablets consumed	44.2
21	Home Delivery against expected delivery *	8,039	15.0	3,250	6.0	Full ANC	33.1
22	Institutional Delivery against expected delivery *	44,178	82.4	20,841	38.3	Home Delivery	26.8
23	Home Delivery against reported delivery **	8,039	15	3,250	13.5	Institutional Delivery	72.7
24	Institutional Delivery against reported delivery **	44,178	85	20,841	86.5	Home Delivery by SBA	4.3
25	Total reported Deliveries	52,217	97	24,091	44	PNC within 14 days of delivery	55.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	2	76	2		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,255	66	17,183	71		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	52,553	53,333				
E) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	51,845	98.7	24,023	45.0	Breastfed within 1 hour of birth	42.5
30	Total Still Birth	1,213	2.3	447	0.8	BCG	75.3

31	Newborn weighted at birth to live birth	48,264	93.1	22,898	95.3	3 dose of DPT	70.1
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5,051	10.5	2,477	10.8	Measles	61.2
33	Newborns breastfed within 1 hour to total reported live birth.	47,769	92.1	22,919	95.4	Full Immunization	48
34	Fully immunized	47,319	90.0	23,318	43.7		
35	Children who have received BCG	55,918	106.4	25,498	47.8		
36	Children who have received DPT1	60,664	115.4	27,303	51.2		
37	Children who have received DPT3	55,788	106.2	26,821	50.3		
38	Children who have received Measles	54,416	103.5	26,342	49.4		
39	Diarrhoea and Dehydration cases reported in children below 5 years	32,385		16,887			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
F) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
40	Number of Vasectomies performed	23		8		Limiting	4
41	Number of Tubectomies performed	5,389		2,297		Spacing	3.2
42	Number of IUD insertion	984		438		Women using any method	59.7
43	Number of IUD removals	839		541		Women using modern method	40.6
G) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
44	IPD cases per 10,000 population ***	1,039		688			
45	General OPD cases per 10,000 population ***	8,889		5,159			
46	Ayush OPD cases per 10,000 population ***	994		450			
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
47	Neonatal death within 24 hours	9		2			
48	Up to 1 Weeks of Birth	147		110			
49	Between 1 week & 4 weeks of birth	20		3			
50	Neonatal Death	176		115			
51	Between 1 month and 11 months	170		73			
52	Total reported infant deaths	346		188			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
53	Due to Abortion	1		0			
54	Due to Obstructed/prolonged labour	2		0			
55	Due to Severe hypertension/fits	10		1			
56	Due to Bleeding	7		2			
57	Due to High fever	1		0			
58	Due to Other Causes (including causes not known)	21		4			
59	Total reported maternal deaths	42		7			

Dhalai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2013)		Numbers					
4	Sub Centre(SC)	122					
5	Primary Health Centre(PHC)	12					
6	Community Health Centre (CHC)	1					
7	SDH	3					
8	DH	1					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	6,046		6,183			
10	Expected number of Delivery	5,606		5,734			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,857	130.0	4,188	67.7	Any ANC	81.1
12	Mothers registered in the first trimester	5,640	71.8	2,697	64.4	ANC Check up in first trimester	80.7
13	Mothers who had at least 3 Ante-Natal care check ups	4,611	58.7	2,252	53.8	3 or more ANC check up	82.7
14	PW who got TT 2 / Booster injection	6,113	77.8	3,079	73.5	Atleast 1 TT received	96.4
15	PW who consumed 100 IFA tablets	6,834	87.0	2,930	70.0	100 IFA tablets consumed	34.3
16	Home Delivery against expected delivery *	806	14.4	314	5.5	Full ANC	26.0
17	Institutional Delivery against expected delivery *	5,009	89.3	2,236	39.0	Home Delivery	29.4
18	Home Delivery against reported delivery **	806	13.9	314	12.3	Institutional Delivery	70.6
19	Institutional Delivery against reported delivery **	5,009	86.1	2,236	87.7	Home Delivery by SBA	4.1
20	Total reported Deliveries	5,815		2,550		PNC within 48 hrs of delivery	53.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	61		25		8.0	
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,589		1,310		51.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	5,496		5,621			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,750		2,535		Breastfed within 1 hour of birth	43.3

25	Total Still Birth	129	2.3	70	1.2	BCG	76
26	PC of newborn weighted at birth to live birth	5,385	93.7	2,422	95.5	3 dose of DPT	66.7
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	545	10.1	206	8.5	Measles	61.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,008	87.1	2,366	93.3	Full Immunization	51.4
29	Children fully immunized	5,145	93.6	2,357	41.9		
30	Children who have received BCG	5,986	108.9	2,696	48.0		
31	Children who have received DPT1	6,998	127.3	3,035	54.0		
32	Children who have received DPT3	6,057	110.2	2,826	50.3		
33	Children who have received Measles	5,495	100.0	2,475	44.0		
34	Diarrhoea and Dehydration cases reported in children below 5 years	5,994		3,715			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	4.6
37	Number of Tubectomies performed	510		10		Spacing	3.7
38	Number of IUD insertion	305		75		Women using any method	58.3
39	Number of IUD removals	142		43		Women using modern method	39.1
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
40	IPD cases per 10,000 population ***	983		879			
41	General OPD cases per 10,000 population ***	7062.3		4936.5			
42	Ayush OPD cases per 10,000 population ***	617.4		225.3			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
43	Neonatal death within 24 hours	1		1			
44	Up to 1 Weeks of Birth	32		16			
45	Between 1 week & 4 weeks of birth	1		0			
46	Neonatal Death	34		17			
47	Between 1 month and 11 months	41		22			
48	Total reported infant deaths	75		39			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
49	Due to Abortion	1		0			
50	Due to Obstructed/prolonged labour	1		0			
51	Due to Severe hypertension/fits	1		0			
52	Due to Bleeding	3		1			
53	Due to High fever	1		0			
54	Due to Other Causes (including causes not known)	3		0			
55	Total reported maternal deaths	10		1			

Gomati Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,36,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2013)		Numbers					
4	Sub Centre(SC)	98					
5	Primary Health Centre(PHC)	10					
6	Community Health Centre (CHC)	3					
7	SDH	2					
8	DH	1					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	6,868		6,965			
10	Expected number of Delivery	6,369		6,458			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,452	123.1	4,032	57.9	Any ANC	NA
12	Mothers registered in the first trimester	4,522	53.5	2,637	65.4	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,026	59.5	2,948	73.1	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	5,952	70.4	3,246	80.5	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,420	52.3	2,719	67.4	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	1,416	22.2	434	6.7	Full ANC	NA
17	Institutional Delivery against expected delivery *	5,661	88.9	2,721	42.1	Home Delivery	NA
18	Home Delivery against reported delivery **	1,416	20.0	434	13.8	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	5,661	80.0	2,721	86.2	Home Delivery by SBA	NA
20	Total reported Deliveries	7,077		3,155		PNC within 48 hrs of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	0.6	3	0.7		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,024	56.9	2,127	67.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,244		6,332			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	7,009	112.3	3,137	49.5	Breastfed within 1 hour of birth	NA

25	Total Still Birth	105	1.7	38	0.6	BCG	NA
26	PC of newborn weighted at birth to live birth	6,136	87.5	2,953	94.1	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	626	10.2	471	15.9	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	6,620	94.4	3,110	99.1	Full Immunization	NA
29	Children fully immunized	5,150	82.5	2,533	40.0		
30	Children who have received BCG	6,668	106.8	2,991	47.2		
31	Children who have received DPT1	7,602	121.7	3,111	49.1		
32	Children who have received DPT3	6,478	103.7	3,001	47.4		
33	Children who have received Measles	5,721	91.6	2,819	44.5		
34	Diarrhoea and Dehydration cases reported in children below 5 years	1,776		1,116			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)		
36	Number of Vasectomies performed	0	0		Limiting	NA	
37	Number of Tubectomies performed	391	120		Spacing	NA	
38	Number of IUD insertion	104	43		Women using any method	NA	
39	Number of IUD removals	118	20		Women using modern method	NA	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
40	IPD cases per 10,000 population ***	1190	887				
41	General OPD cases per 10,000 population ***	6522.6	4078.5				
42	Ayush OPD cases per 10,000 population ***	672.5	360.1				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
43	Neonatal death within 24 hours	1	0				
44	Up to 1 Weeks of Birth	1	9				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	2	9				
47	Between 1 month and 11 months	29	10				
48	Total reported infant deaths	31	19				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 2nd QTR				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	1	0				
52	Due to Bleeding	1	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	1	0				
55	Total reported maternal deaths	3	0				

Khowai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,27,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2013)		Numbers					
4	Sub Centre(SC)	94					
5	Primary Health Centre(PHC)	7					
6	Community Health Centre (CHC)	2					
7	SDH	1					
8	DH	0					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	5,132		5,196			
10	Expected number of Delivery	4,759		4,818			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,386	105.0	2,906	55.9	Any ANC	NA
12	Mothers registered in the first trimester	4,149	77.0	2,281	78.5	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,884	72.1	2,231	76.8	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,528	84.1	2,390	82.2	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,085	57.3	2,625	90.3	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	572	12.0	172	3.6	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,884	60.6	1,385	28.7	Home Delivery	NA
18	Home Delivery against reported delivery **	572	16.6	172	11.0	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,884	83.4	1,385	89.0	Home Delivery by SBA	NA
20	Total reported Deliveries	3,456		1,557		PNC within 48 hrs of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	44	7.7	4	2.3		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,474	42.7	636	40.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,665		4,724			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,411	73.1	1,534	32.5	Breastfed within 1 hour of birth	NA

25	Total Still Birth	50	1.1	33	0.7	BCG	NA
26	PC of newborn weighted at birth to live birth	3,155	92.5	1,483	96.7	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	425	13.5	159	10.7	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,063	89.8	1,478	96.3	Full Immunization	NA
29	Children fully immunized	4,929	105.7	2,345	49.6		
30	Children who have received BCG	3,965	85.0	1,609	34.1		
31	Children who have received DPT1	5,000	107.2	2,255	47.7		
32	Children who have received DPT3	4,970	106.5	2,423	51.3		
33	Children who have received Measles	5,018	107.6	2,381	50.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	1,065		554			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	NA
37	Number of Tubectomies performed	239		134		Spacing	NA
38	Number of IUD insertion	30		14		Women using any method	NA
39	Number of IUD removals	103		116		Women using modern method	NA
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
40	IPD cases per 10,000 population ***	630		411			
41	General OPD cases per 10,000 population ***	7711.4		4406.5			
42	Ayush OPD cases per 10,000 population ***	1121.0		540.9			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
43	Neonatal death within 24 hours	1		0			
44	Up to 1 Weeks of Birth	4		0			
45	Between 1 week & 4 weeks of birth	0		0			
46	Neonatal Death	5		0			
47	Between 1 month and 11 months	8		9			
48	Total reported infant deaths	13		9			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	0		0			
52	Due to Bleeding	1		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	0		1			
55	Total reported maternal deaths	1		1			

North Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,15,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2013)		Numbers					
4	Sub Centre(SC)	81					
5	Primary Health Centre(PHC)	13					
6	Community Health Centre (CHC)	1					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	6,582		6,696			
10	Expected number of Delivery	6,103		6,209			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,425	128.0	4,576	68.3	Any ANC	85.9
12	Mothers registered in the first trimester	3,908	46.4	2,435	53.2	ANC Check up in first trimester	72.6
13	Mothers who had at least 3 Ante-Natal care check ups	4,592	54.5	2,658	58.1	3 or more ANC check up	76.9
14	PW who got TT 2 / Booster injection	6,125	72.7	3,366	73.6	Atleast 1 TT received	96.7
15	PW who consumed 100 IFA tablets	2,822	33.5	2,378	52.0	100 IFA tablets consumed	46.5
16	Home Delivery against expected delivery *	1,734	28.4	791	12.7	Full ANC	33.3
17	Institutional Delivery against expected delivery *	3,009	49.3	1,433	23.1	Home Delivery	37.4
18	Home Delivery against reported delivery **	1,734	36.6	791	35.6	Institutional Delivery	62.6
19	Institutional Delivery against reported delivery **	3,009	63.4	1,433	64.4	Home Delivery by SBA	4.9
20	Total reported Deliveries	4,743		2,224		PNC within 48 hrs of delivery	40.8
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8		10			
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,615		2,018			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	5,984		6,087			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	4,657	77.8	2,214	36.4	Breastfed within 1 hour of birth	51.3

25	Total Still Birth	110	1.8	46	0.8	BCG	73.7
26	PC of newborn weighted at birth to live birth	4,536	97.4	2,131	96.3	3 dose of DPT	65.6
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	341	7.5	176	8.3	Measles	56.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	4,456	95.7	2,152	97.2	Full Immunization	42.1
29	Children fully immunized	4,883	81.6	2,354	38.7		
30	Children who have received BCG	5,915	98.9	2,690	44.2		
31	Children who have received DPT1	8,020	134.0	3,565	58.6		
32	Children who have received DPT3	6,586	110.1	3,046	50.0		
33	Children who have received Measles	5,966	99.7	2,757	45.3		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,559		1,747			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	3.7
37	Number of Tubectomies performed	108		17		Spacing	3
38	Number of IUD insertion	40		21		Women using any method	64.6
39	Number of IUD removals	21		124		Women using modern method	41.7
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
40	IPD cases per 10,000 population ***	818		573			
41	General OPD cases per 10,000 population ***	6343.8		3853.6			
42	Ayush OPD cases per 10,000 population ***	1031.8		432.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
43	Neonatal death within 24 hours	2		0			
44	Up to 1 Weeks of Birth	10		9			
45	Between 1 week & 4 weeks of birth	2		0			
46	Neonatal Death	14		9			
47	Between 1 month and 11 months	16		6			
48	Total reported infant deaths	30		15			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	1		0			
51	Due to Severe hypertension/fits	2		0			
52	Due to Bleeding	1		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	8		0			
55	Total reported maternal deaths	12		0			

Sipahijala Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,84,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2013)		Numbers					
4	Sub Centre(SC)	105					
5	Primary Health Centre(PHC)	9					
6	Community Health Centre (CHC)	4					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	7,590		7,685			
10	Expected number of Delivery	7,038		7,126			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,096	106.7	4,332	56.4	Any ANC	NA
12	Mothers registered in the first trimester	5,319	65.7	3,112	71.8	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,138	63.5	3,048	70.4	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	7,048	87.1	3,802	87.8	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,953	48.8	2,998	69.2	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	836	11.9	454	6.4	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,123	44.4	1,382	19.4	Home Delivery	NA
18	Home Delivery against reported delivery **	836	21.1	454	24.7	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,123	78.9	1,382	75.3	Home Delivery by SBA	NA
20	Total reported Deliveries	3,959		1,836		PNC within 48 hrs of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12		2			
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,077		1,459			
			77.7		79.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,900		6,986			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,945		1,818		Breastfed within 1 hour of birth	NA
			57.2		26.0		

25	Total Still Birth	46	0.7	27	0.4	BCG	NA
26	PC of newborn weighted at birth to live birth	3,370	85.4	1,548	85.1	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	372	11.0	199	12.9	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,622	91.8	1,706	93.8	Full Immunization	NA
29	Children fully immunized	6,800	98.5	3,544	50.7		
30	Children who have received BCG	5,908	85.6	2,824	40.4		
31	Children who have received DPT1	7,657	111.0	3,643	52.1		
32	Children who have received DPT3	7,629	110.6	3,793	54.3		
33	Children who have received Measles	7,124	103.2	3,581	51.3		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,460		1,132			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	12		0		Limiting	NA
37	Number of Tubectomies performed	534		263		Spacing	NA
38	Number of IUD insertion	44		18		Women using any method	NA
39	Number of IUD removals	13		10		Women using modern method	NA
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
40	IPD cases per 10,000 population ***	632		410			
41	General OPD cases per 10,000 population ***	9267.4		4811.1			
42	Ayush OPD cases per 10,000 population ***	1540.6		607.6			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
43	Neonatal death within 24 hours	3		0			
44	Up to 1 Weeks of Birth	5		6			
45	Between 1 week & 4 weeks of birth	0		0			
46	Neonatal Death	8		6			
47	Between 1 month and 11 months	8		6			
48	Total reported infant deaths	16		12			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	4		0			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	1		3			
55	Total reported maternal deaths	5		3			

South Tripura Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,33,737					
2	Sex Ratio	957					
	B) Infrastructure Details (RHS 2013)	Numbers					
4	Sub Centre(SC)	124					
5	Primary Health Centre(PHC)	16					
6	Community Health Centre (CHC)	4					
7	SDH	2					
8	DH	0					
	C) Maternal Health:	2013-14		2014-15			
9	Expected number of PW	6,819		6,915			
10	Expected number of Delivery	6,323		6,412			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,965	116.8	4,039	58.4	Any ANC	77.0
12	Mothers registered in the first trimester	4,245	53.3	2,966	73.4	ANC Check up in first trimester	83.9
13	Mothers who had at least 3 Ante-Natal care check ups	5,131	64.4	3,070	76.0	3 or more ANC check up	82.3
14	PW who got TT 2 / Booster injection	6,656	83.6	3,367	83.4	Atleast 1 TT received	96.6
15	PW who consumed 100 IFA tablets	5,043	63.3	3,676	91.0	100 IFA tablets consumed	45.3
16	Home Delivery against expected delivery *	890	14.1	317	4.9	Full ANC	35.3
17	Institutional Delivery against expected delivery *	4,239	67.0	2,107	32.9	Home Delivery	28.6
18	Home Delivery against reported delivery **	890	17.4	317	13.1	Institutional Delivery	69.1
19	Institutional Delivery against reported delivery **	4,239	82.6	2,107	86.9	Home Delivery by SBA	5.0
20	Total reported Deliveries	5,129		2,424		PNC within 48 hrs of delivery	50.0
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	0.8	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,120	80.3	2,362	97.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,199		6,286			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,106	82.4	2,419	38.5	Breastfed within 1 hour of birth	41.8

25	Total Still Birth	44	0.7	20	0.3	BCG	71.2
26	PC of newborn weighted at birth to live birth	4,722	92.5	2,325	96.1	3 dose of DPT	69.5
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	433	9.2	230	9.9	Measles	61
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,031	98.5	2,402	99.3	Full Immunization	50
29	Children fully immunized	5,709	92.1	2,797	44.5		
30	Children who have received BCG	6,075	98.0	2,801	44.6		
31	Children who have received DPT1	7,106	114.6	3,188	50.7		
32	Children who have received DPT3	6,857	110.6	3,147	50.1		
33	Children who have received Measles	6,564	105.9	3,010	47.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,030		1,081			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	2		4		Limiting	3.9
37	Number of Tubectomies performed	250		43		Spacing	2
38	Number of IUD insertion	118		64		Women using any method	58.8
39	Number of IUD removals	167		71		Women using modern method	42.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
40	IPD cases per 10,000 population ***	1194		964			
41	General OPD cases per 10,000 population ***	8544.6		5315.6			
42	Ayush OPD cases per 10,000 population ***	1186.0		568.5			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
43	Neonatal death within 24 hours	1		0			
44	Up to 1 Weeks of Birth	3		8			
45	Between 1 week & 4 weeks of birth	3		0			
46	Neonatal Death	7		8			
47	Between 1 month and 11 months	15		3			
48	Total reported infant deaths	22		11			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	1		0			
52	Due to Bleeding	1		1			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	0		0			
55	Total reported maternal deaths	2		1			

Unakoti Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,77,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2013)		Numbers					
4	Sub Centre(SC)	64					
5	Primary Health Centre(PHC)	7					
6	Community Health Centre (CHC)	1					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	4,389		4,465			
10	Expected number of Delivery	4,069		4,140			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,701	129.9	3,059	68.5	Any ANC	NA
12	Mothers registered in the first trimester	2,223	39.0	1,320	43.2	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,146	55.2	1,809	59.1	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,473	78.5	2,269	74.2	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	1,312	23.0	2,004	65.5	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	917	22.5	518	12.5	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,899	71.2	1,101	26.6	Home Delivery	NA
18	Home Delivery against reported delivery **	917	24.0	518	32.0	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,899	76.0	1,101	68.0	Home Delivery by SBA	NA
20	Total reported Deliveries	3,816		1,619		PNC within 48 hrs of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29		24		4.6	
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,881		988		61.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	3,990		4,059			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,717		1,588		Breastfed within 1 hour of birth	NA

25	Total Still Birth	108	2.7	34	0.8	BCG	NA
26	PC of newborn weighted at birth to live birth	3,399	91.4	1,455	91.6	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	423	12.4	151	10.4	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	2,927	78.7	1,364	85.9	Full Immunization	NA
29	Children fully immunized	3,572	89.5	1,724	42.5		
30	Children who have received BCG	4,525	113.4	2,063	50.8		
31	Children who have received DPT1	5,459	136.8	2,456	60.5		
32	Children who have received DPT3	4,919	123.3	2,357	58.1		
33	Children who have received Measles	4,158	104.2	1,917	47.2		
34	Diarrhoea and Dehydration cases reported in children below 5 years	5,858		2,510			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	NA
37	Number of Tubectomies performed	236		14		Spacing	NA
38	Number of IUD insertion	26		13		Women using any method	NA
39	Number of IUD removals	12		36		Women using modern method	NA
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
40	IPD cases per 10,000 population ***	1089		586			
41	General OPD cases per 10,000 population ***	6697.1		3699.6			
42	Ayush OPD cases per 10,000 population ***	1772.8		1062.4			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
43	Neonatal death within 24 hours	0		1			
44	Up to 1 Weeks of Birth	27		7			
45	Between 1 week & 4 weeks of birth	4		2			
46	Neonatal Death	31		10			
47	Between 1 month and 11 months	1		3			
48	Total reported infant deaths	32		13			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	0		0			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	7		0			
55	Total reported maternal deaths	7		0			

West Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,17,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2013)		Numbers					
4	Sub Centre(SC)	140					
5	Primary Health Centre(PHC)	9					
6	Community Health Centre (CHC)	2					
7	SDH	0					
8	DH	0					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	14,382		14,562			
10	Expected number of Delivery	13,336		13,503			
		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	26,243	182.5	12,914	88.7	Any ANC	86.1
12	Mothers registered in the first trimester	14,328	54.6	7,344	56.9	ANC Check up in first trimester	90.3
13	Mothers who had at least 3 Ante-Natal care check ups	16,462	62.7	9,196	71.2	3 or more ANC check up	72.8
14	PW who got TT 2 / Booster injection	9,781	37.3	5,276	40.9	Atleast 1 TT received	92.0
15	PW who consumed 100 IFA tablets	7,292	27.8	4,644	36.0	100 IFA tablets consumed	46.7
16	Home Delivery against expected delivery *	868	6.5	250	1.9	Full ANC	33.0
17	Institutional Delivery against expected delivery *	17,354	130.1	8,476	62.8	Home Delivery	15.6
18	Home Delivery against reported delivery **	868	4.8	250	2.9	Institutional Delivery	84.4
19	Institutional Delivery against reported delivery **	17,354	95.2	8,476	97.1	Home Delivery by SBA	4.8
20	Total reported Deliveries	18,222		8,726		PNC within 48 hrs of delivery	79.6
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	2.2	8	3.2		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,475	73.9	6,283	72.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	13,075		13,238			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	18,250	139.6	8,778	66.3	Breastfed within 1 hour of birth	30.3

25	Total Still Birth	621	4.7	179	1.4	BCG	78.4
26	PC of newborn weighted at birth to live birth	17,561	96.2	8,581	97.8	3 dose of DPT	80.8
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,886	10.7	885	10.3	Measles	64.7
28	PC of newborns breastfed within 1 hour to total reported live birth.	17,042	93.4	8,341	95.0	Full Immunization	38.5
29	Children fully immunized	11,131	85.1	5,664	42.8		
30	Children who have received BCG	16,876	129.1	7,824	59.1		
31	Children who have received DPT1	12,822	98.1	6,050	45.7		
32	Children who have received DPT3	12,292	94.0	6,228	47.0		
33	Children who have received Measles	14,370	109.9	7,402	55.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	9,643		5,032			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 2nd QTR		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	9		4		Limiting	4.1
37	Number of Tubectomies performed	3,121		1,696		Spacing	4.3
38	Number of IUD insertion	317		190		Women using any method	56
39	Number of IUD removals	263		121		Women using modern method	41.3
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
40	IPD cases per 10,000 population ***	1364		711			
41	General OPD cases per 10,000 population ***	13005.4		7196.5			
42	Ayush OPD cases per 10,000 population ***	624.5		238.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
43	Neonatal death within 24 hours	0		0			
44	Up to 1 Weeks of Birth	65		55			
45	Between 1 week & 4 weeks of birth	10		1			
46	Neonatal Death	75		56			
47	Between 1 month and 11 months	52		14			
48	Total reported infant deaths	127		70			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 2nd QTR			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	1		1			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	1		0			
55	Total reported maternal deaths	2		1			

