

Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	147					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	4					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW #	12,002		12,150			
9	Expected number of Delivery #	11,042		11,178			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,888	74.1	9,260	76.2	Any ANC	91.8
11	Mothers registered in the first trimester	6,839	76.9	7,011	75.7	ANC Check up in first trimester	68.5
12	Mothers who had at least 3 Ante-Natal care check ups	6,396	72.0	6,179	66.7	3 or more ANC check up	84.8
13	PW who got TT 2 / Booster injection	7,390	83.1	7,406	80.0	Atleast 1 TT received	91.3
14	PW who consumed 100 IFA tablets	5,922	66.6	6,470	69.9	100 IFA tablets consumed	74.8
15	Home Delivery against expected delivery *	90	48.6	63	0.6	Full ANC	70.3
16	Institutional Delivery against expected delivery *	7,216	65.4	7,007	62.7	Home Delivery	16.0
17	Home Delivery against reported delivery **	90	1.2	63	0.9	Institutional Delivery	82.7
18	Institutional Delivery against reported delivery **	7,216	98.8	7,007	99.1	Home Delivery by SBA	2.2
19	Total reported Deliveries	7,306		7,070		PNC within 14 days of delivery	84.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	43.3	29	46.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,455	88.4	6,473	91.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	10,911		11,046			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	7,259	66.5	7,014	63.5	Breastfed within 1 hour of birth	61.4

24	Total Still Birth	145	2.0	146	2.1	BCG	99.2
25	PC of newborn weighted at birth to live birth	7,255	99.9	6,943	99.0	3 dose of DPT	95.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	554	7.6	552	8.0	Measles	94.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,136	84.5	5,943	84.7	Full Immunization	85.2
28	Children fully immunized	7,461	68.4	7,498	67.9		
29	Children who have received BCG	7,156	65.6	6,787	61.4		
30	Children who have received DPT1	7,536	69.1	7,744	70.1		
31	Children who have received DPT3	7,638	70.0	7,497	67.9		
32	Children who have received Measles	7,419	68.0	7,550	68.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,676		4,103			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	5	4	Limiting	13.1
35	Number of Tubectomies performed	119	60	Spacing	7.1
36	Number of IUD insertion	572	386	Women using any method	64.1
37	Number of IUD removals	653	427	Women using modern method	53.8
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	623	512		
39	General OPD cases per 10,000 population ***	16961	15241		
40	Ayush OPD cases per 10,000 population ***	322	237		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	19	24		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	46	51		
44	Neonatal Death	65	75		
45	Between 1 month and 11 months	42	51		
46	Total reported infant deaths	107	126		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	8	10		
53	Total reported maternal deaths	10	11		

East Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW #	5,655		5,739			
9	Expected number of Delivery #	5,203		5,280			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,669	82.6	5,193	90.5	Any ANC	94.0
11	Mothers registered in the first trimester	3,222	69.0	3,509	67.6	ANC Check up in first trimester	74.8
12	Mothers who had at least 3 Ante-Natal care check ups	2,882	61.7	3,035	58.4	3 or more ANC check up	81.1
13	PW who got TT 2 / Booster injection	3,380	72.4	3,503	67.5	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	2,731	58.5	3,012	58.0	100 IFA tablets consumed	74.1
15	Home Delivery against expected delivery *	37	37.9	32	0.6	Full ANC	65.2
16	Institutional Delivery against expected delivery *	4,877	93.7	5,158	97.7	Home Delivery	6.9
17	Home Delivery against reported delivery **	37	0.8	32	0.6	Institutional Delivery	92.6
18	Institutional Delivery against reported delivery **	4,877	99.2	5,158	99.4	Home Delivery by SBA	1.0
19	Total reported Deliveries	4,914		5,190		PNC within 14 days of delivery	75.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	54.1	11	34.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,457	70.4	3,483	67.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	5,141		5,217			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	4,887	95.1	5,151	98.7	Breastfed within 1 hour of birth	57.5

24	Total Still Birth	103	2.1	84	1.6	BCG	100
25	PC of newborn weighted at birth to live birth	4,897	100.2	5,084	98.7	3 dose of DPT	97.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	440	9.0	458	9.0	Measles	97.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,857	78.9	4,098	79.6	Full Immunization	83.3
28	Children fully immunized	3,748	72.9	3,786	72.6		
29	Children who have received BCG	4,771	92.8	4,993	95.7		
30	Children who have received DPT1	3,759	73.1	4,131	79.2		
31	Children who have received DPT3	3,845	74.8	3,865	74.1		
32	Children who have received Measles	3,746	72.9	3,793	72.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,090		1,840			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	5	2	Limiting	22.1
35	Number of Tubectomies performed	64	38	Spacing	10.8
36	Number of IUD insertion	272	199	Women using any method	49.4
37	Number of IUD removals	172	121	Women using modern method	46.3
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	707	520		
39	General OPD cases per 10,000 population ***	19705	16626		
40	Ayush OPD cases per 10,000 population ***	287	183		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	11	21		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	33	33		
44	Neonatal Death	44	54		
45	Between 1 month and 11 months	18	30		
46	Total reported infant deaths	62	84		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	7	6		
53	Total reported maternal deaths	8	7		

North Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW #	826		830			
9	Expected number of Delivery #	760		764			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	569	68.9	631	76.0	Any ANC	91.0
11	Mothers registered in the first trimester	507	89.1	544	86.2	ANC Check up in first trimester	70.3
12	Mothers who had at least 3 Ante-Natal care check ups	474	83.3	473	75.0	3 or more ANC check up	86.2
13	PW who got TT 2 / Booster injection	540	94.9	659	104.4	Atleast 1 TT received	91.0
14	PW who consumed 100 IFA tablets	477	83.8	478	75.8	100 IFA tablets consumed	79.0
15	Home Delivery against expected delivery *	5	73.1	2	0.3	Full ANC	75.5
16	Institutional Delivery against expected delivery *	191	25.1	226	29.6	Home Delivery	17.0
17	Home Delivery against reported delivery **	5	2.6	2	0.9	Institutional Delivery	82.0
18	Institutional Delivery against reported delivery **	191	97.4	226	99.1	Home Delivery by SBA	3.5
19	Total reported Deliveries	196		228		PNC within 14 days of delivery	86.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	40.0	1	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	365	186.2	407	178.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	751		755			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	200	26.6	243	32.2	Breastfed within 1 hour of birth	64.2

24	Total Still Birth	1	0.5	9	3.7	BCG	98.2
25	PC of newborn weighted at birth to live birth	199	99.5	243	100.0	3 dose of DPT	96.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	8.0	21	8.6	Measles	94.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	198	99.0	241	99.2	Full Immunization	86
28	Children fully immunized	436	58.1	525	69.5		
29	Children who have received BCG	201	26.8	240	31.8		
30	Children who have received DPT1	475	63.3	584	77.4		
31	Children who have received DPT3	476	63.4	545	72.2		
32	Children who have received Measles	424	56.5	568	75.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	407		329			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	4.3
35	Number of Tubectomies performed	0	0	Spacing	6.1
36	Number of IUD insertion	29	15	Women using any method	73.5
37	Number of IUD removals	42	28	Women using modern method	65.2
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	342	353		
39	General OPD cases per 10,000 population ***	12784	15530		
40	Ayush OPD cases per 10,000 population ***	191	215		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	3	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	4	1		
45	Between 1 month and 11 months	4	2		
46	Total reported infant deaths	8	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

South Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW #	2,873		2,906			
9	Expected number of Delivery #	2,643		2,674			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,786	62.2	1,705	58.7	Any ANC	94.3
11	Mothers registered in the first trimester	1,509	84.5	1,464	85.9	ANC Check up in first trimester	70.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,562	87.5	1,243	72.9	3 or more ANC check up	91.5
13	PW who got TT 2 / Booster injection	1,668	93.4	1,564	91.7	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	1,244	69.7	1,500	88.0	100 IFA tablets consumed	72.4
15	Home Delivery against expected delivery *	35	48.4	22	0.8	Full ANC	67.9
16	Institutional Delivery against expected delivery *	1,225	46.3	816	30.5	Home Delivery	17.9
17	Home Delivery against reported delivery **	35	2.8	22	2.6	Institutional Delivery	81.3
18	Institutional Delivery against reported delivery **	1,225	97.2	816	97.4	Home Delivery by SBA	2.0
19	Total reported Deliveries	1,260		838		PNC within 14 days of delivery	90.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	37.1	14	63.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,295	102.8	1,369	163.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,612		2,642			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,247	47.7	829	31.4	Breastfed within 1 hour of birth	65.4

24	Total Still Birth	20	1.6	16	1.9	BCG	98.1
25	PC of newborn weighted at birth to live birth	1,240	99.4	825	99.5	3 dose of DPT	94.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	52	4.2	38	4.6	Measles	90.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,173	94.1	821	99.0	Full Immunization	83.3
28	Children fully immunized	1,653	63.3	1,580	59.8		
29	Children who have received BCG	1,245	47.7	739	28.0		
30	Children who have received DPT1	1,626	62.3	1,524	57.7		
31	Children who have received DPT3	1,637	62.7	1,534	58.1		
32	Children who have received Measles	1,621	62.1	1,576	59.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	983		764			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	2	Limiting	13
35	Number of Tubectomies performed	55	21	Spacing	5.8
36	Number of IUD insertion	82	60	Women using any method	67.4
37	Number of IUD removals	201	112	Women using modern method	53
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	749	636		
39	General OPD cases per 10,000 population ***	17418	15343		
40	Ayush OPD cases per 10,000 population ***	443	269		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	2	1		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	7	11		
44	Neonatal Death	9	12		
45	Between 1 month and 11 months	6	2		
46	Total reported infant deaths	15	14		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	4		
53	Total reported maternal deaths	1	4		

West Sikkim Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW #	2,654		2,682			
9	Expected number of Delivery #	2,442		2,467			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,864	70.2	1,731	64.5	Any ANC	87.4
11	Mothers registered in the first trimester	1,601	85.9	1,494	86.3	ANC Check up in first trimester	56.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,478	79.3	1,428	82.5	3 or more ANC check up	82.7
13	PW who got TT 2 / Booster injection	1,802	96.7	1,680	97.1	Atleast 1 TT received	87.0
14	PW who consumed 100 IFA tablets	1,470	78.9	1,480	85.5	100 IFA tablets consumed	71.8
15	Home Delivery against expected delivery *	13	63.9	7	0.3	Full ANC	69.7
16	Institutional Delivery against expected delivery *	923	37.8	807	32.7	Home Delivery	24.1
17	Home Delivery against reported delivery **	13	1.4	7	0.9	Institutional Delivery	73.7
18	Institutional Delivery against reported delivery **	923	98.6	807	99.1	Home Delivery by SBA	2.2
19	Total reported Deliveries	936		814		PNC within 14 days of delivery	83.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	30.8	3	42.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,338	142.9	1,214	149.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,413		2,438			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	925	38.3	791	32.4	Breastfed within 1 hour of birth	59.2

24	Total Still Birth	21	2.3	37	4.7	BCG	100
25	PC of newborn weighted at birth to live birth	919	99.4	791	100.0	3 dose of DPT	97.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	46	5.0	35	4.4	Measles	97.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	908	98.2	783	99.0	Full Immunization	88.4
28	Children fully immunized	1,624	67.3	1,607	65.9		
29	Children who have received BCG	939	38.9	815	33.4		
30	Children who have received DPT1	1,676	69.5	1,505	61.7		
31	Children who have received DPT3	1,680	69.6	1,553	63.7		
32	Children who have received Measles	1,628	67.5	1,613	66.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,196		1,170			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.5
35	Number of Tubectomies performed	0	1	Spacing	4.5
36	Number of IUD insertion	189	112	Women using any method	70.8
37	Number of IUD removals	238	166	Women using modern method	55.6
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	395	406		
39	General OPD cases per 10,000 population ***	11880	12034		
40	Ayush OPD cases per 10,000 population ***	305	325		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	3	2		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	5	6		
44	Neonatal Death	8	8		
45	Between 1 month and 11 months	14	17		
46	Total reported infant deaths	22	25		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	0		