	Nagaland	Factshee	t		_			
Key	Indicators							
SL NO	A)Demographic Indicators (Census 2011)							
1	Population 2011	1,978,502						
2	Sex Ratio	931						
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers						
3	Sub Centers (SC)	397						
4	Sub Centers (SC)- HWC	56						
5	Primary Health Centers (PHC)	126						
6	Primary Health Centers (PHC)-HWC	5						
7	Community Health Centers (CHC)	21						
8	SDH	0						
9	DH	11						
	laternal Health:	2011-1	2	2011	-12			
10	Expected number of PW	37,43	3	37,4	33			
11	Expected number of Delivery	34,439	9	34,4	39			
		HMIS (201	8-19)	HMIS (20	19-20)	NFSH-4 (2015	-16)	
		Number	PC	Number	PC			
12	PW register for ANC	37,026	98.9	39,442	105.4	ANC Check up in first trimester	24.9	
13	Mothers registered in the first trimester	10,368	28.0	10,777	27.3	At least 4ANC check up	15	
14	Mothers who had at least 3 Ante-Natal care check ups	7,488	20.2	9,052	23.0	Neonatal tetanus received	63.9	
15	PW who got TT 2 / Booster injection	14,241	38.5	15,984	40.5	100 IFA tablets consumed	4.4	
16	PW who consumed 100 IFA tablets	6,192	16.7	9,070	23.0	Full ANC	2.4	
17	Home Delivery against expected delivery *	3,533	10.3	3,668	10.7	Home Delivery	67.2	
18	Institutional Delivery against expected delivery *	15,716	45.6	17,107	49.7	Institutional Delivery	32.8	
19	Home Delivery against reported delivery **	3,533	18.4	3,668	17.7	Home Delivery by SBA(out of Total Deliveries)	8.9	
20	Institutional Delivery against reported delivery **	15,716	81.6	17,107	60.3	PNC within 2days of delivery	22.3	
21	Total reported Deliveries	19,249		20,775				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,042	57.8	2,014	54.9			
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	8,731	45.4	8,300	40.0			
	In case of HMIS data, Percentage is with reference to total by Women who had live/still births since three years preced						l is with	
24	Expected number of Live Birth	34,030		34,030				
D) C	hild Immunization :	HMIS (201	8-19)	HMIS (20	19-20)	NFSH-4 (2015	NFSH-4 (2015-16)	
		Number	PC	Number	PC			
25	Total reported live births	19,167	56.3	20,574	60.5	Breastfed within 1 hour of birth	53.2	

26	Total Still Birth	301	0.9	306	0.9	BCG	68.4
27	PC of newborn weighted at birth to live birth	18,814	98.2	20,227	98.3	3 dose of DPT	52
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	785	4.2	896	4.4	Measles	50.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,122	84.1	16,703	81.2	Full Immunization	35.7
30	Children fully immunized	13,758	40.4	16,291	47.9		
31	Children who have received BCG	20,706	60.8	22,701	66.7		
32	Children who have received DPT1	21,676	63.7	23,433	68.9		
33	Children who have received DPT3	18,802	55.3	20,710	60.9		
34	Children who have received Measles	15,237	44.8	17,806	52.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	16,166		16,986			
Note	 In case of HMIS data. Proportions are calculated for 0-11 n 	nonths old infant	ts to total i	number of rend	orted live hirt	hs and in DLHS-4 the ner	rcentage

	y. (DLH5-4 reference period is from 1-1-2008 to survey date Imily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
-	, ,	, ,	, ,	Total unmet	- 7
36	Number of Vasectomies performed	4	3	need	22.2
37	Number of Tubectomies performed	1,185	1,349	Spacing	11.2
38	Number of IUD insertion	3,349	3,846	Women using	
	Transcript incorder	0,010	0,010	any method	26.7
39	Number of IUD removals	1,469	1,484	Women using modern method	21.4
F) So	ervice delivery	HMIS (2018-19)	HMIS (2019-20)	modern metrod	21.4
40	IPD cases per 10,000 population ***	518	521		
41	General OPD cases per 10,000		_		
41	population ***	5789	6242	-	
42	Ayush OPD cases per 10,000 population	450	400		
	Aortality Dataila	158	160		
I)	Nortality Details Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
	, ,	, ,	•		
43	Neonatal death within 24 hours	31	38	_	
44	Neonatal Deaths up to 4 weeks of birth	97	72		
45	Total Neonatal Death	128	110		
46	Deaths between (1 - 11) months	79	64		
47	Total reported infant deaths	207	174		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	2	2		
50	Due to Severe hypertension/fits	3	5		
51	Due to Bleeding	4	7		
52	Due to High fever	0	0		
	Due to Other Causes (including causes				
53	not known)	9	7		
54	Total reported maternal deaths	18	22		

	Dimapur	Factshee	et				
Key	Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
B) In	frastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	47					
4	Sub Centers (SC)- HWC	6					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-	12	2011	-12		
10	Expected number of PW	7,16	7	7,1	67		
11	Expected number of Delivery	6,594	4	6,5	94		
		HMIS (20	18-19)	HMIS (20	019-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
12	PW register for ANC	20,299	283.2	20,265	282.8	ANC Check up in first trimester	34.6
13	Mothers registered in the first trimester	6,180	30.4	6,021	29.7	At least 4ANC check up	26.5
14	Mothers who had at least 3 Ante-Natal care check ups	3,772	18.6	3,912	19.3	Neonatal tetanus received	77
15	PW who got TT 2 / Booster injection	5,009	24.7	6,116	30.2	100 IFA tablets consumed	7.7
16	PW who consumed 100 IFA tablets	1,099	5.4	2,659	13.1	Full ANC	4.5
17	Home Delivery against expected delivery	382	5.8	446	6.8	Home Delivery	44
18	Institutional Delivery against expected delivery *	7,048	106.9	7,468	113.3	Institutional Delivery	56
19	Home Delivery against reported delivery **	382	5.1	446	5.6	Home Delivery by SBA(out of Total Deliveries)	5.7
20	Institutional Delivery against reported delivery **	7,048	94.9	7,468	89.7	PNC within 2days of delivery	35.3
21	Total reported Deliveries	7,430		7,914		,	
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	247	64.7	261	58.5		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	2,508	33.8	2,310	29.2		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						l is with
24	Expected number of Live Birth	6,516		6,516			
	hild Immunization :	HMIS (20	18-19)	HMIS (20	019-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC	,	
25	Total reported live births	7,314	112.3	7,798	119.7	Breastfed within 1 hour of birth	45.9

26	Total Still Birth	174	2.7	167	2.6	BCG	63.1
27	PC of newborn weighted at birth to live birth	7,243	99.0	7,745	99.3	3 dose of DPT	54.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	497	6.9	503	6.5	Measles	47.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,223	71.4	5,640	72.3	Full Immunization	33.7
30	Children fully immunized	3,841	59.0	4,029	61.8		
31	Children who have received BCG	6,659	102.2	7,295	112.0		
32	Children who have received DPT1	6,997	107.4	7,583	116.4		
33	Children who have received DPT3	5,766	88.5	6,099	93.6		
34	Children who have received Measles	4,211	64.6	4,902	75.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,557		3,743			

	ry. (DLAS-4 reference period is from 1-1-2008 to survey date Dimily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
				Total unmet	,
36	Number of Vasectomies performed	0	3	need	24.2
37	Number of Tubectomies performed	399	383	Spacing	9.7
38	Number of IUD insertion	490	339	Women using any method	27.5
39	Number of IUD removals	409	377	Women using modern method	21
F) S	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	1668	1657		
41	General OPD cases per 10,000 population ***	13853	13435		
42	Ayush OPD cases per 10,000 population ***	197	186		
•	Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	21	21		
44	Neonatal Deaths up to 4 weeks of birth	48	25		
45	Total Neonatal Death	69	46		
46	Deaths between (1 - 11) months	46	40		
47	Total reported infant deaths	115	86		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension/fits	2	1		
51	Due to Bleeding	4	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	3		
54	Total reported maternal deaths	13	8		

	Kiphrie	Factshee	t		_	_	_
Key	Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	15					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	1,400)	1,40	00		
11	Expected number of Delivery	1,288	}	1,28	38		
		HMIS (201	l8-19)	HMIS (20	19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
12	PW register for ANC	988	70.6	1,053	75.2	ANC Check up in first trimester	14.1
13	Mothers registered in the first trimester	245	24.8	291	27.6	At least 4ANC check up	2
14	Mothers who had at least 3 Ante-Natal care check ups	149	15.1	324	30.8	Neonatal tetanus received	53.6
15	PW who got TT 2 / Booster injection	745	75.4	739	70.2	100 IFA tablets consumed	1.4
16	PW who consumed 100 IFA tablets	121	12.2	327	31.1	Full ANC	0
17	Home Delivery against expected delivery	231	17.9	188	14.6	Home Delivery	0
18	Institutional Delivery against expected delivery *	489	38.0	545	42.3	Institutional Delivery	24.7
19	Home Delivery against reported delivery **	231	32.1	188	25.6	Home Delivery by SBA(out of Total Deliveries)	5.5
20	Institutional Delivery against reported delivery **	489	67.9	545	62.2	PNC within 2days of delivery	13.9
21	Total reported Deliveries	720		733		j	
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	83	35.9	58	30.9		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	261	36.3	460	62.8		
	In case of HMIS data, Percentage is with reference to total by Women who had live/still births since three years preced						l is with
24	Expected number of Live Birth	1,273		1,273			
	hild Immunization :	HMIS (201	18-19)	HMIS (20	19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	713	56.0	727	57.1	Breastfed within 1 hour of birth	39.3

26	Total Still Birth	11	0.9	5	0.4	BCG	65.7
27	PC of newborn weighted at birth to live birth	690	96.8	723	99.4	3 dose of DPT	44.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.6	14	1.9	Measles	50.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	709	99.4	721	99.2	Full Immunization	36
30	Children fully immunized	759	59.6	792	62.2		
31	Children who have received BCG	1,029	80.8	961	75.5		
32	Children who have received DPT1	970	76.2	1,043	81.9		
33	Children who have received DPT3	825	64.8	980	77.0		
34	Children who have received Measles	817	64.2	840	66.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	847		845			

	ry. (DLHS-4 reference period is from 1-1-2008 to survey date nmily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
-		, ,	, ,	Total unmet	
36	Number of Vasectomies performed	0	0	need	17.7
37	Number of Tubectomies performed	9	38	Spacing	11.1
38	Number of IUD insertion	225	217	Women using	
				any method	31.1
39	Number of IUD removals	80	88	Women using modern method	24.2
F) S	ervice delivery	HMIS (2018-19)	HMIS (2019-20)	modelli metrod	27.2
40	IPD cases per 10,000 population ***	283	188		
41	General OPD cases per 10,000				
71	population ***	4176	5377		
42	Ayush OPD cases per 10,000 population	132	181		
G) N	Nortality Details	132	101		
1)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	4	6		
44	Neonatal Deaths up to 4 weeks of birth	8	5		
45	Total Neonatal Death	12	11		
46	Deaths between (1 - 11) months	5	5		
47	Total reported infant deaths	17	16		
II)	Maternal Mortality	17	10		
",	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
40	·	,	, ,		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
	Due to Other Causes (including causes		_		
53	not known)	0	1		
54	Total reported maternal deaths	0	1		

	Kohima	Factshee	t		_		
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	40					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	14					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	5,070)	5,0	70		
11	Expected number of Delivery	4,665)	4,60	65		
		HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	3,010	59.4	3,723	73.4	ANC Check up in first trimester	42.9
13	Mothers registered in the first trimester	701	23.3	867	23.3	At least 4ANC check up	30.5
14	Mothers who had at least 3 Ante-Natal care check ups	2,381	79.1	2,881	77.4	Neonatal tetanus received	80.9
15	PW who got TT 2 / Booster injection	1,234	41.0	1,408	37.8	100 IFA tablets consumed	8.6
16	PW who consumed 100 IFA tablets	482	16.0	1,210	32.5	Full ANC	6.4
17	Home Delivery against expected delivery	133	2.9	137	2.9	Home Delivery	45.1
18	Institutional Delivery against expected delivery *	2,143	45.9	2,652	56.9	Institutional Delivery	54.9
19	Home Delivery against reported delivery **	133	5.8	137	4.9	Home Delivery by SBA(out of Total Deliveries)	9
20	Institutional Delivery against reported delivery **	2,143	94.2	2,652	78.3	PNC within 2days of delivery	34.9
21	Total reported Deliveries	2,276		2,789			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	61.7	79	57.7		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	881	38.7	903	32.4		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						is with
24	Expected number of Live Birth	4,609		4,609			
D) C	hild Immunization :	HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
25	Total reported live births	2,253	48.9	2,748	59.6	Breastfed within 1 hour of birth	50

26	Total Still Birth	23	0.5	41	0.9	BCG	93.9
27	PC of newborn weighted at birth to live birth	2,170	96.3	2,683	97.6	3 dose of DPT	77.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	140	6.5	235	8.8	Measles	71.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,793	79.6	1,488	54.1	Full Immunization	60.5
30	Children fully immunized	1,852	40.2	2,678	58.1		
31	Children who have received BCG	2,828	61.4	3,188	69.2		
32	Children who have received DPT1	2,447	53.1	3,015	65.4		
33	Children who have received DPT3	2,307	50.0	2,783	60.4		
34	Children who have received Measles	2,117	45.9	2,735	59.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,987		2,690			

	mily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
36	Number of Vasectomies performed	4	0	Total unmet	40.0
	•	0.4	450	need	19.8
37	Number of Tubectomies performed	84	156	Spacing	10.7
38	Number of IUD insertion	607	910	Women using any method	33.8
39	Number of IUD removals	171	206	Women using	
				modern method	25.4
	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	336	407		
41	General OPD cases per 10,000 population ***	7324	9231		
42	Ayush OPD cases per 10,000 population	113	118		
G) N	Nortality Details	1.0	1.0		
1)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	0	2		
44	Neonatal Deaths up to 4 weeks of birth	23	23		
45	Total Neonatal Death	23	25		
46	Deaths between (1 - 11) months	14	10		
47	Total reported infant deaths	37	35		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
	Due to Other Causes (including causes				
53	not known)	0	3		
54	Total reported maternal deaths	0	5		

	Longleng	Factshee	t	_		_	_
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	8					
4	Sub Centers (SC)- HWC	3					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	955		95	5		
11	Expected number of Delivery	879		87	9		
	ZAPOOLOG Hambor of Bontory	HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	771	80.7	685	71.7	ANC Check up in first trimester	6.8
13	Mothers registered in the first trimester	205	26.6	194	28.3	At least 4ANC check up	1.5
14	Mothers who had at least 3 Ante-Natal care check ups	102	13.2	133	19.4	Neonatal tetanus received	54.1
15	PW who got TT 2 / Booster injection	343	44.5	300	43.8	100 IFA tablets consumed	0.4
16	PW who consumed 100 IFA tablets	225	29.2	452	66.0	Full ANC	0
17	Home Delivery against expected delivery	110	12.5	129	14.7	Home Delivery	89.8
18	Institutional Delivery against expected delivery *	349	39.7	365	41.5	Institutional Delivery	10.2
19	Home Delivery against reported delivery **	110	24.0	129	26.1	Home Delivery by SBA(out of Total Deliveries)	7.7
20	Institutional Delivery against reported delivery **	349	76.0	365	82.7	PNC within 2days of delivery	6
21	Total reported Deliveries	459		494			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	56.4	75	58.1		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	73	15.9	373	75.5		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						4 is with
24	Expected number of Live Birth	868		868			
	hild Immunization :	HMIS (201	l8-19)	HMIS (20)19-20)	NFSH-4 (2015	5-16)
		Number	PC	Number	PC		
25	Total reported live births	464	53.4	496	57.1	Breastfed within 1 hour of birth	64.3

26	Total Still Birth	5	0.6	1	0.1	BCG	55.4
27	PC of newborn weighted at birth to live birth	397	85.6	477	96.2	3 dose of DPT	28.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.3	9	1.9	Measles	37.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	418	90.1	477	96.2	Full Immunization	10.8
30	Children fully immunized	399	46.0	511	58.8		
31	Children who have received BCG	432	49.8	462	53.2		
32	Children who have received DPT1	559	64.4	580	66.8		
33	Children who have received DPT3	505	58.2	573	66.0		
34	Children who have received Measles	545	62.8	514	59.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	404		449			

E)Fa	mily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
36	Number of Vasectomies performed	0	0	Total unmet	40.0
27	<u> </u>	0	0	need	16.8
37	Number of Tubectomies performed	U	8	Spacing	9.1
38	Number of IUD insertion	128	282	Women using any method	20.9
39	Number of IUD removals	58	71	Women using modern method	18.5
F) S	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	257	187		
41	General OPD cases per 10,000 population ***	5753	5195		
42	Ayush OPD cases per 10,000 population ***	278	145		
_	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	2	0		
47	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
	Due to Other Causes (including causes				
53	not known)	1	0		
54	Total reported maternal deaths	1	0		

	Mokokchung	Factshee	t			_	
Key	Indicators						
SL	A)Demographic Indicators (Census			<u> </u>			
NO	2011)	104 (22					
2	Population 2011 Sex Ratio	194,622					
	nfrastructure Details (RHS 2018-19)	927 Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	4					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	3,682)	3,68	32		
11	Expected number of Delivery	3,388	}	3,38	38		
	Expected Hamber of Bolivery	HMIS (201	18-19)	HMIS (20	19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
12	DW - 1 (ANO	1 /75	40.1	1 501	42.2	ANC Check up	40.0
	PW register for ANC	1,475	40.1	1,591	43.2	in first trimester At least 4ANC	43.2
13	Mothers registered in the first trimester	562	38.1	646	40.6	check up	35.8
1 1	Mothers who had at least 3 Ante-Natal					Neonatal	
14	care check ups	61	4.1	203	12.8	tetanus received	84.3
15	PW who got TT 2 / Booster injection					100 IFA tablets	0 110
		621	42.1	713	44.8	consumed	7.5
16	PW who consumed 100 IFA tablets	52	3.5	225	14.1	Full ANC	4.3
17	Home Delivery against expected delivery *	119	3.5	163	4.8	Home Delivery	54.7
18	Institutional Delivery against expected					Institutional	
	delivery *	874	25.8	891	26.3	Delivery Home Delivery	45.3
19	Home Delivery against reported delivery					by SBA(out of	
		119	12.0	163	15.5	Total Deliveries)	33.4
20	Institutional Delivery against reported					PNC within 2days of	
20	delivery **	874	88.0	891	72.4	delivery	36.9
21	Total reported Deliveries	993		1,054			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	74	62.2	146	89.6		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total						
	reported deliveries	836	84.2	886	84.1		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						1 is with
24	ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). 24 Expected number of Live Birth 3,347 3,347						
	hild Immunization :	HMIS (201	18-19)	HMIS (20	19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC	·	
25	Total reported live births	984	29.4	1,044	31.2	Breastfed within 1 hour of birth	52.9

26	Total Still Birth	16	0.5	15	0.4	BCG	77.1
27	PC of newborn weighted at birth to live birth	981	99.7	1,045	100.1	3 dose of DPT	77.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	30	3.1	25	2.4	Measles	75.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	981	99.7	1,030	98.7	Full Immunization	51.9
30	Children fully immunized	882	26.3	1,103	32.9		
31	Children who have received BCG	1,161	34.7	1,151	34.4		
32	Children who have received DPT1	1,237	37.0	1,176	35.1		
33	Children who have received DPT3	1,160	34.7	1,076	32.1		
34	Children who have received Measles	933	27.9	1,121	33.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,062		1,151			

	ry. (DLH5-4 reference period is from 1-1-2008 to survey date nmily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
-		, ,	, ,	Total unmet	
36	Number of Vasectomies performed	0	0	need	18.1
37	Number of Tubectomies performed	155	182	Spacing	10
38	Number of IUD insertion	216	224	Women using	00.0
				any method Women using	38.2
39	Number of IUD removals	93	108	modern method	30.7
F) S	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	393	369		
41	General OPD cases per 10,000				
	population ***	4901	5275		
42	Ayush OPD cases per 10,000 population	222	224		
G) N	Nortality Details	222	227		
1)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	8	8		
45	Total Neonatal Death	8	8		
46	Deaths between (1 - 11) months	0	2		
47	Total reported infant deaths	8	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
	Due to Other Causes (including causes				
53	not known)	0	0		
54	Total reported maternal deaths	0	1		

_	Mon	Factshee	t				
Kev	Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	50					
4	Sub Centers (SC)- HWC	7					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
	Maternal Health:	2011-1		2011			
10	Expected number of PW	4,735)	4,73	35		
11	Expected number of Delivery	4,356)	4,3!	56		
		HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
12	PW register for ANC	3,200	67.6	4,123	87.1	ANC Check up in first trimester	9.1
13	Mothers registered in the first trimester	673	21.0	806	19.5	At least 4ANC check up	3.4
14	Mothers who had at least 3 Ante-Natal care check ups	186	5.8	365	8.9	Neonatal tetanus received	38.2
15	PW who got TT 2 / Booster injection	2,117	66.2	2,139	51.9	100 IFA tablets consumed	0.7
16	PW who consumed 100 IFA tablets	1,802	56.3	977	23.7	Full ANC	0.3
17	Home Delivery against expected delivery *	959	22.0	1,078	24.7	Home Delivery	90.4
18	Institutional Delivery against expected delivery *	1,356	31.1	1,436	33.0	Institutional Delivery	9.6
19	Home Delivery against reported delivery **	959	41.4	1,078	42.9	Home Delivery by SBA(out of Total Deliveries)	4.6
20	Institutional Delivery against reported delivery **	1,356	58.6	1,436	76.9	PNC within 2days of delivery	4.8
21	Total reported Deliveries	2,315		2,514			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	350	36.5	301	27.9		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	1,656	71.5	773	30.7		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						l is with
24	Expected number of Live Birth	4,304		4,304			
D) C	hild Immunization :	HMIS (201		HMIS (20		NFSH-4 (2015	-16)
		Number	PC	Number	PC		
25	Total reported live births	2,301	53.5	2,504	58.2	Breastfed within 1 hour of birth	69.3

26	Total Still Birth	20	0.5	18	0.4	BCG	48.7
27	PC of newborn weighted at birth to live birth	2,287	99.4	2,454	98.0	3 dose of DPT	30.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	1.9	44	1.8	Measles	31.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,240	97.3	2,446	97.7	Full Immunization	19.9
30	Children fully immunized	1,725	40.1	2,216	51.5		
31	Children who have received BCG	2,818	65.5	3,026	70.3		
32	Children who have received DPT1	2,930	68.1	3,057	71.0		
33	Children who have received DPT3	2,424	56.3	2,818	65.5		
34	Children who have received Measles	1,908	44.3	2,253	52.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,997		2,306			

	ry. (DLHS-4 reference period is from 1-1-2008 to survey date nmily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
-		, ,	, ,	Total unmet	. • ,
36	Number of Vasectomies performed	0	0	need	22.3
37	Number of Tubectomies performed	99	124	Spacing	13.5
38	Number of IUD insertion	525	652	Women using any method	12.6
39	Number of IUD removals	207	230	Women using modern method	9.7
F) S	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	125	162		
41	General OPD cases per 10,000 population ***	2212	2431		
42	Ayush OPD cases per 10,000 population ***	121	187		
•	Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	2	2		
44	Neonatal Deaths up to 4 weeks of birth	4	1		
45	Total Neonatal Death	6	3		
46	Deaths between (1 - 11) months	6	4		
47	Total reported infant deaths	12	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	1		

	Phek	Factshee	t			_	
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	163,418					
2	Sex Ratio	951					
	ofrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	44					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	23					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) IV	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	3,092	<u> </u>	3,0	92		
11	Expected number of Delivery	2,845	.)	2,8	45		
		HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015	5-16)
		Number	PC	Number	PC		
12	PW register for ANC	1,793	58.0	2,024	65.5	ANC Check up in first trimester	20.2
13	Mothers registered in the first trimester	501	27.9	488	24.1	At least 4ANC check up	6.6
14	Mothers who had at least 3 Ante-Natal care check ups	203	11.3	279	13.8	Neonatal tetanus received	60.8
15	PW who got TT 2 / Booster injection	857	47.8	1,091	53.9	100 IFA tablets consumed	0.9
16	PW who consumed 100 IFA tablets	1,280	71.4	1,180	58.3	Full ANC	0
17	Home Delivery against expected delivery	512	18.0	557	19.6	Home Delivery	81.3
18	Institutional Delivery against expected delivery *	549	19.3	669	23.5	Institutional Delivery	18.7
19	Home Delivery against reported delivery **	512	48.3	557	45.4	Home Delivery by SBA(out of Total Deliveries)	6.6
20	Institutional Delivery against reported delivery **	549	51.7	669	55.2	PNC within 2days of delivery	11.5
21	Total reported Deliveries	1,061		1,226			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	428	83.6	474	85.1		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	576	54.3	661	53.9		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						4 is with
24	Expected number of Live Birth	2,811		2,811			
	hild Immunization :	HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015	5-16)
		Number	PC	Number	PC	,	
25	Total reported live births	1,064	37.9	1,218	43.3	Breastfed within 1 hour of birth	44

26	Total Still Birth	12	0.4	9	0.3	BCG	74.5
27	PC of newborn weighted at birth to live birth	1,046	98.3	1,159	95.2	3 dose of DPT	53.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.2	8	0.7	Measles	47.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,044	98.1	1,185	97.3	Full Immunization	34.7
30	Children fully immunized	1,034	36.8	1,159	41.2		
31	Children who have received BCG	1,262	44.9	1,502	53.4		
32	Children who have received DPT1	1,450	51.6	1,600	56.9		
33	Children who have received DPT3	1,354	48.2	1,463	52.0		
34	Children who have received Measles	1,064	37.9	1,228	43.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,140		1,161			

	ry. (DLHS-4 reference period is from 1-1-2008 to survey date nmily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
-		, ,	,	Total unmet	
36	Number of Vasectomies performed	0	0	need	22.9
37	Number of Tubectomies performed	0	52	Spacing	7.3
38	Number of IUD insertion	271	332	Women using any method	26.2
39	Number of IUD removals	124	133	Women using modern method	22.3
F) S	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	353	301		
41	General OPD cases per 10,000 population ***	3424	3743		
42	Ayush OPD cases per 10,000 population	167	184		
•	Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	0	2		
44	Neonatal Deaths up to 4 weeks of birth	1	3		
45	Total Neonatal Death	1	5		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	1	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	0	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	1	3		

	Pheren	Factshee	t			_	_
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	16					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) IV	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	1,802	<u>-</u>	1,80	02		
11	Expected number of Delivery	1,657	1	1,6	57		
		HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,326	73.6	1,385	76.9	ANC Check up in first trimester	32.7
13	Mothers registered in the first trimester	290	21.9	284	20.5	At least 4ANC check up	13.2
14	Mothers who had at least 3 Ante-Natal care check ups	218	16.4	273	19.7	Neonatal tetanus received	76.7
15	PW who got TT 2 / Booster injection	740	55.8	901	65.1	100 IFA tablets consumed	7.5
16	PW who consumed 100 IFA tablets	69	5.2	590	42.6	Full ANC	4.1
17	Home Delivery against expected delivery	153	9.2	180	10.9	,	58.6
18	Institutional Delivery against expected delivery *	600	36.2	634	38.3	Institutional Delivery	41.4
19	Home Delivery against reported delivery **	153	20.3	180	22.1	Home Delivery by SBA(out of Total Deliveries)	15.7
20	Institutional Delivery against reported delivery **	600	79.7	634	95.8	PNC within 2days of delivery	30.5
21	Total reported Deliveries	753		814			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	30.1	94	52.2		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	248	32.9	240	29.5		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						l is with
24	Expected number of Live Birth	1,638		1,638		•	
D) C	hild Immunization :	HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
25	Total reported live births	811	49.5	799	48.8	Breastfed within 1 hour of birth	46.3

26	Total Still Birth	6	0.4	17	1.0	BCG	81.1
27	PC of newborn weighted at birth to live birth	778	95.9	742	92.9	3 dose of DPT	57.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.5	12	1.6	Measles	51.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	666	82.1	665	83.2	Full Immunization	49.1
30	Children fully immunized	627	38.3	718	43.8		
31	Children who have received BCG	858	52.4	1,037	63.3		
32	Children who have received DPT1	1,113	67.9	1,151	70.3		
33	Children who have received DPT3	919	56.1	974	59.5		
34	Children who have received Measles	661	40.4	830	50.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	709		831			

E)Fa	mily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
36	Number of Vasectomies performed	0	0	Total unmet	25.3
37	Number of Tubectomies performed	33	31	need Spacing	13.9
38	Number of IUD insertion	98	108	Women using any method	31
39	Number of IUD removals	98	57	Women using modern method	26.6
F) Se	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	141	148		
41	General OPD cases per 10,000 population ***	2826	2876		
42	Ayush OPD cases per 10,000 population ***	239	255		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	4	0		
44	Neonatal Deaths up to 4 weeks of birth	2	0		
45	Total Neonatal Death	6	0		
46	Deaths between (1 - 11) months	3	1		
47	Total reported infant deaths	9	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

_	Tuensang	Factshee	t	_		_	
Key	Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	196,596					
2	Sex Ratio	930					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	38					
4	Sub Centers (SC)- HWC	11					
5	Primary Health Centers (PHC)	13					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	3,720)	3,72	20		
11	Expected number of Delivery	3,422)	3,42	22		
		HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC	•	
12	PW register for ANC	2,189	58.9	2,201	59.2	ANC Check up in first trimester	16.7
13	Mothers registered in the first trimester	296	13.5	354	16.1	At least 4ANC check up	4.8
14	Mothers who had at least 3 Ante-Natal care check ups	71	3.2	108	4.9	Neonatal tetanus received	56.3
15	PW who got TT 2 / Booster injection	1,082	49.4	1,161	52.7	100 IFA tablets consumed	2.5
16	PW who consumed 100 IFA tablets	521	23.8	628	28.5	Full ANC	0.3
17	Home Delivery against expected delivery	557	16.3	420	12.3	Home Delivery	0
18	Institutional Delivery against expected delivery *	969	28.3	1,009	29.5	Institutional Delivery	25.1
19	Home Delivery against reported delivery **	557	36.5	420	29.4	Home Delivery by SBA(out of Total Deliveries)	9.6
20	Institutional Delivery against reported delivery **	969	63.5	1,009	98.6	PNC within 2days of delivery	20.4
21	Total reported Deliveries	1,526		1,429			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	456	81.9	319	76.0		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	597	39.1	483	33.8		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						l is with
24	Expected number of Live Birth	3,381		3,381			
D) C	hild Immunization :	HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	1,555	46.0	1,439	42.6	Breastfed within 1 hour of birth	52.5

26	Total Still Birth	19	0.6	16	0.5	BCG	79.1
27	PC of newborn weighted at birth to live birth	1,523	97.9	1,419	98.6	3 dose of DPT	60.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	30	2.0	25	1.8	Measles	58.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,484	95.4	1,374	95.5	Full Immunization	44.9
30	Children fully immunized	1,358	40.2	1,598	47.3		
31	Children who have received BCG	1,717	50.8	2,051	60.7		
32	Children who have received DPT1	2,046	60.5	2,142	63.3		
33	Children who have received DPT3	1,690	50.0	1,982	58.6		
34	Children who have received Measles	1,574	46.5	1,685	49.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,904		2,002			

	y. (DLHS-4 reference period is from 1-1-2008 to survey date I mily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)		
	<u> </u>	, ,	,	Total unmet		
36	Number of Vasectomies performed	0	0	need	26.4	
37	Number of Tubectomies performed	155	134	Spacing	16.4	
38	Number of IUD insertion	234	145	Women using any method	22	
39	Number of IUD removals	84	92	Women using modern method	19.9	
F) Se	ervice delivery	HMIS (2018-19)	HMIS (2019-20)			
40	IPD cases per 10,000 population ***	232	228			
41	General OPD cases per 10,000 population ***	1959	2304			
42	Ayush OPD cases per 10,000 population ***	145	72			
	Nortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)			
43	Neonatal death within 24 hours	0	0			
44	Neonatal Deaths up to 4 weeks of birth	1	2			
45	Total Neonatal Death	1	2			
46	Deaths between (1 - 11) months	3	2			
47	Total reported infant deaths	4	4			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)			
48	Due to Abortion	0	0			
49	Due to Obstructed/prolonged labour	0	0			
50	Due to Severe hypertension/fits	1	1			
51	Due to Bleeding	0	0			
52	Due to High fever	0	0			
53	Due to Other Causes (including causes not known)	1	0			
54	Total reported maternal deaths	2	1			

	Wokha	Factshee	t		_	_	
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	166,343					
2	Sex Ratio	969					
B) Ir	frastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	37					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) IV	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	3,147	1	3,14	47		
11	Expected number of Delivery	2,895)	2,89	95		
		HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,104	35.1	1,226	39.0	ANC Check up in first trimester	28.9
13	Mothers registered in the first trimester	436	39.5	539	44.0	At least 4ANC check up	25.8
14	Mothers who had at least 3 Ante-Natal care check ups	228	20.7	388	31.6	Neonatal tetanus received	74.5
15	PW who got TT 2 / Booster injection	986	89.3	1,010	82.4	100 IFA tablets consumed	9.9
16	PW who consumed 100 IFA tablets	504	45.7	693	56.5	Full ANC	4.8
17	Home Delivery against expected delivery *	175	6.0	149	5.1	Home Delivery	0
18	Institutional Delivery against expected delivery *	646	22.3	765	26.4	Institutional Delivery	34
19	Home Delivery against reported delivery **	175	21.3	149	16.3	Home Delivery by SBA(out of Total Deliveries)	27
20	Institutional Delivery against reported delivery **	646	78.7	765	84.9	PNC within 2days of delivery	25.6
21	Total reported Deliveries	821		914			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	30.3	42	28.2		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	720	87.7	837	91.6		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						l is with
24	Expected number of Live Birth	2,861		2,861			
	hild Immunization :	HMIS (201	18-19)	HMIS (20)19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
25	Total reported live births	820	28.7	915	32.0	Breastfed within 1 hour of birth	66.6

26	Total Still Birth	7	0.2	4	0.1	BCG	50.1
27	PC of newborn weighted at birth to live birth	818	99.8	906	99.0	3 dose of DPT	47.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.1	11	1.2	Measles	54.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	818	99.8	906	99.0	Full Immunization	22.1
30	Children fully immunized	621	21.7	817	28.6		
31	Children who have received BCG	1,041	36.4	1,049	36.7		
32	Children who have received DPT1	977	34.1	995	34.8		
33	Children who have received DPT3	970	33.9	915	32.0		
34	Children who have received Measles	645	22.5	841	29.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	781		885			
Note	 In case of HMIS data. Proportions are calculated for 0-11 n 	nonths old infan	ts to total i	number of rend	orted live birt	ths and in DLHS-4 the ner	rcentage

	ry. (DLHS-4 reference period is from 1-1-2008 to survey date nmily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
-		, ,	,	Total unmet	
36	Number of Vasectomies performed	0	0	need	24
37	Number of Tubectomies performed	170	106	Spacing	16.2
38	Number of IUD insertion	158	363	Women using any method	30
39	Number of IUD removals	24	19	Women using modern method	21.9
F) S	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	131	140		
41	General OPD cases per 10,000 population ***	2671	3339		
42	Ayush OPD cases per 10,000 population	93	113		
•	Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	2	3		
45	Total Neonatal Death	2	3		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	2	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	1	0		

	Zunheboto	Factshee	t		_	_	
Key	Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	140,757					
2	Sex Ratio	981					
	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	47					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	13					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	2,663	3	2,60	53		
11	Expected number of Delivery	2,450)	2,4!	50		
		HMIS (201	18-19)	HMIS (20	19-20)	NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	871	32.7	1,166	43.8	ANC Check up in first trimester	19.2
13	Mothers registered in the first trimester	279	32.0	287	24.6	At least 4ANC check up	5.9
14	Mothers who had at least 3 Ante-Natal care check ups	117	13.4	186	16.0	Neonatal tetanus received	57.5
15	PW who got TT 2 / Booster injection	507	58.2	406	34.8	100 IFA tablets consumed	0
16	PW who consumed 100 IFA tablets	37	4.2	129	11.1	Full ANC	0
17	Home Delivery against expected delivery	202	8.2	221	9.0	Home Delivery	76.7
18	Institutional Delivery against expected delivery *	693	28.3	673	27.5	Institutional Delivery	23.3
19	Home Delivery against reported delivery **	202	22.6	221	24.7	Home Delivery by SBA(out of Total Deliveries)	3.2
20	Institutional Delivery against reported delivery **	693	77.4	673	92.8	PNC within 2days of delivery	14.5
21	Total reported Deliveries	895		894			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	161	79.7	165	74.7		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	375	41.9	374	41.8		
	In case of HMIS data, Percentage is with reference to total Women who had live/still births since three years preced						is with
24	Expected number of Live Birth	2,421		2,421			
D) C	hild Immunization :	HMIS (201	18-19)	HMIS (20	19-20)	NFSH-4 (2015	-16)
		Number	PC	Number	PC		
25	Total reported live births	888	36.7	886	36.6	Breastfed within 1 hour of birth	58.2

26	Total Still Birth	8	0.3	13	0.5	BCG	71.4
27	PC of newborn weighted at birth to live birth	881	99.2	874	98.6	3 dose of DPT	39
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.6	10	1.1	Measles	48.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	746	84.0	771	87.0	Full Immunization	24.7
30	Children fully immunized	660	27.3	670	27.7		
31	Children who have received BCG	901	37.2	979	40.4		
32	Children who have received DPT1	950	39.2	1,091	45.1		
33	Children who have received DPT3	882	36.4	1,047	43.2		
34	Children who have received Measles	762	31.5	857	35.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	778		923			
	In case of HMIS data, Proportions are calculated for 0-11 m			•			•

	mily Planning	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015	-16)
36	Number of Vasectomies performed	0	0	Total unmet	4- 6
	•	-		need	17.8
37	Number of Tubectomies performed	81	135	Spacing	7.8
38	Number of IUD insertion	397	274	Women using any method	32.5
39	Number of IUD removals	121	103	Women using modern method	28.8
F) Se	ervice delivery	HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	163	194		
41	General OPD cases per 10,000 population ***	3401	4242		
42	Ayush OPD cases per 10,000 population ***	113	119		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	0	5		
44	Neonatal Deaths up to 4 weeks of birth	0	2		
45	Total Neonatal Death	0	7		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0 2		

^{*} Against Expected Delivery for the 2011-12 as the decadal growth is in negative in census 2011. If we projected for 2019-20, population shows declining from 2011-12.

^{**} Against Reported Delivery for the 2018-19 & 2019-20

^{***} Against Estimated Population for 2011-12 as the decadal growth is in negative in census 2011. If we projected for 2019-20, population shows declining from 2011-12.