

## ASSAM Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,12,05,576					
2	Sex Ratio	954					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	4,701					
4	Primary Health Centers (PHC)	1,010					
5	Community Health Centers (CHC)	201					
6	SDH	14					
7	DH	25					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	8,52,619		8,58,796			
9	Expected number of Delivery	7,94,485		8,00,241			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 ( 2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	6,55,125	76.8	6,32,934	73.7	ANC Check up in first trimester	63.8
11	Mothers registered in the first trimester	5,88,341	89.8	5,82,212	92.0	At least 4ANC check up	50.7
12	Mothers who had 4 or more ANC check ups	5,45,202	83.2	5,69,981	90.1	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	6,10,475	93.2	6,02,844	95.2	100 IFA tablets consumed	47.5
14	PW who consumed 180 IFA tablets	6,35,403	97.0	6,21,935	98.3	Home Delivery	15.9
15	Home Delivery against expected delivery *	50,052	6.3	32,192	4.0	Institutional Delivery	84.1
16	Institutional Delivery against expected delivery *	5,23,369	65.9	5,39,738	67.4	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	50,052	8.7	32,192	5.6	PNC within 2days of delivery	65.3
18	Institutional Delivery against reported delivery **	5,23,369	91.3	5,39,738	94.4		
19	Total reported Deliveries	5,73,421		5,71,930			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18,118	36.2	12,152	37.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,65,860	81.2	4,77,742	83.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	7,75,108		7,80,723			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 ( 2019-20)</b>	
23	Total reported live births	5,65,794	73.0	5,64,961	72.4	Breastfed within 1 hour of birth	49.1
24	Total Still Birth	11,511	1.5	10,811	1.4	BCG	92.5
25	PC of newborn weighted at birth to live birth	5,56,071	98.3	5,62,487	99.6	3 dose of DPT	81.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	73,974	13.3	77,513	13.8	Measles First dose	82.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,52,190	97.6	5,47,586	96.9	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	6,06,444	78.2	6,09,909	78.1	Full Immunization	66.4
29	Children who have received BCG	6,15,331	79.4	6,25,022	80.1		
30	Children who have received Pentavalent 1	6,04,882	78.0	6,15,537	78.8		
31	Children who have received Pentavalent 3	5,86,017	75.6	6,10,822	78.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,07,799	78.4	6,10,952	78.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	29,058		32,785			
<b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	466	750	Total unmet need	11		
35	Number of Tubectomies performed	23,619	30,204	Spacing	4.1		
36	Number of IUD insertion	46,733	55,782	Women using any method	60.8		
37	Number of IUD removals	13,335	17,290	Women using modern method	45.3		
<b>F) Service delivery</b>		<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>				
38	IPD cases per 10,000 population ***	338	497				
39	General OPD cases per 10,000 population ***	6,693	9,786				
40	Ayush OPD cases per 10,000 population ***	359	515				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>				
41	Neonatal death within 24 hours	1,231	1,008				
42	Neonatal Deaths up to 4 weeks of birth	4,673	3,803				
43	<b>Total Neonatal Death</b>	<b>5,904</b>	<b>4,811</b>				
44	Deaths between (1 - 11) months	2,001	1,785				
45	<b>Total reported infant deaths</b>	<b>7,905</b>	<b>6,596</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2021-22)</b>	<b>HMIS ( 2022-23)</b>				
46	Due to Abortion	14	7				
47	Due to Obstructed/prolonged labour	11	18				
48	Due to Severe hypertension / fits	99	115				
49	Due to Bleeding	114	79				
50	Due to High fever	14	11				
51	Due to Other Causes (including causes not known)	500	283				
52	<b>Total reported maternal deaths</b>	<b>752</b>	<b>513</b>				

## Baksa Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	24,525		24,563			
9	Expected number of Delivery	22,853		22,888			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	15,313	62.4	14,303	58.2	ANC Check up in first trimester	61.1
11	Mothers registered in the first trimester	13,976	91.3	13,341	93.3	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	13,184	86.1	12,217	85.4	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	13,577	88.7	13,323	93.1	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	14,699	96.0	13,768	96.3	Home Delivery	10.1
15	Home Delivery against expected delivery *	276	1.2	85	0.4	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	6,759	29.6	6,068	26.5	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	276	3.9	85	1.4	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	6,759	96.1	6,068	98.6		
19	Total reported Deliveries	7,035		6,153			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	191	69.2	82	96.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,632	151.1	10,286	167.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,296		22,330			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	6,922	31.0	6,049	27.1	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	129	0.6	121	0.5	BCG	93.6
25	PC of newborn weighted at birth to live birth	6,920	100.0	6,043	99.9	3 dose of DPT	87.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	829	12.0	651	10.8	Measles First dose	91.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,912	99.9	5,998	99.2	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	14,091	63.2	13,922	62.3	Full Immunization	70.5
29	Children who have received BCG	11,204	50.3	9,311	41.7		
30	Children who have received Pentavalent 1	13,769	61.8	13,837	62.0		
31	Children who have received Pentavalent 3	13,324	59.8	13,993	62.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,077	63.1	14,016	62.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	400		348			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	12.5
35	Number of Tubectomies performed	186	344	Spacing	5.7
36	Number of IUD insertion	1,344	1,234	Women using any method	59.2
37	Number of IUD removals	570	734	Women using modern method	47.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	92	94		
39	General OPD cases per 10,000 population ***	4,058	5,210		
40	Ayush OPD cases per 10,000 population ***	823	1274		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	11	9		
42	Neonatal Deaths up to 4 weeks of birth	52	13		
43	<b>Total Neonatal Death</b>	<b>63</b>	<b>22</b>		
44	Deaths between (1 - 11) months	76	14		
45	<b>Total reported infant deaths</b>	<b>139</b>	<b>36</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	0		
52	<b>Total reported maternal deaths</b>	<b>8</b>	<b>0</b>		

## Barpeta Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	16,93,622					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	264					
4	Primary Health Centers (PHC)	50					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	48,349		48,913			
9	Expected number of Delivery	45,052		45,578			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	41,413	85.7	40,287	82.4	ANC Check up in first trimester	62.2
11	Mothers registered in the first trimester	38,418	92.8	37,647	93.4	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	35,311	85.3	37,301	92.6	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	38,403	92.7	38,662	96.0	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	40,700	98.3	39,488	98.0	Home Delivery	12.4
15	Home Delivery against expected delivery *	4,809	10.7	2,679	5.9	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	34,495	76.6	37,517	82.3	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	4,809	12.2	2,679	6.7	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	34,495	87.8	37,517	93.3		
19	Total reported Deliveries	39,304		40,196			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,846	59.2	1,935	72.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,515	85.3	37,799	94.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	43,954		44,467			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	38,432	87.4	39,241	88.2	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	1,059	2.4	1,067	2.4	BCG	94.3
25	PC of newborn weighted at birth to live birth	38,427	100.0	39,226	100.0	3 dose of DPT	73.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,482	14.3	5,868	15.0	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	38,225	99.5	38,822	98.9	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	36,701	83.5	36,932	83.1	Full Immunization	54.6
29	Children who have received BCG	40,217	91.5	44,620	100.3		
30	Children who have received Pentavalent 1	37,310	84.9	38,106	85.7		
31	Children who have received Pentavalent 3	36,411	82.8	37,810	85.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,713	83.5	36,989	83.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	544		883			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	5	Total unmet need	12.3
35	Number of Tubectomies performed	1,671	2,078	Spacing	3.9
36	Number of IUD insertion	2,598	2,481	Women using any method	57.3
37	Number of IUD removals	499	595	Women using modern method	47.4
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	320	398		
39	General OPD cases per 10,000 population ***	5,980	7,392		
40	Ayush OPD cases per 10,000 population ***	605	803		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	38	38		
42	Neonatal Deaths up to 4 weeks of birth	371	429		
43	<b>Total Neonatal Death</b>	<b>409</b>	<b>467</b>		
44	Deaths between (1 - 11) months	100	114		
45	<b>Total reported infant deaths</b>	<b>509</b>	<b>581</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	2		
47	Due to Obstructed/prolonged labour	0	2		
48	Due to Severe hypertension / fits	19	23		
49	Due to Bleeding	9	7		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	63	29		
52	<b>Total reported maternal deaths</b>	<b>91</b>	<b>63</b>		

## Biswanath Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,12,491					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	139					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	3					
6	SDH	2					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	16,529		16,628			
9	Expected number of Delivery	15,402		15,494			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	13,581	82.2	12,717	76.5	ANC Check up in first trimester	41.2
11	Mothers registered in the first trimester	12,623	92.9	11,986	94.3	At least 4ANC check up	46.5
12	Mothers who had 4 or more ANC check ups	11,471	84.5	12,068	94.9	Neonatal tetanus received	94.6
13	PW who got TT 2 / Booster injection	12,695	93.5	12,216	96.1	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	12,987	95.6	12,625	99.3	Home Delivery	15.7
15	Home Delivery against expected delivery *	388	2.5	152	1.0	Institutional Delivery	84.3
16	Institutional Delivery against expected delivery *	8,906	57.8	8,762	56.6	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	388	4.2	152	1.7	PNC within 2days of delivery	56.5
18	Institutional Delivery against reported delivery **	8,906	95.8	8,762	98.3		
19	Total reported Deliveries	9,294		8,914			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	23.5	39	25.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,195	109.7	9,290	104.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,026		15,116			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	9,202	61.2	8,841	58.5	Breastfed within 1 hour of birth	62.7
24	Total Still Birth	113	0.8	103	0.7	BCG	88.3
25	PC of newborn weighted at birth to live birth	9,120	99.1	8,824	99.8	3 dose of DPT	82.5

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,108	12.1	689	7.8	Measles First dose	87.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,987	97.7	8,732	98.8	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,311	81.9	12,522	82.8	Full Immunization	66.2
29	Children who have received BCG	11,305	75.2	10,827	71.6		
30	Children who have received Pentavalent 1	12,293	81.8	12,301	81.4		
31	Children who have received Pentavalent 3	11,950	79.5	12,250	81.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,322	82.0	12,552	83.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	103		73			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	48	Total unmet need	5.3
35	Number of Tubectomies performed	23	726	Spacing	1.4
36	Number of IUD insertion	121	1,082	Women using any method	72.4
37	Number of IUD removals	69	151	Women using modern method	56.1
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	417	483		
39	General OPD cases per 10,000 population ***	9,915	13,313		
40	Ayush OPD cases per 10,000 population ***	101	142		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	30	15		
42	Neonatal Deaths up to 4 weeks of birth	62	23		
43	<b>Total Neonatal Death</b>	<b>92</b>	<b>38</b>		
44	Deaths between (1 - 11) months	51	43		
45	<b>Total reported infant deaths</b>	<b>143</b>	<b>81</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	3	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	4		
52	<b>Total reported maternal deaths</b>	<b>10</b>	<b>7</b>		



## Bongaigaon Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>7,38,804</b>					
2	Sex Ratio	<b>961</b>					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>108</b>					
4	Primary Health Centers (PHC)	<b>29</b>					
5	Community Health Centers (CHC)	<b>4</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	20,718		20,923			
9	Expected number of Delivery	19,306		19,496			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	15,086	72.8	14,912	71.3	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	13,993	92.8	13,924	93.4	At least 4ANC check up	33.9
12	Mothers who had 4 or more ANC check ups	13,463	89.2	13,960	93.6	Neonatal tetanus received	91.8
13	PW who got TT 2 / Booster injection	14,140	93.7	14,021	94.0	100 IFA tablets consumed	46.7
14	PW who consumed 180 IFA tablets	15,086	100.0	14,912	100.0	Home Delivery	15.5
15	Home Delivery against expected delivery *	456	2.4	350	1.8	Institutional Delivery	84.5
16	Institutional Delivery against expected delivery *	13,371	69.3	13,326	68.4	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	456	3.3	350	2.6	PNC within 2days of delivery	57.0
18	Institutional Delivery against reported delivery **	13,371	96.7	13,326	97.4		
19	Total reported Deliveries	13,827		13,676			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	387	84.9	338	96.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,333	89.2	15,209	111.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,835		19,021			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	13,765	73.1	13,649	71.8	Breastfed within 1 hour of birth	46.7
24	Total Still Birth	233	1.2	183	1.0	BCG	94.1
25	PC of newborn weighted at birth to live birth	13,584	98.7	13,575	99.5	3 dose of DPT	80.4

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,715	12.6	1,793	13.2	Measles First dose	84.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,627	99.0	13,314	97.5	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	13,349	70.9	14,531	76.4	Full Immunization	67.9
29	Children who have received BCG	16,221	86.1	15,560	81.8		
30	Children who have received Pentavalent 1	13,925	73.9	14,714	77.4		
31	Children who have received Pentavalent 3	13,362	70.9	14,624	76.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,349	70.9	14,531	76.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	193		411			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	4	Total unmet need	16.1
35	Number of Tubectomies performed	559	572	Spacing	5.1
36	Number of IUD insertion	1,147	1,219	Women using any method	57.6
37	Number of IUD removals	212	205	Women using modern method	45.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	353	457		
39	General OPD cases per 10,000 population ***	5,587	7,794		
40	Ayush OPD cases per 10,000 population ***	138	57		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	21	8		
42	Neonatal Deaths up to 4 weeks of birth	56	35		
43	<b>Total Neonatal Death</b>	<b>77</b>	<b>43</b>		
44	Deaths between (1 - 11) months	42	17		
45	<b>Total reported infant deaths</b>	<b>119</b>	<b>60</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	2		
52	<b>Total reported maternal deaths</b>	<b>6</b>	<b>2</b>		

## Cachar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	17,36,617					
2	Sex Ratio	958					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	270					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	48,983		49,495			
9	Expected number of Delivery	45,643		46,120			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	38,854	79.3	37,249	75.3	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	35,076	90.3	33,751	90.6	At least 4ANC check up	32.7
12	Mothers who had 4 or more ANC check ups	34,341	88.4	36,145	97.0	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	38,086	98.0	36,306	97.5	100 IFA tablets consumed	35.6
14	PW who consumed 180 IFA tablets	38,064	98.0	37,058	99.5	Home Delivery	20.8
15	Home Delivery against expected delivery *	767	1.7	429	0.9	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	41,891	91.8	40,851	88.6	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	767	1.8	429	1.0	PNC within 2days of delivery	57.3
18	Institutional Delivery against reported delivery **	41,891	98.2	40,851	99.0		
19	Total reported Deliveries	42,658		41,280			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	504	65.7	253	59.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,287	52.2	23,896	57.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	44,530		44,995			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	41,755	93.8	40,603	90.2	Breastfed within 1 hour of birth	29.8
24	Total Still Birth	1,239	2.8	971	2.2	BCG	88.3
25	PC of newborn weighted at birth to live birth	41,361	99.1	40,603	100.0	3 dose of DPT	82.5

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,769	16.4	6,957	17.1	Measles First dose	76.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	41,339	99.0	39,988	98.5	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	41,305	92.8	42,964	95.5	Full Immunization	70.4
29	Children who have received BCG	45,889	103.1	44,683	99.3		
30	Children who have received Pentavalent 1	43,524	97.7	45,060	100.1		
31	Children who have received Pentavalent 3	42,750	96.0	43,544	96.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	41,179	92.5	43,187	96.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,841		909			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	110	32	Total unmet need	15.6
35	Number of Tubectomies performed	1,416	1,885	Spacing	6.9
36	Number of IUD insertion	2,145	2,287	Women using any method	48
37	Number of IUD removals	197	171	Women using modern method	38.2
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	504	758		
39	General OPD cases per 10,000 population ***	9,617	11,259		
40	Ayush OPD cases per 10,000 population ***	16	7		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	122	44		
42	Neonatal Deaths up to 4 weeks of birth	327	181		
43	<b>Total Neonatal Death</b>	<b>449</b>	<b>225</b>		
44	Deaths between (1 - 11) months	188	124		
45	<b>Total reported infant deaths</b>	<b>637</b>	<b>349</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	7	0		
49	Due to Bleeding	4	9		
50	Due to High fever	3	0		
51	Due to Other Causes (including causes not known)	75	50		
52	<b>Total reported maternal deaths</b>	<b>89</b>	<b>59</b>		

## Charaideo Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,58,615					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	70					
4	Primary Health Centers (PHC)	19					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	11,630		11,627			
9	Expected number of Delivery	10,837		10,834			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	7,490	64.4	6,712	57.7	ANC Check up in first trimester	74.1
11	Mothers registered in the first trimester	6,833	91.2	6,168	91.9	At least 4ANC check up	64.5
12	Mothers who had 4 or more ANC check ups	6,316	84.3	5,792	86.3	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	6,739	90.0	6,127	91.3	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	8,072	107.8	6,591	98.2	Home Delivery	11.8
15	Home Delivery against expected delivery *	31	0.3	18	0.2	Institutional Delivery	88.2
16	Institutional Delivery against expected delivery *	3,317	30.6	3,568	32.9	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	31	0.9	18	0.5	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	3,317	99.1	3,568	99.5		
19	Total reported Deliveries	3,348		3,586			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	100.0	18	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,731	141.3	3,943	110.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	10,572		10,570			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	3,292	31.1	3,523	33.3	Breastfed within 1 hour of birth	58.3
24	Total Still Birth	56	0.5	69	0.7	BCG	96.2
25	PC of newborn weighted at birth to live birth	3,296	100.1	3,520	99.9	3 dose of DPT	90.1

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	558	16.9	752	21.4	Measles First dose	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,285	99.8	3,491	99.1	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,988	66.1	6,766	64.0	Full Immunization	74
29	Children who have received BCG	4,263	40.3	4,124	39.0		
30	Children who have received Pentavalent 1	7,048	66.7	6,870	65.0		
31	Children who have received Pentavalent 3	6,558	62.0	6,767	64.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,990	66.1	6,778	64.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	235		155			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	4	Total unmet need	8.3
35	Number of Tubectomies performed	545	370	Spacing	3.7
36	Number of IUD insertion	1,030	1,346	Women using any method	67
37	Number of IUD removals	129	201	Women using modern method	43.9
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	108	188		
39	General OPD cases per 10,000 population ***	10,754	14,522		
40	Ayush OPD cases per 10,000 population ***	130	153		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	5	4		
42	Neonatal Deaths up to 4 weeks of birth	5	5		
43	<b>Total Neonatal Death</b>	<b>10</b>	<b>9</b>		
44	Deaths between (1 - 11) months	7	0		
45	<b>Total reported infant deaths</b>	<b>17</b>	<b>9</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Chirang Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,82,162					
2	Sex Ratio	969					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	87					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	12,458		12,478			
9	Expected number of Delivery	11,608		11,627			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	9,294	74.6	9,178	73.6	ANC Check up in first trimester	55.9
11	Mothers registered in the first trimester	7,782	83.7	8,005	87.2	At least 4ANC check up	56.5
12	Mothers who had 4 or more ANC check ups	6,775	72.9	7,219	78.7	Neonatal tetanus received	96.1
13	PW who got TT 2 / Booster injection	8,803	94.7	8,727	95.1	100 IFA tablets consumed	47.1
14	PW who consumed 180 IFA tablets	8,814	94.8	9,114	99.3	Home Delivery	16.3
15	Home Delivery against expected delivery *	1,407	12.1	894	7.7	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	6,189	53.3	6,476	55.7	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	1,407	18.5	894	12.1	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	6,189	81.5	6,476	87.9		
19	Total reported Deliveries	7,596		7,370			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	5.5	59	6.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,149	54.6	4,877	66.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	11,325		11,344			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	7,538	66.6	7,286	64.2	Breastfed within 1 hour of birth	40.5
24	Total Still Birth	93	0.8	131	1.2	BCG	98.2
25	PC of newborn weighted at birth to live birth	7,527	99.9	7,278	99.9	3 dose of DPT	86.4

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	865	11.5	929	12.8	Measles First dose	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,502	99.5	7,249	99.5	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	8,197	72.4	8,300	73.2	Full Immunization	71.1
29	Children who have received BCG	8,888	78.5	8,289	73.1		
30	Children who have received Pentavalent 1	8,432	74.5	8,519	75.1		
31	Children who have received Pentavalent 3	8,213	72.5	8,714	76.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,221	72.6	8,314	73.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	670		631			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	87	147	Spacing	3.7
36	Number of IUD insertion	809	1,470	Women using any method	65.8
37	Number of IUD removals	538	723	Women using modern method	55.6
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	290	403		
39	General OPD cases per 10,000 population ***	4,763	6,797		
40	Ayush OPD cases per 10,000 population ***	516	668		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	20	7		
42	Neonatal Deaths up to 4 weeks of birth	41	17		
43	<b>Total Neonatal Death</b>	<b>61</b>	<b>24</b>		
44	Deaths between (1 - 11) months	33	27		
45	<b>Total reported infant deaths</b>	<b>94</b>	<b>51</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	1	3		
49	Due to Bleeding	2	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	11	5		
52	<b>Total reported maternal deaths</b>	<b>14</b>	<b>10</b>		



## Darrang Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,28,500					
2	Sex Ratio	923					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	159					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	26,020		26,275			
9	Expected number of Delivery	24,246		24,484			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,999	84.5	21,387	81.4	ANC Check up in first trimester	56.5
11	Mothers registered in the first trimester	21,682	98.6	21,193	99.1	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	20,655	93.9	20,826	97.4	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	20,804	94.6	20,922	97.8	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	22,142	100.7	21,526	100.6	Home Delivery	15.6
15	Home Delivery against expected delivery *	108	0.4	131	0.5	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	19,008	78.4	19,834	81.0	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	108	0.6	131	0.7	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	19,008	99.4	19,834	99.3		
19	Total reported Deliveries	19,116		19,965			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	99.1	131	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,484	122.8	25,514	127.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,655		23,886			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	18,947	80.1	19,783	82.8	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	304	1.3	306	1.3	BCG	94.9
25	PC of newborn weighted at birth to live birth	18,897	99.7	19,777	100.0	3 dose of DPT	76.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,878	9.9	2,188	11.1	Measles First dose	82.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,558	97.9	18,922	95.6	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,678	83.2	20,328	85.1	Full Immunization	57.1
29	Children who have received BCG	19,303	81.6	19,219	80.5		
30	Children who have received Pentavalent 1	19,706	83.3	21,063	88.2		
31	Children who have received Pentavalent 3	19,422	82.1	20,653	86.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,630	83.0	20,280	84.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,750		2,222			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	11	Total unmet need	14.8
35	Number of Tubectomies performed	797	758	Spacing	5.8
36	Number of IUD insertion	2,325	2,362	Women using any method	46.8
37	Number of IUD removals	619	454	Women using modern method	36.5
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	369	547		
39	General OPD cases per 10,000 population ***	5,801	8,483		
40	Ayush OPD cases per 10,000 population ***	271	529		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	8	2		
42	Neonatal Deaths up to 4 weeks of birth	129	68		
43	<b>Total Neonatal Death</b>	<b>137</b>	<b>70</b>		
44	Deaths between (1 - 11) months	24	21		
45	<b>Total reported infant deaths</b>	<b>161</b>	<b>91</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	2	1		
49	Due to Bleeding	5	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	3		
52	<b>Total reported maternal deaths</b>	<b>19</b>	<b>6</b>		

## Dhemaji Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>6,86,133</b>					
2	Sex Ratio	<b>949</b>					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>98</b>					
4	Primary Health Centers (PHC)	<b>23</b>					
5	Community Health Centers (CHC)	<b>5</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	19,378		19,583			
9	Expected number of Delivery	18,056		18,247			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	13,930	71.9	12,688	64.8	ANC Check up in first trimester	76.2
11	Mothers registered in the first trimester	13,160	94.5	12,039	94.9	At least 4ANC check up	62.2
12	Mothers who had 4 or more ANC check ups	11,515	82.7	10,533	83.0	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	12,786	91.8	12,037	94.9	100 IFA tablets consumed	45.3
14	PW who consumed 180 IFA tablets	14,157	101.6	12,180	96.0	Home Delivery	12.7
15	Home Delivery against expected delivery *	29	0.2	26	0.1	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	14,723	81.5	13,210	72.4	Home Delivery by SBA	4.2
17	Home Delivery against reported delivery **	29	0.2	26	0.2	PNC within 2days of delivery	72.8
18	Institutional Delivery against reported delivery **	14,723	99.8	13,210	99.8		
19	Total reported Deliveries	14,752		13,236			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	65.5	16	61.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,891	80.6	10,750	81.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,616		17,802			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	14,650	83.2	13,154	73.9	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	224	1.3	168	0.9	BCG	96.7
25	PC of newborn weighted at birth to live birth	14,390	98.2	13,053	99.2	3 dose of DPT	94.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,527	10.6	1,041	8.0	Measles First dose	93.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,306	97.7	12,556	95.5	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	13,550	76.9	12,841	72.1	Full Immunization	89.7
29	Children who have received BCG	14,270	81.0	13,175	74.0		
30	Children who have received Pentavalent 1	13,396	76.0	12,456	70.0		
31	Children who have received Pentavalent 3	13,455	76.4	12,803	71.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,591	77.2	12,844	72.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	838		1,025			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	746	731	Spacing	3.5
36	Number of IUD insertion	853	1,779	Women using any method	72.6
37	Number of IUD removals	700	903	Women using modern method	45
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	283	364		
39	General OPD cases per 10,000 population ***	6,446	8,112		
40	Ayush OPD cases per 10,000 population ***	215	364		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	32	31		
42	Neonatal Deaths up to 4 weeks of birth	80	53		
43	<b>Total Neonatal Death</b>	<b>112</b>	<b>84</b>		
44	Deaths between (1 - 11) months	52	28		
45	<b>Total reported infant deaths</b>	<b>164</b>	<b>112</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	5		
52	<b>Total reported maternal deaths</b>	<b>11</b>	<b>5</b>		

## Dhubri Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,94,144					
2	Sex Ratio	952					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	192					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	40,984		41,584			
9	Expected number of Delivery	38,190		38,749			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	44,266	108.0	44,615	107.3	ANC Check up in first trimester	49.9
11	Mothers registered in the first trimester	39,773	89.8	42,290	94.8	At least 4ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	40,429	91.3	41,216	92.4	Neonatal tetanus received	97.0
13	PW who got TT 2 / Booster injection	42,537	96.1	44,029	98.7	100 IFA tablets consumed	47.6
14	PW who consumed 180 IFA tablets	44,251	100.0	45,271	101.5	Home Delivery	35.8
15	Home Delivery against expected delivery *	13,910	36.4	8,740	22.6	Institutional Delivery	64.2
16	Institutional Delivery against expected delivery *	22,241	58.2	27,252	70.3	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	13,910	38.5	8,740	24.3	PNC within 2days of delivery	48.4
18	Institutional Delivery against reported delivery **	22,241	61.5	27,252	75.7		
19	Total reported Deliveries	36,151		35,992			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,944	35.5	2,780	31.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,174	69.6	29,271	81.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,258		37,804			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	36,314	97.5	35,632	94.3	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	860	2.3	814	2.2	BCG	90.5
25	PC of newborn weighted at birth to live birth	36,081	99.4	35,457	99.5	3 dose of DPT	82.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,207	14.4	4,175	11.8	Measles First dose	84
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,736	98.4	34,738	97.5	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	38,756	104.0	39,578	104.7	Full Immunization	71.6
29	Children who have received BCG	38,431	103.1	39,904	105.6		
30	Children who have received Pentavalent 1	38,397	103.1	40,328	106.7		
31	Children who have received Pentavalent 3	37,856	101.6	40,216	106.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	39,510	106.0	39,597	104.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,135		2,214			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	13	4	Total unmet need	11.5
35	Number of Tubectomies performed	518	470	Spacing	4
36	Number of IUD insertion	5,299	4,920	Women using any method	64.1
37	Number of IUD removals	331	347	Women using modern method	53.2
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	255	369		
39	General OPD cases per 10,000 population ***	4,483	6,859		
40	Ayush OPD cases per 10,000 population ***	361	595		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	111	55		
42	Neonatal Deaths up to 4 weeks of birth	256	168		
43	<b>Total Neonatal Death</b>	<b>367</b>	<b>223</b>		
44	Deaths between (1 - 11) months	87	41		
45	<b>Total reported infant deaths</b>	<b>454</b>	<b>264</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	2	0		
49	Due to Bleeding	5	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	4		
52	<b>Total reported maternal deaths</b>	<b>20</b>	<b>5</b>		

## Dibrugarh Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,26,335					
2	Sex Ratio	952					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	234					
4	Primary Health Centers (PHC)	31					
5	Community Health Centers (CHC)	10					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	34,534		34,617			
9	Expected number of Delivery	32,179		32,256			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	20,554	59.5	18,437	53.3	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	17,982	87.5	16,749	90.8	At least 4ANC check up	75.6
12	Mothers who had 4 or more ANC check ups	15,206	74.0	16,183	87.8	Neonatal tetanus received	94.1
13	PW who got TT 2 / Booster injection	18,209	88.6	17,224	93.4	100 IFA tablets consumed	58.9
14	PW who consumed 180 IFA tablets	19,574	95.2	17,756	96.3	Home Delivery	6.9
15	Home Delivery against expected delivery *	47	0.1	17	0.1	Institutional Delivery	93.1
16	Institutional Delivery against expected delivery *	21,662	67.3	22,600	70.1	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	47	0.2	17	0.1	PNC within 2days of delivery	82.1
18	Institutional Delivery against reported delivery **	21,662	99.8	22,600	99.9		
19	Total reported Deliveries	21,709		22,617			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	36.2	5	29.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,534	94.6	20,149	89.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,394		31,470			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	21,259	67.7	22,269	70.8	Breastfed within 1 hour of birth	52.6
24	Total Still Birth	657	2.1	695	2.2	BCG	97.8
25	PC of newborn weighted at birth to live birth	21,259	100.0	22,265	100.0	3 dose of DPT	93

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,635	21.8	4,483	20.1	Measles First dose	97.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	20,936	98.5	21,607	97.0	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	19,910	63.4	19,278	61.3	Full Immunization	83.8
29	Children who have received BCG	21,430	68.3	23,400	74.4		
30	Children who have received Pentavalent 1	20,281	64.6	19,004	60.4		
31	Children who have received Pentavalent 3	18,723	59.6	19,495	61.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,912	63.4	19,281	61.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,257		1,667			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	76	45	Total unmet need	8.7
35	Number of Tubectomies performed	1,923	2,144	Spacing	4.8
36	Number of IUD insertion	842	1,279	Women using any method	64.6
37	Number of IUD removals	605	855	Women using modern method	43.6
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	597	989		
39	General OPD cases per 10,000 population ***	14,503	22,178		
40	Ayush OPD cases per 10,000 population ***	164	247		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	57	78		
42	Neonatal Deaths up to 4 weeks of birth	349	322		
43	<b>Total Neonatal Death</b>	<b>406</b>	<b>400</b>		
44	Deaths between (1 - 11) months	105	177		
45	<b>Total reported infant deaths</b>	<b>511</b>	<b>577</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	6	3		
47	Due to Obstructed/prolonged labour	4	4		
48	Due to Severe hypertension / fits	27	30		
49	Due to Bleeding	12	13		
50	Due to High fever	7	9		
51	Due to Other Causes (including causes not known)	35	20		
52	<b>Total reported maternal deaths</b>	<b>91</b>	<b>79</b>		



## Dima Hasao Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,14,102					
2	Sex Ratio	931					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	76					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	5,657		5,679			
9	Expected number of Delivery	5,271		5,292			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,153	73.4	4,011	70.6	ANC Check up in first trimester	58.9
11	Mothers registered in the first trimester	3,125	75.2	3,171	79.1	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	2,246	54.1	2,409	60.1	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	3,622	87.2	3,519	87.7	100 IFA tablets consumed	40.8
14	PW who consumed 180 IFA tablets	3,587	86.4	3,309	82.5	Home Delivery	10.5
15	Home Delivery against expected delivery *	1,284	24.4	1,105	20.9	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	2,275	43.2	2,364	44.7	Home Delivery by SBA	1.8
17	Home Delivery against reported delivery **	1,284	36.1	1,105	31.9	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	2,275	63.9	2,364	68.1		
19	Total reported Deliveries	3,559		3,469			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	452	35.2	529	47.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,169	32.8	1,214	35.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,143		5,163			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	3,503	68.1	3,425	66.3	Breastfed within 1 hour of birth	58
24	Total Still Birth	70	1.4	74	1.4	BCG	91.3
25	PC of newborn weighted at birth to live birth	3,492	99.7	3,407	99.5	3 dose of DPT	71.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	217	6.2	258	7.6	Measles First dose	71.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,486	99.5	3,412	99.6	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,445	67.0	3,653	70.8	Full Immunization	63.6
29	Children who have received BCG	3,583	69.7	3,563	69.0		
30	Children who have received Pentavalent 1	3,469	67.5	3,745	72.5		
31	Children who have received Pentavalent 3	3,309	64.3	3,702	71.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,450	67.1	3,648	70.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	500		381			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	6	Spacing	2.6
36	Number of IUD insertion	187	149	Women using any method	65.5
37	Number of IUD removals	162	217	Women using modern method	44.9
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	393	561		
39	General OPD cases per 10,000 population ***	6,379	7,935		
40	Ayush OPD cases per 10,000 population ***	342	457		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	13	10		
42	Neonatal Deaths up to 4 weeks of birth	23	21		
43	<b>Total Neonatal Death</b>	<b>36</b>	<b>31</b>		
44	Deaths between (1 - 11) months	34	22		
45	<b>Total reported infant deaths</b>	<b>70</b>	<b>53</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	4	2		
52	<b>Total reported maternal deaths</b>	<b>6</b>	<b>4</b>		

## Goalpara Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	29,161		29,540			
9	Expected number of Delivery	27,173		27,526			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	27,066	92.8	26,894	91.0	ANC Check up in first trimester	65.3
11	Mothers registered in the first trimester	25,515	94.3	25,568	95.1	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	22,519	83.2	23,671	88.0	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	25,293	93.4	25,100	93.3	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	26,515	98.0	26,017	96.7	Home Delivery	7.7
15	Home Delivery against expected delivery *	844	3.1	739	2.7	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	25,032	92.1	26,195	95.2	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	844	3.3	739	2.7	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	25,032	96.7	26,195	97.3		
19	Total reported Deliveries	25,876		26,934			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	713	84.5	673	91.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,583	75.7	24,833	92.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,510		26,855			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	25,532	96.3	26,612	99.1	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	570	2.2	581	2.2	BCG	98.4
25	PC of newborn weighted at birth to live birth	25,372	99.4	26,588	99.9	3 dose of DPT	90.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,838	11.2	3,011	11.3	Measles First dose	90.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,275	99.0	26,267	98.7	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,727	85.7	22,785	84.8	Full Immunization	70.3
29	Children who have received BCG	25,970	98.0	24,600	91.6		
30	Children who have received Pentavalent 1	23,047	86.9	23,667	88.1		
31	Children who have received Pentavalent 3	22,455	84.7	23,101	86.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,618	89.1	23,094	86.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	753		971			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	18	36	Total unmet need	7.4
35	Number of Tubectomies performed	743	1,306	Spacing	2.2
36	Number of IUD insertion	6,469	5,539	Women using any method	66.8
37	Number of IUD removals	1,088	1,056	Women using modern method	55.1
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	516	691		
39	General OPD cases per 10,000 population ***	6,954	8,558		
40	Ayush OPD cases per 10,000 population ***	577	755		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	105	106		
42	Neonatal Deaths up to 4 weeks of birth	201	165		
43	<b>Total Neonatal Death</b>	<b>306</b>	<b>271</b>		
44	Deaths between (1 - 11) months	36	31		
45	<b>Total reported infant deaths</b>	<b>342</b>	<b>302</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	4		
49	Due to Bleeding	6	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	15	2		
52	<b>Total reported maternal deaths</b>	<b>24</b>	<b>7</b>		

## Golaghat Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	143					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	27,735		27,797			
9	Expected number of Delivery	25,844		25,902			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	18,020	65.0	16,911	60.8	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	16,757	93.0	16,048	94.9	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	15,347	85.2	15,191	89.8	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	16,860	93.6	16,034	94.8	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	17,295	96.0	16,783	99.2	Home Delivery	9.6
15	Home Delivery against expected delivery *	132	0.5	65	0.3	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	12,937	50.1	12,060	46.6	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	132	1.0	65	0.5	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	12,937	99.0	12,060	99.5		
19	Total reported Deliveries	13,069		12,125			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	40.2	21	32.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,955	76.2	9,894	81.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,213		25,270			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	12,931	51.3	12,054	47.7	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	212	0.8	201	0.8	BCG	92.6
25	PC of newborn weighted at birth to live birth	12,909	99.8	12,026	99.8	3 dose of DPT	84.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,623	12.6	1,652	13.7	Measles First dose	87.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,807	99.0	11,574	96.0	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	16,323	64.7	15,629	61.8	Full Immunization	72.4
29	Children who have received BCG	13,589	53.9	13,383	53.0		
30	Children who have received Pentavalent 1	16,756	66.5	16,381	64.8		
31	Children who have received Pentavalent 3	16,269	64.5	15,906	62.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,304	64.7	15,712	62.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	667		1,162			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	26	21	Total unmet need	10.9
35	Number of Tubectomies performed	670	793	Spacing	4.7
36	Number of IUD insertion	677	1,287	Women using any method	61.6
37	Number of IUD removals	836	1,323	Women using modern method	35.7
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	247	385		
39	General OPD cases per 10,000 population ***	7,042	11,825		
40	Ayush OPD cases per 10,000 population ***	300	206		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	39	17		
42	Neonatal Deaths up to 4 weeks of birth	97	65		
43	<b>Total Neonatal Death</b>	<b>136</b>	<b>82</b>		
44	Deaths between (1 - 11) months	51	32		
45	<b>Total reported infant deaths</b>	<b>187</b>	<b>114</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	5		
52	<b>Total reported maternal deaths</b>	<b>11</b>	<b>5</b>		

## Hailakandi Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,59,296					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	18,829		19,049			
9	Expected number of Delivery	17,545		17,750			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	19,593	104.1	18,707	98.2	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	17,268	88.1	16,663	89.1	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	17,127	87.4	16,534	88.4	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	18,949	96.7	18,042	96.4	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	19,539	99.7	18,562	99.2	Home Delivery	17.0
15	Home Delivery against expected delivery *	867	4.9	623	3.5	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	13,915	79.3	13,764	77.5	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	867	5.9	623	4.3	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	13,915	94.1	13,764	95.7		
19	Total reported Deliveries	14,782		14,387			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	460	53.1	345	55.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,610	92.1	13,908	96.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,117		17,318			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	14,559	85.1	14,195	82.0	Breastfed within 1 hour of birth	24.4
24	Total Still Birth	303	1.8	264	1.5	BCG	95.4
25	PC of newborn weighted at birth to live birth	14,559	100.0	14,195	100.0	3 dose of DPT	78.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,443	9.9	1,432	10.1	Measles First dose	85.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,992	96.1	13,567	95.6	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	16,753	97.9	17,560	101.4	Full Immunization	68.6
29	Children who have received BCG	17,572	102.7	16,861	97.4		
30	Children who have received Pentavalent 1	17,480	102.1	17,765	102.6		
31	Children who have received Pentavalent 3	16,765	97.9	17,697	102.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,765	97.9	17,560	101.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,017		2,935			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	30	29	Total unmet need	8.6
35	Number of Tubectomies performed	361	407	Spacing	4.2
36	Number of IUD insertion	3,660	3,861	Women using any method	66.8
37	Number of IUD removals	442	437	Women using modern method	49.5
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	368	445		
39	General OPD cases per 10,000 population ***	5,719	8,802		
40	Ayush OPD cases per 10,000 population ***	156	278		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	21	16		
42	Neonatal Deaths up to 4 weeks of birth	40	30		
43	<b>Total Neonatal Death</b>	<b>61</b>	<b>46</b>		
44	Deaths between (1 - 11) months	29	3		
45	<b>Total reported infant deaths</b>	<b>90</b>	<b>49</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	1		
52	<b>Total reported maternal deaths</b>	<b>7</b>	<b>2</b>		



## Hojai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,31,218					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	94					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	26,764		27,095			
9	Expected number of Delivery	24,939		25,248			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,458	80.2	23,143	85.4	ANC Check up in first trimester	52.7
11	Mothers registered in the first trimester	20,203	94.2	22,404	96.8	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	19,433	90.6	22,336	96.5	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	21,174	98.7	22,444	97.0	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	21,511	100.2	22,919	99.0	Home Delivery	17.9
15	Home Delivery against expected delivery *	1,281	5.1	891	3.5	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	14,041	56.3	16,698	66.1	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	1,281	8.4	891	5.1	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	14,041	91.6	16,698	94.9		
19	Total reported Deliveries	15,322		17,589			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	104	8.1	38	4.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,905	90.8	14,519	82.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,331		24,632			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	15,094	62.0	17,403	70.7	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	240	1.0	210	0.9	BCG	82.1
25	PC of newborn weighted at birth to live birth	15,063	99.8	17,371	99.8	3 dose of DPT	60.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,072	7.1	1,559	9.0	Measles First dose	59.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,002	99.4	16,695	95.9	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	20,588	84.6	23,284	94.5	Full Immunization	55.5
29	Children who have received BCG	20,348	83.6	25,528	103.6		
30	Children who have received Pentavalent 1	21,716	89.3	22,538	91.5		
31	Children who have received Pentavalent 3	20,588	84.6	23,249	94.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,612	84.7	23,305	94.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	663		885			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	48	247	Spacing	4.9
36	Number of IUD insertion	256	574	Women using any method	61.1
37	Number of IUD removals	45	117	Women using modern method	48.2
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	73	157		
39	General OPD cases per 10,000 population ***	3,028	4,507		
40	Ayush OPD cases per 10,000 population ***	50	109		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	16	2		
42	Neonatal Deaths up to 4 weeks of birth	39	4		
43	<b>Total Neonatal Death</b>	<b>55</b>	<b>6</b>		
44	Deaths between (1 - 11) months	25	4		
45	<b>Total reported infant deaths</b>	<b>80</b>	<b>10</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	11	1		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	1	2		
52	<b>Total reported maternal deaths</b>	<b>14</b>	<b>3</b>		

## Jorhat Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,24,952					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	110					
4	Primary Health Centers (PHC)	36					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	23,418		23,408			
9	Expected number of Delivery	21,821		21,812			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	14,779	63.1	13,504	57.7	ANC Check up in first trimester	78.3
11	Mothers registered in the first trimester	14,110	95.5	12,887	95.4	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	11,444	77.4	11,301	83.7	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	13,645	92.3	12,803	94.8	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	13,920	94.2	13,357	98.9	Home Delivery	3.5
15	Home Delivery against expected delivery *	42	0.2	20	0.1	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,016	64.2	14,876	68.2	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	42	0.3	20	0.1	PNC within 2days of delivery	81.4
18	Institutional Delivery against reported delivery **	14,016	99.7	14,876	99.9		
19	Total reported Deliveries	14,058		14,896			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	81.0	19	95.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,289	108.8	16,126	108.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,289		21,280			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	13,990	65.7	14,743	69.3	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	240	1.1	268	1.3	BCG	100
25	PC of newborn weighted at birth to live birth	13,337	95.3	14,525	98.5	3 dose of DPT	79.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,494	11.2	1,050	7.2	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,316	95.2	14,218	96.4	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	15,368	72.2	14,196	66.7	Full Immunization	69.2
29	Children who have received BCG	13,416	63.0	14,363	67.5		
30	Children who have received Pentavalent 1	14,779	69.4	14,612	68.7		
31	Children who have received Pentavalent 3	14,710	69.1	14,280	67.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,682	73.7	14,397	67.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	328		170			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	14	15	Total unmet need	10.4
35	Number of Tubectomies performed	907	1,296	Spacing	3.2
36	Number of IUD insertion	357	573	Women using any method	63.8
37	Number of IUD removals	132	173	Women using modern method	32.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	503	678		
39	General OPD cases per 10,000 population ***	10,233	16,121		
40	Ayush OPD cases per 10,000 population ***	23	148		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	29	32		
42	Neonatal Deaths up to 4 weeks of birth	286	322		
43	<b>Total Neonatal Death</b>	<b>315</b>	<b>354</b>		
44	Deaths between (1 - 11) months	91	130		
45	<b>Total reported infant deaths</b>	<b>406</b>	<b>484</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	3		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	25	7		
52	<b>Total reported maternal deaths</b>	<b>25</b>	<b>13</b>		

## Kamrup R Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	15,17,542					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	65					
5	Community Health Centers (CHC)	13					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	40,952		41,198			
9	Expected number of Delivery	38,160		38,389			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	30,583	74.7	30,542	74.1	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	28,944	94.6	29,534	96.7	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	26,550	86.8	29,088	95.2	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	28,558	93.4	29,045	95.1	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	30,466	99.6	30,422	99.6	Home Delivery	15.0
15	Home Delivery against expected delivery *	288	0.8	117	0.3	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	20,269	53.1	21,293	55.5	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	288	1.4	117	0.5	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	20,269	98.6	21,293	99.5		
19	Total reported Deliveries	20,557		21,410			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	138	47.9	57	48.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,849	106.3	22,595	105.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,229		37,453			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	20,451	54.9	21,303	56.9	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	143	0.4	156	0.4	BCG	90.5
25	PC of newborn weighted at birth to live birth	20,448	100.0	21,300	100.0	3 dose of DPT	86.1

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,133	10.4	2,019	9.5	Measles First dose	83
27	PC of newborns breastfed within 1 hour to total reported live birth.	20,286	99.2	21,088	99.0	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	27,801	74.7	28,236	75.4	Full Immunization	63.6
29	Children who have received BCG	20,596	55.3	22,723	60.7		
30	Children who have received Pentavalent 1	27,474	73.8	27,731	74.0		
31	Children who have received Pentavalent 3	27,267	73.2	27,322	73.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	27,803	74.7	28,347	75.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	842		492			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	37	52	Total unmet need	17.6
35	Number of Tubectomies performed	1,281	1,771	Spacing	7.7
36	Number of IUD insertion	2,679	2,947	Women using any method	38.7
37	Number of IUD removals	704	819	Women using modern method	32.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	134	174		
39	General OPD cases per 10,000 population ***	6,885	9,279		
40	Ayush OPD cases per 10,000 population ***	948	1464		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	13	7		
42	Neonatal Deaths up to 4 weeks of birth	43	12		
43	<b>Total Neonatal Death</b>	<b>56</b>	<b>19</b>		
44	Deaths between (1 - 11) months	38	8		
45	<b>Total reported infant deaths</b>	<b>94</b>	<b>27</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	4		
52	<b>Total reported maternal deaths</b>	<b>9</b>	<b>6</b>		

## Kamrup M Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,53,938					
2	Sex Ratio	922					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	48					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	34,948		35,271			
9	Expected number of Delivery	32,565		32,866			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	20,616	59.0	20,072	56.9	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	17,888	86.8	17,757	88.5	At least 4ANC check up	68.9
12	Mothers who had 4 or more ANC check ups	20,837	101.1	23,350	116.3	Neonatal tetanus received	96.3
13	PW who got TT 2 / Booster injection	19,524	94.7	19,749	98.4	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	20,591	99.9	19,905	99.2	Home Delivery	10.9
15	Home Delivery against expected delivery *	171	0.5	113	0.3	Institutional Delivery	89.1
16	Institutional Delivery against expected delivery *	33,679	103.4	32,976	100.3	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	171	0.5	113	0.3	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	33,679	99.5	32,976	99.7		
19	Total reported Deliveries	33,850		33,089			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	10.5	4	3.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,200	98.1	26,690	80.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,771		32,064			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	33,139	104.3	32,469	101.3	Breastfed within 1 hour of birth	53
24	Total Still Birth	739	2.3	800	2.5	BCG	90.6
25	PC of newborn weighted at birth to live birth	33,120	99.9	31,878	98.2	3 dose of DPT	77

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,391	19.3	8,988	28.2	Measles First dose	74.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	33,004	99.6	31,144	95.9	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	25,105	79.0	22,981	71.7	Full Immunization	53.6
29	Children who have received BCG	35,355	111.3	34,619	108.0		
30	Children who have received Pentavalent 1	21,940	69.1	22,510	70.2		
31	Children who have received Pentavalent 3	21,282	67.0	22,449	70.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	24,798	78.1	23,332	72.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	649		1,389			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	14	Total unmet need	8.8
35	Number of Tubectomies performed	3,197	3,797	Spacing	2.5
36	Number of IUD insertion	199	353	Women using any method	56.8
37	Number of IUD removals	494	694	Women using modern method	41.5
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	884	1602		
39	General OPD cases per 10,000 population ***	6,521	16,818		
40	Ayush OPD cases per 10,000 population ***	567	1034		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	106	140		
42	Neonatal Deaths up to 4 weeks of birth	593	720		
43	<b>Total Neonatal Death</b>	<b>699</b>	<b>860</b>		
44	Deaths between (1 - 11) months	183	420		
45	<b>Total reported infant deaths</b>	<b>882</b>	<b>1,280</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	1	1		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	15	40		
49	Due to Bleeding	15	14		
50	Due to High fever	0	2		
51	Due to Other Causes (including causes not known)	66	49		
52	<b>Total reported maternal deaths</b>	<b>97</b>	<b>107</b>		



## Karbi Anglong Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,60,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	115					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	18,374		18,539			
9	Expected number of Delivery	17,121		17,275			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	16,241	88.4	14,869	80.2	ANC Check up in first trimester	64.8
11	Mothers registered in the first trimester	12,021	74.0	11,765	79.1	At least 4ANC check up	63.9
12	Mothers who had 4 or more ANC check ups	8,974	55.3	10,039	67.5	Neonatal tetanus received	90.9
13	PW who got TT 2 / Booster injection	13,516	83.2	13,784	92.7	100 IFA tablets consumed	35.3
14	PW who consumed 180 IFA tablets	15,747	97.0	14,867	100.0	Home Delivery	25.1
15	Home Delivery against expected delivery *	1,079	6.3	929	5.4	Institutional Delivery	74.9
16	Institutional Delivery against expected delivery *	9,378	54.8	10,572	61.2	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	1,079	10.3	929	8.1	PNC within 2days of delivery	56.9
18	Institutional Delivery against reported delivery **	9,378	89.7	10,572	91.9		
19	Total reported Deliveries	10,457		11,501			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	485	44.9	457	49.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,110	106.2	9,861	85.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	16,704		16,854			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	10,385	62.2	11,425	67.8	Breastfed within 1 hour of birth	50.3
24	Total Still Birth	91	0.5	136	0.8	BCG	88.7
25	PC of newborn weighted at birth to live birth	10,376	99.9	11,424	100.0	3 dose of DPT	75.3

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	671	6.5	1,022	8.9	Measles First dose	76.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,332	99.5	11,423	100.0	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	12,895	77.2	14,041	83.3	Full Immunization	64.3
29	Children who have received BCG	12,397	74.2	13,618	80.8		
30	Children who have received Pentavalent 1	12,575	75.3	13,617	80.8		
31	Children who have received Pentavalent 3	11,822	70.8	13,515	80.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,324	79.8	14,119	83.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	349		452			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	9.3
35	Number of Tubectomies performed	147	204	Spacing	2.4
36	Number of IUD insertion	955	1,671	Women using any method	66.3
37	Number of IUD removals	235	317	Women using modern method	41.1
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	249	383		
39	General OPD cases per 10,000 population ***	5,017	7,042		
40	Ayush OPD cases per 10,000 population ***	221	251		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	18	24		
42	Neonatal Deaths up to 4 weeks of birth	45	56		
43	<b>Total Neonatal Death</b>	<b>63</b>	<b>80</b>		
44	Deaths between (1 - 11) months	26	21		
45	<b>Total reported infant deaths</b>	<b>89</b>	<b>101</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	2	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	2	2		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	8	9		
52	<b>Total reported maternal deaths</b>	<b>14</b>	<b>11</b>		

## Karimganj Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,28,686					
2	Sex Ratio	961					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	232					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	34,850		35,234			
9	Expected number of Delivery	32,474		32,832			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	34,371	98.6	33,771	95.8	ANC Check up in first trimester	54.8
11	Mothers registered in the first trimester	31,908	92.8	31,496	93.3	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	33,543	97.6	31,417	93.0	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	33,984	98.9	32,907	97.4	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	34,356	100.0	33,771	100.0	Home Delivery	23.6
15	Home Delivery against expected delivery *	5,640	17.4	3,137	9.6	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	21,156	65.1	24,904	75.9	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	5,640	21.0	3,137	11.2	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	21,156	79.0	24,904	88.8		
19	Total reported Deliveries	26,796		28,041			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,706	48.0	1,485	47.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	91	0.3	8	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,682		32,031			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	26,257	82.9	27,582	86.1	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	687	2.2	574	1.8	BCG	95.5
25	PC of newborn weighted at birth to live birth	26,257	100.0	27,582	100.0	3 dose of DPT	84

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,894	11.0	2,644	9.6	Measles First dose	85.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,991	99.0	27,015	97.9	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	31,136	98.3	31,165	97.3	Full Immunization	75.1
29	Children who have received BCG	34,613	109.3	33,078	103.3		
30	Children who have received Pentavalent 1	31,456	99.3	31,672	98.9		
31	Children who have received Pentavalent 3	30,435	96.1	31,060	97.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	31,135	98.3	31,182	97.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,607		3,988			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	24	Total unmet need	8.6
35	Number of Tubectomies performed	742	841	Spacing	4.2
36	Number of IUD insertion	1,847	3,166	Women using any method	64.3
37	Number of IUD removals	172	456	Women using modern method	54.9
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	267	341		
39	General OPD cases per 10,000 population ***	4,733	7,042		
40	Ayush OPD cases per 10,000 population ***	176	192		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	18	25		
42	Neonatal Deaths up to 4 weeks of birth	168	66		
43	<b>Total Neonatal Death</b>	<b>186</b>	<b>91</b>		
44	Deaths between (1 - 11) months	141	46		
45	<b>Total reported infant deaths</b>	<b>327</b>	<b>137</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	11	2		
52	<b>Total reported maternal deaths</b>	<b>12</b>	<b>3</b>		

## Kokrajhar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,87,142					
2	Sex Ratio	958					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	161					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	21,582		21,487			
9	Expected number of Delivery	20,110		20,022			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	17,354	80.4	17,050	79.3	ANC Check up in first trimester	67.0
11	Mothers registered in the first trimester	14,330	82.6	14,743	86.5	At least 4ANC check up	36.9
12	Mothers who had 4 or more ANC check ups	12,281	70.8	13,463	79.0	Neonatal tetanus received	95.8
13	PW who got TT 2 / Booster injection	15,944	91.9	15,981	93.7	100 IFA tablets consumed	61.1
14	PW who consumed 180 IFA tablets	16,006	92.2	18,039	105.8	Home Delivery	18.1
15	Home Delivery against expected delivery *	1,038	5.2	602	3.0	Institutional Delivery	81.9
16	Institutional Delivery against expected delivery *	14,658	72.9	15,899	79.4	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	1,038	6.6	602	3.6	PNC within 2days of delivery	68.3
18	Institutional Delivery against reported delivery **	14,658	93.4	15,899	96.4		
19	Total reported Deliveries	15,696		16,501			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	127	12.2	201	33.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,507	66.9	12,751	77.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,620		19,534			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	15,539	79.2	16,491	84.4	Breastfed within 1 hour of birth	56.4
24	Total Still Birth	250	1.3	277	1.4	BCG	95.3
25	PC of newborn weighted at birth to live birth	11,035	71.0	16,362	99.2	3 dose of DPT	76.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,293	11.7	2,744	16.8	Measles First dose	79.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,348	98.8	15,884	96.3	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	15,285	77.9	15,448	79.1	Full Immunization	51.1
29	Children who have received BCG	15,827	80.7	17,073	87.4		
30	Children who have received Pentavalent 1	15,250	77.7	15,728	80.5		
31	Children who have received Pentavalent 3	15,168	77.3	15,756	80.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,264	77.8	15,466	79.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	937		1,005			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	75	105	Spacing	3.7
36	Number of IUD insertion	924	1,212	Women using any method	72.3
37	Number of IUD removals	613	847	Women using modern method	58
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	282	446		
39	General OPD cases per 10,000 population ***	4,572	6,118		
40	Ayush OPD cases per 10,000 population ***	703	1003		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	60	54		
42	Neonatal Deaths up to 4 weeks of birth	212	178		
43	<b>Total Neonatal Death</b>	<b>272</b>	<b>232</b>		
44	Deaths between (1 - 11) months	146	115		
45	<b>Total reported infant deaths</b>	<b>418</b>	<b>347</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	3	2		
48	Due to Severe hypertension / fits	4	2		
49	Due to Bleeding	4	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	14	8		
52	<b>Total reported maternal deaths</b>	<b>25</b>	<b>14</b>		

## Lakhimpur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,42,137					
2	Sex Ratio	965					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	149					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	28,510		28,721			
9	Expected number of Delivery	26,566		26,762			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,262	78.1	20,596	71.7	ANC Check up in first trimester	61.0
11	Mothers registered in the first trimester	21,065	94.6	19,919	96.7	At least 4ANC check up	51.7
12	Mothers who had 4 or more ANC check ups	19,646	88.2	19,342	93.9	Neonatal tetanus received	97.3
13	PW who got TT 2 / Booster injection	20,798	93.4	20,185	98.0	100 IFA tablets consumed	42.2
14	PW who consumed 180 IFA tablets	21,511	96.6	20,587	100.0	Home Delivery	3.8
15	Home Delivery against expected delivery *	62	0.2	30	0.1	Institutional Delivery	96.2
16	Institutional Delivery against expected delivery *	17,744	66.8	17,862	66.7	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	62	0.3	30	0.2	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	17,744	99.7	17,862	99.8		
19	Total reported Deliveries	17,806		17,892			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	49	79.0	23	76.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,798	128.0	20,504	114.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,918		26,110			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	17,595	67.9	17,773	68.1	Breastfed within 1 hour of birth	59
24	Total Still Birth	295	1.1	225	0.9	BCG	94.5
25	PC of newborn weighted at birth to live birth	16,897	96.0	17,734	99.8	3 dose of DPT	87.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,364	14.0	2,392	13.5	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,450	93.5	17,013	95.7	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	19,759	76.2	19,938	76.4	Full Immunization	69
29	Children who have received BCG	17,197	66.4	18,952	72.6		
30	Children who have received Pentavalent 1	19,715	76.1	19,840	76.0		
31	Children who have received Pentavalent 3	19,923	76.9	19,445	74.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,713	76.1	19,941	76.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,300		1,388			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	17	11	Total unmet need	9.8
35	Number of Tubectomies performed	1,489	1,409	Spacing	4.5
36	Number of IUD insertion	1,078	1,272	Women using any method	67.1
37	Number of IUD removals	579	842	Women using modern method	43.6
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	340	510		
39	General OPD cases per 10,000 population ***	6,021	9,804		
40	Ayush OPD cases per 10,000 population ***	71	237		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	20	15		
42	Neonatal Deaths up to 4 weeks of birth	88	83		
43	<b>Total Neonatal Death</b>	<b>108</b>	<b>98</b>		
44	Deaths between (1 - 11) months	6	4		
45	<b>Total reported infant deaths</b>	<b>114</b>	<b>102</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	8	11		
52	<b>Total reported maternal deaths</b>	<b>10</b>	<b>12</b>		



## Majuli Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	4,236		4,234			
9	Expected number of Delivery	3,947		3,945			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,052	72.1	2,927	69.1	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	2,788	91.3	2,710	92.6	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,110	69.1	2,772	94.7	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	2,758	90.4	2,626	89.7	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	2,921	95.7	2,912	99.5	Home Delivery	9.7
15	Home Delivery against expected delivery *	15	0.4	8	0.2	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,761	44.6	1,274	32.3	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	15	0.8	8	0.6	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,761	99.2	1,274	99.4		
19	Total reported Deliveries	1,776		1,282			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	66.7	5	62.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,628	91.7	1,396	108.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,851		3,849			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	1,782	46.3	1,269	33.0	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	20	0.5	14	0.4	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,745	97.9	1,261	99.4	3 dose of DPT	86.4

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	254	14.6	170	13.5	Measles First dose	90.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,698	95.3	1,189	93.7	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	2,828	73.4	3,033	78.8	Full Immunization	78.6
29	Children who have received BCG	1,825	47.4	1,377	35.8		
30	Children who have received Pentavalent 1	2,990	77.6	3,137	81.5		
31	Children who have received Pentavalent 3	2,817	73.2	3,078	80.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,821	73.3	3,052	79.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	95		97			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.6
35	Number of Tubectomies performed	122	36	Spacing	4.7
36	Number of IUD insertion	254	392	Women using any method	63.7
37	Number of IUD removals	75	97	Women using modern method	31.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	248	533		
39	General OPD cases per 10,000 population ***	8,119	14,080		
40	Ayush OPD cases per 10,000 population ***	132	907		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	26	2		
42	Neonatal Deaths up to 4 weeks of birth	20	7		
43	<b>Total Neonatal Death</b>	<b>46</b>	<b>9</b>		
44	Deaths between (1 - 11) months	13	9		
45	<b>Total reported infant deaths</b>	<b>59</b>	<b>18</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	<b>Total reported maternal deaths</b>	<b>3</b>	<b>0</b>		

## Morigaon Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,57,423					
2	Sex Ratio	974					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	122					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	27,869		28,250			
9	Expected number of Delivery	25,969		26,324			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,504	80.7	22,022	78.0	ANC Check up in first trimester	64.0
11	Mothers registered in the first trimester	18,909	84.0	20,091	91.2	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	16,650	74.0	18,841	85.6	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	21,146	94.0	20,946	95.1	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	22,382	99.5	21,811	99.0	Home Delivery	11.7
15	Home Delivery against expected delivery *	2,515	9.7	1,218	4.6	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,590	56.2	14,296	54.3	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	2,515	14.7	1,218	7.9	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,590	85.3	14,296	92.1		
19	Total reported Deliveries	17,105		15,514			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,049	41.7	538	44.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,293	89.4	17,449	112.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,336		25,681			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	16,999	67.1	15,423	60.1	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	269	1.1	172	0.7	BCG	91.3
25	PC of newborn weighted at birth to live birth	16,793	98.8	15,332	99.4	3 dose of DPT	87.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,262	13.5	2,184	14.2	Measles First dose	87
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,259	95.6	14,850	96.3	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	19,472	76.9	20,157	78.5	Full Immunization	73.4
29	Children who have received BCG	21,049	83.1	19,877	77.4		
30	Children who have received Pentavalent 1	20,363	80.4	19,988	77.8		
31	Children who have received Pentavalent 3	19,311	76.2	19,547	76.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,750	78.0	20,152	78.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	292		469			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	37	Total unmet need	6.5
35	Number of Tubectomies performed	316	719	Spacing	1.9
36	Number of IUD insertion	1,129	2,088	Women using any method	70.6
37	Number of IUD removals	199	256	Women using modern method	56.7
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	200	306		
39	General OPD cases per 10,000 population ***	5,267	7,552		
40	Ayush OPD cases per 10,000 population ***	268	229		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	23	5		
42	Neonatal Deaths up to 4 weeks of birth	145	55		
43	<b>Total Neonatal Death</b>	<b>168</b>	<b>60</b>		
44	Deaths between (1 - 11) months	48	15		
45	<b>Total reported infant deaths</b>	<b>216</b>	<b>75</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	7	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	10	2		
52	<b>Total reported maternal deaths</b>	<b>18</b>	<b>4</b>		

## Nagaon Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	18,92,550					
2	Sex Ratio	962					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	258					
4	Primary Health Centers (PHC)	72					
5	Community Health Centers (CHC)	13					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	54,394		55,066			
9	Expected number of Delivery	50,685		51,312			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	42,107	77.4	40,925	74.3	ANC Check up in first trimester	73.1
11	Mothers registered in the first trimester	35,083	83.3	35,442	86.6	At least 4ANC check up	59.4
12	Mothers who had 4 or more ANC check ups	34,860	82.8	37,872	92.5	Neonatal tetanus received	97.1
13	PW who got TT 2 / Booster injection	37,203	88.4	37,406	91.4	100 IFA tablets consumed	46.5
14	PW who consumed 180 IFA tablets	34,516	82.0	34,908	85.3	Home Delivery	16.3
15	Home Delivery against expected delivery *	2,451	4.8	1,451	2.8	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	39,945	78.8	38,767	75.6	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	2,451	5.8	1,451	3.6	PNC within 2days of delivery	62.0
18	Institutional Delivery against reported delivery **	39,945	94.2	38,767	96.4		
19	Total reported Deliveries	42,396		40,218			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	477	19.5	320	22.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,503	62.5	28,868	71.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	49,449		50,060			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	41,517	84.0	39,517	78.9	Breastfed within 1 hour of birth	61.6
24	Total Still Birth	1,020	2.1	927	1.9	BCG	86.9
25	PC of newborn weighted at birth to live birth	40,375	97.2	39,073	98.9	3 dose of DPT	73.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,352	13.3	5,898	15.1	Measles First dose	67.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	37,382	90.0	36,521	92.4	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	38,419	77.7	36,962	73.8	Full Immunization	58.2
29	Children who have received BCG	39,856	80.6	39,649	79.2		
30	Children who have received Pentavalent 1	37,136	75.1	37,767	75.4		
31	Children who have received Pentavalent 3	35,443	71.7	37,278	74.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	38,306	77.5	36,985	73.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,415		1,999			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	9	Total unmet need	12.3
35	Number of Tubectomies performed	1,184	1,096	Spacing	3.1
36	Number of IUD insertion	1,708	1,881	Women using any method	58.6
37	Number of IUD removals	252	335	Women using modern method	46.8
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	222	486		
39	General OPD cases per 10,000 population ***	4,924	7,948		
40	Ayush OPD cases per 10,000 population ***	277	384		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	113	118		
42	Neonatal Deaths up to 4 weeks of birth	289	218		
43	<b>Total Neonatal Death</b>	<b>402</b>	<b>336</b>		
44	Deaths between (1 - 11) months	78	65		
45	<b>Total reported infant deaths</b>	<b>480</b>	<b>401</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	2		
49	Due to Bleeding	5	7		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	19	7		
52	<b>Total reported maternal deaths</b>	<b>25</b>	<b>16</b>		

## Nalbari Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,71,639					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	124					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	11					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	20,032		20,074			
9	Expected number of Delivery	18,666		18,705			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	12,727	63.5	12,207	60.8	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	11,964	94.0	11,570	94.8	At least 4ANC check up	55.9
12	Mothers who had 4 or more ANC check ups	11,178	87.8	10,956	89.8	Neonatal tetanus received	92.8
13	PW who got TT 2 / Booster injection	12,356	97.1	11,751	96.3	100 IFA tablets consumed	38.6
14	PW who consumed 180 IFA tablets	12,723	100.0	12,190	99.9	Home Delivery	8.2
15	Home Delivery against expected delivery *	262	1.4	275	1.5	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	11,402	61.1	11,583	61.9	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	262	2.2	275	2.3	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	11,402	97.8	11,583	97.7		
19	Total reported Deliveries	11,664		11,858			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	232	88.5	237	86.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,925	85.1	9,514	80.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,211		18,249			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	11,641	63.9	11,830	64.8	Breastfed within 1 hour of birth	41.8
24	Total Still Birth	95	0.5	109	0.6	BCG	89.9
25	PC of newborn weighted at birth to live birth	11,618	99.8	11,815	99.9	3 dose of DPT	85.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,624	14.0	1,590	13.5	Measles First dose	87.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,502	98.8	11,605	98.1	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	13,981	76.8	13,261	72.7	Full Immunization	65.5
29	Children who have received BCG	12,485	68.6	12,455	68.3		
30	Children who have received Pentavalent 1	13,296	73.0	13,086	71.7		
31	Children who have received Pentavalent 3	12,618	69.3	12,680	69.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,174	72.3	12,673	69.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	841		911			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	10	9	Total unmet need	13.2
35	Number of Tubectomies performed	1,119	1,249	Spacing	4.8
36	Number of IUD insertion	1,659	1,720	Women using any method	53.3
37	Number of IUD removals	514	817	Women using modern method	38.7
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	234	313		
39	General OPD cases per 10,000 population ***	6,993	9,719		
40	Ayush OPD cases per 10,000 population ***	1,153	1700		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	26	15		
42	Neonatal Deaths up to 4 weeks of birth	104	78		
43	<b>Total Neonatal Death</b>	<b>130</b>	<b>93</b>		
44	Deaths between (1 - 11) months	36	30		
45	<b>Total reported infant deaths</b>	<b>166</b>	<b>123</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	6	1		
52	<b>Total reported maternal deaths</b>	<b>8</b>	<b>3</b>		



## Sivasagar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,92,435					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	27					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	17,559		17,555			
9	Expected number of Delivery	16,362		16,358			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	9,949	56.7	9,247	52.7	ANC Check up in first trimester	85.1
11	Mothers registered in the first trimester	9,178	92.3	8,613	93.1	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	7,774	78.1	8,279	89.5	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	8,953	90.0	9,108	98.5	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	9,581	96.3	8,954	96.8	Home Delivery	4.7
15	Home Delivery against expected delivery *	12	0.1	0	0.0	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	8,384	51.2	7,628	46.6	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	12	0.1	0	0.0	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	8,384	99.9	7,628	100.0		
19	Total reported Deliveries	8,396		7,628			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	50.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,662	91.3	5,948	78.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,963		15,959			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	8,318	52.1	7,555	47.3	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	106	0.7	106	0.7	BCG	95.7
25	PC of newborn weighted at birth to live birth	8,301	99.8	7,531	99.7	3 dose of DPT	90.5

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,467	17.7	1,247	16.6	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,994	96.1	7,219	95.6	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,413	59.0	9,318	58.4	Full Immunization	77.6
29	Children who have received BCG	8,186	51.3	7,675	48.1		
30	Children who have received Pentavalent 1	9,409	58.9	9,054	56.7		
31	Children who have received Pentavalent 3	9,213	57.7	9,212	57.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,417	59.0	9,319	58.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	285		380			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	343	662	Spacing	3.2
36	Number of IUD insertion	263	293	Women using any method	67.3
37	Number of IUD removals	324	518	Women using modern method	39.5
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	329	394		
39	General OPD cases per 10,000 population ***	8,521	12,172		
40	Ayush OPD cases per 10,000 population ***	143	286		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	12	11		
42	Neonatal Deaths up to 4 weeks of birth	23	9		
43	<b>Total Neonatal Death</b>	<b>35</b>	<b>20</b>		
44	Deaths between (1 - 11) months	5	3		
45	<b>Total reported infant deaths</b>	<b>40</b>	<b>23</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	2		
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>3</b>		

## Sonitpur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	35,395		35,608			
9	Expected number of Delivery	32,982		33,180			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	20,696	58.5	19,928	56.0	ANC Check up in first trimester	48.8
11	Mothers registered in the first trimester	18,774	90.7	18,582	93.2	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	14,908	72.0	16,276	81.7	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	19,638	94.9	18,713	93.9	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	20,393	98.5	19,811	99.4	Home Delivery	16.5
15	Home Delivery against expected delivery *	1,703	5.2	1,038	3.1	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	21,739	65.9	22,450	67.7	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	1,703	7.3	1,038	4.4	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	21,739	92.7	22,450	95.6		
19	Total reported Deliveries	23,442		23,488			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	4.6	119	11.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,742	37.3	9,173	39.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,178		32,371			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	22,955	71.3	23,172	71.6	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	491	1.5	404	1.2	BCG	90.4
25	PC of newborn weighted at birth to live birth	22,211	96.8	22,912	98.9	3 dose of DPT	76.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,560	16.0	3,108	13.6	Measles First dose	80.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,811	95.0	21,719	93.7	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	20,682	64.3	19,483	60.2	Full Immunization	70.9
29	Children who have received BCG	25,309	78.7	25,494	78.8		
30	Children who have received Pentavalent 1	19,698	61.2	19,300	59.6		
31	Children who have received Pentavalent 3	18,689	58.1	19,688	60.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,682	64.3	19,483	60.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	175		329			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	39	Total unmet need	5.8
35	Number of Tubectomies performed	853	1,096	Spacing	2
36	Number of IUD insertion	489	1,090	Women using any method	74.4
37	Number of IUD removals	245	362	Women using modern method	58.9
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	405	437		
39	General OPD cases per 10,000 population ***	6,342	9,431		
40	Ayush OPD cases per 10,000 population ***	276	418		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	60	55		
42	Neonatal Deaths up to 4 weeks of birth	376	266		
43	<b>Total Neonatal Death</b>	<b>436</b>	<b>321</b>		
44	Deaths between (1 - 11) months	116	118		
45	<b>Total reported infant deaths</b>	<b>552</b>	<b>439</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	3	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	2	5		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	23	23		
52	<b>Total reported maternal deaths</b>	<b>29</b>	<b>29</b>		

## South Salmara Mancachar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	16,319		16,558			
9	Expected number of Delivery	15,206		15,429			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	12,933	79.3	12,835	77.5	ANC Check up in first trimester	60.1
11	Mothers registered in the first trimester	10,461	80.9	10,827	84.4	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	8,856	68.5	10,251	79.9	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,386	88.0	11,465	89.3	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	12,494	96.6	12,829	100.0	Home Delivery	28.3
15	Home Delivery against expected delivery *	5,638	37.1	4,318	28.0	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	4,614	30.3	6,385	41.4	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	5,638	55.0	4,318	40.3	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	4,614	45.0	6,385	59.7		
19	Total reported Deliveries	10,252		10,703			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,085	19.2	1,058	24.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,433	82.3	8,854	82.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,835		15,053			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	10,092	68.0	10,551	70.1	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	209	1.4	226	1.5	BCG	97
25	PC of newborn weighted at birth to live birth	10,092	100.0	10,529	99.8	3 dose of DPT	81.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	614	6.1	876	8.3	Measles First dose	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,092	100.0	10,415	98.7	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	10,110	68.1	10,934	72.6	Full Immunization	65.8
29	Children who have received BCG	9,933	67.0	11,494	76.4		
30	Children who have received Pentavalent 1	9,494	64.0	11,826	78.6		
31	Children who have received Pentavalent 3	8,057	54.3	11,682	77.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,138	68.3	10,934	72.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	409		751			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	0	0	Spacing	1.7
36	Number of IUD insertion	354	1,094	Women using any method	71.5
37	Number of IUD removals	50	82	Women using modern method	60.8
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	80	154		
39	General OPD cases per 10,000 population ***	2,728	4,225		
40	Ayush OPD cases per 10,000 population ***	1,096	850		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	11	20		
42	Neonatal Deaths up to 4 weeks of birth	36	42		
43	<b>Total Neonatal Death</b>	<b>47</b>	<b>62</b>		
44	Deaths between (1 - 11) months	21	19		
45	<b>Total reported infant deaths</b>	<b>68</b>	<b>81</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	1	2		
49	Due to Bleeding	3	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	7	6		
52	<b>Total reported maternal deaths</b>	<b>12</b>	<b>11</b>		

## Tinsukia Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,27,929					
2	Sex Ratio	948					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	166					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	35,428		35,600			
9	Expected number of Delivery	33,013		33,173			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,993	62.1	20,330	57.1	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	19,082	86.8	18,211	89.6	At least 4ANC check up	63.1
12	Mothers who had 4 or more ANC check ups	16,249	73.9	18,757	92.3	Neonatal tetanus received	93.9
13	PW who got TT 2 / Booster injection	19,444	88.4	19,374	95.3	100 IFA tablets consumed	43.8
14	PW who consumed 180 IFA tablets	20,402	92.8	20,212	99.4	Home Delivery	17.4
15	Home Delivery against expected delivery *	591	1.8	472	1.4	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	19,199	58.2	19,151	57.7	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	591	3.0	472	2.4	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	19,199	97.0	19,151	97.6		
19	Total reported Deliveries	19,790		19,623			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	31.8	123	26.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,982	121.2	21,727	110.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,208		32,364			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	19,608	60.9	19,489	60.2	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	278	0.9	263	0.8	BCG	97.2
25	PC of newborn weighted at birth to live birth	19,615	100.0	19,489	100.0	3 dose of DPT	92.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,807	14.3	3,161	16.2	Measles First dose	95.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,195	97.9	19,019	97.6	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	20,469	63.6	20,823	64.3	Full Immunization	75
29	Children who have received BCG	19,419	60.3	19,986	61.8		
30	Children who have received Pentavalent 1	20,240	62.8	20,395	63.0		
31	Children who have received Pentavalent 3	19,580	60.8	20,481	63.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,487	63.6	20,825	64.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,416		1,291			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	94	300	Total unmet need	11
35	Number of Tubectomies performed	1,530	2,712	Spacing	4.4
36	Number of IUD insertion	1,327	1,179	Women using any method	59.2
37	Number of IUD removals	886	1,073	Women using modern method	36.5
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	555	644		
39	General OPD cases per 10,000 population ***	10,035	13,031		
40	Ayush OPD cases per 10,000 population ***	119	133		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	29	23		
42	Neonatal Deaths up to 4 weeks of birth	58	56		
43	<b>Total Neonatal Death</b>	<b>87</b>	<b>79</b>		
44	Deaths between (1 - 11) months	41	28		
45	<b>Total reported infant deaths</b>	<b>128</b>	<b>107</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	3	2		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	9		
52	<b>Total reported maternal deaths</b>	<b>16</b>	<b>11</b>		



## Udalguri Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	21,171		21,174			
9	Expected number of Delivery	19,728		19,730			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	13,805	65.2	12,984	61.3	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	12,430	90.0	11,840	91.2	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	10,196	73.9	10,285	79.2	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	12,476	90.4	11,821	91.0	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	13,396	97.0	12,548	96.6	Home Delivery	13.8
15	Home Delivery against expected delivery *	393	2.0	125	0.6	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	6,460	32.7	6,071	30.8	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	393	5.7	125	2.0	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	6,460	94.3	6,071	98.0		
19	Total reported Deliveries	6,853		6,196			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	111	28.2	51	40.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,649	126.2	7,819	126.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,246		19,249			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	6,794	35.3	6,131	31.9	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	104	0.5	98	0.5	BCG	78.6
25	PC of newborn weighted at birth to live birth	6,579	96.8	6,096	99.4	3 dose of DPT	68

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	848	12.9	833	13.7	Measles First dose	75.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,561	96.6	5,932	96.8	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	12,061	62.7	12,286	63.8	Full Immunization	38.3
29	Children who have received BCG	9,850	51.2	8,895	46.2		
30	Children who have received Pentavalent 1	12,510	65.0	12,368	64.3		
31	Children who have received Pentavalent 3	12,128	63.0	12,314	64.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,040	62.6	12,286	63.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	286		499			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	21	227	Spacing	6.4
36	Number of IUD insertion	1,133	1,000	Women using any method	50.2
37	Number of IUD removals	670	942	Women using modern method	36.2
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	204	360		
39	General OPD cases per 10,000 population ***	6,267	9,698		
40	Ayush OPD cases per 10,000 population ***	465	735		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	18	18		
42	Neonatal Deaths up to 4 weeks of birth	47	32		
43	<b>Total Neonatal Death</b>	<b>65</b>	<b>50</b>		
44	Deaths between (1 - 11) months	57	41		
45	<b>Total reported infant deaths</b>	<b>122</b>	<b>91</b>		
II)	Maternal Mortality	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	3	0		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	7		
52	<b>Total reported maternal deaths</b>	<b>19</b>	<b>10</b>		

## West Karbi Anglong Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,95,358					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
8	Expected number of PW	8,211		8,285			
9	Expected number of Delivery	7,651		7,720			
		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	7,083	86.3	6,974	84.2	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	5,240	74.0	5,278	75.7	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	3,808	53.8	4,091	58.7	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	6,469	91.3	6,447	92.4	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	7,005	98.9	6,933	99.4	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,516	19.8	1,395	18.1	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	3,613	47.2	3,206	41.5	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,516	29.6	1,395	30.3	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	3,613	70.4	3,206	69.7		
19	Total reported Deliveries	5,129		4,601			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	328	21.6	193	13.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,052	59.5	3,107	67.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,464		7,531			
<b>D) Child Immunization :</b>		<b>HMIS ( 2021-22)</b>		<b>HMIS ( 2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	5,037	67.5	4,519	60.0	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	112	1.5	98	1.3	BCG	92.7
25	PC of newborn weighted at birth to live birth	5,015	99.6	4,436	98.2	3 dose of DPT	70.3

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	180	3.6	149	3.4	Measles First dose	66.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,994	99.1	4,400	97.4	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,988	93.6	6,774	89.9	Full Immunization	47.9
29	Children who have received BCG	5,535	74.2	6,647	88.3		
30	Children who have received Pentavalent 1	6,008	80.5	6,552	87.0		
31	Children who have received Pentavalent 3	6,144	82.3	6,511	86.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,022	94.1	6,771	89.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	266		303			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2021-22)	HMIS ( 2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	0	0	Spacing	3.2
36	Number of IUD insertion	616	982	Women using any method	69.9
37	Number of IUD removals	149	171	Women using modern method	43.3
F) Service delivery		HMIS ( 2021-22)	HMIS ( 2022-23)		
38	IPD cases per 10,000 population ***	143	244		
39	General OPD cases per 10,000 population ***	3,249	3,573		
40	Ayush OPD cases per 10,000 population ***	435	573		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths up to 4 weeks of birth	12	4		
43	<b>Total Neonatal Death</b>	<b>12</b>	<b>6</b>		
44	Deaths between (1 - 11) months	15	15		
45	<b>Total reported infant deaths</b>	<b>27</b>	<b>21</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2021-22)	HMIS ( 2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	2		
52	<b>Total reported maternal deaths</b>	<b>6</b>	<b>3</b>		