	Arunachal Pradesh	Factshee	t				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	13,83,727					
2	Sex Ratio	920					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	367					
4	Primary Health Centers(PHC)	131					
5	Community Health Centers (CHC)	57					
6	SDH	0					
7	DH	19					
C)N	Naternal Health:	2021-2	22	2022	2-23		
8	Expected number of PW	34,60		34,8			
9	Expected number of Delivery	32,08		32,3			
		HMIS (202		HMIS (2		NFHS-5 (2019-	-20)
		-	-	,	<u> </u>	14713-5 (2013	-20)
		Number	PC	Number	PC		
10	PW register for ANC	32,301	93.3	31,184	89.4	ANC Check up in first trimester	53.1
		32,301	93.3	31,104	89.4	At least 4 ANC	33.1
11	Mothers registered in the first trimester	12,350	38.2	15,082	48.4	check up	36.5
12	Mothers who had 4 or more ANC					Neonatal tetanus	
12	check ups	11,524	35.7	15,100	48.4	received	76.9
13	PW who got TT 2 / Booster injection	40.000	50.0	47.065		100 IFA tablets	22.0
1.1		19,302	59.8	17,865	57.3	consumed	23.8
14	PW who consumed 180 IFA tablets Home Delivery against expected	21,375	66.2	23,108	74.1	Home Delivery Institutional	0.0
15	delivery *	1,906	5.9	1,655	5.1	Delivery	79.2
16	Institutional Delivery against expected	,				Home Delivery	
10	delivery *	18,492	57.6	20,230	62.5	by SBA	4.0
17	Home Delivery against reported	4.000	0.2	1.655	7.0	PNC within	F.C. 4
	delivery ** Institutional Delivery against reported	1,906	9.3	1,655	7.6	2days of delivery Breastfeed within	56.4
18	delivery **	18,492	90.7	20,230	92.4	1 hour of birth	52.0
19	Total reported Deliveries	20,398		21,885	02		
20	Reported Delivery at home assisted by	20,000					
20	a Doctor/Nurse /LHV/ANM(%)	879	46.1	780	47.1		
	Woman getting post partum check up						
21	between 48 hours and 14 days to total	0.507	00.0	7 200	22.2		
Note:	reported deliveries In case of HMIS data, Percentage is with reference to to	6,597	32.3	7,296	33.3	ring the period and in NFH	S-5 is
	ref. to Women who had last births in the 5 years before					o me penere ene m 141 H	
22	Expected number of Live Birth	31,457		31,722			
D) C	hild Immunization :	HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	20,201	64.2	21,708	68.4	BCG	87.9
24	Total Still Birth	242	0.8	245	0.8	3 dose of DPT	77.7
	Newborn weighted at birth to live birth					Measles First	
25		19,948	98.7	21,204	97.7	dose	80.7
	Nowborn hoving weight lass the 200	1.070	ΕΛ	1 007	6.1	3 doses of penta	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,073	5.4	1,297	6.1	or hepatitis B vaccine	73
20	ky to newborn weighted at birth.	<u> </u>				vaccine	13

27	Newborns breastfed within 1 hour to total reported live birth.	16,420	81.3	17,753	81.8	Full Immunization	64.9
28	Fully immunized	19,685	62.6	21,613	68.1		
29	Children who have received BCG	21,611	68.7	21,921	69.1		
30	Children who have received Pentavalent 1	21,743	69.1	21,859	68.9		
31	Children who have received Pentavalent 3	19,977	63.5	20,666	65.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,660	62.5	21,951	69.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,623		7,242			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	12.5
35	Number of Tubectomies performed	864	1,108	Spacing	7
36	Number of IUD insertion	1,850	1,898	Women using any method	59.1
37	Number of IUD removals	1,202	1,323	Women using modern method	47.2
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	351	416		
39	General OPD cases per 10,000 population ***	7708	8872		
40	Ayush OPD cases per 10,000 population ***	568	764		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	52	47		
42	Neonatal Deaths up to 4 weeks of birth	41	51		
43	Total Neonatal Death	93	98		
44	Deaths between (1 - 11) months	26	37	_	
45	Total reported infant deaths	119	135		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	2		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	2	5		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	5		
52	Total reported maternal deaths	11	13		

	Anjaw	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	21,167					
2	Sex Ratio	805					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers(PHC)	6					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-2	22	2022	2-23		
8	Expected number of PW	470		46	8		
9	Expected number of Delivery	436		43	4		
		HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	309	65.8	325	69.4	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	135	43.7	185	56.9	At least 4 ANC check up	32.3
12	Mothers who had 4 or more ANC check ups	125	40.5	150	46.2	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	224	72.5	202	62.2	100 IFA tablets consumed	16.5
14	PW who consumed 180 IFA tablets	285	92.2	278	85.5	Home Delivery	22.0
15	Home Delivery against expected delivery *	18	4.1	34	7.8	Institutional Delivery	78.0
16	Institutional Delivery against expected delivery *	58	13.3	164	37.8	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	18	23.7	34	17.2	PNC within 2days of delivery	55.8
18	Institutional Delivery against reported delivery **	58	76.3	164	82.8	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	76		198			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	66.7	7	20.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30	39.5	32	16.2		
	In case of HMIS data, Percentage is with reference to to	tal number of P				uring the period and in NFH	IS-5 is
with 1	ref. to Women who had last births in the 5 years before Expected number of Live Birth			426			
	child Immunization :	427 HMIS (202	21-22)	426 HMIS (2	022-23)	NFHS-5 (2019	-20)
23	Total reported live births	75	17.6	198	46.5	BCG	97.7
24	Total Still Birth	1	0.2	3	0.7	3 dose of DPT	95.3
25	Newborn weighted at birth to live birth	71	94.7	193	97.5	Measles First dose	97.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	2.8	8	4.1	3 doses of penta or hepatitis B vaccine	85.6

27	Newborns breastfed within 1 hour to total reported live birth.	71	94.7	193	97.5	Full Immunization	93
28	Fully immunized	256	59.9	276	64.8		
29	Children who have received BCG	112	26.2	192	45.1		
30	Children who have received Pentavalent 1	269	63.0	272	63.9		
31	Children who have received Pentavalent 3	278	65.1	280	65.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	260	60.9	282	66.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	255		307			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	6.8
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	5	6	Women using any method	64.7
37	Number of IUD removals	8	9	Women using modern method	50.9
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	136	210		
39	General OPD cases per 10,000 population ***	8872	7840		
40	Ayush OPD cases per 10,000 population ***	744	650		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

	Changlang	Factshee	et				
Key	Indicators						
A) D	emographic Indicators (Census 2011)						
1	Population 2011	1,48,226					
2	Sex Ratio	914					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C)N	laternal Health:	2021-2	22	2022	2-23		
8	Expected number of PW	3,429		3,43			
9	Expected number of Delivery	3,179		3,18			
	Expected Hamber of Bentery	HMIS (202		HMIS (2		NFHS-5 (2019	-20)
		Number	PC	Number	PC		· ·
		ivalliber	PC	ivuiliber	PC	ANC Check up in	
10	PW register for ANC	3,185	92.9	3,102	90.4	first trimester	65.0
11	Mothers registered in the first trimester	1,152	36.2	1,206	38.9	At least 4 ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	996	31.3	1,044	33.7	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	2,456	77.1	2,425	78.2	100 IFA tablets consumed	37.3
14	PW who consumed 180 IFA tablets	1,641	51.5	1,916	61.8	Home Delivery	24.9
15	Home Delivery against expected delivery *	490	15.4	230	7.2	Institutional Delivery	75.1
16	Institutional Delivery against expected delivery *	1,341	42.2	1,514	47.6	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	490	26.8	230	13.2	PNC within 2days of delivery	69.7
18	Institutional Delivery against reported delivery **	1,341	73.2	1,514	86.8	Breastfeed within 1 hour of birth	60.7
19	Total reported Deliveries	1,831		1,744			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	19.2	36	15.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	336	18.4	251	14.4		
	In case of HMIS data, Percentage is with reference to to	otal number of P		omen registere	ed for ANC du	uring the period and in NFH	IS-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth			2 110			
	hild Immunization :	3,117 HMIS (202	21-221	3,119 HMIS (2	022-231	NFHS-5 (2019	-201
•		1,822	58.5	1,736	55.7		•
23	Total Still Birth	·				BCG	86.1
24	Total Still Birth	11	0.4	12	0.4	3 dose of DPT	84.4
25	Newborn weighted at birth to live birth	1,805	99.1	1,733	99.8	Measles First dose 3 doses of penta	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	80	4.4	96	5.5	or hepatitis B vaccine	84.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,804	99.0	1,733	99.8	Full Immunization	70.9
28	Fully immunized	2,428	77.9	2,296	73.6		
29	Children who have received BCG	2,281	73.2	2,182	70.0		
30	Children who have received Pentavalent 1	2,653	85.1	2,495	80.0		
31	Children who have received Pentavalent 3	2,345	75.2	2,214	71.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,372	76.1	2,298	73.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	192		170			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)				
34	Number of Vasectomies performed	0	0	Total unmet need	6.7				
35	Number of Tubectomies performed	57	170	Spacing	3.5				
36	Number of IUD insertion	48	53	Women using any method	71.4				
37	Number of IUD removals	35	36	Women using modern method	46.3				
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)						
38	IPD cases per 10,000 population ***	246	270						
39	General OPD cases per 10,000 population ***	3201	4342						
40	Ayush OPD cases per 10,000 population ***	915	1127						
G) N	G) Mortality Details								
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)						
41	Neonatal deaths within 24 hours	0	0						
42	Neonatal Deaths up to 4 weeks of birth	0	0						
43	Total Neonatal Death	0	0						
44	Deaths between (1 - 11) months	2	1						
45	Total reported infant deaths	2	1						
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)						
46	Due to Abortion	0	0						
47	Due to Obstructed/prolonged labour	0	0						
48	Due to Severe hypertension/fits	0	0						
49	Due to Bleeding	1	0						
50	Due to High fever	0	0						
51	Due to Other Causes (including causes not known)	1	0						
52	Total reported maternal deaths	2	0						

	Dibang Valley	Factshee	et				
Key	Indicators						
	Demographic Indicators (Census 2011)						
1	Population 2011	8,004					
2	Sex Ratio	808					
	of Natio	Numbers					
3	·						
4	Sub Centers (SC) Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	Naternal Health:	_	22	2022			
8	Expected number of PW	2021- 2		2022 16			
9	Expected number of Delivery	158		15			
	Expected fidiliber of Delivery						
		HMIS (202		HMIS (2	•	NFHS-5 (2019-	-20)
		Number	PC	Number	PC	ANIO 01 1 1	
10	PW register for ANC	89	52.4	105	62.3	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	39	43.8	50	47.6	At least 4 ANC check up	40.4
12	Mothers who had 4 or more ANC check ups	1	1.1	4	3.8	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	40	44.9	55	52.4	100 IFA tablets consumed	25.4
14	PW who consumed 180 IFA tablets	71	79.8	59	56.2	Home Delivery	14.5
15	Home Delivery against expected delivery *	3	1.9	0	0.0	Institutional Delivery	85.5
16	Institutional Delivery against expected delivery *	27	17.1	39	24.9	Home Delivery by SBA	3.5
17	Home Delivery against reported delivery **	3	10.0	0	0.0	PNC within 2days of delivery	66.2
18	Institutional Delivery against reported delivery **	27	90.0	39	100.0	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	30		39			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	66.7	0	-		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	3.3	1	2.6		
	In case of HMIS data, Percentage is with reference to to		regnant W	omen registere	ed for ANC du	uring the period and in NFH	IS-5 is
with 22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	155		153			
	Child Immunization :	HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
23	Total reported live births	28	18.1	41	26.7	BCG	97.3
24	Total Still Birth	1	0.6	2	1.3	3 dose of DPT	90.7
25	Newborn weighted at birth to live birth	6	21.4	7	17.1	Measles First dose	90.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	16.7	0	0.0	3 doses of penta or hepatitis B vaccine	84

27	Newborns breastfed within 1 hour to total reported live birth.	6	21.4	7	17.1	Full Immunization	90.7
28	Fully immunized	63	40.8	47	30.7		
29	Children who have received BCG	35	22.6	33	21.5		
30	Children who have received Pentavalent 1	60	38.8	64	41.7		
31	Children who have received Pentavalent 3	66	42.7	60	39.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	72	46.6	46	30.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2		45			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		Total unmet need	4.6	
35	Number of Tubectomies performed	0	#VALUE!	Spacing	3.4	
36	Number of IUD insertion	0	0	Women using any method	69.1	
37	Number of IUD removals	0	0	Women using modern method	49.7	
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)			
38	IPD cases per 10,000 population ***	95	190			
39	General OPD cases per 10,000 population ***	10976	12723			
40	Ayush OPD cases per 10,000 population ***	7	23			
G) N	Nortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
41	Neonatal deaths within 24 hours	0	0			
4.0	Neonatal Deaths up to 4 weeks of					
42	birth Total Neonatal Death	0	0			
		0	0			
44	Deaths between (1 - 11) months Total reported infant deaths	_				
45 II)	Maternal Mortality	0	0			
,	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	0	0			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	0	0			
52	Total reported maternal deaths	0	0			

	East Kameng	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	63,332					
2	Sex Ratio	1,012					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	17					
4	Primary Health Centers(PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	1,76	6	1,80	00		
9	Expected number of Delivery	1,63	7	1,6	69		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	1,592	90.2	1,495	83.1	ANC Check up in first trimester	41.7
11	Mothers registered in the first trimester	1,184	74.4	1,073	71.8	At least 4 ANC check up	29.1
12	Mothers who had 4 or more ANC check ups	1,592	100.0	1,079	72.2	Neonatal tetanus received	73.1
13	PW who got TT 2 / Booster injection	2,960	185.9	1,335	89.3	100 IFA tablets consumed	11.2
14	PW who consumed 180 IFA tablets	1,592	100.0	1,379	92.2	Home Delivery	24.0
15	Home Delivery against expected delivery *	49	3.0	36	2.2	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	928	56.7	1,052	63.0	Home Delivery by SBA	4.4
17	Home Delivery against reported delivery **	49	5.0	36	3.3	PNC within 2days of delivery	53.6
18	Institutional Delivery against reported delivery **	928	95.0	1,052	96.7	Breastfeed within 1 hour of birth	52.2
19	Total reported Deliveries	977		1,088			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	40	81.6	26	72.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	159	16.3	17	1.6		
	In case of HMIS data, Percentage is with reference to to		regnant W	omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	1,605		1,636			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	965	60.1	1,058	64.7	BCG	82.9
24	Total Still Birth	12	0.7	15	0.9	3 dose of DPT	70.7
25	Newborn weighted at birth to live birth	965	100.0	1,058	100.0	Measles First dose	77.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	4	0.4	3 doses of penta or hepatitis B vaccine	64.4

27	Newborns breastfed within 1 hour to total reported live birth.	965	100.0	1,058	100.0	Full Immunization	60.8
28	Fully immunized	1,028	64.0	1,211	74.0		
29	Children who have received BCG	1,103	68.7	1,258	76.9		
30	Children who have received Pentavalent 1	1,083	67.5	1,272	77.7		
31	Children who have received Pentavalent 3	1,028	64.0	1,201	73.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,028	64.0	1,244	76.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	207		87			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	1	Spacing	4.7
36	Number of IUD insertion	141	73	Women using any method	64.9
37	Number of IUD removals	30	33	Women using modern method	57.4
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	161	127		
39	General OPD cases per 10,000 population ***	3844	4209		
40	Ayush OPD cases per 10,000 population ***	261	341		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	2		

	East Siang	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	70,956					
2	Sex Ratio	962					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	16					
4	Primary Health Centers(PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	1,56	8	1,5	61		
9	Expected number of Delivery	1,45	4	1,4	48		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
		Number	PC	Number	PC		
10	PW register for ANC	1,880	119.9	2,284	146.3	ANC Check up in first trimester	39.9
11	Mothers registered in the first trimester	986	52.4	875	38.3	At least 4 ANC check up	34.3
12	Mothers who had 4 or more ANC check ups	416	22.1	577	25.3	Neonatal tetanus received	75.2
13	PW who got TT 2 / Booster injection	1,309	69.6	1,183	51.8	100 IFA tablets consumed	11.4
14	PW who consumed 180 IFA tablets	1,326	70.5	1,493	65.4	Home Delivery	9.2
15	Home Delivery against expected delivery *	48	3.3	38	2.6	Institutional Delivery	90.8
16	Institutional Delivery against expected delivery *	1,884	129.6	2,039	140.8	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	48	2.5	38	1.8	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	1,884	97.5	2,039	98.2	Breastfeed within 1 hour of birth	49.4
19	Total reported Deliveries	1,932		2,077			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	100.0	38	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	488	25.3	1,074	51.7		
	In case of HMIS data, Percentage is with reference to to ref. to Women who had last births in the 5 years befor		regnant Wo	omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	Expected number of Live Birth	1,425		1,420			
D) C	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	1,890	132.6	2,034	143.3	BCG	84.8
24	Total Still Birth	42	2.9	44	3.1	3 dose of DPT	71.2
25	Newborn weighted at birth to live birth	1,920	101.6	2,022	99.4	Measles First dose	81.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	224	11.7	243	12.0	3 doses of penta or hepatitis B vaccine	67.3

27	Newborns breastfed within 1 hour to total reported live birth.	1,874	99.2	2,021	99.4	Full Immunization	48.8
28	Fully immunized	1,258	88.3	1,164	82.0		
29	Children who have received BCG	2,078	145.8	2,142	150.9		
30	Children who have received Pentavalent 1	1,437	100.8	1,318	92.8		
31	Children who have received Pentavalent 3	1,270	89.1	1,259	88.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,269	89.0	1,170	82.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		70			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	147	174	Spacing	9.6
36	Number of IUD insertion	124	155	Women using any method	40
37	Number of IUD removals	64	94	Women using modern method	35.9
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	1033	1210		
39	General OPD cases per 10,000 population ***	12296	13251		
40	Ayush OPD cases per 10,000 population ***	400	493		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	8	5		
42	Neonatal Deaths up to 4 weeks of birth	23	19		
43	Total Neonatal Death	31	24		
44	Deaths between (1 - 11) months	3	5		
45	Total reported infant deaths	34	29		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	2		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	0		
52	Total reported maternal deaths	5	5		

	Kamle	Factshee	et				
Key	<u>Indicators</u>						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	19,697					
2	Sex Ratio	NA					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C)N	Naternal Health:	2021-	22	2022	-23		
8	Expected number of PW	613		63			
9	Expected number of Delivery	569		58	6		
		HMIS (20:	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
		Number	PC	Number	PC		
10	PW register for ANC	239	39.0	210	33.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	97	40.6	91	43.3	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	15	6.3	24	11.4	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	74	31.0	90	42.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	94	39.3	132	62.9	Home Delivery	NA
15	Home Delivery against expected delivery *	8	1.4	17	2.9	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	31	5.5	37	6.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	8	20.5	17	31.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	31	79.5	37	68.5	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	39		54			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	37.5	5	29.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13	33.3	25	46.3		
	In case of HMIS data, Percentage is with reference to to	otal number of P		omen registere	ed for ANC du	uring the period and in NFH	IS-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	557		575			
	child Immunization :	HMIS (20:	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	39	7.0	54	9.4	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	38	97.4	39	72.2	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	5.3	4	10.3	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	38	97.4	38	70.4	Full Immunization	NA
28	Fully immunized	186	33.4	167	29.1		
29	Children who have received BCG	63	11.3	72	12.5		
30	Children who have received Pentavalent 1	172	30.9	196	34.1		
31	Children who have received Pentavalent 3	175	31.4	171	29.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	186	33.4	166	28.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		165			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)				
34	Number of Vasectomies performed			Total unmet need	NA				
35	Number of Tubectomies performed	0	#VALUE!	Spacing	NA				
36	Number of IUD insertion	0	11	Women using any method	NA				
37	Number of IUD removals	0	2	Women using modern method	NA				
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)						
38	IPD cases per 10,000 population ***	457	705						
39	General OPD cases per 10,000 population ***	4569	3986						
40	Ayush OPD cases per 10,000 population ***	951	1216						
G) N	G) Mortality Details								
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)						
41	Neonatal deaths within 24 hours	0	0						
42	Neonatal Deaths up to 4 weeks of birth	1	#VALUE!						
43	Total Neonatal Death	1	#VALUE!						
44	Deaths between (1 - 11) months	1	#VALUE!						
45	Total reported infant deaths	2	#VALUE!						
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)						
46	Due to Abortion	0							
47	Due to Obstructed/prolonged labour								
48	Due to Severe hypertension/fits								
49	Due to Bleeding								
50	Due to High fever								
51	Due to Other Causes (including causes not known)								
52	Total reported maternal deaths	0	0						

	Kra Daadi	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	46,704					
2	Sex Ratio	1,029					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers(PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	2,59	1	2,8	29		
9	Expected number of Delivery	2,40	2	2,6	24		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	308	11.9	310	11.0	ANC Check up in first trimester	62.5
11	Mothers registered in the first trimester	206	66.9	199	64.2	At least 4 ANC check up	18.3
12	Mothers who had 4 or more ANC check ups	193	62.7	173	55.8	Neonatal tetanus received	55.1
13	PW who got TT 2 / Booster injection	106	34.4	101	32.6	100 IFA tablets consumed	12.7
14	PW who consumed 180 IFA tablets	302	98.1	307	99.0	Home Delivery	26.5
15	Home Delivery against expected delivery *	35	1.5	37	1.4	Institutional Delivery	73.5
16	Institutional Delivery against expected delivery *	80	3.3	76	2.9	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	35	30.4	37	32.7	PNC within 2days of delivery	34.9
18	Institutional Delivery against reported delivery **	80	69.6	76	67.3	Breastfeed within 1 hour of birth	35.9
19	Total reported Deliveries	115		113			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	33	94.3	10	27.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	96	83.5	89	78.8		
	In case of HMIS data, Percentage is with reference to to			omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	2,355		2,572			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	116	4.9	118	4.6	BCG	92.2
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	71.3
25	Newborn weighted at birth to live birth	116	100.0	115	97.5	Measles First dose	77.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.7	2	1.7	3 doses of penta or hepatitis B vaccine	71.3

27	Newborns breastfed within 1 hour to total reported live birth.	116	100.0	111	94.1	Full Immunization	63.6
28	Fully immunized	300	12.7	283	11.0		
29	Children who have received BCG	289	12.3	274	10.7		
30	Children who have received Pentavalent 1	308	13.1	286	11.1		
31	Children who have received Pentavalent 3	295	12.5	272	10.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	332	14.1	293	11.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	84		165			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.5
35	Number of Tubectomies performed	1	0	Spacing	13.1
36	Number of IUD insertion	18	33	Women using any method	46.1
37	Number of IUD removals	11	3	Women using modern method	39.9
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	85	81		
39	General OPD cases per 10,000 population ***	1021	1129		
40	Ayush OPD cases per 10,000 population ***	69	70		
G) N	Nortality Details			T	
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0			
40	Neonatal Deaths up to 4 weeks of	0	45 / A L L I 🗀		
42	birth Total Neonatal Death	0	#VALUE! #VALUE!		
44	Deaths between (1 - 11) months	0	#VALUE!		
45	Total reported infant deaths	0	#VALUE!		
II)	Maternal Mortality		n villot.		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion				
47	Due to Obstructed/prolonged labour				
48	Due to Severe hypertension/fits				
49	Due to Bleeding				
50	Due to High fever				
51	Due to Other Causes (including causes not known)				
52	Total reported maternal deaths	0	0		

	Kurung Kumey	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	45,372					
2	Sex Ratio	1,029					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	2,51	7	2,7	49		
9	Expected number of Delivery	2,33	4	2,5	49		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	1,102	43.8	647	23.5	ANC Check up in first trimester	45.2
11	Mothers registered in the first trimester	297	27.0	259	40.0	At least 4 ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	399	36.2	492	76.0	Neonatal tetanus received	77.0
13	PW who got TT 2 / Booster injection	174	15.8	64	9.9	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	1,056	95.8	632	97.7	Home Delivery	30.8
15	Home Delivery against expected delivery *	119	5.1	94	3.7	Institutional Delivery	69.2
16	Institutional Delivery against expected delivery *	376	16.1	479	18.8	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	119	24.0	94	16.4	PNC within 2days of delivery	62.3
18	Institutional Delivery against reported delivery **	376	76.0	479	83.6	Breastfeed within 1 hour of birth	39.0
19	Total reported Deliveries	495		573			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	105	88.2	90	95.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	277	56.0	148	25.8		
	In case of HMIS data, Percentage is with reference to to		regnant W	omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	2,288		2,499			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
23	Total reported live births	488	21.3	551	22.1	BCG	100
24	Total Still Birth	2	0.1	11	0.4	3 dose of DPT	86.6
25	Newborn weighted at birth to live birth	494	101.2	551	100.0	Measles First dose	89.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	3 doses of penta or hepatitis B vaccine	76.3

27	Newborns breastfed within 1 hour to total reported live birth.	494	101.2	551	100.0	Full Immunization	71.4
28	Fully immunized	806	35.2	790	31.6		
29	Children who have received BCG	566	24.7	507	20.3		
30	Children who have received Pentavalent 1	591	25.8	625	25.0		
31	Children who have received Pentavalent 3	730	31.9	742	29.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	818	35.7	831	33.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		128			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	16.4
35	Number of Tubectomies performed	0	0	Spacing	7.4
36	Number of IUD insertion	48	8	Women using any method	54.1
37	Number of IUD removals	39	12	Women using modern method	47.9
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	101	35		
39	General OPD cases per 10,000 population ***	1042	582		
40	Ayush OPD cases per 10,000 population ***	19	29		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	3	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality		-		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

	Leparada	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	20,152					
2	Sex Ratio	NA					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers(PHC)	2					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	423		41	9		
9	Expected number of Delivery	392		38	8		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	261	61.8	269	64.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	131	50.2	159	59.1	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	143	54.8	157	58.4	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	91	34.9	110	40.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	41	15.7	80	29.7	Home Delivery	NA
15	Home Delivery against expected delivery *	10	2.6	8	2.1	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	107	27.3	83	21.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	10	8.5	8	8.8	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	107	91.5	83	91.2	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	117		91			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	100.0	7	87.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	1	1.1		
	In case of HMIS data, Percentage is with reference to to			omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	384		381			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	116	30.2	91	23.9	BCG	NA
24	Total Still Birth	1	0.3	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	115	99.1	88	96.7	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	3.5	4	4.5	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	115	99.1	88	96.7	Full Immunization	NA
28	Fully immunized	256	66.6	265	69.6		
29	Children who have received BCG	125	32.5	101	26.5		
30	Children who have received Pentavalent 1	239	62.2	278	73.0		
31	Children who have received Pentavalent 3	247	64.3	256	67.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	256	66.6	267	70.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	53		75			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	39	Spacing	NA
36	Number of IUD insertion	21	13	Women using any method	NA
37	Number of IUD removals	11	19	Women using modern method	NA
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	247	338		
39	General OPD cases per 10,000 population ***	6468	9931		
40	Ayush OPD cases per 10,000 population ***	355	1074		
G) N	Mortality Details			T	
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

	Lohit	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	49,776					
2	Sex Ratio	901					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	1,13	4	1,1	33		
9	Expected number of Delivery	1,05	2	1,0	51		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
		Number	PC	Number	PC		
10	PW register for ANC	1,069	94.2	1,069	94.3	ANC Check up in first trimester	66.9
11	Mothers registered in the first trimester	470	44.0	637	59.6	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	438	41.0	793	74.2	Neonatal tetanus received	74.6
13	PW who got TT 2 / Booster injection	699	65.4	753	70.4	100 IFA tablets consumed	34.1
14	PW who consumed 180 IFA tablets	636	59.5	1,151	107.7	Home Delivery	9.8
15	Home Delivery against expected delivery *	11	1.0	8	0.8	Institutional Delivery	90.2
16	Institutional Delivery against expected delivery *	970	92.2	1,017	96.8	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	11	1.1	8	0.8	PNC within 2days of delivery	66.2
18	Institutional Delivery against reported delivery **	970	98.9	1,017	99.2	Breastfeed within 1 hour of birth	52.3
19	Total reported Deliveries	981		1,025			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	4	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	851	86.7	187	18.2		
	In case of HMIS data, Percentage is with reference to to	tal number of P		omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	1,031		1,030			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	971	94.2	1,004	97.4	BCG	95.9
24	Total Still Birth	17	1.6	17	1.7	3 dose of DPT	86.8
25	Newborn weighted at birth to live birth	971	100.0	1,004	100.0	Measles First dose	87.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	70	7.2	67	6.7	3 doses of penta or hepatitis B vaccine	83.4

27	Newborns breastfed within 1 hour to total reported live birth.	875	90.1	994	99.0	Full Immunization	74
28	Fully immunized	714	69.2	788	76.5		
29	Children who have received BCG	999	96.9	1,028	99.8		
30	Children who have received Pentavalent 1	786	76.2	837	81.2		
31	Children who have received Pentavalent 3	721	69.9	774	75.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	702	68.1	786	76.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,990		534			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	40	56	Spacing	7.3
36	Number of IUD insertion	58	44	Women using any method	57
37	Number of IUD removals	14	17	Women using modern method	43.5
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	455	546		
39	General OPD cases per 10,000 population ***	7472	10893		
40	Ayush OPD cases per 10,000 population ***	404	719		
G) N	Nortality Details			T	
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	6		
40	Neonatal Deaths up to 4 weeks of	0	2		
42	birth Total Neonatal Death	0	3 9		
44	Deaths between (1 - 11) months	3	1		
45	Total reported infant deaths	3	10		
II)	Maternal Mortality	•	1.7		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

	Longding	Factshee	et				
Kov	Indicators						
	emographic Indicators (Census 2011)						
1	Population 2011	56,953					
2	Sex Ratio	931					
	frastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers(PHC)	2					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0		ı			
C)N	laternal Health:	2021-	22	2022	:-23		
8	Expected number of PW	1,23	8	1,2	31		
9	Expected number of Delivery	1,14	8	1,1	41		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	1,266	102.3	1,397	113.5	ANC Check up in first trimester	65.8
11	Mothers registered in the first trimester	373	29.5	363	26.0	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	301	23.8	285	20.4	Neonatal tetanus received	78.4
13	PW who got TT 2 / Booster injection	970	76.6	1,067	76.4	100 IFA tablets consumed	33.4
14	PW who consumed 180 IFA tablets	824	65.1	971	69.5	Home Delivery	35.5
15	Home Delivery against expected delivery *	267	23.3	363	31.8	Institutional Delivery	64.5
16	Institutional Delivery against expected delivery *	477	41.6	542	47.5	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	267	35.9	363	40.1	PNC within 2days of delivery	57.1
18	Institutional Delivery against reported delivery **	477	64.1	542	59.9	Breastfeed within 1 hour of birth	58.0
19	Total reported Deliveries	744		905			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	40.1	149	41.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	145	19.5	257	28.4		
	In case of HMIS data, Percentage is with reference to to		regnant W	omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	1,125		1,119			
	hild Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	733	65.1	889	79.4	BCG	74.5
24	Total Still Birth	11	1.0	16	1.4	3 dose of DPT	59.7
	Newborn weighted at birth to live birth					Measles First	00.1
25		599	81.7	744	83.7	dose 3 doses of penta	61.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	6	8.0	or hepatitis B vaccine	59.7

27	Newborns breastfed within 1 hour to total reported live birth.	688	93.9	862	97.0	Full Immunization	52.7
28	Fully immunized	697	61.9	786	70.2		
29	Children who have received BCG	880	78.2	915	81.8		
30	Children who have received Pentavalent 1	1,068	94.9	1,092	97.6		
31	Children who have received Pentavalent 3	891	79.2	940	84.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	711	63.2	894	79.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	533		1,223			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.3
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	7	51	Women using any method	68.6
37	Number of IUD removals	7	16	Women using modern method	49
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	151	194		
39	General OPD cases per 10,000 population ***	4651	6433		
40	Ayush OPD cases per 10,000 population ***	473	1039		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	0	7		
43	Total Neonatal Death	1	8		
44	Deaths between (1 - 11) months	3	3		
45	Total reported infant deaths	4	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	1		

	Lower Dibang Valley	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	54,080					
2	Sex Ratio	919					
B)Iı	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-2	22	2022	-23		
8	Expected number of PW	1,123		1,1			
9	Expected number of Delivery	1,042		1,03			
		HMIS (202		HMIS (2		NFHS-5 (2019	-20)
		-	-			11110 5 (2025	,
		Number	PC	Number	PC	ANC Check up in	
10	PW register for ANC	1,066	94.9	1,073	96.5	first trimester	56.3
11	-	,		, -		At least 4 ANC	
11	Mothers registered in the first trimester	353	33.1	389	36.3	check up	48.6
12	Mothers who had 4 or more ANC	222	20.0	272	25.4	Neonatal tetanus	07 5
	check ups	222	20.8	273	25.4	received	87.5
13	PW who got TT 2 / Booster injection	681	63.9	740	69.0	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	190	17.8	215	20.0	Home Delivery	9.9
	Home Delivery against expected	130	17.0	213	20.0	Institutional	3.3
15	delivery *	26	2.5	29	2.8	Delivery	90.1
16	Institutional Delivery against expected	274	25.6	540	40.7	Home Delivery	2.6
	delivery *	371	35.6	512	49.7	by SBA	3.6
17	Home Delivery against reported delivery **	26	6.5	29	5.4	PNC within 2days of delivery	58.6
	Institutional Delivery against reported	20	0.5		0.4	Breastfeed within	30.0
18	delivery **	371	93.5	512	94.6		59.8
19	Total reported Deliveries	397		541			
20	Reported Delivery at home assisted by						
	a Doctor/Nurse /LHV/ANM(%)	23	88.5	15	51.7		
24	Woman getting post partum check up						
21	between 48 hours and 14 days to total reported deliveries	89	22.4	171	31.6		
Note	: In case of HMIS data, Percentage is with reference to to					luring the period and in NFF	IS-5 is
	ref. to Women who had last births in the 5 years befor	re the survey.		l		T	
22	Expected number of Live Birth	1,021		1,010			
D) (child Immunization :	HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
23	Total reported live births	392	38.4	537	53.2	BCG	89.2
24	Total Still Birth	5	0.5	9	0.9	3 dose of DPT	77
	Newborn weighted at birth to live birth	389	99.2	533	99.3	Measles First	
25	-	309	33.2	555	ყყ .ა	dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	27	6.9	44	8.3	3 doses of penta or hepatitis B vaccine	79.2

27	Newborns breastfed within 1 hour to total reported live birth.	386	98.5	532	99.1	Full Immunization	73.8
28	Fully immunized	804	78.8	779	77.1		
29	Children who have received BCG	673	65.9	692	68.5		
30	Children who have received Pentavalent 1	815	79.8	853	84.4		
31	Children who have received Pentavalent 3	804	78.8	789	78.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	805	78.9	786	77.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	123		233			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	4.9			
35	Number of Tubectomies performed	9	25	Spacing	4.6			
36	Number of IUD insertion	35	54	Women using any method	75.3			
37	Number of IUD removals	27	51	Women using modern method	56.4			
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)					
38	IPD cases per 10,000 population ***	158	198					
39	General OPD cases per 10,000 population ***	9306	10825					
40	Ayush OPD cases per 10,000 population ***	300	1022					
G) N	G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
41	Neonatal deaths within 24 hours	1	1					
42	Neonatal Deaths up to 4 weeks of birth	0	0					
43	Total Neonatal Death	1	1					
44	Deaths between (1 - 11) months	0	2					
45	Total reported infant deaths	1	3					
II)	Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
46	Due to Abortion	0	0					
47	Due to Obstructed/prolonged labour	0	0					
48	Due to Severe hypertension/fits	0	0					
49	Due to Bleeding	0	0					
50	Due to High fever	0	0					
51	Due to Other Causes (including causes not known)	0	0					
52	Total reported maternal deaths	0	0					

	Lower Siang	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	22,630					
2	Sex Ratio	NA					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	4					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	-23		
8	Expected number of PW	475	ı	47	0		
9	Expected number of Delivery	440)	43	6		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	254	53.5	328	69.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	181	71.3	226	68.9	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	60	23.6	93	28.4	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	190	74.8	253	77.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	253	99.6	297	90.5	Home Delivery	NA
15	Home Delivery against expected delivery *	7	1.6	20	4.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	98	22.3	240	55.0	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	7	6.7	20	7.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	98	93.3	240	92.3	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	105		260			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	100.0	15	75.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	51	48.6	53	20.4		
	In case of HMIS data, Percentage is with reference to to		regnant W	omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	431		428			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	104	24.1	261	61.0	BCG	NA
24	Total Still Birth	1	0.2	2	0.5	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	104	100.0	248	95.0	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	9	3.6	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	103	99.0	248	95.0	Full Immunization	NA
28	Fully immunized	205	47.5	202	47.2		
29	Children who have received BCG	114	26.4	247	57.8		
30	Children who have received Pentavalent 1	195	45.2	231	54.0		
31	Children who have received Pentavalent 3	196	45.4	202	47.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	208	48.2	203	47.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	45		53			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-	-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA			
35	Number of Tubectomies performed	0	0	Spacing	NA			
36	Number of IUD insertion	15	17	Women using any method	NA			
37	Number of IUD removals	9	10	Women using modern method	NA			
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)					
38	IPD cases per 10,000 population ***	448	528					
39	General OPD cases per 10,000 population ***	7946	11000					
40	Ayush OPD cases per 10,000 population ***	264	295					
G) N	G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
41	Neonatal deaths within 24 hours	1	0					
42	Neonatal Deaths up to 4 weeks of birth	0	0					
43	Total Neonatal Death	1	0					
44	Deaths between (1 - 11) months	0	0					
45	Total reported infant deaths	1	0					
II)	Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
46	Due to Abortion	0	0					
47	Due to Obstructed/prolonged labour	0	0					
48	Due to Severe hypertension/fits	0	0					
49	Due to Bleeding	0	0					
50	Due to High fever	0	0					
51	Due to Other Causes (including causes not known)	0	0					
52	Total reported maternal deaths	0	0					

	Lower Subansiri	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	67,751					
2	Sex Ratio	975					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	23					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	2,10	9	2,1	74		
9	Expected number of Delivery	1,95	6	2,0	16		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	628	29.8	679	31.2	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	213	33.9	235	34.6	At least 4 ANC check up	39.1
12	Mothers who had 4 or more ANC check ups	173	27.5	188	27.7	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	418	66.6	479	70.5	100 IFA tablets consumed	15.2
14	PW who consumed 180 IFA tablets	136	21.7	159	23.4	Home Delivery	10.2
15	Home Delivery against expected delivery *	26	1.3	20	1.0	Institutional Delivery	89.8
16	Institutional Delivery against expected delivery *	371	19.0	401	19.9	Home Delivery by SBA	2.8
17	Home Delivery against reported delivery **	26	6.5	20	4.8	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	371	93.5	401	95.2	Breastfeed within 1 hour of birth	52.5
19	Total reported Deliveries	397		421			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	38.5	1	5.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	139	35.0	142	33.7		
	In case of HMIS data, Percentage is with reference to to	tal number of P		omen registere		ring the period and in NFH	S-5 is
with 1	ref. to Women who had last births in the 5 years before Expected number of Live Birth	1		1.077			
	child Immunization :	1,918 HMIS (20	21-22)	1,977 HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	383	20.0	417	21.1	BCG	85
24	Total Still Birth	14	0.7	5	0.3	3 dose of DPT	69.6
25	Newborn weighted at birth to live birth	391	102.1	417	100.0	Measles First dose	76.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	30	7.7	24	5.8	3 doses of penta or hepatitis B vaccine	65.9

27	Newborns breastfed within 1 hour to total reported live birth.	320	83.6	392	94.0	Full Immunization	66.5
28	Fully immunized	512	26.7	511	25.9		
29	Children who have received BCG	343	17.9	392	19.8		
30	Children who have received Pentavalent 1	511	26.6	548	27.7		
31	Children who have received Pentavalent 3	529	27.6	505	25.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	516	26.9	511	25.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	205		313			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	10	28	Spacing	2.3
36	Number of IUD insertion	36	54	Women using any method	65.9
37	Number of IUD removals	37	67	Women using modern method	58
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	171	335		
39	General OPD cases per 10,000 population ***	3659	4656		
40	Ayush OPD cases per 10,000 population ***	357	688		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	4	4		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	4	4		
44	Deaths between (1 - 11) months	0	9		
45	Total reported infant deaths	4	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

	Namsai	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	95,950					
2	Sex Ratio	901					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	2,18	7	2,1	85		
9	Expected number of Delivery	2,02	8	2,0	26		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	2,021	92.4	2,146	98.2	ANC Check up in first trimester	61.6
11	Mothers registered in the first trimester	1,407	69.6	1,639	76.4	At least 4 ANC check up	35.4
12	Mothers who had 4 or more ANC check ups	1,317	65.2	1,695	79.0	Neonatal tetanus received	76.7
13	PW who got TT 2 / Booster injection	1,767	87.4	1,924	89.7	100 IFA tablets consumed	33.6
14	PW who consumed 180 IFA tablets	998	49.4	1,677	78.1	Home Delivery	36.4
15	Home Delivery against expected delivery *	265	13.1	227	11.2	Institutional Delivery	63.6
16	Institutional Delivery against expected delivery *	1,710	84.3	1,864	92.0	Home Delivery by SBA	6.4
17	Home Delivery against reported delivery **	265	13.4	227	10.9	PNC within 2days of delivery	51.2
18	Institutional Delivery against reported delivery **	1,710	86.6	1,864	89.1	Breastfeed within 1 hour of birth	47.4
19	Total reported Deliveries	1,975		2,091			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	44.2	86	37.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	421	21.3	1,367	65.4		
	In case of HMIS data, Percentage is with reference to to	tal number of P			d for ANC du	ring the period and in NFH	S-5 is
with 22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	1,988		1,986			
	Child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	1,938	97.5	2,068	104.1	BCG	83.5
24	Total Still Birth	39	2.0	31	1.6	3 dose of DPT	80.7
25	Newborn weighted at birth to live birth	1,871	96.5	2,062	99.7	Measles First dose	79.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	111	5.9	150	7.3	3 doses of penta or hepatitis B vaccine	75.1

27	Newborns breastfed within 1 hour to total reported live birth.	1,865	96.2	2,058	99.5	Full Immunization	67.2
28	Fully immunized	1,597	80.3	1,695	85.3		
29	Children who have received BCG	2,266	114.0	2,076	104.5		
30	Children who have received Pentavalent 1	1,837	92.4	1,805	90.9		
31	Children who have received Pentavalent 3	1,642	82.6	1,856	93.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,576	79.3	1,698	85.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	56		412			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	137	94	Spacing	5.2
36	Number of IUD insertion	29	30	Women using any method	69.5
37	Number of IUD removals	25	29	Women using modern method	48.1
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	321	452		
39	General OPD cases per 10,000 population ***	6186	6762		
40	Ayush OPD cases per 10,000 population ***	676	1210		
G) N	Mortality Details			T	
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	2	4		
42	Neonatal Deaths up to 4 weeks of	0	0		
42	birth Total Neonatal Death	2 4	<u>2</u> 6		
44	Deaths between (1 - 11) months	3	0		
45	Total reported infant deaths	7	6		
II)	Maternal Mortality			1	
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

	Pakke-Kessang	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	15,358					
2	Sex Ratio	NA					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers(PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	428		43	6		
9	Expected number of Delivery	397		40	5		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	140	32.7	198	45.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	21	15.0	41	20.7	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	20	14.3	15	7.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	84	60.0	95	48.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	63	45.0	95	48.0	Home Delivery	NA
15	Home Delivery against expected delivery *	11	2.8	31	7.7	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	33	8.3	38	9.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	11	25.0	31	44.9	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	33	75.0	38	55.1	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	44		69			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	63.6	20	64.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38	86.4	40	58.0		
	In case of HMIS data, Percentage is with reference to to	tal number of P		omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	389		397			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	42	10.8	57	14.4	BCG	NA
24	Total Still Birth	0	0.0	5	1.3	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	42	100.0	56	98.2	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	3	5.4	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	41	97.6	48	84.2	Full Immunization	NA
28	Fully immunized	67	17.2	166	41.8		
29	Children who have received BCG	106	27.2	87	21.9		
30	Children who have received Pentavalent 1	146	37.5	153	38.6		
31	Children who have received Pentavalent 3	144	37.0	177	44.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	97	24.9	165	41.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		159			

E)Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)				
34	Number of Vasectomies performed			Total unmet need	NIA			
35	Number of Tubectomies performed	0	#VALUE!	Spacing	NA NA			
36	Number of IUD insertion	2	0	Women using	147			
30	Number of IOD Insertion	2	U	any method	NA			
37	Number of IUD removals		1	Women using modern method	NA			
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)					
38	IPD cases per 10,000 population ***	59	71					
39	General OPD cases per 10,000 population ***	2787	4262					
40	Ayush OPD cases per 10,000 population ***	94	390					
G) N	Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
41	Neonatal deaths within 24 hours	0	1					
	Neonatal Deaths up to 4 weeks of							
42	birth	0	1	-				
43	Total Neonatal Death	0	2	_				
44	Deaths between (1 - 11) months	0	1	_				
45	Total reported infant deaths	0	3					
II)	Maternal Mortality	T	T	1				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
46	Due to Abortion		0					
47	Due to Obstructed/prolonged labour		0					
48	Due to Severe hypertension/fits		0					
49	Due to Bleeding		0					
50	Due to High fever		0					
	Due to Other Causes (including causes							
51	not known)		0					
52	Total reported maternal deaths	0	0					

	Papum Pare	Factshee	et						
Key Indicators									
A) D	Demographic Indicators (Census 2011)								
1	Population 2011	1,76,573							
2	Sex Ratio	950							
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers							
3	Sub Centers (SC)	37							
4	Primary Health Centers(PHC)	17							
5	Community Health Centers (CHC)	4							
6	SDH	0							
7	DH	0							
C)N	Naternal Health:	2021-	22	2022	2-23				
8	Expected number of PW	5,28	7	5,4	29				
9	Expected number of Delivery	4,90	3	5,0	34				
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)		
		Number	PC	Number	PC				
10	PW register for ANC	9,112	172.3	7,646	140.8	ANC Check up in first trimester	38.4		
11	Mothers registered in the first trimester	1,967	21.6	4,022	52.6	At least 4 ANC check up	39.3		
12	Mothers who had 4 or more ANC check ups	2,313	25.4	4,760	62.3	Neonatal tetanus received	74.0		
13	PW who got TT 2 / Booster injection	2,442	26.8	2,127	27.8	100 IFA tablets consumed	24.8		
14	PW who consumed 180 IFA tablets	7,535	82.7	5,650	73.9	Home Delivery	12.0		
15	Home Delivery against expected delivery *	24	0.5	32	0.6	Institutional Delivery	88.0		
16	Institutional Delivery against expected delivery *	5,993	122.2	6,462	128.4	Home Delivery by SBA	1.1		
17	Home Delivery against reported delivery **	24	0.4	32	0.5	PNC within 2days of delivery	53.2		
18	Institutional Delivery against reported delivery **	5,993	99.6	6,462	99.5	Breastfeed within 1 hour of birth	52.9		
19	Total reported Deliveries	6,017		6,494					
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	24	75.0				
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,962	32.6	2,041	31.4				
	In case of HMIS data, Percentage is with reference to to	tal number of P			d for ANC du	ring the period and in NFH	S-5 is		
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	4.807		4,935					
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)		
23	Total reported live births	6,026	125.4	6,537	132.5	BCG	88.1		
24	Total Still Birth	40	0.8	25	0.5	3 dose of DPT	76.3		
25	Newborn weighted at birth to live birth	6,006	99.7	6,334	96.9	Measles First dose	77.3		
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	302	5.0	384	6.1	3 doses of penta or hepatitis B vaccine	64.3		

27	Newborns breastfed within 1 hour to total reported live birth.	3,220	53.4	3,236	49.5	Full Immunization	60.7
28	Fully immunized	3,219	67.0	5,216	105.7		
29	Children who have received BCG	5,068	105.4	5,525	112.0		
30	Children who have received Pentavalent 1	4,030	83.8	4,119	83.5		
31	Children who have received Pentavalent 3	3,359	69.9	3,683	74.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,171	66.0	5,279	107.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	542		816			

E)Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20.3
35	Number of Tubectomies performed	341	341	Spacing	8.8
36	Number of IUD insertion	429	495	Women using any method	47.7
37	Number of IUD removals	263	257	Women using modern method	41
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	759	887		
39	General OPD cases per 10,000 population ***	20475	22244		
40	Ayush OPD cases per 10,000 population ***	1122	1108		
G) N	Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	25	20		
42	Neonatal Deaths up to 4 weeks of birth	9	13		
43	Total Neonatal Death	34	33		
44	Deaths between (1 - 11) months	6	8		
45	Total reported infant deaths	40	41		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	5		
52	Total reported maternal deaths	1	5		

	Shi Yomi	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	13,310					
2	Sex Ratio	NA					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	0					
4	Primary Health Centers(PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C)N	Naternal Health:	2021-2	22	2022	2-23		
8	Expected number of PW	258		25	3		
9	Expected number of Delivery	239		23	5		
		HMIS (2021-22)		HMIS (2	022-23)	NFHS-5 (2019-	-20)
		Number	PC	Number	PC		
10	PW register for ANC	257	99.7	213	84.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	98	38.1	82	38.5	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	26	10.1	39	18.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	181	70.4	152	71.4	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	99	38.5	89	41.8	Home Delivery	NA
15	Home Delivery against expected delivery *	9	3.8	17	7.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	36	15.1	65	27.7	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	9	20.0	17	20.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	36	80.0	65	79.3	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	45		82			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	33.3	14	82.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	4.4	30	36.6		
	In case of HMIS data, Percentage is with reference to to	tal number of P		omen registere	ed for ANC du	uring the period and in NFH	IS-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	234		230			
	child Immunization :	HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	33	14.1	83	36.0	BCG	NA
24	Total Still Birth	1	0.4	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	29	87.9	77	92.8	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	3.4	3	3.9	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	30	90.9	75	90.4	Full Immunization	NA
28	Fully immunized	183	78.1	209	90.8		
29	Children who have received BCG	83	35.4	79	34.3		
30	Children who have received Pentavalent 1	200	85.4	186	80.8		
31	Children who have received Pentavalent 3	202	86.2	203	88.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	190	81.1	209	90.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	171		258			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)				
34	Number of Vasectomies performed	0	0	Total unmet need	NA				
35	Number of Tubectomies performed	0	0	Spacing	NA				
36	Number of IUD insertion	24	35	Women using any method	NA				
37	Number of IUD removals	17	20	Women using modern method	NA				
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)						
38	IPD cases per 10,000 population ***	117	146						
39	General OPD cases per 10,000 population ***	7686	10408						
40	Ayush OPD cases per 10,000 population ***	769	2207						
G) N	G) Mortality Details								
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)						
41	Neonatal deaths within 24 hours	0	0						
42	Neonatal Deaths up to 4 weeks of birth	0	0						
43	Total Neonatal Death	0	0						
44	Deaths between (1 - 11) months	0	1						
45	Total reported infant deaths	0	1						
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)						
46	Due to Abortion	0	0						
47	Due to Obstructed/prolonged labour	0	0						
48	Due to Severe hypertension/fits	0	0						
49	Due to Bleeding	0	0						
50	Due to High fever	0	0						
51	Due to Other Causes (including causes not known)	0	0						
52	Total reported maternal deaths	0	0						

	Siang	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	27,924					
2	Sex Ratio	962					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	617	'	61	5		
9	Expected number of Delivery	572		57	0		
		HMIS (20	MIS (2021-22) HMIS (2022-23)		NFHS-5 (2019	-20)	
		Number	PC	Number	PC		
10	PW register for ANC	295	47.8	276	44.9	ANC Check up in first trimester	50.8
11	Mothers registered in the first trimester	92	31.2	83	30.1	At least 4 ANC check up	31.1
12	Mothers who had 4 or more ANC check ups	57	19.3	49	17.8	Neonatal tetanus received	78.7
13	PW who got TT 2 / Booster injection	153	51.9	162	58.7	100 IFA tablets consumed	21.5
14	PW who consumed 180 IFA tablets	170	57.6	175	63.4	Home Delivery	18.9
15	Home Delivery against expected delivery *	28	4.9	13	2.3	Institutional Delivery	81.1
16	Institutional Delivery against expected delivery *	78	13.6	58	10.2	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	28	26.4	13	18.3	PNC within 2days of delivery	56.0
18	Institutional Delivery against reported delivery **	78	73.6	58	81.7	Breastfeed within 1 hour of birth	51.4
19	Total reported Deliveries	106		71			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	71.4	12	92.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11	10.4	3	4.2		
	In case of HMIS data, Percentage is with reference to to refere.		regnant W	omen registere	d for ANC du	ring the period and in NFH	S-5 is
22	Expected number of Live Birth	561		559			
	child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	106	18.9	71	12.7	BCG	80.8
24	Total Still Birth	2	0.4	0	0.0	3 dose of DPT	81.1
25	Newborn weighted at birth to live birth	106	100.0	71	100.0	Measles First dose	77.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.9	0	0.0	3 doses of penta or hepatitis B vaccine	74.7

27	Newborns breastfed within 1 hour to total reported live birth.	106	100.0	68	95.8	Full Immunization	60.3
28	Fully immunized	294	52.4	235	42.1		
29	Children who have received BCG	147	26.2	115	20.6		
30	Children who have received Pentavalent 1	303	54.0	283	50.7		
31	Children who have received Pentavalent 3	296	52.8	256	45.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	319	56.9	300	53.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13		32			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	5
35	Number of Tubectomies performed	0	0	Spacing	2.4
36	Number of IUD insertion	12	4	Women using any method	73.7
37	Number of IUD removals	4	9	Women using modern method	61
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	318	535		
39	General OPD cases per 10,000 population ***	5394	5476		
40	Ayush OPD cases per 10,000 population ***	189	274		
G) N	Nortality Details			T	
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

	Tawang	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	49,977					
2	Sex Ratio	701					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	12					
4	Primary Health Centers(PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-2	22	2022	2-23		
8	Expected number of PW	1,279)	1,2	93		
9	Expected number of Delivery	1,186	5	1,1	99		
		HMIS (2021-22) H		HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	844	66.0	840	65.0	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	276	32.7	367	43.7	At least 4 ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	188	22.3	181	21.5	Neonatal tetanus received	85.3
13	PW who got TT 2 / Booster injection	607	71.9	613	73.0	100 IFA tablets consumed	28.2
14	PW who consumed 180 IFA tablets	540	64.0	689	82.0	Home Delivery	15.8
15	Home Delivery against expected delivery *	179	15.1	155	12.9	Institutional Delivery	84.2
16	Institutional Delivery against expected delivery *	359	30.3	396	33.0	Home Delivery by SBA	5.7
17	Home Delivery against reported delivery **	179	33.3	155	28.1	PNC within 2days of delivery	49.6
18	Institutional Delivery against reported delivery **	359	66.7	396	71.9	Breastfeed within 1 hour of birth	60.6
19	Total reported Deliveries	538		551			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	26.3	48	31.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	182	33.8	276	50.1		
	In case of HMIS data, Percentage is with reference to to	tal number of P		omen registere	ed for ANC du	uring the period and in NFF	IS-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	1,163		1,176			
	child Immunization :	HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
23	Total reported live births	531	45.7	551	46.9	BCG	93.1
24	Total Still Birth	10	0.9	5	0.4	3 dose of DPT	81.9
25	Newborn weighted at birth to live birth	518	97.6	536	97.3	Measles First dose	90.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	16	3.1	6	1.1	3 doses of penta or hepatitis B vaccine	77.6

27	Newborns breastfed within 1 hour to total reported live birth.	427	80.4	496	90.0	Full Immunization	67.5
28	Fully immunized	746	64.1	716	60.9		
29	Children who have received BCG	657	56.5	633	53.8		
30	Children who have received Pentavalent 1	729	62.7	750	63.8		
31	Children who have received Pentavalent 3	746	64.1	720	61.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	756	65.0	710	60.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	274		648			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	14.6			
35	Number of Tubectomies performed	0	7	Spacing	11.7			
36	Number of IUD insertion	136	108	Women using any method	62.1			
37	Number of IUD removals	22	31	Women using modern method	56.3			
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)					
38	IPD cases per 10,000 population ***	229	280					
39	General OPD cases per 10,000 population ***	6127	8463					
40	Ayush OPD cases per 10,000 population ***	720	989					
G) N	G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
41	Neonatal deaths within 24 hours	1	2					
42	Neonatal Deaths up to 4 weeks of	0	0					
42	birth Total Neonatal Death	0	<u> </u>					
44	Deaths between (1 - 11) months	1	1					
45	Total reported infant deaths	2	3					
II)	Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
46	Due to Abortion	0	0					
47	Due to Obstructed/prolonged labour	0	0					
48	Due to Severe hypertension/fits	0	0					
49	Due to Bleeding	0	0					
50	Due to High fever	0	0					
51	Due to Other Causes (including causes not known)	0	0					
52	Total reported maternal deaths	0	0					

	Tirap	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	55,022					
2	Sex Ratio	931					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C)N	Maternal Health:	2021-2	22	2022	-23		
8	Expected number of PW	1,196		1,18			
9	Expected number of Delivery	1,109	9	1,10	03		
		HMIS (2021-22)		HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	5	0.40	70.2	004	02.5	ANC Check up in	F0.3
	PW register for ANC	948	79.3	981	82.5	first trimester At least 4 ANC	59.3
11	Mothers registered in the first trimester	411	43.4	455	46.4	check up	35.7
12	Mothers who had 4 or more ANC	205	40 C	F10	F3 0	Neonatal tetanus	72.0
	check ups	385	40.6	518	52.8	received	73.9
13	PW who got TT 2 / Booster injection	831	87.7	867	88.4	100 IFA tablets consumed	27.4
14	PW who consumed 180 IFA tablets	729	76.9	879	89.6	Home Delivery	29.8
15	Home Delivery against expected	196	17.7	175	15.9	Institutional	70.2
	delivery * Institutional Delivery against expected	190	17.7	1/3	15.9	Delivery Home Delivery	70.2
16	delivery *	488	44.0	456	41.4	by SBA	4.6
17	Home Delivery against reported delivery **	106	28.7	175	07.7	PNC within	49.8
	Institutional Delivery against reported	196	20.7	1/3	27.7	2days of delivery Breastfeed within	45.0
18	delivery **	488	71.3	456	72.3	1 hour of birth	72.0
19	Total reported Deliveries	684		631			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	59.7	111	63.4		
	Woman getting post partum check up						
21	between 48 hours and 14 days to total						
Note	reported deliveries In case of HMIS data, Percentage is with reference to to	669	97.8	624	98.9	ring the period and in NEE	IS_5 ic
	ref. to Women who had last births in the 5 years before		Jonaile VV		Alte at	o me period dila ili MT	
22	Expected number of Live Birth	1,087		1,081			
D) C	Child Immunization :	HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
23	Total reported live births	677	62.3	629	58.2	BCG	82.8
24	Total Still Birth	8	0.7	3	0.3	3 dose of DPT	77.4
25	Newborn weighted at birth to live birth	675	99.7	625	99.4	Measles First dose	77.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	26	3.9	6	1.0	3 doses of penta or hepatitis B vaccine	77.4

27	Newborns breastfed within 1 hour to total reported live birth.	675	99.7	625	99.4	Full Immunization	66.3
28	Fully immunized	788	72.5	770	71.2		
29	Children who have received BCG	712	65.5	627	58.0		
30	Children who have received Pentavalent 1	980	90.1	832	77.0		
31	Children who have received Pentavalent 3	835	76.8	836	77.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	788	72.5	770	71.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	180		296			

E)Fa	imily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)					
34	Number of Vasectomies performed			Total unmet	40.0					
35	Number of Tubectomies performed	13	#VALUE!	need Spacing	10.6 8.1					
36	Number of IUD insertion	27	48	Women using any method	56.1					
37	Number of IUD removals	42	47	Women using modern method	39.4					
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)							
38	IPD cases per 10,000 population ***	219	206							
39	General OPD cases per 10,000 population ***	4188	5382							
40	Ayush OPD cases per 10,000 population ***	809	1047							
G) N	G) Mortality Details									
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)							
41	Neonatal deaths within 24 hours	1	2							
42	Neonatal Deaths up to 4 weeks of birth	4	0							
43	Total Neonatal Death	1 2	0 2							
44	Deaths between (1 - 11) months	1	1							
45	Total reported infant deaths	3	3							
II)	Maternal Mortality	-	-							
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)							
46	Due to Abortion	0	0							
47	Due to Obstructed/prolonged labour	0	0							
48	Due to Severe hypertension/fits	0	0							
49	Due to Bleeding	0	0							
50	Due to High fever	0	0							
51	Due to Other Causes (including causes not known)	0	0							
	·	1	0							

	Upper Siang	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	35,320					
2	Sex Ratio	891					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	2					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	724	ļ	71	6		
9	Expected number of Delivery	672		66	4		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	580	80.1	665	92.9	ANC Check up in first trimester	54.5
11	Mothers registered in the first trimester	253	43.6	279	42.0	At least 4 ANC check up	34.0
12	Mothers who had 4 or more ANC check ups	220	37.9	619	93.1	Neonatal tetanus received	73.5
13	PW who got TT 2 / Booster injection	357	61.6	472	71.0	100 IFA tablets consumed	12.6
14	PW who consumed 180 IFA tablets	468	80.7	642	96.5	Home Delivery	24.0
15	Home Delivery against expected delivery *	19	2.8	10	1.5	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	259	38.6	268	40.4	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	19	6.8	10	3.6	PNC within 2days of delivery	56.4
18	Institutional Delivery against reported delivery **	259	93.2	268	96.4	Breastfeed within 1 hour of birth	28.2
19	Total reported Deliveries	278		278			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	78.9	5	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	74.5	244	87.8		
	In case of HMIS data, Percentage is with reference to to	tal number of P				ring the period and in NFH	S-5 is
with	ref. to Women who had last births in the 5 years before Expected number of Live Birth			651			
	child Immunization :	658 HMIS (20	21-22)	651 HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	276	41.9	278	42.7	BCG	86.7
24	Total Still Birth	2	0.3	2	0.3	3 dose of DPT	68.4
25	Newborn weighted at birth to live birth	277	100.4	277	99.6	Measles First dose	70
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	5.1	18	6.5	3 doses of penta or hepatitis B vaccine	63.4

27	Newborns breastfed within 1 hour to total reported live birth.	256	92.8	248	89.2	Full Immunization	61.4
28	Fully immunized	471	71.5	422	64.8		
29	Children who have received BCG	278	42.2	302	46.4		
30	Children who have received Pentavalent 1	408	62.0	470	72.2		
31	Children who have received Pentavalent 3	403	61.2	463	71.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	471	71.5	422	64.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	155		158			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	19	17	Spacing	6.6
36	Number of IUD insertion	45	58	Women using any method	62
37	Number of IUD removals	40	32	Women using modern method	54
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	342	397		
39	General OPD cases per 10,000 population ***	7508	8842		
40	Ayush OPD cases per 10,000 population ***	822	576		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

	Upper Subansiri	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	79,030					
2	Sex Ratio	982					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	23					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-2	22	2022	2-23		
8	Expected number of PW	2,500)	2,5	81		
9	Expected number of Delivery	2,318	3	2,3	94		
		HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	2,156	86.2	2,094	81.1	ANC Check up in first trimester	34.6
11	Mothers registered in the first trimester	722	33.5	775	37.0	At least 4 ANC check up	32.1
12	Mothers who had 4 or more ANC check ups	314	14.6	739	35.3	Neonatal tetanus received	79.1
13	PW who got TT 2 / Booster injection	747	34.6	705	33.7	100 IFA tablets consumed	23.6
14	PW who consumed 180 IFA tablets	362	16.8	2,022	96.6	Home Delivery	23.0
15	Home Delivery against expected delivery *	13	0.6	12	0.5	Institutional Delivery	77.0
16	Institutional Delivery against expected delivery *	851	36.7	770	32.2	Home Delivery by SBA	5.2
17	Home Delivery against reported delivery **	13	1.5	12	1.5	PNC within 2days of delivery	56.7
18	Institutional Delivery against reported delivery **	851	98.5	770	98.5	Breastfeed within 1 hour of birth	56.6
19	Total reported Deliveries	864		782			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	38.5	10	83.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10	1.2	20	2.6		
	In case of HMIS data, Percentage is with reference to to	tal number of P				uring the period and in NFF	IS-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	2,273		2,347			
	child Immunization :	HMIS (202	21-22)	HMIS (2	022-23)	NFHS-5 (2019-	-20)
23	Total reported live births	848	37.3	761	32.4	BCG	89.8
24	Total Still Birth	12	0.5	21	0.9	3 dose of DPT	75.6
25	Newborn weighted at birth to live birth	847	99.9	735	96.6	Measles First dose	84.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	44	5.2	81	11.0	3 doses of penta or hepatitis B vaccine	72.2

27	Newborns breastfed within 1 hour to total reported live birth.	609	71.8	486	63.9	Full Immunization	68.5
28	Fully immunized	824	36.3	760	32.4		
29	Children who have received BCG	805	35.4	704	30.0		
30	Children who have received Pentavalent 1	990	43.6	922	39.3		
31	Children who have received Pentavalent 3	912	40.1	885	37.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	823	36.2	760	32.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	271		156			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	17.3			
35	Number of Tubectomies performed	3	19	Spacing	8.6			
36	Number of IUD insertion	179	171	Women using any method	53.2			
37	Number of IUD removals	123	160	Women using modern method	48.4			
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)					
38	IPD cases per 10,000 population ***	129	127					
39	General OPD cases per 10,000 population ***	2756	2270					
40	Ayush OPD cases per 10,000 population ***	254	247					
G) N	G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
41	Neonatal deaths within 24 hours	0	0					
42	Neonatal Deaths up to 4 weeks of birth	0	0					
43	Total Neonatal Death	0	0					
44	Deaths between (1 - 11) months	0	0					
45	Total reported infant deaths	0	0					
II)	Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)					
46	Due to Abortion	0	0					
47	Due to Obstructed/prolonged labour	0	0					
48	Due to Severe hypertension/fits	0	0					
49	Due to Bleeding	0	0					
50	Due to High fever	0	0					
51	Due to Other Causes (including causes not known)	0	0					
52	Total reported maternal deaths	0	0					

	West Kameng	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	83,947					
2	Sex Ratio	755					
	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C)N	Maternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	1,91		1,9			
9	Expected number of Delivery	1,77	7	1,7	76		
		HMIS (20:	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10						ANC Check up in	
	PW register for ANC	1,571	82.0	1,655	86.4	first trimester	45.1
11	Mothers registered in the first trimester	1,000	63.7	1,041	62.9	At least 4 ANC check up	27.6
12	Mothers who had 4 or more ANC check ups	647	41.2	383	23.1	Neonatal tetanus received	64.4
13	PW who got TT 2 / Booster injection	1,065	67.8	1,116	67.4	100 IFA tablets consumed	18.5
14	PW who consumed 180 IFA tablets	913	58.1	1,076	65.0	Home Delivery	6.4
15	Home Delivery against expected delivery *	15	0.8	11	0.6	Institutional Delivery	93.6
16	Institutional Delivery against expected delivery *	548	30.8	579	32.6	Home Delivery by SBA	4.6
17	Home Delivery against reported					PNC within	
18	delivery ** Institutional Delivery against reported	15	2.7	11	1.9	2days of delivery Breastfeed within	38.9
	delivery **	548	97.3	579	98.1	1 hour of birth	42.6
19	Total reported Deliveries Reported Delivery at home assisted by	563		590			
20	a Doctor/Nurse /LHV/ANM(%)	8	53.3	9	81.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	178	31.6	178	30.2		
	: In case of HMIS data, Percentage is with reference to to	otal number of P		omen registere		uring the period and in NFH	IS-5 is
with 22	ref. to Women who had last births in the 5 years before Expected number of Live Birth			1 744			
	•	1,743	24 22\	1,741	022.221	NEUS E /2010	20)
<i>D</i>) C	Child Immunization :	HMIS (20:		HMIS (2		NFHS-5 (2019	-20)
23	Total reported live births	560	32.1	578	33.2	BCG	94
24	Total Still Birth	4	0.2	6	0.3	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	551	98.4	584	101.0	Measles First dose	65.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	5.1	36	6.2	3 doses of penta or hepatitis B vaccine	57.4

27	Newborns breastfed within 1 hour to total reported live birth.	549	98.0	580	100.3	Full Immunization	56.2
28	Fully immunized	1,075	61.7	1,097	63.0		
29	Children who have received BCG	814	46.7	671	38.5		
30	Children who have received Pentavalent 1	1,061	60.9	1,103	63.3		
31	Children who have received Pentavalent 3	1,064	61.1	1,089	62.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,017	58.4	1,098	63.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	337		311			

E)Fa	mily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	3	4	Spacing	13.5
36	Number of IUD insertion	224	227	Women using any method	53.8
37	Number of IUD removals	209	209	Women using modern method	47.8
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	216	208		
39	General OPD cases per 10,000 population ***	6326	7183		
40	Ayush OPD cases per 10,000 population ***	339	596		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
40	Neonatal Deaths up to 4 weeks of	0	0		
42	birth Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality	U	l		
,	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

	West Siang	Factshee	et				
Key	Indicators						
A) D	Demographic Indicators (Census 2011)						
1	Population 2011	56,516					
2	Sex Ratio	916					
B)Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers(PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C)N	Naternal Health:	2021-	22	2022	2-23		
8	Expected number of PW	1,18	5	1,1	75		
9	Expected number of Delivery	1,09	9	1,0	89		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	1,129	95.2	1,177	100.2	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	286	25.3	351	29.8	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	963	85.3	770	65.4	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	676	59.9	775	65.8	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	1,051	93.1	1,045	88.8	Home Delivery	15.4
15	Home Delivery against expected delivery *	30	2.7	38	3.5	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,018	92.6	1,079	99.1	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	30	2.9	38	3.4	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,018	97.1	1,079	96.6	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,048		1,117			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	96.7	38	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	242	23.1	25	2.2		
	: In case of HMIS data, Percentage is with reference to to	otal number of P				ring the period and in NFH	S-5 is
22	ref. to Women who had last births in the 5 years before Expected number of Live Birth	1,078		1,068			
	Child Immunization :	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
23	Total reported live births	1,042	96.7	1,106	103.6	BCG	93.7
24	Total Still Birth	6	0.6	11	1.0	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,042	100.0	1,095	99.0	Measles First dose	86.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	86	8.3	99	9.0	3 doses of penta or hepatitis B vaccine	81

27	Newborns breastfed within 1 hour to total reported live birth.	787	75.5	1,005	90.9	Full Immunization	55.4
28	Fully immunized	908	84.3	762	71.4		
29	Children who have received BCG	1,014	94.1	1,067	99.9		
30	Children who have received Pentavalent 1	872	80.9	869	81.4		
31	Children who have received Pentavalent 3	799	74.1	833	78.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	917	85.1	763	71.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	338		428			

E)Fa	amily Planning	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019	-20)
34	Number of Vasectomies performed	0	0	Total unmet need	15.5
35	Number of Tubectomies performed	84	94	Spacing	8.2
36	Number of IUD insertion	187	150	Women using any method	46.6
37	Number of IUD removals	165	159	Women using modern method	38.9
F) S	ervice delivery	HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	431	463		
39	General OPD cases per 10,000 population ***	9345	12642		
40	Ayush OPD cases per 10,000 population ***	275	404		
G) I	Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	6	1		
42	Neonatal Deaths up to 4 weeks of birth	4	5		
43	Total Neonatal Death	10	6		
44	Deaths between (1 - 11) months	1	3		
45	Total reported infant deaths	11	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		