

Meghalaya Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	29,66,889					
2	Sex Ratio	986					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	459					
5	Primary Health Centers (PHC)	147					
7	Community Health Centers (CHC)	28					
8	SDH	2					
9	DH	11					
C) Maternal Health:		2021-22	2022-23				
10	Expected number of PW	99,805	1,01,255				
11	Expected number of Delivery	93,453	94,811				
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,09,015	109.2	1,11,158	109.8	ANC Check up in first trimester	53.9
11	Mothers registered in the first trimester	43,607	40.0	49,732	44.7	At least 4ANC check up	52.2
12	Mothers who had 4 or more ANC check ups	57,630	52.9	71,390	64.2	Neonatal tetanus received	82.1
13	PW who got TT 2 / Booster injection	71,715	65.8	77,975	70.1	100 IFA tablets consumed	43.1
14	PW who consumed 180 IFA tablets	65,245	59.8	75,344	67.8	Home Delivery	41.9
15	Home Delivery against expected delivery *	35,500	38.0	28,673	30.2	Institutional Delivery	58.1
16	Institutional Delivery Against expected delivery *	47,508	50.8	58,166	61.3	Home Delivery by SBA	6.6
17	Home Delivery against reported delivery **	35,500	42.8	28,673	33.0	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	47,508	57.2	58,166	67.0		
19	Total reported Deliveries	83,008		86,839			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,495	7.0	3,320	11.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,582	51.3	46,340	53.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	90,731		92,050			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
23	Total reported live births	81,463	89.8	85,563	93.0	Breastfed within 1 hour of birth	78.8
24	Total Still Birth	2,323	2.6	2,167	2.4	BCG	89.3

25	PC of newborn weighted at birth to live birth	79,323	97.4	84,086	98.3	3 dose of DPT	73.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,456	8.1	7,908	9.4	Measles First dose	72.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	74,993	92.1	77,700	90.8	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	70,050	77.2	73,105	79.4	Full Immunization	63.8
29	Children who have received BCG	77,684	85.6	84,119	91.4		
30	Children who have received Pentavalent 1	73,494	81.0	79,229	86.1		
31	Children who have received Pentavalent 3	63,750	70.3	73,272	79.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	70,206	77.4	73,162	79.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	37,161		47,325			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	5	2	Total unmet need	26.9		
35	Number of Tubectomies performed	2,227	2,894	Spacing	18.3		
36	Number of IUD insertion	1,647	2,431	Women using any method	27.4		
37	Number of IUD removals	2,017	2,236	Women using modern method	22.5		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	455	659				
39	General OPD cases per 10,000 population ***	6995	9586				
40	Ayush OPD cases per 10,000 population ***	403	674				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	383	364				
42	Neonatal Deaths up to 4 weeks of birth	826	806				
43	Total Neonatal Death	1,209	1,170				
44	Deaths between (1 - 11) months	1,012	1,252				
45	Total reported infant deaths	2,221	2,422				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	5	2				
47	Due to Obstructed/prolonged labour	7	11				
48	Due to Severe hypertension/fits	13	8				
49	Due to Bleeding	36	29				
50	Due to High fever	2	0				
51	Due to Other Causes (including causes not known)	165	108				
52	Total reported maternal deaths	228	158				

East Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,17,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	31					
5	Primary Health Centers (PHC)	9					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2021-22	2022-23				
10	Expected number of PW	5,435	5,503				
11	Expected number of Delivery	5,089	5,153				
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,047	92.9	4,623	84.0	ANC Check up in first trimester	59.2
11	Mothers registered in the first trimester	1,817	36.0	1,795	38.8	At least 4ANC check up	25.5
12	Mothers who had 4 or more ANC check ups	2,371	47.0	2,707	58.6	Neonatal tetanus received	74.5
13	PW who got TT 2 / Booster injection	3,600	71.3	3,497	75.6	100 IFA tablets consumed	28.8
14	PW who consumed 180 IFA tablets	3,530	69.9	3,796	82.1	Home Delivery	26.2
15	Home Delivery against expected delivery *	2,097	41.2	1,565	30.4	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	2,207	43.4	2,604	50.5	Home Delivery by SBA	7.5
17	Home Delivery against reported delivery **	2,097	48.7	1,565	37.5	PNC within 2days of delivery	59.9
18	Institutional Delivery against reported delivery **	2,207	51.3	2,604	62.5		
19	Total reported Deliveries	4,304		4,169			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	839	40.0	529	33.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,184	74.0	3,094	74.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,941		5,003			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	4,225	85.5	4,075	81.4	Breastfed within 1 hour of birth	48.0
24	Total Still Birth	84	1.7	106	2.1	BCG	81.5
25	PC of newborn weighted at birth to live birth	4,156	98.4	4,006	98.3	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	382	9.2	385	9.6	Measles First dose	83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,134	97.8	3,988	97.9	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,198	85.0	4,544	90.8	Full Immunization	72.4
29	Children who have received BCG	3,732	75.5	3,884	77.6		
30	Children who have received Pentavalent 1	3,845	77.8	4,011	80.2		
31	Children who have received Pentavalent 3	3,355	67.9	3,605	72.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,153	84.1	4,544	90.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	803		686			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	21.0		
35	Number of Tubectomies performed	125	135	Spacing	12.4		
36	Number of IUD insertion	176	275	Women using any method	37.0		
37	Number of IUD removals	105	103	Women using modern method	35.8		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	243	314				
39	General OPD cases per 10,000 population ***	3539	4599				
40	Ayush OPD cases per 10,000 population ***	296	399				
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	6	1				
42	Neonatal Deaths up to 4 weeks of birth	15	22				
43	Total Neonatal Death	21	23				
44	Deaths between (1 - 11) months	30	41				
45	Total reported infant deaths	51	64				
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	1	1				
48	Due to Severe hypertension/fits	0	1				
49	Due to Bleeding	5	1				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	4	3				
52	Total reported maternal deaths	10	6				

East Jaintia Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,95,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	36					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	4,699		4,783			
11	Expected number of Delivery	4,400		4,479			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,450	94.7	4,659	97.4	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	1,454	32.7	1,675	36.0	At least 4ANC check up	58.6
12	Mothers who had 4 or more ANC check ups	1,190	26.7	1,620	34.8	Neonatal tetanus received	87.7
13	PW who got TT 2 / Booster injection	3,562	80.0	3,884	83.4	100 IFA tablets consumed	51.9
14	PW who consumed 180 IFA tablets	2,536	57.0	3,544	76.1	Home Delivery	51.6
15	Home Delivery against expected delivery *	1,582	36.0	1,001	22.3	Institutional Delivery	48.4
16	Institutional Delivery Against expected delivery *	1,093	24.8	1,602	35.8	Home Delivery by SBA	6.8
17	Home Delivery against reported delivery **	1,582	59.1	1,001	38.5	PNC within 2days of delivery	49.1
18	Institutional Delivery against reported delivery **	1,093	40.9	1,602	61.5		
19	Total reported Deliveries	2,675		2,603			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125	7.9	421	42.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,644	61.5	1,941	74.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,272		4,349			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	2,622	61.4	2,570	59.1	Breastfed within 1 hour of birth	85.3
24	Total Still Birth	65	1.5	48	1.1	BCG	92.6
25	PC of newborn weighted at birth to live birth	2,539	96.8	2,483	96.6	3 dose of DPT	84

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	165	6.5	223	9.0	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,507	95.6	2,438	94.9	3 doses of penta or hepatitis B vaccine	77.8
28	Children fully immunized	3,689	86.4	3,705	85.2	Full Immunization	74.4
29	Children who have received BCG	2,886	67.6	2,851	65.6		
30	Children who have received Pentavalent 1	3,783	88.6	4,320	99.3		
31	Children who have received Pentavalent 3	3,216	75.3	4,060	93.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,707	86.8	3,717	85.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,855		3,424			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	26.0		
35	Number of Tubectomies performed	0	4	Spacing	20.1		
36	Number of IUD insertion	39	84	Women using any method	33.6		
37	Number of IUD removals	19	20	Women using modern method	24		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	275	413				
39	General OPD cases per 10,000 population ***	4506	6868				
40	Ayush OPD cases per 10,000 population ***	272	557				
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	11	14				
42	Neonatal Deaths up to 4 weeks of birth	22	20				
43	Total Neonatal Death	33	34				
44	Deaths between (1 - 11) months	21	39				
45	Total reported infant deaths	54	73				
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	1	0				
49	Due to Bleeding	1	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	3	1				
52	Total reported maternal deaths	5	1				

East Khasi Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,25,922					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	74					
5	Primary Health Centers (PHC)	44					
7	Community Health Centers (CHC)	6					
8	SDH	1					
9	DH	2					
C) Maternal Health:		2021-22	2022-23				
10	Expected number of PW	27,087	27,397				
11	Expected number of Delivery	25,364	25,653				
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	36,022	133.0	36,666	133.8	ANC Check up in first trimester	56.7
11	Mothers registered in the first trimester	14,966	41.5	17,791	48.5	At least 4ANC check up	57.5
12	Mothers who had 4 or more ANC check ups	19,637	54.5	26,245	71.6	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	15,724	43.7	17,933	48.9	100 IFA tablets consumed	40.1
14	PW who consumed 180 IFA tablets	17,525	48.7	19,289	52.6	Home Delivery	36.6
15	Home Delivery against expected delivery *	6,857	27.0	5,288	20.6	Institutional Delivery	63.4
16	Institutional Delivery Against expected delivery *	16,077	63.4	19,899	77.6	Home Delivery by SBA	6.2
17	Home Delivery against reported delivery **	6,857	29.9	5,288	21.0	PNC within 2days of delivery	33.6
18	Institutional Delivery against reported delivery **	16,077	70.1	19,899	79.0		
19	Total reported Deliveries	22,934		25,187			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	113	1.6	63	1.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,644	59.5	14,456	57.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,625		24,906			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
23	Total reported live births	22,423	91.1	24,779	99.5	Breastfed within 1 hour of birth	86.3
24	Total Still Birth	812	3.3	674	2.7	BCG	84.2
25	PC of newborn weighted at birth to live birth	21,489	95.8	24,453	98.7	3 dose of DPT	59.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,172	10.1	2,460	10.1	Measles First dose	56.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,889	84.2	19,945	80.5	3 doses of penta or hepatitis B vaccine	46.8
28	Children fully immunized	14,858	60.3	16,143	64.8	Full Immunization	49.1
29	Children who have received BCG	20,663	83.9	23,758	95.4		
30	Children who have received Pentavalent 1	15,800	64.2	18,063	72.5		
31	Children who have received Pentavalent 3	12,832	52.1	16,020	64.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,823	60.2	16,169	64.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,433		12,392			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	3	0	Total unmet need	33.0		
35	Number of Tubectomies performed	1,013	1,154	Spacing	25.2		
36	Number of IUD insertion	484	624	Women using any method	12.1		
37	Number of IUD removals	772	806	Women using modern method	10.6		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	774	1094				
39	General OPD cases per 10,000 population ***	11659	15838				
40	Ayush OPD cases per 10,000 population ***	427	689				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	149	137				
42	Neonatal Deaths up to 4 weeks of birth	338	322				
43	Total Neonatal Death	487	459				
44	Deaths between (1 - 11) months	367	508				
45	Total reported infant deaths	854	967				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	1	0				
47	Due to Obstructed/prolonged labour	0	2				
48	Due to Severe hypertension/fits	4	4				
49	Due to Bleeding	2	4				
50	Due to High fever	1	0				
51	Due to Other Causes (including causes not known)	76	39				
52	Total reported maternal deaths	84	49				

North Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,17,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	50					
5	Primary Health Centers (PHC)	11					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	5,025		5,088			
11	Expected number of Delivery	4,705		4,764			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,595	91.4	4,656	91.5	ANC Check up in first trimester	40.3
11	Mothers registered in the first trimester	1,766	38.4	1,956	42.0	At least 4ANC check up	24.3
12	Mothers who had 4 or more ANC check ups	2,859	62.2	3,410	73.2	Neonatal tetanus received	55.5
13	PW who got TT 2 / Booster injection	3,795	82.6	4,088	87.8	100 IFA tablets consumed	23.7
14	PW who consumed 180 IFA tablets	2,478	53.9	3,706	79.6	Home Delivery	38.5
15	Home Delivery against expected delivery *	1,497	31.8	1,212	25.4	Institutional Delivery	61.5
16	Institutional Delivery Against expected delivery *	1,792	38.1	1,985	41.7	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	1,497	45.5	1,212	37.9	PNC within 2days of delivery	40.5
18	Institutional Delivery against reported delivery **	1,792	54.5	1,985	62.1		
19	Total reported Deliveries	3,289		3,197			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	139	9.3	163	13.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,943	59.1	1,820	56.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,568		4,625			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	3,226	70.6	3,187	68.9	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	62	1.4	61	1.3	BCG	65.9

25	PC of newborn weighted at birth to live birth	3,141	97.4	3,074	96.5	3 dose of DPT	- 57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	133	4.2	129	4.2	Measles First dose	- 58.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,149	97.6	3,033	95.2	3 doses of penta or hepatitis B vaccine	- 39.5
28	Children fully immunized	3,947	86.4	3,498	75.6	Full Immunization	- 47.5
29	Children who have received BCG	3,422	74.9	3,623	78.3		
30	Children who have received Pentavalent 1	3,714	81.3	3,683	79.6		
31	Children who have received Pentavalent 3	3,280	71.8	3,300	71.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,962	86.7	3,548	76.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	759		1,057			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.2
35	Number of Tubectomies performed	0		0		Spacing	12.9
36	Number of IUD insertion	42		71		Women using any method	19.2
37	Number of IUD removals	57		71		Women using modern method	17.7
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	205		288			
39	General OPD cases per 10,000 population ***	2862		4851			
40	Ayush OPD cases per 10,000 population ***	43		86			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	2		11			
42	Neonatal Deaths up to 4 weeks of birth	17		24			
43	Total Neonatal Death	19		35			
44	Deaths between (1 - 11) months	19		36			
45	Total reported infant deaths	38		71			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		1			
48	Due to Severe hypertension/fits	0		2			
49	Due to Bleeding	2		1			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	2		3			
52	Total reported maternal deaths	4		7			

Ri Bhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	35					
5	Primary Health Centers (PHC)	10					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	9,213		9,403			
11	Expected number of Delivery	8,627		8,805			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,064	87.5	8,019	85.3	ANC Check up in first trimester	56.1
11	Mothers registered in the first trimester	4,146	51.4	4,569	57.0	At least 4ANC check up	61.0
12	Mothers who had 4 or more ANC check ups	4,528	56.2	6,160	76.8	Neonatal tetanus received	86.2
13	PW who got TT 2 / Booster injection	5,957	73.9	6,551	81.7	100 IFA tablets consumed	48.8
14	PW who consumed 180 IFA tablets	3,769	46.7	4,403	54.9	Home Delivery	43.1
15	Home Delivery against expected delivery *	3,273	37.9	2,572	29.2	Institutional Delivery	56.9
16	Institutional Delivery Against expected delivery *	2,958	34.3	3,542	40.2	Home Delivery by SBA	8.4
17	Home Delivery against reported delivery **	3,273	52.5	2,572	42.1	PNC within 2days of delivery	39.5
18	Institutional Delivery against reported delivery **	2,958	47.5	3,542	57.9		
19	Total reported Deliveries	6,231		6,114			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	101	3.1	59	2.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,719	43.6	2,696	44.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,376		8,548			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	

23	Total reported live births	6,163	73.6	6,060	70.9	Breastfed within 1 hour of birth	85.9
24	Total Still Birth	135	1.6	112	1.3	BCG	94
25	PC of newborn weighted at birth to live birth	6,019	97.7	5,982	98.7	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	309	5.1	286	4.8	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,898	95.7	5,755	95.0	3 doses of penta or hepatitis B vaccine	71.5
28	Children fully immunized	5,505	65.7	5,672	66.4	Full Immunization	74.8
29	Children who have received BCG	5,649	67.4	6,038	70.6		
30	Children who have received Pentavalent 1	6,322	75.5	6,715	78.6		
31	Children who have received Pentavalent 3	5,369	64.1	6,347	74.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,510	65.8	5,680	66.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,276		5,889			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	27.0
35	Number of Tubectomies performed	153		186		Spacing	18.4
36	Number of IUD insertion	174		280		Women using any method	33.1
37	Number of IUD removals	222		250		Women using modern method	19.7
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	290		559			
39	General OPD cases per 10,000 population ***	7203		9286			
40	Ayush OPD cases per 10,000 population ***	428		978			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	20		16			
42	Neonatal Deaths up to 4 weeks of birth	58		47			
43	Total Neonatal Death	78		63			
44	Deaths between (1 - 11) months	80		62			
45	Total reported infant deaths	158		125			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	2		0			
47	Due to Obstructed/prolonged labour	1		0			
48	Due to Severe hypertension/fits	1		0			
49	Due to Bleeding	2		5			
50	Due to High fever	0		0			

51	Due to Other Causes (including causes not known)	5	3	
52	Total reported maternal deaths	11	8	

South Garo Hills Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,42,334					
2	Sex Ratio	944					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	26					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2021-22		2022-23			
10	Expected number of PW	4,858		4,936			
11	Expected number of Delivery	4,549		4,621			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,425	91.1	4,584	92.9	ANC Check up in first trimester	68.7
11	Mothers registered in the first trimester	1,620	36.6	1,900	41.4	At least 4ANC check up	33.3
12	Mothers who had 4 or more ANC check ups	1,990	45.0	2,734	59.6	Neonatal tetanus received	86.0
13	PW who got TT 2 / Booster injection	3,074	69.5	3,630	79.2	100 IFA tablets consumed	51.8
14	PW who consumed 180 IFA tablets	3,716	84.0	3,998	87.2	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,831	40.3	1,661	35.9	Institutional Delivery	88.3
16	Institutional Delivery Against expected delivery *	1,100	24.2	1,526	33.0	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	1,831	62.5	1,661	52.1	PNC within 2days of delivery	65.9
18	Institutional Delivery against reported delivery **	1,100	37.5	1,526	47.9		
19	Total reported Deliveries	2,931		3,187			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	167	9.1	44	2.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,395	47.6	1,519	47.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,416		4,487			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	2,870	65.0	3,147	70.1	Breastfed within 1 hour of birth	59.8

24	Total Still Birth	65	1.5	53	1.2	BCG	-100
25	PC of newborn weighted at birth to live birth	2,869	100.0	3,127	99.4	3 dose of DPT	- 86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	132	4.6	159	5.1	Measles First dose	- 89.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,864	99.8	3,127	99.4	3 doses of penta or hepatitis B vaccine	- 86.8
28	Children fully immunized	3,711	84.0	3,722	83.0	Full Immunization	- 86.8
29	Children who have received BCG	3,206	72.6	3,189	71.1		
30	Children who have received Pentavalent 1	3,515	79.6	3,647	81.3		
31	Children who have received Pentavalent 3	3,067	69.5	3,283	73.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,715	84.1	3,727	83.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	308		307			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	25.3		
35	Number of Tubectomies performed	0	0	Spacing	14.4		
36	Number of IUD insertion	3	2	Women using any method	37.6		
37	Number of IUD removals	15	19	Women using modern method	33.3		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	178	214				
39	General OPD cases per 10,000 population ***	2966	4142				
40	Ayush OPD cases per 10,000 population ***	239	345				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	8	9				
42	Neonatal Deaths up to 4 weeks of birth	30	26				
43	Total Neonatal Death	38	35				
44	Deaths between (1 - 11) months	44	41				
45	Total reported infant deaths	82	76				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	1	2				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	1	2				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	4	6				
52	Total reported maternal deaths	6	10				

South West Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,42,923					
2	Sex Ratio	979					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	27					
5	Primary Health Centers (PHC)	9					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2021-22		2022-23			
10	Expected number of PW	4,863		4,929			
11	Expected number of Delivery	4,554		4,615			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,598	94.5	4,780	97.0	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	2,453	53.3	2,691	56.3	At least 4ANC check up	28.5
12	Mothers who had 4 or more ANC check ups	3,302	71.8	3,342	69.9	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	3,800	82.6	4,024	84.2	100 IFA tablets consumed	28.3
14	PW who consumed 180 IFA tablets	3,454	75.1	3,845	80.4	Home Delivery	16.3
15	Home Delivery against expected delivery *	818	18.0	610	13.2	Institutional Delivery	83.7
16	Institutional Delivery Against expected delivery *	2,959	65.0	3,126	67.7	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	818	21.7	610	16.3	PNC within 2days of delivery	60.6
18	Institutional Delivery against reported delivery **	2,959	78.3	3,126	83.7		
19	Total reported Deliveries	3,777		3,736			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	4.4	61	10.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,287	60.6	2,341	62.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,421		4,481			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	3,686	83.4	3,678	82.1	Breastfed within 1 hour of birth	54.5

24	Total Still Birth	101	2.3	83	1.9	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,682	99.9	3,667	99.7	3 dose of DPT	90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	349	9.5	347	9.5	Measles First dose	92.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,678	99.8	3,667	99.7	3 doses of penta or hepatitis B vaccine	89.5
28	Children fully immunized	4,159	94.1	4,169	93.0	Full Immunization	85.4
29	Children who have received BCG	3,361	76.0	3,476	77.6		
30	Children who have received Pentavalent 1	4,001	90.5	4,171	93.1		
31	Children who have received Pentavalent 3	3,768	85.2	3,927	87.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,186	94.7	4,183	93.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	800		1,082			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	30.4
35	Number of Tubectomies performed	45		38		Spacing	16.7
36	Number of IUD insertion	170		177		Women using any method	36.7
37	Number of IUD removals	159		178		Women using modern method	32.3
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	372		462			
39	General OPD cases per 10,000 population ***	4683		7065			
40	Ayush OPD cases per 10,000 population ***	222		385			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	8		13			
42	Neonatal Deaths up to 4 weeks of birth	34		42			
43	Total Neonatal Death	42		55			
44	Deaths between (1 - 11) months	71		60			
45	Total reported infant deaths	113		115			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	2		0			
49	Due to Bleeding	3		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	3		5			

52	Total reported maternal deaths	8	5	
----	--------------------------------	---	---	--

South West Khasi Hills Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	3,83,461					
2	Sex Ratio	981					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	21					
5	Primary Health Centers (PHC)	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
	C) Maternal Health:	2021-22	2022-23				
10	Expected number of PW	3,284	3,340				
11	Expected number of Delivery	3,075	3,127				
		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	3,898	118.7	4,046	121.2	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	1,156	29.7	1,388	34.3	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,954	50.1	2,351	58.1	Neonatal tetanus received	85.6
13	PW who got TT 2 / Booster injection	2,660	68.2	2,962	73.2	100 IFA tablets consumed	53.8
14	PW who consumed 180 IFA tablets	3,383	86.8	3,142	77.7	Home Delivery	58.3
15	Home Delivery against expected delivery *	2,087	67.9	1,816	58.1	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	803	26.1	1,048	33.5	Home Delivery by SBA	7.6
17	Home Delivery against reported delivery **	2,087	72.2	1,816	63.4	PNC within 2days of delivery	42.9
18	Institutional Delivery against reported delivery **	803	27.8	1,048	36.6		
19	Total reported Deliveries	2,890		2,864			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	0.5	23	1.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,235	42.7	1,344	46.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,985		3,036			
	D) Child Immunization :	HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
23	Total reported live births	2,853	95.6	2,818	92.8	Breastfed within 1 hour of birth	76.8
24	Total Still Birth	77	2.6	69	2.3	BCG	95.8

25	PC of newborn weighted at birth to live birth	2,773	97.2	2,764	98.1	3 dose of DPT	86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	122	4.4	162	5.9	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,794	97.9	2,781	98.7	3 doses of penta or hepatitis B vaccine	82.4
28	Children fully immunized	2,502	83.8	2,619	86.3	Full Immunization	78.8
29	Children who have received BCG	2,685	89.9	2,864	94.3		
30	Children who have received Pentavalent 1	2,879	96.4	3,178	104.7		
31	Children who have received Pentavalent 3	2,467	82.6	2,884	95.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,512	84.1	2,505	82.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	615		1,140			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	26.2		
35	Number of Tubectomies performed	#VALUE!	0	Spacing	20.1		
36	Number of IUD insertion	21	24	Women using any method	26.5		
37	Number of IUD removals	12	11	Women using modern method	15.7		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	275	463				
39	General OPD cases per 10,000 population ***	4341	6929				
40	Ayush OPD cases per 10,000 population ***	344	607				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	26	17				
42	Neonatal Deaths up to 4 weeks of birth	27	47				
43	Total Neonatal Death	53	64				
44	Deaths between (1 - 11) months	77	110				
45	Total reported infant deaths	130	174				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	0	1				
47	Due to Obstructed/prolonged labour	0	1				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	7	3				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	6	5				
52	Total reported maternal deaths	13	10				

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,42,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	67					
5	Primary Health Centers (PHC)	15					
7	Community Health Centers (CHC)	5					
8	SDH	1					
9	DH	2					
C) Maternal Health:		2021-22		2022-23			
10	Expected number of PW	16,498	16,720				
11	Expected number of Delivery	15,448	15,656				
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,154	91.9	16,206	96.9	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	5,921	39.1	6,674	41.2	At least 4ANC check up	48.0
12	Mothers who had 4 or more ANC check ups	8,427	55.6	8,854	54.6	Neonatal tetanus received	91.3
13	PW who got TT 2 / Booster injection	11,816	78.0	12,751	78.7	100 IFA tablets consumed	48.2
14	PW who consumed 180 IFA tablets	11,993	79.1	13,456	83.0	Home Delivery	10.4
15	Home Delivery against expected delivery *	5,674	36.7	5,004	32.0	Institutional Delivery	89.6
16	Institutional Delivery Against expected delivery *	7,709	49.9	9,284	59.3	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	5,674	42.4	5,004	35.0	PNC within 2days of delivery	70.9
18	Institutional Delivery against reported delivery **	7,709	57.6	9,284	65.0		
19	Total reported Deliveries	13,383		14,288			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	133	2.3	174	3.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,856	66.2	10,193	71.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,998		15,200			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	13,122	87.5	14,026	92.3	Breastfed within 1 hour of birth	47.2

24	Total Still Birth	373	2.5	421	2.8	BCG	-100
25	PC of newborn weighted at birth to live birth	12,850	97.9	13,865	98.9	3 dose of DPT	-84.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,426	11.1	2,046	14.8	Measles First dose	-87.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,399	94.5	13,294	94.8	3 doses of penta or hepatitis B vaccine	-78.5
28	Children fully immunized	10,220	68.1	10,677	70.2	Full Immunization	-77.1
29	Children who have received BCG	12,222	81.5	13,601	89.5		
30	Children who have received Pentavalent 1	11,253	75.0	11,779	77.5		
31	Children who have received Pentavalent 3	9,760	65.1	10,963	72.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,314	68.8	10,690	70.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,212		2,684			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	19.7
35	Number of Tubectomies performed	405		549		Spacing	9.2
36	Number of IUD insertion	236		484		Women using any method	44.1
37	Number of IUD removals	418		447		Women using modern method	39.9
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	330		423			
39	General OPD cases per 10,000 population ***	3915		5322			
40	Ayush OPD cases per 10,000 population ***	140		255			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	39		54			
42	Neonatal Deaths up to 4 weeks of birth	130		138			
43	Total Neonatal Death	169		192			
44	Deaths between (1 - 11) months	120		161			
45	Total reported infant deaths	289		353			
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	1		1			
47	Due to Obstructed/prolonged labour	2		1			
48	Due to Severe hypertension/fits	2		0			
49	Due to Bleeding	5		10			
50	Due to High fever	1		0			
51	Due to Other Causes (including causes not known)	39		26			

52	Total reported maternal deaths	50	38	
----	---------------------------------------	-----------	-----------	--

West Jaintia Hills Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,95,124					
2	Sex Ratio	1,008					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	46					
5	Primary Health Centers (PHC)	15					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2021-22		2022-23			
10	Expected number of PW	8,949		9,111			
11	Expected number of Delivery	8,380		8,531			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	10,506	117.4	10,752	118.0	ANC Check up in first trimester	44.0
11	Mothers registered in the first trimester	3,775	35.9	4,100	38.1	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	3,120	29.7	4,204	39.1	Neonatal tetanus received	79.2
13	PW who got TT 2 / Booster injection	8,078	76.9	8,355	77.7	100 IFA tablets consumed	32.7
14	PW who consumed 180 IFA tablets	5,536	52.7	6,786	63.1	Home Delivery	57.8
15	Home Delivery against expected delivery *	4,217	50.3	3,438	40.3	Institutional Delivery	42.2
16	Institutional Delivery Against expected delivery *	5,929	70.8	7,242	84.9	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	4,217	41.6	3,438	32.2	PNC within 2days of delivery	28.6
18	Institutional Delivery against reported delivery **	5,929	58.4	7,242	67.8		
19	Total reported Deliveries	10,146		10,680			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	88	2.1	69	2.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,807	27.7	3,762	35.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,136		8,282			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	10,003	123.0	10,536	127.2	Breastfed within 1 hour of birth	88.5
24	Total Still Birth	295	3.6	263	3.2	BCG	90.9

25	PC of newborn weighted at birth to live birth	9,628	96.3	10,133	96.2	3 dose of DPT	77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	792	8.2	1,154	11.4	Measles First dose	72.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,855	88.5	9,277	88.1	3 doses of penta or hepatitis B vaccine	72
28	Children fully immunized	7,282	89.5	8,530	103.0	Full Immunization	59.7
29	Children who have received BCG	9,415	115.7	9,902	119.6		
30	Children who have received Pentavalent 1	8,236	101.2	9,187	110.9		
31	Children who have received Pentavalent 3	7,180	88.3	9,246	111.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,334	90.1	8,564	103.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,920		9,956			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	29.3
35	Number of Tubectomies performed	307		511		Spacing	21.7
36	Number of IUD insertion	130		180		Women using any method	19.3
37	Number of IUD removals	117		134		Women using modern method	17.5
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	560		833			
39	General OPD cases per 10,000 population ***	7588		10121			
40	Ayush OPD cases per 10,000 population ***	554		1006			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	63		60			
42	Neonatal Deaths up to 4 weeks of birth	87		77			
43	Total Neonatal Death	150		137			
44	Deaths between (1 - 11) months	80		80			
45	Total reported infant deaths	230		217			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		3			
48	Due to Severe hypertension/fits	1		0			
49	Due to Bleeding	2		2			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	7		10			
52	Total reported maternal deaths	10		15			

West Khasi Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,83,461					
2	Sex Ratio	981					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	46					
5	Primary Health Centers (PHC)	17					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	2					
	C) Maternal Health:	2021-22		2022-23			
10	Expected number of PW	9,975		10,144			
11	Expected number of Delivery	9,340		9,498			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,256	122.9	12,167	119.9	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	4,533	37.0	5,193	42.7	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	8,252	67.3	9,763	80.2	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	9,649	78.7	10,300	84.7	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	7,325	59.8	9,379	77.1	Home Delivery	58.3
15	Home Delivery against expected delivery *	5,567	59.6	4,506	47.4	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	4,881	52.3	6,308	66.4	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	5,567	53.3	4,506	41.7	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	4,881	46.7	6,308	58.3		
19	Total reported Deliveries	10,448		10,814			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	744	13.4	1,714	38.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,868	27.5	3,174	29.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	9,068		9,222			
	D) Child Immunization :	HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
23	Total reported live births	10,270	113.3	10,687	115.9	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	254	2.8	277	3.0	BCG	86.7
25	PC of newborn weighted at birth to live birth	10,177	99.1	10,532	98.5	3 dose of DPT	68.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	474	4.7	557	5.3	Measles First dose	71.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,826	95.7	10,395	97.3	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	9,979	110.0	9,826	106.6	Full Immunization	62.5
29	Children who have received BCG	10,443	115.2	10,933	118.6		
30	Children who have received Pentavalent 1	10,146	111.9	10,475	113.6		
31	Children who have received Pentavalent 3	9,456	104.3	9,637	104.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,990	110.2	9,835	106.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,180		8,708			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	2	2	Total unmet need	25.8		
35	Number of Tubectomies performed	179	317	Spacing	21.1		
36	Number of IUD insertion	172	230	Women using any method	26.3		
37	Number of IUD removals	121	197	Women using modern method	15.3		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	409	666				
39	General OPD cases per 10,000 population ***	7745	10540				
40	Ayush OPD cases per 10,000 population ***	1104	1560				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	51	32				
42	Neonatal Deaths up to 4 weeks of birth	68	41				
43	Total Neonatal Death	119	73				
44	Deaths between (1 - 11) months	103	114				
45	Total reported infant deaths	222	187				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	1	0				
47	Due to Obstructed/prolonged labour	2	0				
48	Due to Severe hypertension/fits	2	1				
49	Due to Bleeding	6	1				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	16	7				
52	Total reported maternal deaths	27	9				

