

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,97,206					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	373					
4	Primary Health Centers (PHC)	66					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	12					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	21,595		21,934			
9	Expected number of Delivery	19,867		20,180			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,485	99.5	24,306	110.8	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	17,315	80.6	18,888	77.7	At least 4ANC check up	58.0
12	Mothers who had 4 or more ANC check ups	13,443	62.6	15,209	62.6	Neonatal tetanus received	80.0
13	PW who got TT 2 / Booster injection	19,494	90.7	21,530	88.6	100 IFA tablets consumed	61.9
14	PW who consumed 180 IFA tablets	16,028	74.6	17,752	73.0	Home Delivery	14.2
15	Home Delivery against expected delivery *	2,463	12.4	2,237	11.1	Institutional Delivery	85.8
16	Institutional Delivery Against expected delivery *	16,798	84.6	17,724	87.8	Home Delivery by SBA	3.5
17	Reported Home Delivery **	2,463	12.8	2,237	11.2	PNC within 2days of delivery	68.0
18	Reported institutional Delivery **	16,798	87.2	17,724	88.8		
19	Total reported Deliveries	19,261		19,961			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	532	21.6	513	22.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	753	3.9	2,767	13.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,632		19,940			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	19,122	97.4	19,936	100.0	Breastfed within 1 hour of birth	60.1
24	Total Still Birth	196	1.0	174	0.9	BCG	83.4
25	PC of newborn weighted at birth to live birth	18,341	95.9	19,012	95.4	3 dose of DPT	80.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	989	5.4	1,032	5.4	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,197	89.9	17,864	89.6	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,101	87.1	17,627	88.4	Full Immunization	72.5
29	Children who have received BCG	15,654	79.7	15,340	76.9		
30	Children who have received Pentavalent 1	19,048	97.0	19,528	97.9		
31	Children who have received Pentavalent 3	17,475	89.0	19,151	96.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,156	87.4	17,893	89.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,340		8,527			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	1		0		Total unmet need	18.9
35	Number of Tubectomies performed	877		1,131		Spacing	12.8
36	Number of IUD insertion	947		1,359		Women using any method	31.2
37	Number of IUD removals	828		966		Women using modern method	30.8
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	673		698			
39	General OPD cases per 10,000 population ***	10068		14336			
40	Ayush OPD cases per 10,000 population ***	271		454			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	76		52			
42	Neonatal Deaths up to 4 weeks of birth	254		148			
43	Total Neonatal Death	330		200			
44	Deaths between (1 - 11) months	134		163			
45	Total reported infant deaths	464		363			
II) Maternal Mortality		HMIS (2021-22)		HMIS (2022-23)			
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		1			
47	Due to Obstructed/prolonged labour	4		3			
48	Due to Severe hypertension/fits	1		0			
49	Due to Bleeding	7		6			
50	Due to High fever	5		0			
51	Due to Other Causes (including causes not known)	8		8			
52	Total reported maternal deaths	25		18			

Aizawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	8,484	8,629				
9	Expected number of Delivery	7,806	7,938				
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	6,788	80.0	7,367	85.4	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,097	89.8	6,765	91.8	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	5,204	76.7	6,554	89.0	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	5,957	87.8	6,861	93.1	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	5,601	82.5	6,812	92.5	Home Delivery	2.6
15	Home Delivery against expected delivery *	33	0.4	21	0.3	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	7,517	96.3	8,456	106.5	Home Delivery by SBA	0.3
17	Reported Home Delivery **	33	0.4	21	0.2	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	7,517	99.6	8,456	99.8		
19	Total reported Deliveries	7,550		8,477			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	57.6	10	47.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	0.1	44	0.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,713		7,844			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	7,504	97.3	8,452	107.7	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	49	0.6	41	0.5	BCG	81.6
25	PC of newborn weighted at birth to live birth	7,312	97.4	8,458	100.1	3 dose of DPT	79.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	439	6.0	469	5.5	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,188	82.5	7,356	87.0	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	5,809	75.3	5,976	76.2	Full Immunization	66.4
29	Children who have received BCG	3,769	48.9	4,230	53.9		
30	Children who have received Pentavalent 1	6,097	79.0	6,646	84.7		
31	Children who have received Pentavalent 3	5,737	74.4	6,480	82.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,871	76.1	6,093	77.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,806		2,535			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1		0		Total unmet need	24
35	Number of Tubectomies performed	465		697		Spacing	14
36	Number of IUD insertion	351		589		Women using any method	21.6
37	Number of IUD removals	294		345		Women using modern method	21
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	928		856			
39	General OPD cases per 10,000 population ***	12691		20021			
40	Ayush OPD cases per 10,000 population ***	273		505			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	44		18			
42	Neonatal Deaths up to 4 weeks of birth	174		88			
43	Total Neonatal Death	218		106			
44	Deaths between (1 - 11) months	28		56			
45	Total reported infant deaths	246		162			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	3		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	2		3			
50	Due to High fever	5		0			
51	Due to Other Causes (including causes not known)	2		2			
52	Total reported maternal deaths	12		5			

Champhai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,25,745						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	34						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	1,307	1,319					
9	Expected number of Delivery	1,203	1,214					
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,752	134.0	2,525	191.4	ANC Check up in first trimester	80.0	
11	Mothers registered in the first trimester	1,503	85.8	1,497	59.3	At least 4ANC check up	63.4	
12	Mothers who had 4 or more ANC check ups	1,061	60.6	1,257	49.8	Neonatal tetanus received	85.9	
13	PW who got TT 2 / Booster injection	1,606	91.7	1,621	64.2	100 IFA tablets consumed	74.3	
14	PW who consumed 180 IFA tablets	1,078	61.5	1,230	48.7	Home Delivery	3.3	
15	Home Delivery against expected delivery *	77	6.4	52	4.3	Institutional Delivery	96.7	
16	Institutional Delivery Against expected delivery *	1,550	128.9	1,597	131.6	Home Delivery by SBA	1.6	
17	Reported Home Delivery **	77	4.7	52	3.2	PNC within 2days of delivery	72.3	
18	Reported institutional Delivery **	1,550	95.3	1,597	96.8			
19	Total reported Deliveries	1,627		1,649				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	41	53.2	24	46.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	0.3	36	2.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,188		1,199				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	1,601	134.7	1,646	137.2	Breastfed within 1 hour of birth	70.7	
24	Total Still Birth	28	2.4	28	2.3	BCG	97.6	
25	PC of newborn weighted at birth to live birth	1,582	98.8	1,534	93.2	3 dose of DPT	90.5	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	124	7.8	105	6.8	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,518	94.8	1,549	94.1	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,272	107.0	1,360	113.4	Full Immunization	85.3
29	Children who have received BCG	1,586	133.5	1,334	111.2		
30	Children who have received Pentavalent 1	1,420	119.5	1,470	122.6		
31	Children who have received Pentavalent 3	1,301	109.5	1,476	123.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,243	104.6	1,341	111.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	555		557			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	11.2
35	Number of Tubectomies performed	73		85		Spacing	8.3
36	Number of IUD insertion	119		157		Women using any method	50
37	Number of IUD removals	127		125		Women using modern method	49.6
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	948		865			
39	General OPD cases per 10,000 population ***	8774		11479			
40	Ayush OPD cases per 10,000 population ***	231		366			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	4		3			
42	Neonatal Deaths up to 4 weeks of birth	30		17			
43	Total Neonatal Death	34		20			
44	Deaths between (1 - 11) months	20		23			
45	Total reported infant deaths	54		43			
II) Maternal Mortality		HMIS (2021-22)		HMIS (2022-23)			
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		1			
48	Due to Severe hypertension/fits	1		0			
49	Due to Bleeding	0		2			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	0		1			
52	Total reported maternal deaths	1		4			

Hnahthial Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	14						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	415	417					
9	Expected number of Delivery	381	383					
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	511	123.3	540	129.6	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	439	85.9	456	84.4	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	345	67.5	359	66.5	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	488	95.5	443	82.0	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	471	92.2	377	69.8	Home Delivery	NA	
15	Home Delivery against expected delivery *	16	4.2	10	2.6	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	295	77.4	241	62.9	Home Delivery by SBA	NA	
17	Reported Home Delivery **	16	5.1	10	4.0	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	295	94.9	241	96.0			
19	Total reported Deliveries	311		251				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	50.0	2	20.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	98	31.5	58	23.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	377		379				
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	309	82.0	255	67.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	6	1.6	3	0.8	BCG	NA	
25	PC of newborn weighted at birth to live birth	313	101.3	251	98.4	3 dose of DPT	NA	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	3.8	5	2.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	306	99.0	250	98.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	492	130.6	438	115.6	Full Immunization	NA
29	Children who have received BCG	287	76.2	260	68.6		
30	Children who have received Pentavalent 1	445	118.1	443	116.9		
31	Children who have received Pentavalent 3	430	114.1	459	121.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	479	127.1	468	123.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	140		167			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	0	0	Spacing	NA		
36	Number of IUD insertion	13	14	Women using any method	NA		
37	Number of IUD removals	19	11	Women using modern method	NA		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	452	648				
39	General OPD cases per 10,000 population ***	13726	18028				
40	Ayush OPD cases per 10,000 population ***	582	1663				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	2	0				
42	Neonatal Deaths up to 4 weeks of birth	0	0				
43	Total Neonatal Death	2	0				
44	Deaths between (1 - 11) months	5	0				
45	Total reported infant deaths	7	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Khawzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22		2022-23			
8	Expected number of PW	701		708			
9	Expected number of Delivery	645		651			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	638	91.0	698	98.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	549	86.1	620	88.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	436	68.3	407	58.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	582	91.2	589	84.4	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	482	75.5	507	72.6	Home Delivery	NA
15	Home Delivery against expected delivery *	13	2.0	5	0.8	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	336	52.1	229	35.2	Home Delivery by SBA	NA
17	Reported Home Delivery **	13	3.7	5	2.1	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	336	96.3	229	97.9		
19	Total reported Deliveries	349		234			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	7.7	1	20.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18	5.2	54	23.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	638		644			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	347	54.4	261	40.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.3	6	0.9	BCG	NA
25	PC of newborn weighted at birth to live birth	310	89.3	237	90.8	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.9	1	0.4	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	303	87.3	234	89.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	630	98.8	529	82.2	Full Immunization	NA
29	Children who have received BCG	374	58.7	252	39.2		
30	Children who have received Pentavalent 1	593	93.0	485	75.4		
31	Children who have received Pentavalent 3	573	89.9	501	77.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	611	95.8	554	86.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	306		337			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	38	36	Women using any method	NA
37	Number of IUD removals	49	54	Women using modern method	NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	241	314		
39	General OPD cases per 10,000 population ***	6019	7004		
40	Ayush OPD cases per 10,000 population ***	877	883		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths up to 4 weeks of birth	2	6		
43	Total Neonatal Death	5	7		
44	Deaths between (1 - 11) months	4	5		
45	Total reported infant deaths	9	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Kolasib Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	1,493	1,521				
9	Expected number of Delivery	1,374	1,400				
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,751	117.3	1,779	116.9	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,364	77.9	1,460	82.1	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,221	69.7	1,235	69.4	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,693	96.7	1,802	101.3	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,211	69.2	1,321	74.3	Home Delivery	8.6
15	Home Delivery against expected delivery *	64	4.7	45	3.2	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,187	86.4	1,121	80.1	Home Delivery by SBA	2.7
17	Reported Home Delivery **	64	5.1	45	3.9	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,187	94.9	1,121	96.1		
19	Total reported Deliveries	1,251		1,166			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	53.1	22	48.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20	1.6	1,211	103.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,358		1,383			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,235	91.0	1,157	83.7	Breastfed within 1 hour of birth	63
24	Total Still Birth	17	1.3	9	0.7	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,237	100.2	1,000	86.4	3 dose of DPT	85.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	80	6.5	90	9.0	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,228	99.4	1,141	98.6	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,279	94.2	1,430	103.4	Full Immunization	80.4
29	Children who have received BCG	1,291	95.1	1,178	85.2		
30	Children who have received Pentavalent 1	1,517	111.7	1,560	112.8		
31	Children who have received Pentavalent 3	1,409	103.8	1,468	106.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,280	94.3	1,457	105.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	640		1,031			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.6
35	Number of Tubectomies performed	15		0		Spacing	11.7
36	Number of IUD insertion	37		47		Women using any method	38.1
37	Number of IUD removals	60		67		Women using modern method	37.9
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	533		560			
39	General OPD cases per 10,000 population ***	6378		10099			
40	Ayush OPD cases per 10,000 population ***	248		431			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	6		7			
42	Neonatal Deaths up to 4 weeks of birth	5		3			
43	Total Neonatal Death	11		10			
44	Deaths between (1 - 11) months	12		9			
45	Total reported infant deaths	23		19			
II) Maternal Mortality		HMIS (2021-22)		HMIS (2022-23)			
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	0		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	0		1			
52	Total reported maternal deaths	0		1			

Lawngtlai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	2,277	2,338				
9	Expected number of Delivery	2,095	2,151				
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,638	115.9	2,982	127.5	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,566	59.4	1,944	65.2	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	856	32.4	1,117	37.5	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	1,956	74.1	2,512	84.2	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,443	54.7	1,546	51.8	Home Delivery	46.3
15	Home Delivery against expected delivery *	1,000	47.7	955	44.4	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,163	55.5	1,436	66.8	Home Delivery by SBA	9.3
17	Reported Home Delivery **	1,000	46.2	955	39.9	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,163	53.8	1,436	60.1		
19	Total reported Deliveries	2,163		2,391			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	106	10.6	189	19.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	327	15.1	302	12.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,070		2,126			
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,155	104.1	2,389	112.4	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	18	0.9	23	1.1	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,749	81.2	1,932	80.9	3 dose of DPT	74.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	105	6.0	86	4.5	Measles First dose	76.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,932	89.7	2,067	86.5	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,665	80.4	1,936	91.1	Full Immunization	70.2
29	Children who have received BCG	2,317	111.9	2,556	120.2		
30	Children who have received Pentavalent 1	2,395	115.7	2,517	118.4		
31	Children who have received Pentavalent 3	1,929	93.2	2,464	115.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,690	81.6	1,980	93.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	775		1,024			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17.3
35	Number of Tubectomies performed	60		62		Spacing	13
36	Number of IUD insertion	57		81		Women using any method	29.7
37	Number of IUD removals	65		81		Women using modern method	29.1
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	351		550			
39	General OPD cases per 10,000 population ***	5765		7655			
40	Ayush OPD cases per 10,000 population ***	57		148			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	5		0			
42	Neonatal Deaths up to 4 weeks of birth	15		6			
43	Total Neonatal Death	20		6			
44	Deaths between (1 - 11) months	16		11			
45	Total reported infant deaths	36		17			
II) Maternal Mortality		HMIS (2021-22)		HMIS (2022-23)			
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		1			
47	Due to Obstructed/prolonged labour	1		2			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	2		1			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	3		3			
52	Total reported maternal deaths	6		7			

Lunglei Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,61,428				
2	Sex Ratio	944				
B) Infrastructure Details (RHS 2021-22)		Numbers				
3	Sub Centers (SC)	56				
4	Primary Health Centers (PHC)	7				
5	Community Health Centers (CHC)	0				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2021-22	2022-23			
8	Expected number of PW	2,162	2,173			
9	Expected number of Delivery	1,989	1,999			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)
		Number	PC	Number	PC	
10	PW register for ANC	2,264	104.7	2,958	136.1	ANC Check up in first trimester 68.8
11	Mothers registered in the first trimester	1,591	70.3	1,757	59.4	At least 4ANC check up 56.7
12	Mothers who had 4 or more ANC check ups	1,155	51.0	1,284	43.4	Neonatal tetanus received 79.9
13	PW who got TT 2 / Booster injection	2,643	116.7	2,777	93.9	100 IFA tablets consumed 64.7
14	PW who consumed 180 IFA tablets	1,844	81.4	2,549	86.2	Home Delivery 17.3
15	Home Delivery against expected delivery *	544	27.4	494	24.7	Institutional Delivery 82.7
16	Institutional Delivery Against expected delivery *	1,672	84.1	1,909	95.5	Home Delivery by SBA 3.9
17	Reported Home Delivery **	544	24.5	494	20.6	PNC within 2days of delivery 67.1
18	Reported institutional Delivery **	1,672	75.5	1,909	79.4	
19	Total reported Deliveries	2,216		2,403		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	12.7	52	10.5	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	0.2	580	24.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,965		1,975		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (20119-20)
		Number	PC	Number	PC	
23	Total reported live births	2,220	113.0	2,404	121.7	Breastfed within 1 hour of birth 63.8
24	Total Still Birth	22	1.1	18	0.9	BCG 79.3
25	PC of newborn weighted at birth to live birth	2,189	98.6	2,330	96.9	3 dose of DPT 85

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	91	4.2	140	6.0	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,052	92.4	2,029	84.4	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,754	89.3	1,898	96.1	Full Immunization	73.8
29	Children who have received BCG	2,170	110.4	2,244	113.6		
30	Children who have received Pentavalent 1	1,999	101.7	2,017	102.1		
31	Children who have received Pentavalent 3	1,913	97.4	2,080	105.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,787	90.9	1,935	98.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	296		486			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.4
35	Number of Tubectomies performed	136		197		Spacing	12.5
36	Number of IUD insertion	70		132		Women using any method	33
37	Number of IUD removals	53		75		Women using modern method	33
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	579		827			
39	General OPD cases per 10,000 population ***	10623		14669			
40	Ayush OPD cases per 10,000 population ***	241		381			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	4		8			
42	Neonatal Deaths up to 4 weeks of birth	7		9			
43	Total Neonatal Death	11		17			
44	Deaths between (1 - 11) months	19		17			
45	Total reported infant deaths	30		34			
II) Maternal Mortality		HMIS (2021-22)		HMIS (2022-23)			
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	1		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	1		1			
52	Total reported maternal deaths	2		1			

Mamit Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	1,659	1,708				
9	Expected number of Delivery	1,527	1,572				
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,897	114.3	1,913	112.0	ANC Check up in first trimester	64.5
11	Mothers registered in the first trimester	1,454	76.6	1,488	77.8	At least 4ANC check up	52.5
12	Mothers who had 4 or more ANC check ups	1,159	61.1	1,073	56.1	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	1,638	86.3	1,768	92.4	100 IFA tablets consumed	68.8
14	PW who consumed 180 IFA tablets	1,645	86.7	1,280	66.9	Home Delivery	25.0
15	Home Delivery against expected delivery *	449	29.4	456	29.0	Institutional Delivery	75.0
16	Institutional Delivery Against expected delivery *	895	58.6	768	48.9	Home Delivery by SBA	7.1
17	Reported Home Delivery **	449	33.4	456	37.3	PNC within 2days of delivery	63.9
18	Reported institutional Delivery **	895	66.6	768	62.7		
19	Total reported Deliveries	1,344		1,224			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	198	44.1	176	38.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	116	8.6	210	17.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,508		1,553			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,329	88.1	1,224	78.8	Breastfed within 1 hour of birth	56.8
24	Total Still Birth	15	1.0	4	0.3	BCG	98.5
25	PC of newborn weighted at birth to live birth	1,242	93.5	1,154	94.3	3 dose of DPT	95.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	4.0	52	4.5	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,270	95.6	1,165	95.2	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,410	93.5	1,485	95.6	Full Immunization	85.9
29	Children who have received BCG	1,362	90.3	1,241	79.9		
30	Children who have received Pentavalent 1	1,680	111.4	1,654	106.5		
31	Children who have received Pentavalent 3	1,417	93.9	1,563	100.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,401	92.9	1,487	95.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	872		853			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17
35	Number of Tubectomies performed	34		43		Spacing	14
36	Number of IUD insertion	24		34		Women using any method	41.6
37	Number of IUD removals	44		57		Women using modern method	41.3
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	360		367			
39	General OPD cases per 10,000 population ***	9412		9373			
40	Ayush OPD cases per 10,000 population ***	39		131			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	2		2			
42	Neonatal Deaths up to 4 weeks of birth	7		5			
43	Total Neonatal Death	9		7			
44	Deaths between (1 - 11) months	7		14			
45	Total reported infant deaths	16		21			
II) Maternal Mortality		HMIS (2021-22)		HMIS (2022-23)			
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	1		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	1		0			
52	Total reported maternal deaths	2		0			

Saiha Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	56,574				
2	Sex Ratio	978				
B) Infrastructure Details (RHS 2021-22)		Numbers				
3	Sub Centers (SC)	25				
4	Primary Health Centers (PHC)	4				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22	2022-23			
8	Expected number of PW	1,111	1,126			
9	Expected number of Delivery	1,023	1,036			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	1,395	125.5	1,436	127.6	ANC Check up in first trimester 60.7
11	Mothers registered in the first trimester	1,192	85.4	1,161	80.8	At least 4ANC check up 35.5
12	Mothers who had 4 or more ANC check ups	826	59.2	683	47.6	Neonatal tetanus received 72.6
13	PW who got TT 2 / Booster injection	1,222	87.6	1,292	90.0	100 IFA tablets consumed 51.4
14	PW who consumed 180 IFA tablets	930	66.7	731	50.9	Home Delivery 26.2
15	Home Delivery against expected delivery *	229	22.4	183	17.7	Institutional Delivery 73.8
16	Institutional Delivery Against expected delivery *	1,133	110.8	1,126	108.7	Home Delivery by SBA 10.0
17	Reported Home Delivery **	229	16.8	183	14.0	PNC within 2days of delivery 59.6
18	Reported institutional Delivery **	1,133	83.2	1,126	86.0	
19	Total reported Deliveries	1,362		1,309		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	17.0	23	12.6	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	69	5.1	55	4.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,010		1,023		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
23	Total reported live births	1,345	133.1	1,282	125.3	Breastfed within 1 hour of birth 46.4
24	Total Still Birth	26	2.6	32	3.1	BCG 69.9
25	PC of newborn weighted at birth to live birth	1,345	100.0	1,282	100.0	3 dose of DPT 60.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	3.0	55	4.3	Measles First dose	65.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,344	99.9	1,262	98.4	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,138	112.6	1,022	99.9	Full Immunization	60.3
29	Children who have received BCG	1,298	128.5	1,082	105.7		
30	Children who have received Pentavalent 1	1,279	126.6	1,116	109.1		
31	Children who have received Pentavalent 3	1,173	116.1	1,060	103.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,138	112.6	1,022	99.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	368		608			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	22.5
35	Number of Tubectomies performed	83		47		Spacing	15.2
36	Number of IUD insertion	145		166		Women using any method	22.6
37	Number of IUD removals	38		73		Women using modern method	21.7
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	525		670			
39	General OPD cases per 10,000 population ***	8502		8827			
40	Ayush OPD cases per 10,000 population ***	442		710			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	0		10			
42	Neonatal Deaths up to 4 weeks of birth	7		10			
43	Total Neonatal Death	7		20			
44	Deaths between (1 - 11) months	16		16			
45	Total reported infant deaths	23		36			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	0		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	1		0			
52	Total reported maternal deaths	1		0			

Saitual Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2021-22)		Numbers				
3	Sub Centers (SC)	25				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22	2022-23			
8	Expected number of PW	910	926			
9	Expected number of Delivery	838	852			
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	745	81.8	854	92.2	ANC Check up in first trimester NA
11	Mothers registered in the first trimester	608	81.6	700	82.0	At least 4ANC check up NA
12	Mothers who had 4 or more ANC check ups	511	68.6	503	58.9	Neonatal tetanus received NA
13	PW who got TT 2 / Booster injection	699	93.8	745	87.2	100 IFA tablets consumed NA
14	PW who consumed 180 IFA tablets	603	80.9	584	68.4	Home Delivery NA
15	Home Delivery against expected delivery *	21	2.5	3	0.4	Institutional Delivery NA
16	Institutional Delivery Against expected delivery *	437	52.2	372	43.7	Home Delivery by SBA NA
17	Reported Home Delivery **	21	4.6	3	0.8	PNC within 2days of delivery NA
18	Reported institutional Delivery **	437	95.4	372	99.2	
19	Total reported Deliveries	458		375		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	23.8	2	66.7	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	83	18.1	104	27.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	828		842		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
23	Total reported live births	451	54.5	389	46.2	Breastfed within 1 hour of birth NA
24	Total Still Birth	9	1.1	5	0.6	BCG NA
25	PC of newborn weighted at birth to live birth	451	100.0	384	98.7	3 dose of DPT NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	4.9	15	3.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	449	99.6	374	96.1	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	686	82.9	663	78.8	Full Immunization	NA
29	Children who have received BCG	463	55.9	380	45.1		
30	Children who have received Pentavalent 1	680	82.2	643	76.4		
31	Children who have received Pentavalent 3	673	81.3	647	76.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	690	83.4	666	79.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	203		317			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	0	0	Spacing	NA		
36	Number of IUD insertion	37	43	Women using any method	NA		
37	Number of IUD removals	34	28	Women using modern method	NA		
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)				
38	IPD cases per 10,000 population ***	412	369				
39	General OPD cases per 10,000 population ***	6694	9418				
40	Ayush OPD cases per 10,000 population ***	264	468				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)				
41	Neonatal death within 24 hours	1	2				
42	Neonatal Deaths up to 4 weeks of birth	3	0				
43	Total Neonatal Death	4	2				
44	Deaths between (1 - 11) months	3	5				
45	Total reported infant deaths	7	7				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	0				
52	Total reported maternal deaths	0	0				

Serchhip Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	1,091	1,104				
9	Expected number of Delivery	1,004	1,016				
		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,106	101.4	1,254	113.5	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	952	86.1	1,040	82.9	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	669	60.5	737	58.8	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	1,010	91.3	1,120	89.3	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	720	65.1	815	65.0	Home Delivery	3.8
15	Home Delivery against expected delivery *	17	1.7	13	1.3	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	613	61.1	469	46.2	Home Delivery by SBA	0.6
17	Reported Home Delivery **	17	2.7	13	2.7	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	613	97.3	469	97.3		
19	Total reported Deliveries	630		482			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	70.6	12	92.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	0.6	113	23.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	992		1,004			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	626	63.1	477	47.5	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	4	0.4	5	0.5	BCG	89.8
25	PC of newborn weighted at birth to live birth	611	97.6	450	94.3	3 dose of DPT	84.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	3.1	14	3.1	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	607	97.0	437	91.6	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	966	97.4	890	88.6	Full Immunization	84.7
29	Children who have received BCG	737	74.3	583	58.1		
30	Children who have received Pentavalent 1	943	95.1	977	97.3		
31	Children who have received Pentavalent 3	920	92.7	953	94.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	966	97.4	890	88.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	379		612			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.9
35	Number of Tubectomies performed	11		0		Spacing	11.8
36	Number of IUD insertion	56		60		Women using any method	40
37	Number of IUD removals	45		50		Women using modern method	39.4
F) Service delivery		HMIS (2021-22)		HMIS (2022-23)			
38	IPD cases per 10,000 population ***	605		571			
39	General OPD cases per 10,000 population ***	10624		12928			
40	Ayush OPD cases per 10,000 population ***	512		469			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
41	Neonatal death within 24 hours	5		1			
42	Neonatal Deaths up to 4 weeks of birth	4		4			
43	Total Neonatal Death	9		5			
44	Deaths between (1 - 11) months	4		7			
45	Total reported infant deaths	13		12			
II) Maternal Mortality		HMIS (2021-22)		HMIS (2022-23)			
Maternal Deaths (In Numbers)		HMIS (2021-22)		HMIS (2022-23)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	1		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	0		0			
52	Total reported maternal deaths	1		0			