|          | Nagaland   | Factshee        | t           |                         |        |                                    |         |
|----------|--|-----------------|-------------|-------------------------|--------|------------------------------------|---------|
| Key      | Indicators   |                 |             |                         |        |                                    |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |             |                         |        |                                    |         |
| 1        | Population 2011  | 19,78,502       |             |                         |        |                                    |         |
| 2        | Sex Ratio  | 931             |             |                         |        |                                    |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |             |                         |        |                                    |         |
| 3        | Sub Centers (SC)   | 452             |             |                         |        |                                    |         |
| 4        | Primary Health Centers (PHC)   | 136             |             |                         |        |                                    |         |
| 5        | Community Health Centers (CHC)   | 23              |             |                         |        |                                    |         |
| 6        | SDH  | 0               |             |                         |        |                                    |         |
| 7        | DH   | 12              |             | -                       |        | 1                                  |         |
| C) N     | 1aternal Health:   | 2021-2          | 22          | 2022                    | -23    |                                    |         |
| 8        | Expected number of PW  | 34,79           | 4           | 35,1                    | 45     |                                    |         |
| 9        | Expected number of Delivery  | 32,01           | 1           | 32,3                    | 33     |                                    |         |
|          |  | HMIS (202       | 1-22 )      | HMIS (20                | 22-23) | NFHS-5 (2019-                      | 20)     |
|          |  | Number          | PC          | Number                  | PC     |                                    |         |
| 10       | PW register for ANC  | 34,272          | 98.5        | 35,209                  | 100.2  | ANC Check up in<br>first trimester | 49.5    |
| 11       | Mothers registered in the first trimester  | 9,532           | 27.8        | 11,433                  | 32.5   | At least 4ANC<br>check up          | 20.7    |
| 12       | Mothers who had 4 or more ANC check ups  | 6,484           | 18.9        | 7,753                   | 22.0   | Neonatal tetanus<br>received       | 81.3    |
| 13       | PW who got TT 2 / Booster injection  | 15,216          | 44.4        | 16,917                  | 48.0   | 100 IFA tablets consumed           | 10.2    |
| 14       | PW who consumed 180 IFA tablets  | 14,535          | 42.4        | 19,805                  | 56.2   | Home Delivery                      | 54.3    |
| 15       | Home Delivery against expected delivery *  | 3,579           | 11.2        | 3,134                   | 9.7    | Institutional<br>Delivery          | 45.7    |
| 16       | Institutional Delivery against expected<br>delivery *  | 12,985          | 40.6        | 15,861                  | 49.1   | Home Delivery by SBA               | 10.4    |
| 17       | Home Delivery against reported delivery **   | 3,579           | 21.6        | 3,134                   | 16.5   | PNC within 2days of delivery       | 43.9    |
| 18       | Institutional Delivery against reported<br>delivery **   | 12,985          | 78.4        | 15,861                  | 83.5   |                                    | 10.0    |
| 19       | Total reported Deliveries  | 16,564          |             | 18,995                  |        |                                    |         |
| 20       | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)   | 2,068           | 57.8        | 1,849                   | 59.0   |                                    |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 8,180           | 49.4        | 10,741                  | 56.5   |                                    |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |             | ,                       |        | ng the period and in NFHS-5        | is with |
|          | Women who had last births in the 5 years before the su   |                 |             | <b>0</b> / <b>0</b> = = |        |                                    |         |
| 22       | Expected number of Live Birth  | 31,631          | 1 22 \      | 31,950                  | 22.22. |                                    | 20)     |
| 0)0      | hild Immunization :  | HMIS (202       | 1-22)<br>PC | HMIS (20                | PC     | NFHS-5 (2019-                      | 20)     |
|          |  | Number          |             | Number                  |        | Breastfed within                   |         |
| 23       | Total reported live births   | 16,367          | 51.7        | 18,825                  | 58.9   | 1 hour of birth                    | 57.9    |
| 24       | Total Still Birth  | 237             | 0.7         | 281                     | 0.9    | BCG                                | 85.5    |
| 25       | PC of newborn weighted at birth to live birth  | 16,016          | 97.9        | 18,504                  | 98.3   | 3 dose of DPT                      | 71.5    |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 554             | 3.5         | 799                     | 4.3    | Measles First<br>dose              | 73.8    |

| 27          | PC of newborns breastfed within 1 hour to total reported live birth.                              | 14,469            | 88.4        | 16,015         | 85.1          | 3 doses of penta<br>or hepatitis B<br>vaccine | 66.4    |
|-------------|---|-------------------|-------------|----------------|---------------|---|---------|
| 28          | Children fully immunized  | 16,019            | 50.6        | 16,750         | 52.4          | Full Immunization                             | 57.9    |
| 29          | Children who have received BCG  | 20,482            | 64.8        | 21,444         | 67.1          |   | 0110    |
|             | Children who have received Pentavalent  | 20,958            | 66.3        | 21,297         | 66.7          |   |         |
| 30          | 1   | 20,956            | 00.5        | 21,297         | 00.7          |   |         |
| 31          | Children who have received Pentavalent  | 17,847            | 56.4        | 18,767         | 58.7          |   |         |
| 32          | Children who have received Measles & Rubella (MR)- 1st Dose                                       | 16,593            | 52.5        | 17,647         | 55.2          |   |         |
| 22          | Diarrhoea and Dehydration cases   | 2,355             |             | 4,241          |               |   |         |
| 33<br>Note: | reported in children below 5 years<br>In case of HMIS data, Proportions are calculated for 0-11 n | nonths old infant | ts to total | number of repo | orted live bi | rths, and in NFHS-5, the per                  | centage |
|             | ildren 12-23 months olds who received specific vaccination  |                   |             |                |               |   | lentage |
| E)Fa        | amily Planning  | HMIS (202         | 1-22 )      | HMIS (20       | 22-23)        | NFHS-5 (2019-                                 | 20)     |
| 34          | Number of Vasectomies performed   | 2                 |             | 3              |               | Total unmet need                              | 9.1     |
| 35          | Number of Tubectomies performed   | 900               |             | 964            | 4             | Spacing                                       | 4.5     |
| 36          | Number of IUD insertion   | 3,534             |             | 3,36           | 63            | Women using<br>any method                     | 57.4    |
| 37          | Number of IUD removals  | 1,545             |             | 1,884          |               | Women using modern method                     | 45.3    |
| F) S        | ervice delivery   | HMIS (202         | 1-22 )      | HMIS (20       | 22-23)        |   |         |
| 38          | IPD cases per 10,000 population ***   | 221               |             | 297            |               |   |         |
| 39          | General OPD cases per 10,000 population ***   | 4741              |             | 540            | 2             |   |         |
| 40          | Ayush OPD cases per 10,000 population   | 78                |             | 151            |               |   |         |
| G) N        | Aortality Details   |                   |             | •              |               |   |         |
| I)          | Infant Deaths (In Numbers)  | HMIS (202         | 1-22)       | HMIS (20       | 22-23)        |   |         |
| 41          | Neonatal death within 24 hours  | 26                |             | 30             |               |   |         |
| 42          | Neonatal Deaths up to 4 weeks of birth  | 94                |             | 10             | 5             |   |         |
| 43          | Total Neonatal Death  | 120               |             | 13             | 5             | -   |         |
| 44          | Deaths between (1 - 11) months  | 31                |             | 46             | ;             | 4   |         |
| 45          | Total reported infant deaths  | 151               |             | 18             | 1             |   |         |
| II)         | Maternal Mortality  |                   |             |                |               | -   |         |
|             | Maternal Deaths (In Numbers)  | HMIS (202         | 1-22 )      | HMIS (20       | 22-23)        |   |         |
| 46          | Due to Abortion   | 0                 |             | 2              |               |   |         |
| 47          | Due to Obstructed/prolonged labour  | 0                 |             | 0              |               |   |         |
| 48          | Due to Severe hypertension/fits   | 2                 |             | 2              |               |   |         |
| 49          | Due to Bleeding   | 3                 |             | 3              |               |   |         |
| 50          | Due to High fever   | 0                 |             | 0              |               |   |         |
|             | Duc to high level   |                   |             |                |               |   |         |
| 51          | Due to Other Causes (including causes<br>not known)   | 6                 |             | 7              |               |   |         |

|          | Dimapur  | Factshee           | et      |                   |         |                                     |         |
|----------|--|--------------------|---------|-------------------|---------|-------------------------------------|---------|
| Key      | Indicators   |                    |         |                   |         |                                     |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                    |         |                   |         |                                     |         |
| 1        | Population 2011  | 3,78,811           |         |                   |         |                                     |         |
| 2        | Sex Ratio  | 916                |         |                   |         |                                     |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers            |         |                   |         |                                     |         |
| 3        | Sub Centers (SC)   | 54                 |         |                   |         |                                     |         |
| 4        | Primary Health Centers (PHC)   | 12                 |         |                   |         |                                     |         |
| 5        | Community Health Centers (CHC)   | 2                  |         |                   |         |                                     |         |
| 6        | SDH  | 0                  |         |                   |         |                                     |         |
| 7        | DH   | 1                  |         | -                 |         | 1                                   |         |
| C) N     | 1aternal Health:   | 2021-              | 22      | 2022              | -23     |                                     |         |
| 8        | Expected number of PW  | 7,08               | 8       | 7,20              | )7      |                                     |         |
| 9        | Expected number of Delivery  | 6,52               | 1       | 6,63              | 30      |                                     |         |
|          |  | HMIS (202          | 21-22)  | HMIS (20          | 22-23)  | NFHS-5 (2019-                       | 20)     |
|          |  | Number             | PC      | Number            | PC      |                                     |         |
| 10       | PW register for ANC  | 17,073             | 240.9   | 15,398            | 213.7   | ANC Check up in<br>first trimester  | 71.4    |
| 11       | Mothers registered in the first trimester  | 5,072              | 29.7    | 5,573             | 36.2    | At least 4ANC<br>check up           | 50.1    |
| 12       | Mothers who had 4 or more ANC check ups  | 2,806              | 16.4    | 3,498             | 22.7    | Neonatal tetanus<br>received        | 86.4    |
| 13       | PW who got TT 2 / Booster injection  | 5,843              | 34.2    | 6,747             | 43.8    | 100 IFA tablets<br>consumed         | 14.9    |
| 14       | PW who consumed 180 IFA tablets  | 5,604              | 32.8    | 7,977             | 51.8    | Home Delivery                       | 26.3    |
| 15       | Home Delivery against expected delivery  | 446                | 6.8     | 345               | 5.2     | Institutional<br>Delivery           | 73.7    |
| 16       | Institutional Delivery against expected<br>delivery *  | 4,587              | 70.3    | 6,115             | 92.2    | Home Delivery by SBA                | 9.4     |
| 17       | Home Delivery against reported delivery **   | 446                | 8.9     | 345               | 5.3     | PNC within 2days of delivery        | 68.7    |
| 18       | Institutional Delivery against reported<br>delivery **   | 4,587              | 91.1    | 6,115             | 94.7    |                                     |         |
| 19       | Total reported Deliveries  | 5,033              |         | 6,460             |         |                                     |         |
| 20       | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)   | 265                | 59.4    | 188               | 54.5    |                                     |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 2,513              | 49.9    | 4,340             | 67.2    |                                     |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Preg     |         |                   |         | ng the period and in NFHS-5         | is with |
| 22       | o Women who had last births in the 5 years before the su<br>Expected number of Live Birth                |                    |         | 6.550             |         |                                     |         |
|          | Child Immunization :   | 6,444<br>HMIS (202 | 21-22 ) | 6,552<br>HMIS (20 | 22-23 ) | NFHS-5 (2019-                       | 20)     |
| , -      |  | Number             | PC      | Number            | PC      |                                     | ,       |
| 23       | Total reported live births   | 4,977              | 77.2    | 6,399             | 97.7    | Breastfed within<br>1 hour of birth | 53.1    |
| 24       | Total Still Birth  | 85                 | 1.3     | 111               | 1.7     | BCG                                 | -85.1   |
| 25       | PC of newborn weighted at birth to live birth  | 4,914              | 98.7    | 6,388             | 99.8    | 3 dose of DPT                       | -73.2   |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 286                | 5.8     | 525               | 8.2     | Measles First<br>dose               | -74.6   |

| 27             | PC of newborns breastfed within 1 hour to total reported live birth.   | 3,620            | 72.7    | 4,461       | 69.7                      | 3 doses of penta<br>or hepatitis B<br>vaccine | -71.1   |
|----------------|--|------------------|---------|-------------|---------------------------|---|---------|
| 28             | Children fully immunized   | 4,114            | 63.8    | 4,370       | 66.7                      | Full Immunization                             | -55.9   |
| 29             | Children who have received BCG   | 6,766            | 105.0   | 7,400       | 112.9                     |   |         |
| 30             | Children who have received Pentavalent 1   | 6,622            | 102.8   | 6,907       | 105.4                     |   |         |
| 31             | Children who have received Pentavalent 3   | 5,130            | 79.6    | 5,557       | 84.8                      |   |         |
| 32             | Children who have received Measles & Rubella (MR)- 1st Dose  | 4,713            | 73.1    | 5,159       | 78.7                      |   |         |
| 33             | Diarrhoea and Dehydration cases<br>reported in children below 5 years  | 590              |         | 1,329       |                           |   |         |
|                | In case of HMIS data, Proportions are calculated for 0-11 n<br>Idren 12-23 months olds who received specific vaccination |                  |         |             |                           | rths and in NFHS-5, the per                   | centage |
| E)Fa           | mily Planning  | HMIS (202        | 21-22)  | HMIS (20    | 22-23)                    | NFHS-5 (2019-                                 | 20)     |
| 34             | Number of Vasectomies performed  | 0                |         | 2           |                           | Total unmet need                              | 14.3    |
| 35             | Number of Tubectomies performed  | 178              |         | 96          | 6                         | Spacing                                       | 5.8     |
| 36             | Number of IUD insertion  | 132              | 132 219 |             | Women using<br>any method | 46.9  |         |
| 37             | Number of IUD removals   | 146              | 146 196 |             | Women using modern method | 38.4  |         |
| F) S           | ervice delivery  | HMIS (202        | 21-22)  | HMIS (20    | 22-23)                    |   |         |
| 38             | IPD cases per 10,000 population ***  | 510              |         | 67          | 7                         |   |         |
| 39             | General OPD cases per 10,000 population ***  | 8018             | 3       | 8768        |                           |   |         |
| 40             | Ayush OPD cases per 10,000 population  | 92               |         | 20          | 8                         |   |         |
| G) N           | Nortality Details  |                  |         |             |                           |   |         |
| I)             | Infant Deaths (In Numbers)   | HMIS (202        | 21-22)  | HMIS (20    | 22-23)                    |   |         |
| 41             | Neonatal death within 24 hours   | 5                |         | 9           |                           | -   |         |
| 42             | Neonatal Deaths up to 4 weeks of birth   | 33               |         | 46          |                           |   |         |
| 43             | Total Neonatal Death   | 38               |         | 55          |                           | -   |         |
| 44             | Deaths between (1 - 11) months   | 19               |         | 24          |                           | -   |         |
| 45             | Total reported infant deaths   | 57               |         | 79          | )                         |   |         |
| II)            | Maternal Mortality   | HMIS (202        | 21-22)  | HMIS (20    | 22-23)                    |   |         |
|                | Maternal Deaths (In Numbers)   |                  |         |             |                           |   |         |
| 46             | Maternal Deaths (In Numbers)   |                  | ,       | -           |                           |   |         |
| 46             | Due to Abortion  | 0                | ,       | 2           |                           |   |         |
| 47             | Due to Abortion<br>Due to Obstructed/prolonged labour  | 0                | ,       | 2           |                           |   |         |
| 47<br>48       | Due to Abortion<br>Due to Obstructed/prolonged labour<br>Due to Severe hypertension/fits                                 | 0<br>0<br>1      | ,       | 2<br>0<br>1 |                           | -   |         |
| 47<br>48<br>49 | Due to Abortion<br>Due to Obstructed/prolonged labour<br>Due to Severe hypertension/fits<br>Due to Bleeding              | 0<br>0<br>1<br>2 |         | 2<br>0<br>1 |                           |   |         |
| 47<br>48       | Due to Abortion<br>Due to Obstructed/prolonged labour<br>Due to Severe hypertension/fits                                 | 0<br>0<br>1      |         | 2<br>0<br>1 |                           |   |         |

|          | Kiphrie  | Factshee        | t     |          |        |                                     |         |
|----------|--|-----------------|-------|----------|--------|-------------------------------------|---------|
| Key      | Indicators   |                 |       |          |        |                                     |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |       |          |        |                                     |         |
| 1        | Population 2011  | 74,004          |       |          |        |                                     |         |
| 2        | Sex Ratio  | 961             |       |          |        |                                     |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |       |          |        |                                     |         |
| 3        | Sub Centers (SC)   | 25              |       |          |        |                                     |         |
| 4        | Primary Health Centers (PHC)   | 4               |       |          |        |                                     |         |
| 5        | Community Health Centers (CHC)   | 1               |       |          |        |                                     |         |
| 6        | SDH  | 0               |       |          |        |                                     |         |
| 7        | DH   | 1               |       |          |        |                                     |         |
|          | laternal Health:   | 2021-2          | 22    | 2022     | -23    |                                     |         |
| 8        | Expected number of PW  | 1,195           | 5     | 1,19     | 95     |                                     |         |
| 9        | Expected number of Delivery  | 1,099           | )     | 1,09     | 99     |                                     |         |
|          |  | HMIS (202       | 1-22) | HMIS (20 | 22-23) | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC     |                                     | 1       |
| 10       | PW register for ANC  | 1,102           | 92.3  | 980      | 82.0   | ANC Check up in<br>first trimester  | 27.2    |
| 11       | Mothers registered in the first trimester  | 345             | 31.3  | 439      | 44.8   | At least 4ANC<br>check up           | 5.8     |
| 12       | Mothers who had 4 or more ANC check ups  | 397             | 36.0  | 481      | 49.1   | Neonatal tetanus<br>received        | 63      |
| 13       | PW who got TT 2 / Booster injection  | 702             | 63.7  | 728      | 74.3   | 100 IFA tablets<br>consumed         | 1.6     |
| 14       | PW who consumed 180 IFA tablets  | 487             | 44.2  | 678      | 69.2   | Home Delivery                       | 65.2    |
| 15       | Home Delivery against expected delivery *  | 194             | 17.7  | 151      | 13.7   | Institutional<br>Delivery           | 34.8    |
| 16       | Institutional Delivery against expected<br>delivery *  | 586             | 53.3  | 591      | 53.8   | Home Delivery by SBA                | 11.9    |
| 17       | Home Delivery against reported delivery **   | 194             | 24.9  | 151      | 20.4   | PNC within 2days of delivery        | 31.9    |
| 18       | Institutional Delivery against reported<br>delivery **   | 586             | 75.1  | 591      | 79.6   |                                     |         |
| 19       | Total reported Deliveries  | 780             |       | 742      |        |                                     |         |
| 20       | Reported Delivery at home assisted by a<br>Doctor/Nurse /LHV/ANM(%)                                      | 62              | 32.0  | 72       | 47.7   |                                     |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 339             | 43.5  | 523      | 70.5   |                                     |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |       |          |        | ng the period and in NFHS-5         | is with |
|          | o Women who had last births in the 5 years before the su   |                 |       |          |        |                                     |         |
| 22       | Expected number of Live Birth  | 1,086           |       | 1,086    |        |                                     |         |
| D) C     | child Immunization :   | HMIS (202       | -     | HMIS (20 | -      | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC     | Propotford with im                  |         |
| 23       | Total reported live births   | 765             | 70.4  | 726      | 66.8   | Breastfed within<br>1 hour of birth | 55.5    |
| 24       | Total Still Birth  | 19              | 1.7   | 21       | 1.9    | BCG                                 | 82.1    |
| 25       | PC of newborn weighted at birth to live<br>birth   | 757             | 99.0  | 726      | 100.0  | 3 dose of DPT                       | 60.2    |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 9               | 1.2   | 8        | 1.1    | Measles First<br>dose               | 66.2    |

| 27   | PC of newborns breastfed within 1 hour to total reported live birth.  | 763       | 99.7  | 723      | 99.6     | 3 doses of penta<br>or hepatitis B<br>vaccine | 49.3    |
|------|---|-----------|-------|----------|----------|---|---------|
| 28   | Children fully immunized  | 701       | 64.6  | 762      | 70.2     | Full Immunization                             | 42.8    |
| 29   | Children who have received BCG  | 850       | 78.3  | 780      | 71.8     |   |         |
|      | Children who have received Pentavalent  | 838       | 77.2  | 846      | 77.9     |   |         |
| 30   | 1<br>Ohilden of the base of the different sector of the secto | 000       | 11.2  | 040      | 11.5     |   |         |
| 31   | Children who have received Pentavalent 3  | 725       | 66.8  | 708      | 65.2     |   |         |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose   | 712       | 65.6  | 783      | 72.1     |   |         |
| 33   | Diarrhoea and Dehydration cases<br>reported in children below 5 years   | 234       |       | 406      |          |   |         |
|      | In case of HMIS data, Proportions are calculated for 0-11 n<br>ildren 12-23 months olds who received specific vaccination   |           |       |          |          | rths and in NFHS-5, the per                   | centage |
| E)Fa | mily Planning   | HMIS (202 | 1-22) | HMIS (20 | )22-23 ) | NFHS-5 (2019-                                 | 20)     |
| 34   | Number of Vasectomies performed   | 0         |       | 0        |          | Total unmet need                              | 17.3    |
| 35   | Number of Tubectomies performed   | 3         |       | 24       |          | Spacing                                       | 10.2    |
| 36   | Number of IUD insertion   | 248       |       | 28       |          | Women using<br>any method                     | 42.5    |
| 37   | Number of IUD removals  | 149       |       | 196      |          | Women using<br>modern method                  | 32.7    |
| F) S | ervice delivery   | HMIS (202 | 1-22) | HMIS (20 | )22-23 ) |   | 02.1    |
| 38   | IPD cases per 10,000 population ***   | 118       |       | 18       | 4        |   |         |
| 39   | General OPD cases per 10,000 population ***   | 3956      | 5     | 469      |          |   |         |
| 40   | Ayush OPD cases per 10,000 population ***   | 113       |       | 94       |          |   |         |
| G) N | Aortality Details   |           |       |          |          |   |         |
| I)   | Infant Deaths (In Numbers)  | HMIS (202 | 1-22) | HMIS (20 | )22-23 ) |   |         |
| 41   | Neonatal death within 24 hours  | 10        |       | 4        |          |   |         |
| 42   | Neonatal Deaths up to 4 weeks of birth  | 7         |       | 6        |          |   |         |
| 43   | Total Neonatal Death  | 17        |       | 10       | )        |   |         |
| 44   | Deaths between (1 - 11) months  | 3         |       | 4        |          |   |         |
| 45   | Total reported infant deaths  | 20        |       | 14       | 1        |   |         |
| II)  | Maternal Mortality  |           |       |          |          |   |         |
|      | Maternal Deaths (In Numbers)  | HMIS (202 | 1-22) | HMIS (20 | )22-23 ) |   |         |
| 46   | Due to Abortion   | 0         |       | 0        |          |   |         |
| 47   | Due to Obstructed/prolonged labour  | 0         |       | 0        |          |   |         |
| 48   | Due to Severe hypertension/fits   | 0         |       | 0        |          |   |         |
| 49   | Due to Bleeding   | 0         |       | 0        |          |   |         |
| 50   | Due to High fever   | 0         |       | 0        |          |   |         |
|      |   |           |       |          |          |   |         |
| 51   | Due to Other Causes (including causes<br>not known)   | 0         |       | 0        |          |   |         |

|          | Kohima   | Factshee               | et                |                        |        |                                    |               |
|----------|--|------------------------|-------------------|------------------------|--------|------------------------------------|---------------|
| Key      | Indicators   |                        |                   |                        |        |                                    |               |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                        |                   |                        |        |                                    |               |
| 1        | Population 2011  | 2,67,988               |                   |                        |        |                                    |               |
| 2        | Sex Ratio  | 927                    |                   |                        |        |                                    |               |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers                |                   |                        |        |                                    |               |
| 3        | Sub Centers (SC)   | 42                     |                   |                        |        |                                    |               |
| 4        | Primary Health Centers (PHC)   | 16                     |                   |                        |        |                                    |               |
| 5        | Community Health Centers (CHC)   | 3                      |                   |                        |        |                                    |               |
| 6        | SDH  | 0                      |                   |                        |        |                                    |               |
| 7        | DH   | 1                      |                   | 1                      |        | 1                                  |               |
| C) N     | Aaternal Health:   | 2021-2                 | 22                | 2022                   | -23    |                                    |               |
| 8        | Expected number of PW  | 5,015                  | 5                 | 5,09                   | 99     |                                    |               |
| 9        | Expected number of Delivery  | 4,613                  | 3                 | 4,69                   | 91     |                                    |               |
|          |  | HMIS (202              | 1-22 )            | HMIS (20               | 22-23) | NFHS-5 (2019-                      | 20)           |
|          |  | Number                 | PC                | Number                 | PC     |                                    |               |
| 10       | PW register for ANC  | 3,163                  | 63.1              | 5,704                  | 111.9  | ANC Check up in<br>first trimester | 61.9          |
| 11       | Mothers registered in the first trimester  | 760                    | 24.0              | 1,545                  | 27.1   | At least 4ANC<br>check up          | 28.3          |
| 12       | Mothers who had 4 or more ANC check ups  | 1,306                  | 41.3              | 1,207                  | 21.2   | Neonatal tetanus received          | 94.3          |
| 13       | PW who got TT 2 / Booster injection  | 1,314                  | 41.5              | 1,686                  | 29.6   | 100 IFA tablets<br>consumed        | 17.2          |
| 14       | PW who consumed 180 IFA tablets  | 1,418                  | 44.8              | 3,407                  | 59.7   | Home Delivery                      | 33.1          |
| 15       | Home Delivery against expected delivery *  | 148                    | 3.2               | 148                    | 3.2    | Institutional<br>Delivery          | 66.9          |
| 16       | Institutional Delivery against expected<br>delivery *  | 2,278                  | 49.4              | 2,816                  | 60.0   | Home Delivery by SBA               | 12.2          |
| 17       | Home Delivery against reported delivery **   | 148                    | 6.1               | 148                    | 5.0    | PNC within 2days of delivery       | 58.9          |
| 18       | Institutional Delivery against reported<br>delivery **   | 2,278                  | 93.9              | 2,816                  | 95.0   |                                    | 00.0          |
| 19       | Total reported Deliveries  | 2,426                  |                   | 2,964                  |        |                                    |               |
| 20       | Reported Delivery at home assisted by a<br>Doctor/Nurse /LHV/ANM(%)                                      | 79                     | 53.4              | 76                     | 51.4   |                                    |               |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 709                    | 29.2              | 898                    | 30.3   |                                    |               |
| Note     | In case of HMIS data, Percentage is with reference to total  | number of Pregr        |                   |                        |        | ng the period and in NFHS-5        | is with       |
|          | b Women who had last births in the 5 years before the su   |                        |                   |                        |        |                                    |               |
| 22       | Expected number of Live Birth  | 4,559                  | 1 22 1            | 4,635                  |        |                                    | 20)           |
| D) C     | hild Immunization :  | HMIS (202              | PC                | HMIS (20               | PC     | NFHS-5 (2019-                      | 20)           |
|          |  | <b>Number</b><br>2,402 | <b>PC</b><br>52.7 | <b>Number</b><br>2,929 | 63.2   | Breastfed within                   |               |
| 23       | Total reported live births   | 2,402                  | 0.5               | 41                     | 0.9    | 1 hour of birth                    | 60.3          |
| 24<br>25 | Total Still Birth<br>PC of newborn weighted at birth to live<br>birth                                    | 2,353                  | 98.0              | 2,883                  | 98.4   | BCG<br>3 dose of DPT               | -100<br>-88.7 |
| 26       | PC of newborn having weight less than<br>2.5 kg to newborn weighted at birth.                            | 118                    | 5.0               | 127                    | 4.4    | Measles First<br>dose              | -86.6         |

| 27             | PC of newborns breastfed within 1 hour to total reported live birth.  | 2,264             | 94.3      | 2,509                     | 85.7                         | 3 doses of penta<br>or hepatitis B<br>vaccine | -88.7   |
|----------------|---|-------------------|-----------|---------------------------|------------------------------|---|---------|
| 28             | Children fully immunized  | 2,190             | 48.0      | 2,554                     | 55.1                         | Full Immunization                             | -82.8   |
| 29             | Children who have received BCG  | 2,767             | 60.7      | 3,126                     | 67.4                         |   |         |
|                | Children who have received Pentavalent  | 2,660             | 58.3      | 2,901                     | 62.6                         |   |         |
| 30             |   | 2,000             | 00.0      | 2,501                     | 02.0                         |   |         |
| 31             | Children who have received Pentavalent 3  | 2,348             | 51.5      | 2,688                     | 58.0                         |   |         |
| 32             | Children who have received Measles & Rubella (MR)- 1st Dose   | 2,229             | 48.9      | 2,569                     | 55.4                         |   |         |
| 33             | Diarrhoea and Dehydration cases<br>reported in children below 5 years                                       | 302               |           | 583                       |                              |   |         |
| Note           | In case of HMIS data, Proportions are calculated for 0-11 r   |                   |           |                           |                              | ths and in NFHS-5, the per                    | centage |
| of ch          | ildren 12-23 months olds who received specific vaccination  | to children under | 5 years b | efore the surve           | y.                           |   |         |
| E)Fa           | mily Planning   | HMIS (202         | 1-22)     | HMIS (20                  | 22-23)                       | NFHS-5 (2019-                                 | 20)     |
| 34             | Number of Vasectomies performed   | 0                 |           | 0                         |                              | Total unmet need                              | 9.1     |
| 35             | Number of Tubectomies performed   | 265               |           | 304                       | 4                            | Spacing                                       | 7.2     |
| 36             | Number of IUD insertion   | 989 588 V         |           | Women using<br>any method | 60.7                         |   |         |
| 37             | Number of IUD removals  | 170 227           |           | 7                         | Women using<br>modern method | 46.7  |         |
| F) S           | ervice delivery   | HMIS (202         | 1-22 )    | HMIS (20                  | 22-23)                       |   |         |
| 38             | IPD cases per 10,000 population ***   | 306               |           | 41                        | 1                            |   |         |
| 39             | General OPD cases per 10,000 population ***   | 7530              |           | 811                       | 9                            |   |         |
| 40             | Ayush OPD cases per 10,000 population   | 65                |           | 94                        | Ļ                            |   |         |
| G) N           | Aortality Details   |                   |           | L                         |                              |   |         |
| I)             | Infant Deaths (In Numbers)  | HMIS (202         | 1-22 )    | HMIS (20                  | 22-23)                       |   |         |
| 41             | Neonatal death within 24 hours  | 1                 |           | 4                         |                              |   |         |
| 42             | Neonatal Deaths up to 4 weeks of birth  | 30                |           | 26                        | ;                            |   |         |
| 43             | Total Neonatal Death  | 31                |           | 30                        |                              |   |         |
| 44             | Deaths between (1 - 11) months  | 3                 |           | 6                         |                              |   |         |
| 45             | Total reported infant deaths  | 34                |           | 36                        | 5                            |   |         |
| II)            | Maternal Mortality  |                   |           |                           |                              |   |         |
|                |   | HMIS (202         | 1-22)     | HMIS (20                  | 22-23)                       |   |         |
|                | Maternal Deaths (In Numbers)  | 111113 (202       | •         |                           |                              |   |         |
| 46             | Maternal Deaths (In Numbers) Due to Abortion  | 0                 |           | 0                         |                              |   |         |
| 46<br>47       | · · ·   | •                 |           | 0                         |                              |   |         |
| 47             | Due to Abortion<br>Due to Obstructed/prolonged labour   | 0                 |           | 0                         |                              |   |         |
| 47<br>48       | Due to Abortion<br>Due to Obstructed/prolonged labour<br>Due to Severe hypertension/fits                    | 0 0 0             |           | 0                         |                              |   |         |
| 47<br>48<br>49 | Due to Abortion<br>Due to Obstructed/prolonged labour<br>Due to Severe hypertension/fits<br>Due to Bleeding | 0<br>0<br>0<br>1  |           | 0<br>0<br>2               |                              |   |         |
| 47<br>48       | Due to Abortion<br>Due to Obstructed/prolonged labour<br>Due to Severe hypertension/fits                    | 0 0 0             |           | 0                         |                              |   |         |

|          | Longleng   | Factshee        | t     |          |        |                                     |         |
|----------|--|-----------------|-------|----------|--------|-------------------------------------|---------|
| Key      | Indicators   |                 |       |          |        |                                     |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |       |          |        |                                     |         |
| 1        | Population 2011  | 50,484          |       |          |        |                                     |         |
| 2        | Sex Ratio  | 903             |       |          |        |                                     |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |       |          |        |                                     |         |
| 3        | Sub Centers (SC)   | 10              |       |          |        |                                     |         |
| 4        | Primary Health Centers (PHC)   | 3               |       |          |        |                                     |         |
| 5        | Community Health Centers (CHC)   | 0               |       |          |        |                                     |         |
| 6        | SDH  | 0               |       |          |        |                                     |         |
| 7        | DH   | 1               |       | I        |        | 1                                   |         |
| C) N     | laternal Health:   | 2021-2          | 22    | 2022     | -23    |                                     |         |
| 8        | Expected number of PW  | 815             |       | 81       | 5      |                                     |         |
| 9        | Expected number of Delivery  | 750             |       | 75       | 0      |                                     |         |
|          |  | HMIS (202       | 1-22) | HMIS (20 | 22-23) | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC     |                                     | ſ       |
| 10       | PW register for ANC  | 584             | 71.7  | 548      | 67.2   | ANC Check up in<br>first trimester  | 42.3    |
| 11       | Mothers registered in the first trimester  | 180             | 30.8  | 205      | 37.4   | At least 4ANC<br>check up           | 15.4    |
| 12       | Mothers who had 4 or more ANC check ups  | 77              | 13.2  | 66       | 12.0   | Neonatal tetanus<br>received        | 75.5    |
| 13       | PW who got TT 2 / Booster injection  | 303             | 51.9  | 365      | 66.6   | 100 IFA tablets<br>consumed         | 2.6     |
| 14       | PW who consumed 180 IFA tablets  | 404             | 69.2  | 427      | 77.9   | Home Delivery                       | 61.3    |
| 15       | Home Delivery against expected delivery *  | 66              | 8.8   | 40       | 5.3    | Institutional<br>Delivery           | 38.7    |
| 16       | Institutional Delivery against expected<br>delivery *  | 311             | 41.5  | 314      | 41.9   | Home Delivery by SBA                | 5.9     |
| 17       | Home Delivery against reported delivery **   | 66              | 17.5  | 40       | 11.3   | PNC within 2days of delivery        | 28.5    |
| 18       | Institutional Delivery against reported delivery **  | 311             | 82.5  | 314      | 88.7   |                                     | 20.0    |
| 19       | Total reported Deliveries  | 377             |       | 354      |        |                                     |         |
| 20       | Reported Delivery at home assisted by a<br>Doctor/Nurse /LHV/ANM(%)                                      | 32              | 48.5  | 5        | 12.5   |                                     |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 234             | 62.1  | 102      | 28.8   |                                     |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |       | -        |        | ng the period and in NFHS-5         | is with |
|          | Women who had last births in the 5 years before the su   |                 |       |          |        |                                     |         |
| 22       | Expected number of Live Birth  | 741             |       | 741      |        |                                     |         |
| D) C     | hild Immunization :  | HMIS (202       |       | HMIS (20 | -      | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC     | Drocotfe el cotte to                |         |
| 23       | Total reported live births   | 375             | 50.6  | 353      | 47.6   | Breastfed within<br>1 hour of birth | 62.3    |
| 24       | Total Still Birth  | 4               | 0.5   | 3        | 0.4    | BCG                                 | 88.3    |
| 25       | PC of newborn weighted at birth to live birth  | 352             | 93.9  | 342      | 96.9   | 3 dose of DPT                       | 64.7    |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 9               | 2.6   | 10       | 2.9    | Measles First<br>dose               | 73.3    |

| 27     | PC of newborns breastfed within 1 hour to total reported live birth.  | 346              | 92.3        | 332             | 94.1     | 3 doses of penta<br>or hepatitis B<br>vaccine | 58.2    |
|--------|---|------------------|-------------|-----------------|----------|---|---------|
| 28     | Children fully immunized  | 546              | 73.7        | 452             | 61.0     | Full Immunization                             | 53      |
| 29     | Children who have received BCG  | 526              | 71.0        | 409             | 55.2     |   |         |
|        | Children who have received Pentavalent                                | 600              | 81.0        | 484             | 65.3     |   |         |
| 30     | 1<br>Children who have received Pentavalent                           |                  | 01.0        | 101             | 00.0     |   |         |
| 31     | 3   | 568              | 76.7        | 446             | 60.2     |   |         |
| 32     | Children who have received Measles & Rubella (MR)- 1st Dose           | 546              | 73.7        | 455             | 61.4     |   |         |
| 33     | Diarrhoea and Dehydration cases<br>reported in children below 5 years | 38               |             | 111             |          |   |         |
| Note   | In case of HMIS data, Proportions are calculated for 0-11 n           |                  |             |                 |          | rths and in NFHS-5, the per                   | centage |
| of chi | ldren 12-23 months olds who received specific vaccination             | to children unde | r 5 years b | efore the surve | ey.      |   |         |
| E)Fa   | mily Planning   | HMIS (202        | 1-22)       | HMIS (20        | )22-23 ) | NFHS-5 (2019-                                 | 20)     |
| 34     | Number of Vasectomies performed                                       | 0                |             | 0               |          | Total unmet need                              | 4.3     |
| 35     | Number of Tubectomies performed                                       | 60               |             | 18              | 3        | Spacing                                       | 2.9     |
| 36     | Number of IUD insertion   | 212              |             | 212             |          | Women using<br>any method                     | 66.5    |
| 37     | Number of IUD removals  | 93               |             | 78              |          | Women using modern method                     | 56.3    |
| F) S   | ervice delivery   | HMIS (202        | 1-22 )      | HMIS (20        | )22-23 ) |   |         |
| 38     | IPD cases per 10,000 population ***                                   | 121              |             | 189             |          |   |         |
| 39     | General OPD cases per 10,000 population ***                           | 4610             |             | 533             | 39       |   |         |
| 40     | Ayush OPD cases per 10,000 population                                 | 242              |             | 274             |          |   |         |
| G) N   | Aortality Details   |                  |             |                 |          |   |         |
| I)     | Infant Deaths (In Numbers)  | HMIS (202        | 1-22)       | HMIS (20        | )22-23 ) |   |         |
| 41     | Neonatal death within 24 hours  | 0                |             | 0               |          |   |         |
| 42     | Neonatal Deaths up to 4 weeks of birth                                | 0                |             | 0               |          |   |         |
| 43     | Total Neonatal Death  | 0                |             | 0               |          |   |         |
| 44     | Deaths between (1 - 11) months  | 0                |             | 0               |          |   |         |
| 45     | Total reported infant deaths  | 0                |             | 0               |          |   |         |
| II)    | Maternal Mortality  | Г                |             | Γ               |          |   |         |
|        | Maternal Deaths (In Numbers)  | HMIS (202        | 1-22 )      | HMIS (20        | )22-23 ) |   |         |
| 46     | Due to Abortion   | 0                |             | 0               |          |   |         |
| 47     | Due to Obstructed/prolonged labour                                    | 0                |             | 0               |          |   |         |
| 48     | Due to Severe hypertension/fits                                       | 1                |             | 0               |          |   |         |
| 49     | Due to Bleeding   | 0                |             | 0               |          |   |         |
| 50     | Due to High fever   | 0                |             | 0               |          |   |         |
| 51     | Due to Other Causes (including causes not known)                      | 0                |             | 0               |          |   |         |
| 52     | Total reported maternal deaths  | 1                |             | 0               |          |   |         |

|          | Mokokchung   | Factshee        | et     |          |         |                                     |         |
|----------|--|-----------------|--------|----------|---------|-------------------------------------|---------|
| Кеу      | Indicators   |                 |        |          |         |                                     |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |        |          |         |                                     |         |
| 1        | Population 2011  | 1,94,622        |        |          |         |                                     |         |
| 2        | Sex Ratio  | 927             |        |          |         |                                     |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |        |          |         |                                     |         |
| 3        | Sub Centers (SC)   | 55              |        |          |         |                                     |         |
| 4        | Primary Health Centers (PHC)   | 17              |        |          |         |                                     |         |
| 5        | Community Health Centers (CHC)   | 3               |        |          |         |                                     |         |
| 6        | SDH  | 0               |        |          |         |                                     |         |
| 7        | DH   | 1               |        |          |         |                                     |         |
| C) №     | 1aternal Health:   | 2021-2          | 22     | 2022     | -23     |                                     |         |
| 8        | Expected number of PW  | 2,983           | 3      | 2,96     | 67      | -                                   |         |
| 9        | Expected number of Delivery  | 2,744           | 1      | 2,72     | 29      |                                     |         |
|          |  | HMIS (202       | 1-22 ) | HMIS (20 | 22-23 ) | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC     | Number   | PC      |                                     |         |
| 10       | PW register for ANC  | 1,433           | 48.0   | 1,545    | 52.1    | ANC Check up in<br>first trimester  | 51.6    |
| 11       | Mothers registered in the first trimester  | 653             | 45.6   | 985      | 63.8    | At least 4ANC<br>check up           | 18.2    |
| 12       | Mothers who had 4 or more ANC check ups  | 338             | 23.6   | 877      | 56.8    | Neonatal tetanus received           | 91.7    |
| 13       | PW who got TT 2 / Booster injection  | 735             | 51.3   | 873      | 56.5    | 100 IFA tablets<br>consumed         | 12.5    |
| 14       | PW who consumed 180 IFA tablets  | 388             | 27.1   | 939      | 60.8    | Home Delivery                       | 48.5    |
| 15       | Home Delivery against expected delivery  | 174             | 6.3    | 161      | 5.9     | Institutional<br>Delivery           | 51.5    |
| 16       | Institutional Delivery against expected<br>delivery *  | 828             | 30.2   | 1,021    | 37.4    | Home Delivery by SBA                | 12.2    |
| 17       | Home Delivery against reported delivery **   | 174             | 17.4   | 161      | 13.6    | PNC within 2days of delivery        | 47.4    |
| 18       | Institutional Delivery against reported<br>delivery **   | 828             | 82.6   | 1,021    | 86.4    |                                     |         |
| 19       | Total reported Deliveries  | 1,002           |        | 1,182    |         |                                     |         |
| 20       | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)   | 146             | 83.9   | 159      | 98.8    |                                     |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 799             | 79.7   | 1,021    | 86.4    |                                     |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |        | ,        |         | ng the period and in NFHS-5         | is with |
|          | Women who had last births in the 5 years before the su   |                 |        |          |         |                                     |         |
| 22       | Expected number of Live Birth  | 2,712           |        | 2,697    |         |                                     |         |
| D) C     | hild Immunization :  | HMIS (202       | -      | HMIS (20 | -       | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC     | Number   | PC      | Brogotfod within                    |         |
| 23       | Total reported live births   | 993             | 36.6   | 1,166    | 43.2    | Breastfed within<br>1 hour of birth | 56.5    |
| 24       | Total Still Birth  | 16              | 0.6    | 19       | 0.7     | BCG                                 | -96.8   |
| 25       | PC of newborn weighted at birth to live<br>birth   | 988             | 99.5   | 1,166    | 100.0   | 3 dose of DPT                       | -99     |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 40              | 4.0    | 36       | 3.1     | Measles First<br>dose               | -100    |

| 27   | PC of newborns breastfed within 1 hour to total reported live birth.  | 986       | 99.3  | 1,165    | 99.9   | 3 doses of penta<br>or hepatitis B<br>vaccine | -96     |
|------|---|-----------|-------|----------|--------|---|---------|
| 28   | Children fully immunized  | 952       | 35.1  | 1,079    | 40.0   | Full Immunization                             | -92     |
| 29   | Children who have received BCG  | 1,117     | 41.2  | 1,270    | 47.1   |   |         |
|      | Children who have received Pentavalent  | 1,098     | 40.5  | 1,126    | 41.8   |   |         |
| 30   | 1<br>Ohilden of the base of the different sector of the secto | 1,000     | 40.5  | 1,120    | 41.0   |   |         |
| 31   | Children who have received Pentavalent 3  | 970       | 35.8  | 1,115    | 41.3   |   |         |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose   | 955       | 35.2  | 1,079    | 40.0   |   |         |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years  | 84        |       | 163      |        |   |         |
| Note | In case of HMIS data, Proportions are calculated for 0-11 n<br>ildren 12-23 months olds who received specific vaccination   |           |       |          |        | rths and in NFHS-5, the per                   | centage |
| E)Fa | mily Planning   | HMIS (202 | 1-22) | HMIS (20 | 22-23) | NFHS-5 (2019-                                 | 20)     |
| 34   | Number of Vasectomies performed   | 0         |       | 0        |        | Total unmet need                              | 6.4     |
| 35   | Number of Tubectomies performed   | 51        |       | 48       | 8      | Spacing                                       | 3.4     |
| 36   | Number of IUD insertion   | 134       |       | 14       |        | Women using<br>any method                     | 66.7    |
| 37   | Number of IUD removals  | 96        |       | 131      |        | Women using<br>modern method                  | 52.5    |
| F) S | ervice delivery   | HMIS (202 | 1-22) | HMIS (20 | 22-23) |   |         |
| 38   | IPD cases per 10,000 population ***   | 219       |       | 28       | 6      |   |         |
| 39   | General OPD cases per 10,000 population ***   | 4380      | )     | 623      | 81     |   |         |
| 40   | Ayush OPD cases per 10,000 population ***   | 73        |       | 244      |        |   |         |
| G) N | Aortality Details   |           |       |          |        |   |         |
| I)   | Infant Deaths (In Numbers)  | HMIS (202 | 1-22) | HMIS (20 | 22-23) |   |         |
| 41   | Neonatal death within 24 hours  | 3         |       | 2        |        |   |         |
| 42   | Neonatal Deaths up to 4 weeks of birth  | 9         |       | 10       | )      |   |         |
| 43   | Total Neonatal Death  | 12        |       | 12       | 2      |   |         |
| 44   | Deaths between (1 - 11) months  | 2         |       | 2        |        |   |         |
| 45   | Total reported infant deaths  | 14        |       | 14       | ļ      |   |         |
| II)  | Maternal Mortality  |           |       |          |        |   |         |
|      | Maternal Deaths (In Numbers)  | HMIS (202 | 1-22) | HMIS (20 | 22-23) |   |         |
| 46   | Due to Abortion   | 0         |       | 0        |        |   |         |
| 47   | Due to Obstructed/prolonged labour  | 0         |       | 0        |        |   |         |
| 48   | Due to Severe hypertension/fits   | 0         |       | 0        |        |   |         |
| 49   | Due to Bleeding   | 0         |       | 0        |        |   |         |
| 50   | Due to High fever   | 0         |       | 0        |        |   |         |
|      |   |           |       |          |        |   |         |
| 51   | Due to Other Causes (including causes not known)  | 0         |       | 0        |        |   |         |

|            | Mon  | Factshee           | t           |                   |             |                                    |              |
|------------|--|--------------------|-------------|-------------------|-------------|------------------------------------|--------------|
| Key        | Indicators   |                    |             |                   |             |                                    |              |
| SL<br>NO   | A)Demographic Indicators (Census 2011)   |                    |             |                   |             |                                    |              |
| 1          | Population 2011  | 2,50,260           |             |                   |             |                                    |              |
| 2          | Sex Ratio  | 898                |             |                   |             |                                    |              |
| B) Ir      | nfrastructure Details (RHS 2021-22)  | Numbers            |             |                   |             |                                    |              |
| 3          | Sub Centers (SC)   | 57                 |             |                   |             |                                    |              |
| 4          | Primary Health Centers (PHC)   | 14                 |             |                   |             |                                    |              |
| 5          | Community Health Centers (CHC)   | 3                  |             |                   |             |                                    |              |
| 6          | SDH  | 0                  |             |                   |             |                                    |              |
| 7          | DH   | 1                  |             |                   |             |                                    |              |
| C) N       | 1aternal Health:   | 2021-2             | 22          | 2022              | -23         |                                    |              |
| 8          | Expected number of PW  | 4,406              |             | 4,44              |             |                                    |              |
| 9          | Expected number of Delivery  | 4,053              | 3           | 4,09              | 93          |                                    |              |
|            |  | HMIS (202          | 1-22 )      | HMIS (20          | 22-23)      | NFHS-5 (2019-                      | 20)          |
|            |  | Number             | PC          | Number            | PC          |                                    |              |
| 10         | PW register for ANC  | 3,704              | 84.1        | 3,741             | 84.1        | ANC Check up in<br>first trimester | 44.6         |
| 11         | Mothers registered in the first trimester  | 702                | 19.0        | 751               | 20.1        | At least 4ANC<br>check up          | 9.7          |
| 12         | Mothers who had 4 or more ANC check ups  | 328                | 8.9         | 276               | 7.4         | Neonatal tetanus<br>received       | 78           |
| 13         | PW who got TT 2 / Booster injection  | 2,236              | 60.4        | 2,222             | 59.4        | 100 IFA tablets<br>consumed        | 10.6         |
| 14         | PW who consumed 180 IFA tablets  | 2,294              | 61.9        | 2,282             | 61.0        | Home Delivery                      | 78.6         |
| 15         | Home Delivery against expected delivery *  | 1,036              | 25.6        | 930               | 22.7        | Institutional<br>Delivery          | 21.4         |
| 16         | Institutional Delivery against expected<br>delivery *  | 1,278              | 31.5        | 1,537             | 37.5        | Home Delivery by SBA               | 9.5          |
| 17         | Home Delivery against reported delivery **   | 1,036              | 44.8        | 930               | 37.7        | PNC within 2days of delivery       | 25.6         |
| 18         | Institutional Delivery against reported<br>delivery **   | 1,278              | 55.2        | 1,537             | 62.3        |                                    |              |
| 19         | Total reported Deliveries  | 2,314              |             | 2,467             |             |                                    |              |
| 20         | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)   | 428                | 41.3        | 395               | 42.5        |                                    |              |
| 21         | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 1,026              | 44.3        | 1,190             | 48.2        |                                    |              |
|            | In case of HMIS data, Percentage is with reference to total  | number of Pregr    |             |                   |             | ng the period and in NFHS-5        | is with      |
|            | Women who had last births in the 5 years before the su   |                    |             | 4.045             |             |                                    |              |
| 22<br>D) C | Expected number of Live Birth hild Immunization :  | 4,005<br>HMIS (202 | 1-22)       | 4,045<br>HMIS (20 | 22-23 )     | NFHS-5 (2019-                      | 20)          |
| 5,0        |  | Number             | PC          | Number            | PC          |                                    |              |
| 00         | Takal associated Data Blatter  | 2,293              | 57.3        | 2,449             | 60.5        | Breastfed within                   | 50.4         |
| 23         | Total reported live births   | -                  |             |                   |             | 1 hour of birth                    | 53.1         |
| 24<br>25   | Total Still Birth<br>PC of newborn weighted at birth to live<br>birth                                    | 21<br>2,211        | 0.5<br>96.4 | 32<br>2,318       | 0.8<br>94.7 | BCG<br>3 dose of DPT               | 87.1<br>79.1 |
| 25         | PC of newborn having weight less than<br>2.5 kg to newborn weighted at birth.                            | 27                 | 1.2         | 17                | 0.7         | Measles First<br>dose              | 83.4         |

| 27   | PC of newborns breastfed within 1 hour to total reported live birth.   | 2,161     | 94.2   | 2,272    | 92.8    | 3 doses of penta<br>or hepatitis B<br>vaccine | 70.9    |
|------|--|-----------|--------|----------|---------|---|---------|
| 28   | Children fully immunized   | 2,527     | 63.1   | 2,414    | 59.7    | Full Immunization                             | 62.4    |
| 29   | Children who have received BCG   | 2,964     | 74.0   | 2,913    | 72.0    |   | -       |
|      | Children who have received Pentavalent   | 3,024     | 75.5   | 2,870    | 71.0    |   |         |
| 30   | 1<br>Children who have received Pentavalent  | 0,021     | 10.0   | 2,010    | 7 1.0   |   |         |
| 31   | 3  | 2,747     | 68.6   | 2,644    | 65.4    |   |         |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose  | 2,402     | 60.0   | 2,417    | 59.8    |   |         |
| 33   | Diarrhoea and Dehydration cases<br>reported in children below 5 years  | 352       |        | 485      |         |   |         |
|      | In case of HMIS data, Proportions are calculated for 0-11 n<br>Idren 12-23 months olds who received specific vaccination |           |        |          |         | rths and in NFHS-5, the per                   | centage |
| E)Fa | mily Planning  | HMIS (202 | 1-22)  | HMIS (20 | 22-23 ) | NFHS-5 (2019-                                 | 20)     |
| 34   | Number of Vasectomies performed  | 2         |        | 0        |         | Total unmet need                              | 3.7     |
| 35   | Number of Tubectomies performed  | 82        |        | 10       | 1       | Spacing                                       | 0.6     |
| 36   | Number of IUD insertion  | 862       |        | 86       | 1       | Women using<br>any method                     | 68.7    |
| 37   | Number of IUD removals   | 290       |        | 488      |         | Women using modern method                     | 55.6    |
| F) S | ervice delivery  | HMIS (202 | 1-22)  | HMIS (20 | 22-23)  |   |         |
| 38   | IPD cases per 10,000 population ***  | 89        |        | 13       | 0       |   |         |
| 39   | General OPD cases per 10,000 population ***  | 2458      | }      | 3071     |         |   |         |
| 40   | Ayush OPD cases per 10,000 population  | 77        |        | 11       | 1       |   |         |
| G) N | Nortality Details  | [         |        | 1        |         | -   |         |
| I)   | Infant Deaths (In Numbers)   | HMIS (202 | 1-22)  | HMIS (20 | 22-23)  |   |         |
| 41   | Neonatal death within 24 hours   | 0         |        | 0        |         |   |         |
| 42   | Neonatal Deaths up to 4 weeks of birth   | 8         |        | 9        |         |   |         |
| 43   | Total Neonatal Death   | 8         |        | 9        |         | ]   |         |
| 44   | Deaths between (1 - 11) months   | 3         |        | 3        |         | -   |         |
| 45   | Total reported infant deaths   | 11        |        | 12       | 2       |   |         |
| II)  | Maternal Mortality   |           |        |          |         | -   |         |
|      | Maternal Deaths (In Numbers)   | HMIS (202 | 1-22 ) | HMIS (20 | 22-23)  |   |         |
| 46   | Due to Abortion  | 0         |        | 0        |         |   |         |
| 47   | Due to Obstructed/prolonged labour   | 0         |        | 0        |         |   |         |
| 48   | Due to Severe hypertension/fits  | 0         |        | 1        |         |   |         |
| 49   | Due to Bleeding  | 0         |        | 0        |         |   |         |
| 50   | Due to High fever  | 0         |        | 0        |         |   |         |
| 51   | Due to Other Causes (including causes not known)   | 0         |        | 2        |         |   |         |
| 52   | Total reported maternal deaths   | 0         |        | 3        |         |   |         |

|               | Noklak   | Factshee       | et          |          |         |                                    |         |
|---------------|--|----------------|-------------|----------|---------|------------------------------------|---------|
| Key           | Indicators   |                |             |          |         |                                    |         |
| SL<br>NO      | A)Demographic Indicators (Census 2011)   |                |             |          |         |                                    |         |
| 1             | Population 2011  | NA             |             |          |         |                                    |         |
| 2             | Sex Ratio  | NA             |             |          |         |                                    |         |
| B) Ir         | nfrastructure Details (RHS 2021-22)  | Numbers        |             |          |         |                                    |         |
| 3             | Sub Centers (SC)   | 19             |             |          |         |                                    |         |
| 4             | Primary Health Centers (PHC)   | 3              |             |          |         |                                    |         |
| 5             | Community Health Centers (CHC)   | 0              |             |          |         |                                    |         |
| 6             | SDH  | 0              |             |          |         |                                    |         |
| 7             | DH   | 1              |             | 1        |         | 1                                  |         |
| C) N          | 1aternal Health:   | 2021-          | 22          | 2022     | -23     |                                    |         |
| 8             | Expected number of PW  | 353            |             | 37       | 1       | -                                  |         |
| 9             | Expected number of Delivery  | 320            |             | 34       | 1       |                                    |         |
|               |  | HMIS (202      | 21-22)      | HMIS (20 | 22-23 ) | NFHS-5 (2019-                      | 20)     |
|               |  | Number         | PC          | Number   | PC      |                                    |         |
| 10            | PW register for ANC  | 330            | 93.5        | 480      | 129.4   | ANC Check up in<br>first trimester | NA      |
| 11            | Mothers registered in the first trimester  | 52             | 15.8        | 83       | 17.3    | At least 4ANC<br>check up          | NA      |
| 12            | Mothers who had 4 or more ANC check ups  | 39             | 11.8        | 35       | 7.3     | Neonatal tetanus<br>received       | NA      |
| 13            | PW who got TT 2 / Booster injection  | 167            | 50.6        | 231      | 48.1    | 100 IFA tablets<br>consumed        | NA      |
| 14            | PW who consumed 180 IFA tablets  | 223            | 67.6        | 268      | 55.8    | Home Delivery                      | NA      |
| 15            | Home Delivery against expected delivery *  | 117            | 36.6        | 128      | 37.5    | Institutional<br>Delivery          | NA      |
| 16            | Institutional Delivery against expected<br>delivery *  | 172            | 53.8        | 260      | 76.2    | Home Delivery by SBA               | NA      |
| 17            | Home Delivery against reported delivery **   | 117            | 40.5        | 128      | 33.0    | PNC within 2days of delivery       | NA      |
| 18            | Institutional Delivery against reported<br>delivery **   | 172            | 59.5        | 260      | 67.0    |                                    |         |
| 19            | Total reported Deliveries  | 289            |             | 388      |         |                                    |         |
| 20            | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)   | 95             | 81.2        | 105      | 82.0    |                                    |         |
| 21            | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 158            | 54.7        | 204      | 52.6    |                                    |         |
|               | In case of HMIS data, Percentage is with reference to total  | number of Preg |             |          |         | ng the period and in NFHS-5        | is with |
| ref. to<br>22 | o Women who had last births in the 5 years before the su<br>Expected number of Live Birth                |                |             | 0.07     |         |                                    |         |
|               | · ·  | 315            | 1 22 \      | 337      | 22.22.  |                                    | 20)     |
| bjc           | hild Immunization :  | HMIS (202      |             | HMIS (20 | -       | NFHS-5 (2019-                      | 20)     |
|               |  | Number         | PC          | Number   | PC      | Breastfed within                   |         |
| 23            | Total reported live births   | 288<br>2       | 91.4<br>0.6 | 385      | 114.2   | 1 hour of birth                    | NA      |
| 24            | Total Still Birth<br>PC of newborn weighted at birth to live   |                | 0.6         | 6        | 1.8     | BCG                                | NA      |
| 25            | birth  | 286            | 99.3        | 369      | 95.8    | 3 dose of DPT                      | NA      |
| 26            | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 3              | 1.0         | 4        | 1.1     | Measles First<br>dose              | NA      |

| 27   | PC of newborns breastfed within 1 hour to total reported live birth.  | 286       | 99.3   | 373      | 96.9     | 3 doses of penta<br>or hepatitis B<br>vaccine | NA      |
|------|---|-----------|--------|----------|----------|---|---------|
| 28   | Children fully immunized  | 235       | 74.6   | 244      | 72.4     | Full Immunization                             | NA      |
| 29   | Children who have received BCG  | 263       | 83.5   | 329      | 97.6     |   |         |
| 30   | Children who have received Pentavalent 1  | 317       | 100.6  | 401      | 119.0    |   |         |
| 31   | Children who have received Pentavalent 3  | 261       | 82.9   | 340      | 100.9    |   |         |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose   | 228       | 72.4   | 274      | 81.3     |   |         |
| 33   | Diarrhoea and Dehydration cases<br>reported in children below 5 years   | 23        |        | 36       |          |   |         |
|      | : In case of HMIS data, Proportions are calculated for 0-11 n<br>ildren 12-23 months olds who received specific vaccination |           |        |          |          | rths and in NFHS-5, the per                   | centage |
| E)Fa | mily Planning   | HMIS (202 | 21-22) | HMIS (20 | )22-23 ) | NFHS-5 (2019-                                 | 20)     |
| 34   | Number of Vasectomies performed   | 0         |        | 0        | )        | Total unmet need                              | NA      |
| 35   | Number of Tubectomies performed   | 0         |        | 0        | )        | Spacing                                       | NA      |
| 36   | Number of IUD insertion   | 33        |        | 52       | 2        | Women using<br>any method                     | NA      |
| 37   | Number of IUD removals  | 24        |        | 26       |          | Women using<br>modern method                  | NA      |
| F) S | ervice delivery   | HMIS (202 | 21-22) | HMIS (20 | 022-23)  |   |         |
| 38   | IPD cases per 10,000 population ***   | 107       |        | 23       | 5        |   |         |
| 39   | General OPD cases per 10,000 population ***   | 4782      | 2      | 73       | 71       |   |         |
| 40   | Ayush OPD cases per 10,000 population   | 0         |        | 49       | 9        |   |         |
| G) N | Aortality Details   |           |        |          |          | -   |         |
| I)   | Infant Deaths (In Numbers)  | HMIS (202 | 21-22) | HMIS (20 | 022-23 ) |   |         |
| 41   | Neonatal death within 24 hours  | 0         |        | 0        |          |   |         |
| 42   | Neonatal Deaths up to 4 weeks of birth  | 0         |        | 0        | )        |   |         |
| 43   | Total Neonatal Death  | 0         |        | 0        |          |   |         |
| 44   | Deaths between (1 - 11) months  | 0         |        | 0        |          | 4   |         |
| 45   | Total reported infant deaths  | 0         |        | 0        | )        |   |         |
| II)  | Maternal Mortality  |           |        |          |          | -   |         |
|      | Maternal Deaths (In Numbers)  | HMIS (202 | 21-22) | HMIS (20 | 022-23 ) |   |         |
| 46   | Due to Abortion   | 0         |        | 0        | )        |   |         |
| 47   | Due to Obstructed/prolonged labour  | 0         |        | 0        | )        |   |         |
| 48   | Due to Severe hypertension/fits   | 0         |        | 0        |          |   |         |
| 49   | Due to Bleeding   | 0         |        | 0        | )        |   |         |
| 50   | Due to High fever   | 0         |        | 0        |          |   |         |
|      |   |           |        |          |          |   |         |
| 51   | Due to Other Causes (including causes not known)  | 0         |        | 0        |          |   |         |

|          | Peren  | Factshee        | et    |          |        |                                     |         |
|----------|--|-----------------|-------|----------|--------|-------------------------------------|---------|
| Кеу      | Indicators   |                 |       |          |        |                                     |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |       |          |        |                                     |         |
| 1        | Population 2011  | 95,219          |       |          |        |                                     |         |
| 2        | Sex Ratio  | 917             |       |          |        |                                     |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |       |          |        |                                     |         |
| 3        | Sub Centers (SC)   | 18              |       |          |        |                                     |         |
| 4        | Primary Health Centers (PHC)   | 7               |       |          |        |                                     |         |
| 5        | Community Health Centers (CHC)   | 2               |       |          |        |                                     |         |
| 6        | SDH  | 0               |       |          |        |                                     |         |
| 7        | DH   | 1               |       |          |        |                                     |         |
| C) Ⅳ     | 1aternal Health:   | 2021-2          | 22    | 2022     | -23    |                                     |         |
| 8        | Expected number of PW  | 1,782           | 2     | 1,81     | 12     | -                                   |         |
| 9        | Expected number of Delivery  | 1,639           | 9     | 1,66     | 57     |                                     |         |
|          |  | HMIS (202       | 1-22) | HMIS (20 | 22-23) | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC     |                                     |         |
| 10       | PW register for ANC  | 1,522           | 85.4  | 1,382    | 76.3   | ANC Check up in<br>first trimester  | 45.1    |
| 11       | Mothers registered in the first trimester  | 340             | 22.3  | 345      | 25.0   | At least 4ANC<br>check up           | 14.5    |
| 12       | Mothers who had 4 or more ANC check ups  | 220             | 14.5  | 236      | 17.1   | Neonatal tetanus received           | 85.1    |
| 13       | PW who got TT 2 / Booster injection  | 892             | 58.6  | 877      | 63.5   | 100 IFA tablets<br>consumed         | 6.1     |
| 14       | PW who consumed 180 IFA tablets  | 912             | 59.9  | 1,073    | 77.6   | Home Delivery                       | 56.5    |
| 15       | Home Delivery against expected delivery *  | 228             | 13.9  | 214      | 12.8   | Institutional<br>Delivery           | 43.5    |
| 16       | Institutional Delivery against expected<br>delivery *  | 492             | 30.0  | 537      | 32.2   | Home Delivery by SBA                | 9.6     |
| 17       | Home Delivery against reported delivery **   | 228             | 31.7  | 214      | 28.5   | PNC within 2days of delivery        | 46.9    |
| 18       | Institutional Delivery against reported<br>delivery **   | 492             | 68.3  | 537      | 71.5   |                                     |         |
| 19       | Total reported Deliveries  | 720             |       | 751      |        |                                     |         |
| 20       | Reported Delivery at home assisted by a<br>Doctor/Nurse /LHV/ANM(%)                                      | 90              | 39.5  | 73       | 34.1   |                                     |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 207             | 28.8  | 184      | 24.5   |                                     |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |       |          |        | ng the period and in NFHS-5         | is with |
|          | Women who had last births in the 5 years before the su   |                 |       |          |        |                                     |         |
| 22       | Expected number of Live Birth  | 1,620           |       | 1,647    |        |                                     | 20)     |
| D) C     | hild Immunization :  | HMIS (202       |       | HMIS (20 | -      | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC     | D (( ) )))                          | [       |
| 23       | Total reported live births   | 705             | 43.5  | 746      | 45.3   | Breastfed within<br>1 hour of birth | 58.5    |
| 24       | Total Still Birth  | 15              | 0.9   | 11       | 0.7    | BCG                                 | 86.8    |
| 25       | PC of newborn weighted at birth to live<br>birth   | 635             | 90.1  | 714      | 95.7   | 3 dose of DPT                       | 71.2    |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 12              | 1.9   | 12       | 1.7    | Measles First<br>dose               | 74.2    |

| 27   | PC of newborns breastfed within 1 hour to total reported live birth.  | 667             | 94.6   | 708      | 94.9    | 3 doses of penta<br>or hepatitis B<br>vaccine | 65.1    |
|------|---|-----------------|--------|----------|---------|---|---------|
| 28   | Children fully immunized  | 775             | 47.8   | 790      | 48.0    | Full Immunization                             | 63.3    |
| 29   | Children who have received BCG  | 977             | 60.3   | 940      | 57.1    |   |         |
| 30   | Children who have received Pentavalent 1  | 1,085           | 67.0   | 1,045    | 63.5    |   |         |
| 31   | Children who have received Pentavalent 3  | 930             | 57.4   | 862      | 52.3    |   |         |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose   | 775             | 47.8   | 793      | 48.2    |   |         |
| 33   | Diarrhoea and Dehydration cases<br>reported in children below 5 years   | 76              |        | 106      |         |   |         |
|      | : In case of HMIS data, Proportions are calculated for 0-11 n<br>ildren 12-23 months olds who received specific vaccination |                 |        |          |         | rths and in NFHS-5, the per                   | centage |
| E)Fa | mily Planning   | HMIS (202       | 21-22) | HMIS (20 | 22-23)  | NFHS-5 (2019-                                 | 20)     |
| 34   | Number of Vasectomies performed   | 0               |        | 1        |         | Total unmet need                              | 6.2     |
| 35   | Number of Tubectomies performed   | 29              |        | 58       | 3       | Spacing                                       | 4.5     |
| 36   | Number of IUD insertion   | 107             |        | 11       | 9       | Women using<br>any method                     | 58.6    |
| 37   | Number of IUD removals  | 63              |        | 54       |         | Women using modern method                     | 42      |
| F) S | ervice delivery   | HMIS (2021-22 ) |        | HMIS (20 | 22-23)  |   |         |
| 38   | IPD cases per 10,000 population ***   | 65              |        | 98       | }       |   |         |
| 39   | General OPD cases per 10,000 population ***   | 3249            | )      | 309      | )2      |   |         |
| 40   | Ayush OPD cases per 10,000 population   | 87              |        | 16       | 9       |   |         |
| G) N | Aortality Details   | 1               |        | 1        |         | -   |         |
| I)   | Infant Deaths (In Numbers)  | HMIS (202       | 21-22) | HMIS (20 | 22-23)  |   |         |
| 41   | Neonatal death within 24 hours  | 2               |        | 0        |         | -   |         |
| 42   | Neonatal Deaths up to 4 weeks of birth  | 0               |        | 2        |         |   |         |
| 43   | Total Neonatal Death  | 2               |        | 2        |         | -   |         |
| 44   | Deaths between (1 - 11) months  | 0               |        | 1        |         | 4   |         |
| 45   | Total reported infant deaths  | 2               |        | 3        |         |   |         |
| II)  | Maternal Mortality  | 1               |        |          |         | -   |         |
|      | Maternal Deaths (In Numbers)  | HMIS (202       | 21-22) | HMIS (20 | 22-23 ) |   |         |
| 46   | Due to Abortion   | 0               |        | 0        |         |   |         |
| 47   | Due to Obstructed/prolonged labour  | 0               |        | 0        |         |   |         |
| 48   | Due to Severe hypertension/fits   | 0               |        | 0        |         | _   |         |
| 49   | Due to Bleeding   | 0               |        | 0        |         |   |         |
| 50   | Due to High fever   | 0               |        | 0        |         |   |         |
| 51   | Due to Other Causes (including causes not known)  | 0               |        | 0        |         |   |         |
|      |   |                 |        |          |         |   |         |

|          | Phek   | Factshee        | t      |          |         |                                     |         |
|----------|--|-----------------|--------|----------|---------|-------------------------------------|---------|
| Key      | Indicators   |                 |        |          |         |                                     |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |        |          |         |                                     |         |
| 1        | Population 2011  | 1,63,418        |        |          |         |                                     |         |
| 2        | Sex Ratio  | 951             |        |          |         |                                     |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |        |          |         |                                     |         |
| 3        | Sub Centers (SC)   | 49              |        |          |         |                                     |         |
| 4        | Primary Health Centers (PHC)   | 22              |        |          |         |                                     |         |
| 5        | Community Health Centers (CHC)   | 4               |        |          |         |                                     |         |
| 6        | SDH  | 0               |        |          |         |                                     |         |
| 7        | DH   | 1               |        |          |         |                                     |         |
| C) N     | Naternal Health:   | 2021-2          | 22     | 2022     | -23     |                                     |         |
| 8        | Expected number of PW  | 2,820           | )      | 2,84     |         | -                                   |         |
| 9        | Expected number of Delivery  | 2,595           | 5      | 2,62     | 15      |                                     |         |
|          |  | HMIS (202       | 1-22 ) | HMIS (20 | 22-23 ) | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC     | Number   | PC      |                                     |         |
| 10       | PW register for ANC  | 1,968           | 69.8   | 2,085    | 73.4    | ANC Check up in<br>first trimester  | 50.1    |
| 11       | Mothers registered in the first trimester  | 523             | 26.6   | 578      | 27.7    | At least 4ANC<br>check up           | 9.5     |
| 12       | Mothers who had 4 or more ANC check ups  | 286             | 14.5   | 345      | 16.5    | Neonatal tetanus<br>received        | 83.8    |
| 13       | PW who got TT 2 / Booster injection  | 1,032           | 52.4   | 1,072    | 51.4    | 100 IFA tablets<br>consumed         | 13.5    |
| 14       | PW who consumed 180 IFA tablets  | 1,260           | 64.0   | 1,335    | 64.0    | Home Delivery                       | 67.8    |
| 15       | Home Delivery against expected delivery *  | 471             | 18.2   | 459      | 17.6    | Institutional<br>Delivery           | 32.2    |
| 16       | Institutional Delivery against expected<br>delivery *  | 672             | 25.9   | 798      | 30.5    | Home Delivery by SBA                | 18.5    |
| 17       | Home Delivery against reported delivery **   | 471             | 41.2   | 459      | 36.5    | PNC within 2days of delivery        | 39.6    |
| 18       | Institutional Delivery against reported<br>delivery **   | 672             | 58.8   | 798      | 63.5    |                                     | 00.0    |
| 19       | Total reported Deliveries  | 1,143           |        | 1,257    |         |                                     |         |
| 20       | Reported Delivery at home assisted by a<br>Doctor/Nurse /LHV/ANM(%)                                      | 352             | 74.7   | 323      | 70.4    |                                     |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 563             | 49.3   | 644      | 51.2    |                                     |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |        |          |         | ng the period and in NFHS-5         | is with |
|          | o Women who had last births in the 5 years before the su   |                 |        |          |         |                                     |         |
| 22       | Expected number of Live Birth  | 2,564           |        | 2,584    |         |                                     |         |
| D) C     | hild Immunization :  | HMIS (202       |        | HMIS (20 | -       | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC     | Number   | PC      |                                     |         |
| 23       | Total reported live births   | 1,130           | 44.1   | 1,245    | 48.2    | Breastfed within<br>1 hour of birth | 64.8    |
| 24       | Total Still Birth  | 18              | 0.7    | 16       | 0.6     | BCG                                 | 87.6    |
| 25       | PC of newborn weighted at birth to live birth  | 1,093           | 96.7   | 1,222    | 98.2    | 3 dose of DPT                       | 65.3    |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 10              | 0.9    | 23       | 1.9     | Measles First<br>dose               | 71.8    |

| 27       | PC of newborns breastfed within 1 hour to total reported live birth.   | 1,095     | 96.9   | 1,223    | 98.2    | 3 doses of penta<br>or hepatitis B<br>vaccine | 57.3    |
|----------|--|-----------|--------|----------|---------|---|---------|
| 28       | Children fully immunized   | 1,173     | 45.7   | 1,197    | 46.3    | Full Immunization                             | 54.6    |
| 29       | Children who have received BCG   | 1,242     | 48.4   | 1,330    | 51.5    |   |         |
|          | Children who have received Pentavalent   | 1,385     | 54.0   | 1,492    | 57.7    |   |         |
| 30       | 1<br>Children who have received Pentavalent  | 1,000     | 01.0   | 1,102    | 01.1    |   |         |
| 31       | 3  | 1,240     | 48.4   | 1,292    | 50.0    |   |         |
| 32       | Children who have received Measles & Rubella (MR)- 1st Dose  | 1,173     | 45.7   | 1,196    | 46.3    |   |         |
| 33       | Diarrhoea and Dehydration cases<br>reported in children below 5 years  | 104       |        | 197      |         |   |         |
| Note     | In case of HMIS data, Proportions are calculated for 0-11 r<br>Idren 12-23 months olds who received specific vaccination |           |        |          |         | rths and in NFHS-5, the per-                  | centage |
| E)Fa     | mily Planning  | HMIS (202 | 1-22)  | HMIS (20 | 22-23)  | NFHS-5 (2019-                                 | 20)     |
| 34       | Number of Vasectomies performed  | 0         |        | 0        |         | Total unmet need                              | 6.5     |
| 35       | Number of Tubectomies performed  | 66        |        | 15       |         | Spacing                                       | 3.5     |
|          | ·  |           |        |          |         | Women using                                   | 3.0     |
| 36       | Number of IUD insertion  | 213       |        | 23       | 4       | any method                                    | 56.3    |
| 37       | Number of IUD removals   | 186       |        | 161      |         | Women using<br>modern method                  | 47.1    |
| F) S     | ervice delivery  | HMIS (202 | 1-22)  | HMIS (20 | 22-23)  |   |         |
| 38       | IPD cases per 10,000 population ***  | 185       |        | 23       | 0       |   |         |
| 39       | General OPD cases per 10,000 population ***  | 3386      | 5      | 385      | 54      |   |         |
| 40       | Ayush OPD cases per 10,000 population  | 72        |        | 12       | 7       |   |         |
| G) N     | Aortality Details  | •         |        |          |         |   |         |
| I)       | Infant Deaths (In Numbers)   | HMIS (202 | 1-22 ) | HMIS (20 | 22-23)  |   |         |
| 41       | Neonatal death within 24 hours   | 2         |        | 7        |         |   |         |
| 42       | Neonatal Deaths up to 4 weeks of birth   | 3         |        | 0        |         |   |         |
| 43       | Total Neonatal Death   | 5         |        | 7        |         |   |         |
| 44       | Deaths between (1 - 11) months   | 0         |        | 2        |         |   |         |
| 45       | Total reported infant deaths   | 5         |        | 9        |         |   |         |
| II)      | Maternal Mortality   | 1         |        |          |         |   |         |
|          | Maternal Deaths (In Numbers)   | HMIS (202 | 1-22 ) | HMIS (20 | 22-23 ) |   |         |
| 46       | Due to Abortion  | 0         |        | 0        |         |   |         |
| 47       |  | 0         |        | 0        |         |   |         |
|          | Due to Obstructed/prolonged labour   | 0         |        |          |         |   |         |
| 48       | Due to Obstructed/prolonged labour<br>Due to Severe hypertension/fits  | 0         |        | 0        |         |   |         |
|          | · _  |           |        |          |         |   |         |
| 48       | Due to Severe hypertension/fits  | 0         |        | 0        |         |   |         |
| 48<br>49 | Due to Severe hypertension/fits<br>Due to Bleeding   | 0         |        | 0        |         |   |         |

|          | Tuensang   | Factshee        | t      |          |         |                                    |         |
|----------|--|-----------------|--------|----------|---------|------------------------------------|---------|
| Key      | Indicators   |                 |        |          |         |                                    |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |        |          |         |                                    |         |
| 1        | Population 2011  | 1,96,596        |        |          |         |                                    |         |
| 2        | Sex Ratio  | 930             |        |          |         |                                    |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |        |          |         |                                    |         |
| 3        | Sub Centers (SC)   | 36              |        |          |         |                                    |         |
| 4        | Primary Health Centers (PHC)   | 11              |        |          |         |                                    |         |
| 5        | Community Health Centers (CHC)   | 1               |        |          |         |                                    |         |
| 6        | SDH  | 0               |        |          |         |                                    |         |
| 7        | DH   | 1               |        |          |         |                                    |         |
| C) N     | Naternal Health:   | 2021-2          | 22     | 2022     | -23     |                                    |         |
| 8        | Expected number of PW  | 3,173           | 3      | 2,80     | )3      | -                                  |         |
| 9        | Expected number of Delivery  | 2,919           | )      | 2,57     | 79      |                                    |         |
|          |  | HMIS (202       | 1-22 ) | HMIS (20 | 22-23 ) | NFHS-5 (2019-                      | 20)     |
|          |  | Number          | PC     | Number   | PC      |                                    |         |
| 10       | PW register for ANC  | 1,393           | 43.9   | 1,442    | 51.4    | ANC Check up in<br>first trimester | 27.1    |
| 11       | Mothers registered in the first trimester  | 203             | 14.6   | 285      | 19.8    | At least 4ANC<br>check up          | 4.4     |
| 12       | Mothers who had 4 or more ANC check ups  | 76              | 5.5    | 167      | 11.6    | Neonatal tetanus<br>received       | 69      |
| 13       | PW who got TT 2 / Booster injection  | 792             | 56.9   | 753      | 52.2    | 100 IFA tablets consumed           | 3.3     |
| 14       | PW who consumed 180 IFA tablets  | 649             | 46.6   | 585      | 40.6    | Home Delivery                      | 65.2    |
| 15       | Home Delivery against expected delivery  | 374             | 12.8   | 282      | 10.9    | Institutional<br>Delivery          | 34.8    |
| 16       | Institutional Delivery against expected<br>delivery *  | 678             | 23.2   | 724      | 28.1    | Home Delivery by SBA               | 4.8     |
| 17       | Home Delivery against reported delivery **   | 374             | 35.6   | 282      | 28.0    | PNC within 2days of delivery       | 29.5    |
| 18       | Institutional Delivery against reported<br>delivery **   | 678             | 64.4   | 724      | 72.0    |                                    | 20.0    |
| 19       | Total reported Deliveries  | 1,052           | -      | 1,006    |         |                                    |         |
| 20       | Reported Delivery at home assisted by a<br>Doctor/Nurse /LHV/ANM(%)                                      | 305             | 81.6   | 215      | 76.2    |                                    |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 422             | 40.1   | 350      | 34.8    |                                    |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |        |          |         | ng the period and in NFHS-5        | is with |
|          | o Women who had last births in the 5 years before the su   |                 |        | _        |         |                                    |         |
| 22       | Expected number of Live Birth  | 2,885           | (      | 2,548    |         |                                    |         |
| D) C     | child Immunization :   | HMIS (202       | -      | HMIS (20 | -       | NFHS-5 (2019-                      | 20)     |
|          |  | Number          | PC     | Number   | PC      | Breastfed within                   |         |
| 23       | Total reported live births   | 1,036           | 35.9   | 1,002    | 39.3    | 1 hour of birth                    | 69.4    |
| 24       | Total Still Birth  | 19              | 0.7    | 8        | 0.3     | BCG                                | 75.6    |
| 25       | PC of newborn weighted at birth to live<br>birth   | 1,022           | 98.6   | 977      | 97.5    | 3 dose of DPT                      | 56.5    |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 26              | 2.5    | 14       | 1.4     | Measles First<br>dose              | 53.3    |

| 27   | PC of newborns breastfed within 1 hour to total reported live birth.   | 1,025     | 98.9  | 975      | 97.3   | 3 doses of penta<br>or hepatitis B<br>vaccine | 49.1    |
|------|--|-----------|-------|----------|--------|---|---------|
| 28   | Children fully immunized   | 1,206     | 41.8  | 1,130    | 44.3   | Full Immunization                             | 39.9    |
| 29   | Children who have received BCG   | 1,337     | 46.3  | 1,223    | 48.0   |   |         |
|      | Children who have received Pentavalent   | 1,516     | 52.6  | 1,367    | 53.6   |   |         |
| 30   | 1  | 1,010     | 52.0  | 1,007    | 00.0   |   |         |
| 31   | Children who have received Pentavalent 3   | 1,278     | 44.3  | 1,293    | 50.7   |   |         |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose  | 1,216     | 42.2  | 1,126    | 44.2   |   |         |
| 33   | Diarrhoea and Dehydration cases<br>reported in children below 5 years  | 25        |       | 64       |        |   |         |
|      | In case of HMIS data, Proportions are calculated for 0-11 n<br>Idren 12-23 months olds who received specific vaccination |           |       |          |        | rths and in NFHS-5, the per                   | centage |
| E)Fa | mily Planning  | HMIS (202 | 1-22) | HMIS (20 | 22-23) | NFHS-5 (2019-                                 | 20)     |
| 34   | Number of Vasectomies performed  | 0         |       | 0        |        | Total unmet need                              | 12.9    |
| 35   | Number of Tubectomies performed  | 38        |       | 48       | }      | Spacing                                       | 5.9     |
| 36   | Number of IUD insertion  | 185       |       | 25       | 6      | Women using<br>any method                     | 52.6    |
| 37   | Number of IUD removals   | 89        |       | 98       | 3      | Women using<br>modern method                  | 37.4    |
| F) S | ervice delivery  | HMIS (202 | 1-22) | HMIS (20 | 22-23) |   |         |
| 38   | IPD cases per 10,000 population ***  | 60        |       | 10       | 8      |   |         |
| 39   | General OPD cases per 10,000 population ***  | 1648      | 5     | 209      | 96     |   |         |
| 40   | Ayush OPD cases per 10,000 population ***  | 15        |       | 35       | 5      |   |         |
| G) N | Nortality Details  |           |       |          |        |   |         |
| I)   | Infant Deaths (In Numbers)   | HMIS (202 | 1-22) | HMIS (20 | 22-23) |   |         |
| 41   | Neonatal death within 24 hours   | 1         |       | 1        |        |   |         |
| 42   | Neonatal Deaths up to 4 weeks of birth   | 3         |       | 2        |        |   |         |
| 43   | Total Neonatal Death   | 4         |       | 3        |        |   |         |
| 44   | Deaths between (1 - 11) months   | 1         |       | 4        |        |   |         |
| 45   | Total reported infant deaths   | 5         |       | 7        |        |   |         |
| II)  | Maternal Mortality   |           |       |          |        |   |         |
|      | Maternal Deaths (In Numbers)   | HMIS (202 | 1-22) | HMIS (20 | 22-23) |   |         |
| 46   | Due to Abortion  | 0         |       | 0        |        |   |         |
| 47   | Due to Obstructed/prolonged labour   | 0         |       | 0        |        |   |         |
| 48   | Due to Severe hypertension/fits  | 0         |       | 0        |        |   |         |
| 49   | Due to Bleeding  | 0         |       | 0        |        |   |         |
| 50   |  | 0         |       | 0        |        |   |         |
| 00   | Due to High fever  | 0         |       | •        |        |   |         |
| 51   | Due to High fever<br>Due to Other Causes (including causes<br>not known)   | 0         |       | 1        |        |   |         |

|          | Wokha  | Factshee        | et    |          |         |                                     |         |
|----------|--|-----------------|-------|----------|---------|-------------------------------------|---------|
| Key      | Indicators   |                 |       |          |         |                                     |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |       |          |         |                                     |         |
| 1        | Population 2011  | 1,66,343        |       |          |         |                                     |         |
| 2        | Sex Ratio  | 969             |       |          |         |                                     |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |       |          |         |                                     |         |
| 3        | Sub Centers (SC)   | 40              |       |          |         |                                     |         |
| 4        | Primary Health Centers (PHC)   | 14              |       |          |         |                                     |         |
| 5        | Community Health Centers (CHC)   | 2               |       |          |         |                                     |         |
| 6        | SDH  | 0               |       |          |         |                                     |         |
| 7        | DH   | 1               |       |          |         | T                                   |         |
|          | laternal Health:   | 2021-2          | 22    | 2022     | -23     |                                     |         |
| 8        | Expected number of PW  | 3,184           | 1     | 3,24     | 46      |                                     |         |
| 9        | Expected number of Delivery  | 2,929           | Ð     | 2,98     | 36      |                                     |         |
|          |  | HMIS (202       | 1-22) | HMIS (20 | 22-23 ) | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC      |                                     | -       |
| 10       | PW register for ANC  | 991             | 31.1  | 898      | 27.7    | ANC Check up in<br>first trimester  | 57.8    |
| 11       | Mothers registered in the first trimester  | 372             | 37.5  | 346      | 38.5    | At least 4ANC<br>check up           | 34.7    |
| 12       | Mothers who had 4 or more ANC check ups  | 273             | 27.5  | 292      | 32.5    | Neonatal tetanus<br>received        | 77.6    |
| 13       | PW who got TT 2 / Booster injection  | 619             | 62.5  | 774      | 86.2    | 100 IFA tablets<br>consumed         | 12.9    |
| 14       | PW who consumed 180 IFA tablets  | 454             | 45.8  | 450      | 50.1    | Home Delivery                       | 56.4    |
| 15       | Home Delivery against expected delivery *  | 157             | 5.4   | 146      | 4.9     | Institutional<br>Delivery           | 43.6    |
| 16       | Institutional Delivery against expected<br>delivery *  | 427             | 14.6  | 456      | 15.3    | Home Delivery by SBA                | 19.9    |
| 17       | Home Delivery against reported delivery **   | 157             | 26.9  | 146      | 24.3    | PNC within 2days of delivery        | 50.7    |
| 18       | Institutional Delivery against reported delivery **  | 427             | 73.1  | 456      | 75.7    |                                     |         |
| 19       | Total reported Deliveries  | 584             | _     | 602      |         |                                     |         |
| 20       | Reported Delivery at home assisted by a<br>Doctor/Nurse /LHV/ANM(%)                                      | 62              | 39.5  | 122      | 83.6    |                                     |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 548             | 93.8  | 585      | 97.2    |                                     |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Pregr |       |          |         | ng the period and in NFHS-5         | is with |
|          | Women who had last births in the 5 years before the su   |                 |       |          |         |                                     |         |
| 22       | Expected number of Live Birth  | 2,895           |       | 2,951    |         |                                     |         |
| D) C     | hild Immunization :  | HMIS (202       |       | HMIS (20 | -       | NFHS-5 (2019-                       | 20)     |
|          |  | Number          | PC    | Number   | PC      | Drocotfe el cotte to                |         |
| 23       | Total reported live births   | 587             | 20.3  | 603      | 20.4    | Breastfed within<br>1 hour of birth | 48.5    |
| 24       | Total Still Birth  | 2               | 0.1   | 5        | 0.2     | BCG                                 | -73.3   |
| 25       | PC of newborn weighted at birth to live birth  | 583             | 99.3  | 601      | 99.7    | 3 dose of DPT                       | -61.3   |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 0               | 0.0   | 7        | 1.2     | Measles First<br>dose               | -66.4   |

| 27          | PC of newborns breastfed within 1 hour to total reported live birth.                              | 584              | 99.5        | 599           | 99.3          | 3 doses of penta<br>or hepatitis B<br>vaccine | -55.1   |
|-------------|---|------------------|-------------|---------------|---------------|---|---------|
| 28          | Children fully immunized  | 772              | 26.7        | 875           | 29.7          | Full Immunization                             | -42.8   |
| 29          | Children who have received BCG  | 772              | 26.7        | 832           | 28.2          |   |         |
|             | Children who have received Pentavalent  | 784              | 27.1        | 910           | 30.8          |   |         |
| 30          | 1<br>Children who have received Pentavalent   |                  |             | 0.10          | 00.0          |   |         |
| 31          | 3   | 763              | 26.4        | 914           | 31.0          |   |         |
| 32          | Children who have received Measles & Rubella (MR)- 1st Dose                                       | 778              | 26.9        | 878           | 29.8          |   |         |
| 22          | Diarrhoea and Dehydration cases   | 107              |             | 285           |               |   |         |
| 33<br>Note: | reported in children below 5 years<br>In case of HMIS data, Proportions are calculated for 0-11 n | nonths old infan | ts to total | number of rep | orted live bi | rths and in NFHS-5, the per                   | centage |
|             | ldren 12-23 months olds who received specific vaccination   |                  |             |               |               |   |         |
| E)Fa        | mily Planning   | HMIS (202        | 21-22)      | HMIS (20      | )22-23 )      | NFHS-5 (2019-                                 | 20)     |
| 34          | Number of Vasectomies performed   | 0                |             | 0             |               | Total unmet need                              | 3.2     |
| 35          | Number of Tubectomies performed   | 37               |             | 37            | 7             | Spacing                                       | 1.4     |
| 36          | Number of IUD insertion   | 97               |             | 66            | 6             | Women using<br>any method                     | 64.6    |
| 37          | Number of IUD removals  | 33               |             | 25            |               | Women using modern method                     | 50.1    |
| F) S        | ervice delivery   | HMIS (202        | 21-22)      | HMIS (20      | )22-23 )      |   |         |
| 38          | IPD cases per 10,000 population ***   | 62               |             | 82            | 2             |   |         |
| 39          | General OPD cases per 10,000 population ***   | 2460             | )           | 276           | 65            |   |         |
| 40          | Ayush OPD cases per 10,000 population   | 83               |             | 15            | 7             |   |         |
| G) N        | Nortality Details   |                  |             | [             |               | -   |         |
| I)          | Infant Deaths (In Numbers)  | HMIS (202        | 21-22)      | HMIS (20      | )22-23 )      |   |         |
| 41          | Neonatal death within 24 hours  | 0                |             | 0             |               |   |         |
| 42          | Neonatal Deaths up to 4 weeks of birth  | 0                |             | 0             |               |   |         |
| 43          | Total Neonatal Death  | 0                |             | 0             |               | -   |         |
| 44          | Deaths between (1 - 11) months  | 0                |             | 0             |               | 4   |         |
| 45          | Total reported infant deaths  | 0                |             | 0             |               |   |         |
| II)         | Maternal Mortality  |                  |             | [             |               | -   |         |
|             | Maternal Deaths (In Numbers)  | HMIS (202        | 21-22 )     | HMIS (20      | )22-23 )      |   |         |
| 46          | Due to Abortion   | 0                |             | 0             |               |   |         |
| 47          | Due to Obstructed/prolonged labour  | 0                |             | 0             |               |   |         |
| 48          | Due to Severe hypertension/fits   | 0                |             | 0             |               |   |         |
| 49          | Due to Bleeding   | 0                |             | 0             |               |   |         |
| 50          | Due to High fever   | 0                |             | 0             |               |   |         |
| 51          | Due to Other Causes (including causes not known)  | 1                |             | 0             |               |   |         |
| 52          | Total reported maternal deaths  | 1                |             | 0             |               |   |         |

|          | Zunheboto  | Factshee        | et     |                 |      |                                    |         |
|----------|--|-----------------|--------|-----------------|------|------------------------------------|---------|
| Key      | Indicators   |                 |        |                 |      |                                    |         |
| SL<br>NO | A)Demographic Indicators (Census 2011)   |                 |        |                 |      |                                    |         |
| 1        | Population 2011  | 1,40,757        |        |                 |      |                                    |         |
| 2        | Sex Ratio  | 981             |        |                 |      |                                    |         |
| B) Ir    | nfrastructure Details (RHS 2021-22)  | Numbers         |        |                 |      |                                    |         |
| 3        | Sub Centers (SC)   | 47              |        |                 |      |                                    |         |
| 4        | Primary Health Centers (PHC)   | 13              |        |                 |      |                                    |         |
| 5        | Community Health Centers (CHC)   | 2               |        |                 |      |                                    |         |
| 6        | SDH  | 0               |        |                 |      |                                    |         |
| 7 DH     |  | 1               |        | -               |      |                                    |         |
| C) N     | 1aternal Health:   | 2021-22         |        | 2022-23         |      |                                    |         |
| 8        | Expected number of PW  | 2,334           |        | 2,341           |      |                                    |         |
| 9        | Expected number of Delivery  | 2,147           |        | 2,154           |      |                                    |         |
|          |  | HMIS (2021-22 ) |        | HMIS (2022-23 ) |      | NFHS-5 (2019-20)                   |         |
|          |  | Number          | PC     | Number          | PC   |                                    |         |
| 10       | PW register for ANC  | 1,009           | 43.2   | 1,006           | 43.0 | ANC Check up in<br>first trimester | 46.5    |
| 11       | Mothers registered in the first trimester  | 330             | 32.7   | 298             | 29.6 | At least 4ANC<br>check up          | 11.2    |
| 12       | Mothers who had 4 or more ANC check ups  | 338             | 33.5   | 273             | 27.1 | Neonatal tetanus received          | 81.3    |
| 13       | PW who got TT 2 / Booster injection  | 581             | 57.6   | 589             | 58.5 | 100 IFA tablets consumed           | 5.5     |
| 14       | PW who consumed 180 IFA tablets  | 442             | 43.8   | 384             | 38.2 | Home Delivery                      | 65      |
| 15       | Home Delivery against expected delivery *  | 168             | 7.8    | 130             | 6.0  | Institutional<br>Delivery          | 35      |
| 16       | Institutional Delivery against expected<br>delivery *  | 676             | 31.5   | 692             | 32.1 | Home Delivery by SBA               | 6.3     |
| 17       | Home Delivery against reported delivery **   | 168             | 19.9   | 130             | 15.8 | PNC within 2days of delivery       | 24.9    |
| 18       | Institutional Delivery against reported delivery **  | 676             | 80.1   | 692             | 84.2 |                                    | 21.0    |
| 19       | Total reported Deliveries  | 844             |        | 822             |      |                                    |         |
| 20       | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)   | 152             | 90.5   | 116             | 89.2 |                                    |         |
| 21       | PC of woman getting post partum check<br>up between 48 hours and 14 days to total<br>reported deliveries | 662             | 78.4   | 700             | 85.2 |                                    |         |
|          | In case of HMIS data, Percentage is with reference to total  | number of Preg  |        |                 |      | ng the period and in NFHS-5        | is with |
|          | Women who had last births in the 5 years before the su   |                 |        |                 |      |                                    |         |
| 22       | Expected number of Live Birth  | 2,121           | 1 22 1 | 2,128           |      |                                    | 20)     |
| D) C     | hild Immunization :  | HMIS (2021-22 ) |        | HMIS (2022-23 ) |      | NFHS-5 (2019-20)                   |         |
|          |  | Number          | PC     | Number          | PC   | Breastfed within                   |         |
| 23       | Total reported live births   | 816             | 38.5   | 822             | 38.6 | 1 hour of birth                    | 38.4    |
| 24       | Total Still Birth  | 11              | 0.5    | 8               | 0.4  | BCG                                | -82.2   |
| 25       | PC of newborn weighted at birth to live<br>birth   | 822             | 100.7  | 798             | 97.1 | 3 dose of DPT                      | -72.1   |
| 26       | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                               | 14              | 1.7    | 16              | 2.0  | Measles First<br>dose              | -76.4   |

| 27                   | PC of newborns breastfed within 1 hour to total reported live birth.  | 672                           | 82.4          | 675                          | 82.1          | 3 doses of penta<br>or hepatitis B<br>vaccine | -72.3   |
|----------------------|---|-------------------------------|---------------|------------------------------|---------------|---|---------|
| 28                   | Children fully immunized  | 828                           | 39.0          | 883                          | 41.5          | Full Immunization                             | -60.7   |
| 29                   | Children who have received BCG  | 901                           | 42.5          | 892                          | 41.9          |   |         |
|                      | Children who have received Pentavalent  | 1,029                         | 48.5          | 948                          | 44.5          |   |         |
| 30                   | 1   | 1,023                         | 40.0          | 540                          | 44.5          |   |         |
| 31                   | Children who have received Pentavalent 3  | 887                           | 41.8          | 908                          | 42.7          |   |         |
| 32                   | Children who have received Measles & Rubella (MR)- 1st Dose   | 866                           | 40.8          | 918                          | 43.1          |   |         |
| 22                   | Diarrhoea and Dehydration cases   | 420                           |               | 476                          |               |   |         |
| 33<br>Note           | reported in children below 5 years<br>: In case of HMIS data, Proportions are calculated for 0-11 r   | nonths old infan              | ts to total i | number of repo               | orted live bi | rths and in NFHS-5, the per                   | centage |
|                      | ildren 12-23 months olds who received specific vaccination  |                               |               |                              |               | ····· ··· ··· ··· ··· ··· ··· ··· ···         | Be      |
| E)Fa                 | amily Planning  | HMIS (2021-22 )               |               | HMIS (2022-23 )              |               | NFHS-5 (2019-20)                              |         |
| 34                   | Number of Vasectomies performed   | 0                             |               | 0                            |               | Total unmet need                              | 2.8     |
| 35                   | Number of Tubectomies performed   | 91                            |               | 73                           |               | Spacing                                       | 0.7     |
| 36                   | Number of IUD insertion   | 322                           |               | 320                          |               | Women using<br>any method                     | 68.8    |
| 37                   | Number of IUD removals  | 206                           |               | 204                          |               | Women using<br>modern method                  | 56.5    |
| F) S                 | ervice delivery   | HMIS (2021-22 )               |               | HMIS (2022-23 )              |               |   |         |
| 38                   | IPD cases per 10,000 population ***   | 74                            |               | 82                           | 2             |   |         |
| 39                   | General OPD cases per 10,000 population ***   | 3371                          |               | 3845                         |               |   |         |
| 40                   | Ayush OPD cases per 10,000 population   | 81                            |               | 213                          |               |   |         |
| G) N                 | Mortality Details   | 1                             |               |                              |               |   |         |
| I)                   | Infant Deaths (In Numbers)  | HMIS (2021-22 )               |               | HMIS (2022-23 )              |               |   |         |
| 41                   | Neonatal death within 24 hours  | 2                             |               | 3                            |               |   |         |
| 42                   | Neonatal Deaths up to 4 weeks of birth  | 1                             |               | 4                            |               |   |         |
| 43                   | Total Neonatal Death  | 3                             |               | 7                            |               | -   |         |
| 44                   | Deaths between (1 - 11) months  | 0                             |               | 0                            |               | -   |         |
| 45                   |   | 3                             |               | 7                            |               |   |         |
|                      | Total reported infant deaths  | 3                             |               | · · · ·                      |               |   |         |
| II)                  | Total reported infant deaths<br>Maternal Mortality  | 3                             |               |                              |               | -   |         |
| II)                  | •   | 3<br>HMIS (202                | :1-22 )       | HMIS (20                     |               | -   |         |
| <b>II)</b><br>46     | Maternal Mortality  |                               | 1-22 )        |                              | 22-23 )       | -   |         |
|                      | Maternal Mortality<br>Maternal Deaths (In Numbers)  | HMIS (202                     | 1-22 )        | HMIS (20                     | )22-23 )      |   |         |
| 46                   | Maternal Mortality         Maternal Deaths (In Numbers)         Due to Abortion   | <b>HMIS (202</b><br>0         | 1-22)         | <b>HMIS (20</b>              | )22-23 )      |   |         |
| 46<br>47             | Maternal Mortality         Maternal Deaths (In Numbers)         Due to Abortion         Due to Obstructed/prolonged labour                    | HMIS (202<br>0<br>0           | 21-22 )       | HMIS (20<br>0                | )22-23 )      |   |         |
| 46<br>47<br>48       | Maternal MortalityMaternal Deaths (In Numbers)Due to AbortionDue to Obstructed/prolonged labourDue to Severe hypertension/fits                | HMIS (202<br>0<br>0<br>0      | 1-22 )        | HMIS (20<br>0<br>0           | )22-23 )      |   |         |
| 46<br>47<br>48<br>49 | Maternal MortalityMaternal Deaths (In Numbers)Due to AbortionDue to Obstructed/prolonged labourDue to Severe hypertension/fitsDue to Bleeding | HMIS (202<br>0<br>0<br>0<br>0 | 21-22)        | HMIS (20<br>0<br>0<br>0<br>0 | )22-23 )      |   |         |