	Sikkim	Factshee	et				
Кеу	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	6,10,577					
2	Sex Ratio	889					
B) Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	153					
5	Primary Health Centers (PHC)	26					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	4					
C) N	laternal Health:	2021-2	222	2022	2-23		
10	Expected number of PW #	12,53	30	11,9	93		
11	Expected number of Delivery #	11,52	28	11,0	)34		
		HMIS (20	21-22)	HMIS (20	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
12	PW register for ANC	7,678	61.3	7,776	64.8	ANC Check up in first trimester	63.7
13	Mothers registered in the first trimester	6,314	82.2	6,701	86.2	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	5,722	74.5	5,975	76.8	Neonatal tetanus received	92.0
15	PW who got TT 2 / Booster injection	7,081	92.2	7,244	93.2	100 IFA tablets consumed	54.7
16	PW who consumed 180 IFA tablets	8,327	108.5	6,760	86.9	Home Delivery	5.3
17	Home Delivery against expected delivery *	37	0.3	33	0.3	Institutional Delivery	94.7
18	Institutional Delivery against expected delivery *	6,698	58.1	6,579	59.6	Home Delivery by SBA	2.6
19	Home Delivery against reported delivery	37	0.5	33	0.5	PNC within 2days of delivery	69.3
20	Institutional Delivery against reported delivery **	6,698	99.5	6,579	99.5		
21	Total reported Deliveries	6,735		6,612			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	45.9	17	51.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,974	103.5	7,173	108.5		
	In case of HMIS data, Percentage is with reference to tota Women who had last births in the 5 years before the s	l number of Pre			for ANC durir	ng the period and in NFHS-	5 is with
24	Expected number of Live Birth #	11,391		10,903			
D) C	hild Immunization :	HMIS (20	21-22)	HMIS (20	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
25	Total reported live births	6,715	58.9	6,587	60.4	Breastfed within 1 hour of birth	33
26	Total Still Birth	90	0.8	64	0.6	BCG	96.6
27	PC of newborn weighted at birth to live birth	6,402	95.3	6,409	97.3	3 dose of DPT	91.4

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	443	6.9	484	7.6	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,601	83.4	6,272	95.2	3 doses of penta or hepatitis B vaccine	89.1
30	Children fully immunized	7,145	62.7	6,898	63.3	Full Immunization	80.6
31	Children who have received BCG	6,451	56.6	6,562	60.2		
32	Children who have received Pentavalent	6,778	59.5	6,733	61.8		
33	Children who have received Pentavalent	6,754	59.3	6,933	63.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,108	62.4	6,929	63.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,966		2,790			
	: In case of HMIS data, Proportions are calculated for 0-11 ren 12-23 months olds who received specific vaccination to					rths and in NFHS-5, the pe	rcentage of
E)Fa	amily Planning	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	9-20)
36	Number of Vasectomies performed	2		3		Total unmet need	11.9
37	Number of Tubectomies performed	87		9	8	Spacing	4.9
38	Number of IUD insertion	217	7	21	9	Women using any method	69.1
39	Number of IUD removals	324		418		Women using modern method	54.9
F) S	ervice delivery	HMIS (20	21-22)	HMIS (2	022-23)		
40	IPD cases per 10,000 population ***	356	3	543			
41	General OPD cases per 10,000 population ***	916	1	12516			
42	Ayush OPD cases per 10,000 population	196	6	183			
G) N	Aortality Details						
I)	Infant Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
43	Neonatal death within 24 hours	4		7	,		
44	Neonatal Deaths up to 4 weeks of birth	27		1	0		
45	Total Neonatal Death	31		1	7		
46	Deaths between (1 - 11) months	31		3	8		
47	Total reported infant deaths	62		5	5		
II)	Maternal Mortality					1	
	Maternal Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
48	Due to Abortion	0		1		-	
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		2	2		
51	Due to Bleeding	0		1			
52	Due to High fever	0		0	)		
53	Due to Other Causes (including causes not known)	15		7	,		
54	Total reported maternal deaths	15		1	1		

	East Sikkim	Factshee	et				
Кеу	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	2,83,583					
2	Sex Ratio	872					
B) Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	54					
5	Primary Health Centers (PHC)	8					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) N	Aaternal Health:	2021-2	222	2022	2-23		
10	Expected number of PW #	5,96	2	5,7	20		
11	Expected number of Delivery #	5,48	5	5,2	62		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	9-20)
		Number	PC	Number	PC		
12	PW register for ANC	3,687	61.8	3,847	67.3	ANC Check up in first trimester	53.4
13	Mothers registered in the first trimester	2,815	76.3	3,174	82.5	At least 4ANC check up	43.8
14	Number of PW received 4 or more ANC check ups	2,597	70.4	2,749	71.5	Neonatal tetanus received	90.3
15	PW who got TT 2 / Booster injection	3,252	88.2	3,505	91.1	100 IFA tablets consumed	48.3
16	PW who consumed 180 IFA tablets	4,855	131.7	3,474	205.9	Home Delivery	8.2
17	Home Delivery against expected delivery	20	0.4	13	0.2	Institutional Delivery	91.8
18	Institutional Delivery against expected delivery *	4,728	86.2	4,744	90.2	Home Delivery by SBA	3.9
19	Home Delivery against reported delivery ** Institutional Delivery against reported	20	0.4	13	0.3	PNC within 2days of delivery	65.8
20	delivery **	4,728	99.6	4,744	99.7		
21	Total reported Deliveries	4,748		4,757			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	50.0	8	61.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,417	93.0	4,657	97.9		
	In case of HMIS data, Percentage is with reference to tota o Women who had last births in the 5 years before the s		gnant Won	nen registered	for ANC durin	ng the period and in NFHS-	5 is with
24	Expected number of Live Birth #	5,420		5,200			
	Child Immunization :	HMIS (20)	21-22)	HMIS (20	022-23)	NFHS-5 (2019	9-20)
		Number	PC	Number	PC		
25	Total reported live births	4,714	87.0	4,726	90.9	Breastfed within 1 hour of birth	27.1
26	Total Still Birth	48	0.9	43	0.8	BCG	*
27	PC of newborn weighted at birth to live birth	4,532	96.1	4,544	96.1	3 dose of DPT	*

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	329	7.3	379	8.3	Measles First dose	*
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,786	80.3	4,444	94.0	3 doses of penta or hepatitis B vaccine	*
30	Children fully immunized	3,338	61.6	3,342	64.3	Full Immunization	*
31	Children who have received BCG	4,459	82.3	4,674	89.9		
	Children who have received Pentavalent	3,187	58.8	3,189	61.3		
32	1 Children who have reastived Dentavelant	0,107	00.0	0,100	01.0		
33	Children who have received Pentavalent 3	3,184	58.7	3,295	63.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,350	61.8	3,351	64.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	526		816			
Note	In case of HMIS data, Proportions are calculated for 0-11					rths and in NFHS-5, the pe	rcentage of
childi	ren 12-23 months olds who received specific vaccination to	o children under	r 5 years bei	fore the survey	·-		
E)Fa	amily Planning	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	9-20)
36	Number of Vasectomies performed	2		3	5	Total unmet need	17.7
37	Number of Tubectomies performed	15		3	6	Spacing	7.2
38	Number of IUD insertion	99		11	5	Women using	
00					0	any method	54.3
39	Number of IUD removals	92		145		Women using modern method	42.8
F) S	ervice delivery	HMIS (20	21-22)	HMIS (2	022-23)		
40	IPD cases per 10,000 population ***	285	5	496			
41	General OPD cases per 10,000 population ***	717	8	9820			
42	Ayush OPD cases per 10,000 population ***	113	3	127			
G) N	Aortality Details			_			
I)	Infant Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
43	Neonatal death within 24 hours	2		2	-		
44	Neonatal Deaths up to 4 weeks of birth	4		1			
45	Total Neonatal Death	6		3			
46	Deaths between (1 - 11) months	8		1:	2		
47	Total reported infant deaths	14		1	5		
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
48	Due to Abortion	0		1		-	
49	Due to Obstructed/prolonged labour	0		C			
50	Due to Severe hypertension/fits	0		2			
51	Due to Bleeding	0		C			
52	Due to High fever	0		C	)		
53	Due to Other Causes (including causes not known)	15		1			
54	Total reported maternal deaths	15		4			

	North Sikkim	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	19					
5	Primary Health Centers (PHC)	5					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) N	Naternal Health:	2021-2	222	2022	2-23		
10	Expected number of PW #	839		79			
11	Expected number of Delivery #	772	<u>!</u>	73	4		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	9-20)
		Number	PC	Number	PC		
12	PW register for ANC	505	60.2	484	60.6	ANC Check up in first trimester	66.2
13	Mothers registered in the first trimester	434	85.9	423	87.4	At least 4ANC check up	59.4
14	Number of PW received 4 or more ANC check ups	431	85.3	0	81.2	Neonatal tetanus received	92.5
15	PW who got TT 2 / Booster injection	506	100.2	472	97.5	100 IFA tablets consumed	74.0
16	PW who consumed 180 IFA tablets	442	87.5	404	83.5	Home Delivery	2.7
17	Home Delivery against expected delivery	1	0.1	2	0.3	Institutional Delivery	97.3
18	Institutional Delivery against expected delivery *	123	15.9	56	7.6	Home Delivery by SBA PNC within	1.5
19	Home Delivery against reported delivery ** Institutional Delivery against reported	1	0.8	2	3.4	2days of delivery	71.3
20	delivery **	123	99.2	56	96.6		
21	Total reported Deliveries	124		58			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	304	245.2	294	506.9		
	In case of HMIS data, Percentage is with reference to tota Women who had last births in the 5 years before the s		gnant Won	nen registered	for ANC durir	ng the period and in NFHS-	5 is with
24	Expected number of Live Birth #	763		726			
D) C	hild Immunization :	HMIS (20	21-22)	HMIS (20	022-23)	NFHS-5 (2019	)-20)
		Number	PC	Number	PC		
25	Total reported live births	123	16.1	62	8.5	Breastfed within 1 hour of birth	26.1
26	Total Still Birth	4	0.5	2	0.3	BCG	100
27	PC of newborn weighted at birth to live birth	96	78.0	60	96.8	3 dose of DPT	100

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	11.5	5	8.3	Measles First dose	96.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	93	75.6	60	96.8	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	477	62.5	420	57.9	Full Immunization	90.8
31	Children who have received BCG	93	12.2	70	9.6		
	Children who have received Pentavalent	432	56.6	388	53.5		
32		402	50.0	500	55.5		
33	Children who have received Pentavalent	442	57.9	409	56.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	477	62.5	429	59.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	143		196			
	In case of HMIS data, Proportions are calculated for 0-11 ren 12-23 months olds who received specific vaccination to					rths and in NFHS-5, the pe	rcentage of
E)Fa	mily Planning	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	9-20)
36	Number of Vasectomies performed	0		C	)	Total unmet need	12.8
37	Number of Tubectomies performed	0		(	)	Spacing	6.9
38	Number of IUD insertion	17		ç	)	Women using	75.7
39	Number of IUD removals	27		23		any method Women using modern method	75.7 61
F) S	ervice delivery	HMIS (20	21-22)	HMIS (2	022-23)	modern method	01
40	IPD cases per 10,000 population ***	200	)	31	10		
41	General OPD cases per 10,000 population ***	1174	-	12374			
42	Ayush OPD cases per 10,000 population	30		9			
G) N	Nortality Details						
I)	Infant Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
43	Neonatal death within 24 hours	0		(	)		
44	Neonatal Deaths up to 4 weeks of birth	1		1			
45	Total Neonatal Death	1		1			
46	Deaths between (1 - 11) months	4			2	-	
47	Total reported infant deaths	5			3		
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
48	Due to Abortion	0		(		-	
49	Due to Obstructed/prolonged labour	0		(			
50	Due to Severe hypertension/fits	0		(			
51	Due to Bleeding	0		(			
52	Due to High fever	0		(	)		
53	Due to Other Causes (including causes not known)	0		1	<u> </u>		
54	Total reported maternal deaths	0		1	L		

	South Sikkim	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	1,46,850					
2	Sex Ratio	914					
B) Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	39					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) N	Aaternal Health:	2021-2	222	2022	2-23		
10	Expected number of PW #	2,99		2,8			
11	Expected number of Delivery #	2,75	1	2,6	31		
		HMIS (20	21-22)	HMIS (20	022-23)	NFHS-5 (2019	9-20)
		Number	PC	Number	PC		Γ
12	PW register for ANC	1,768	59.1	1,748	61.1	ANC Check up in first trimester	78.1
13	Mothers registered in the first trimester	1,572	88.9	1,609	92.0	At least 4ANC check up	84.5
14	Number of PW received 4 or more ANC check ups	1,238	70.0	1,363	78.0	Neonatal tetanus received	92.3
15	PW who got TT 2 / Booster injection	1,614	91.3	1,628	93.1	100 IFA tablets consumed	71.3
16	PW who consumed 180 IFA tablets	1,469	83.1	1,609	92.0	Home Delivery	2.6
17	Home Delivery against expected delivery	5	0.2	9	0.3	Institutional Delivery	97.4
18	Institutional Delivery against expected delivery *	905	32.9	884	33.6	Home Delivery by SBA	2.0
19	Home Delivery against reported delivery	5	0.5	9	1.0	PNC within 2days of delivery	83.1
20	Institutional Delivery against reported delivery **	905	99.5	884	99.0		
21	Total reported Deliveries	910		893			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	60.0	1	11.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,179	129.6	1,119	125.3		
	In case of HMIS data, Percentage is with reference to tota Women who had last births in the 5 years before the s		gnant Won	nen registered	for ANC durir	ng the period and in NFHS-	5 is with
24	Expected number of Live Birth #	2,718		2,600			
D) C	child Immunization :	HMIS (20)	21-22)	HMIS (20	022-23)	NFHS-5 (2019	9-20)
		Number	PC	Number	PC		
25	Total reported live births	941	34.6	893	34.3	Breastfed within 1 hour of birth	28.2
26	Total Still Birth	19	0.7	9	0.3	BCG	89.5
27	PC of newborn weighted at birth to live birth	886	94.2	904	101.2	3 dose of DPT	89.5

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	39	4.4	44	4.9	Measles First dose	86.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	876	93.1	870	97.4	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	1,704	62.7	1,574	60.5	Full Immunization	86.4
31	Children who have received BCG	932	34.3	922	35.5		
	Children who have received Pentavalent	1,604	59.0	1,594	61.3		
32	1 Children who have received Dentevelent	1,004	00.0	1,004	01.0		
33	Children who have received Pentavalent	1,576	58.0	1,664	64.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,678	61.7	1,567	60.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	419		663			
	In case of HMIS data, Proportions are calculated for 0-11 ren 12-23 months olds who received specific vaccination to					rths and in NFHS-5, the pe	rcentage of
E)Fa	mily Planning	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	9-20)
36	Number of Vasectomies performed	0		C	)	Total unmet need	5.2
37	Number of Tubectomies performed	72		6	2	Spacing	2.8
38	Number of IUD insertion	31		2		Women using	
50				2.	2	any method	85
39	Number of IUD removals	99		114		Women using modern method	67.6
F) S	ervice delivery	HMIS (20	21-22)	HMIS (2	022-23)		
40	IPD cases per 10,000 population ***	465	5	717			
41	General OPD cases per 10,000 population ***	1099	94	16810			
42	Ayush OPD cases per 10,000 population ***	428	3	253			
G) N	Nortality Details					-	
I)	Infant Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
43	Neonatal death within 24 hours	2		3	3		
44	Neonatal Deaths up to 4 weeks of birth	13		3	;		
45	Total Neonatal Death	15		e	;		
46	Deaths between (1 - 11) months	7		1		4	
47	Total reported infant deaths	22		2	2		
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
48	Due to Abortion	0		C		-	
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		C	)		
53	Due to Other Causes (including causes not known)	0		4	Ļ		
54	Total reported maternal deaths	0		4			

	West Sikkim	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	1,36,435					
2	Sex Ratio	941					
B) Ir	nfrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	41					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1		1			
	Naternal Health:	2021-2		2022	-		
10	Expected number of PW #	2,75		2,6			
11	Expected number of Delivery #	2,53	1	2,4	19		
		HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
12	PW register for ANC	1,718	62.4	1,697	64.6	ANC Check up in first trimester	75.8
13	Mothers registered in the first trimester	1,493	86.9	1,495	88.1	At least 4ANC check up	70.4
14	Number of PW received 4 or more ANC check ups	1,456	84.7	1,470	86.6	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	1,709	99.5	1,639	96.6	100 IFA tablets consumed	48.6
16	PW who consumed 180 IFA tablets	1,561	90.9	1,273	75.0	Home Delivery	0.7
17	Home Delivery against expected delivery *	11	0.4	9	0.4	Institutional Delivery	99.3
18	Institutional Delivery against expected delivery * Home Delivery against reported delivery	942	37.2	895	37.0	Home Delivery by SBA PNC within	0.0
19	** Institutional Delivery against reported	11	1.2	9	1.0	2days of delivery	63.6
20	delivery **	942	98.8	895	99.0		
21	Total reported Deliveries	953		904			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	36.4	8	88.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,074	112.7	1,103	122.0		
	: In case of HMIS data, Percentage is with reference to tota o Women who had last births in the 5 years before the s		gnant Won	nen registered	for ANC durir	ng the period and in NFHS-	5 is with
24	Expected number of Live Birth #	2,501		2,390			
D) C	hild Immunization :	HMIS (20)	21-22)	HMIS (2	022-23)	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
25	Total reported live births	937	37.5	906	37.9	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	19	0.8	10	0.4	BCG	96.9
27	PC of newborn weighted at birth to live birth	888	94.8	901	99.4	3 dose of DPT	98.5

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	64	7.2	56	6.2	Measles First dose	98.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	846	90.3	898	99.1	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	1,626	65.0	1,562	65.4	Full Immunization	96.9
31	Children who have received BCG	967	38.7	896	37.5		
	Children who have received Pentavalent	1,555	62.2	1,562	65.4		
32	1 Children who have received Dentevelent	1,000	02.2	1,002	00.4		
33	Children who have received Pentavalent	1,552	62.0	1,565	65.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,603	64.1	1,582	66.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	878		1,115			
	: In case of HMIS data, Proportions are calculated for 0-11 ren 12-23 months olds who received specific vaccination to					rths and in NFHS-5, the pe	rcentage of
E)Fa	amily Planning	HMIS (20	21-22)	HMIS (2	022-23)	NFHS-5 (2019	9-20)
36	Number of Vasectomies performed	0		C	)	Total unmet need	4.3
37	Number of Tubectomies performed	0		C	)	Spacing	1.1
38	Number of IUD insertion	70		7	3	Women using	
50		10		/,	0	any method	88.2
39	Number of IUD removals	106		136		Women using modern method	70.8
F) S	ervice delivery	HMIS (20	21-22)	HMIS (2	022-23)		
40	IPD cases per 10,000 population ***	438	3	522			
41	General OPD cases per 10,000 population ***	1063	36	13689			
42	Ayush OPD cases per 10,000 population	176	6	279			
G) N	Mortality Details					•	
I)	Infant Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
43	Neonatal death within 24 hours	0		2			
44	Neonatal Deaths up to 4 weeks of birth	9		5			
45	Total Neonatal Death	9		7	,	-	
46	Deaths between (1 - 11) months	12		8		-	
47	Total reported infant deaths	21		1	5		
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (20	21-22)	HMIS (2	022-23)		
48	Due to Abortion	0		C		-	
49	Due to Obstructed/prolonged labour	0		C			
50	Due to Severe hypertension/fits	0		C		-	
51	Due to Bleeding	0		1			
52	Due to High fever	0		C	)		
53	Due to Other Causes (including causes not known)	0		1			
54	Total reported maternal deaths	0		2			