

## Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	36,73,917						
2	Sex Ratio	1,017						
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>						
3	Sub Centers(SC)	1,000						
5	Primary Health Centers(PHC)	117						
7	Community Health Centers (CHC)	23						
8	SDH	12						
9	DH	7						
<b>C) Maternal Health:</b>		<b>2021-22</b>	<b>2022-23</b>					
10	Expected number of PW	60,721	60,653					
11	Expected number of Delivery	56,304	56,242					
		<b>HMIS (2021-22)</b>	<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	60,110	99.0	57,008	93.9	ANC Check up in first trimester	61.9	
13	Mothers registered in the first trimester	45,254	75.3	46,071	80.8	At least 4ANC check up	52.8	
14	Number of PW received 4 or more ANC check ups	47,791	79.5	51,099	89.6	Neonatal tetanus received	90.2	
15	PW who got TT 2 / Booster injection	51,151	85.1	51,105	89.6	100 IFA tablets consumed	18.8	
16	PW who consumed 180 IFA tablets	41,528	69.1	49,593	87.0	Home Delivery	12.3	
17	Home Delivery against expected delivery *	2,750	4.9	1,405	2.5	Institutional Delivery	87.7	
18	Institutional Delivery against expected delivery *	47,448	84.3	47,641	84.7	Home Delivery by SBA	1.1	
19	Home Delivery against reported delivery **	2,750	5.5	1,405	2.9	PNC within 2days of delivery	72.1	
20	Institutional Delivery against reported delivery **	47,448	94.5	47,641	97.1			
21	Total reported Deliveries	50,198		49,046				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	1.9	9	0.6			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	43,308	86.3	42,524	86.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	55,200		55,139				
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>	<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
25	Total reported live births	49,625	89.9	48,716	88.4	Breastfed within 1 hour of birth	46.4	
26	Total Still Birth	864	1.6	746	1.4	BCG	97.6	
27	PC of newborn weighted at birth to live birth	49,298	99.3	48,450	99.5	3 dose of DPT	89.6	

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,538	11.2	5,136	10.6	Measles First dose	84.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	48,255	97.2	47,610	97.7	3 doses of penta or hepatitis B vaccine	86.8
30	Children fully immunized	48,754	88.3	50,663	91.9	Full Immunization	70.3
31	Children who have received BCG	47,012	85.2	48,054	87.2		
32	Children who have received Pentavalent 1	51,427	93.2	52,296	94.8		
33	Children who have received Pentavalent 3	46,562	84.4	50,377	91.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	48,927	88.6	50,850	92.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,966		8,368			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	22	15	Total unmet need	15.3
37	Number of Tubectomies performed	2,852	3,320	Spacing	3.9
38	Number of IUD insertion	383	593	Women using any method	58.9
39	Number of IUD removals	235	319	Women using modern method	44.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	791	942		
41	General OPD cases per 10,000 population ***	8174	9444		
42	Ayush OPD cases per 10,000 population ***	442	544		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	174	131		
44	Neonatal Deaths up to 4 weeks of birth	354	288		
45	<b>Total Neonatal Death</b>	<b>528</b>	<b>419</b>		
46	Deaths between (1 - 12) months	262	243		
47	<b>Total reported infant deaths</b>	<b>790</b>	<b>662</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	1	3		
50	Due to Severe hypertension/fits	5	9		
51	Due to Bleeding	11	7		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	31	42		
54	<b>Total reported maternal deaths</b>	<b>50</b>	<b>62</b>		

## Dhalai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,230					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	121					
5	Primary Health Centers(PHC)	16					
7	Community Health Centers (CHC)	2					
8	SDH	3					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	6,818		6,865			
11	Expected number of Delivery	6,322		6,365			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	7,641	112.1	7,653	112.2	ANC Check up in first trimester	58.1
13	Mothers registered in the first trimester	5,083	66.5	5,523	72.2	At least 4ANC check up	52.0
14	Number of PW received 4 or more ANC check ups	4,561	59.7	4,873	63.7	Neonatal tetanus received	97.8
15	PW who got TT 2 / Booster injection	5,940	77.7	5,991	78.3	100 IFA tablets consumed	26.0
16	PW who consumed 180 IFA tablets	4,748	62.1	6,286	82.1	Home Delivery	12.7
17	Home Delivery against expected delivery *	564	8.9	378	5.9	Institutional Delivery	87.3
18	Institutional Delivery against expected delivery *	4,753	75.2	5,030	79.0	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	564	10.6	378	7.0	PNC within 2days of delivery	72.4
20	Institutional Delivery against reported delivery **	4,753	89.4	5,030	93.0		
21	Total reported Deliveries	5,317		5,408			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	1.1	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,748	32.9	1,718	31.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,198		6,241			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	5,256	84.8	5,411	86.7	Breastfed within 1 hour of birth	44.0
26	Total Still Birth	71	1.1	91	1.5	BCG	97.6
27	PC of newborn weighted at birth to live birth	5,173	98.4	5,367	99.2	3 dose of DPT	89.0

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	492	9.5	427	8.0	Measles First dose	90.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,101	97.1	5,273	97.4	3 doses of penta or hepatitis B vaccine	86.2
30	Children fully immunized	5,382	86.8	5,501	88.1	Full Immunization	73.7
31	Children who have received BCG	4,878	78.7	5,284	84.7		
32	Children who have received Pentavalent 1	5,965	96.2	6,130	98.2		
33	Children who have received Pentavalent 3	4,960	80.0	5,576	89.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,486	88.5	5,538	88.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	393		533			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	4.0
37	Number of Tubectomies performed	17	40	Spacing	1.8
38	Number of IUD insertion	56	74	Women using any method	80.9
39	Number of IUD removals	61	73	Women using modern method	53.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	639	765		
41	General OPD cases per 10,000 population ***	8726	8410		
42	Ayush OPD cases per 10,000 population ***	185	273		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	23	14		
44	Neonatal Deaths up to 4 weeks of birth	29	25		
45	<b>Total Neonatal Death</b>	<b>52</b>	<b>39</b>		
46	Deaths between (1 - 12) months	45	36		
47	<b>Total reported infant deaths</b>	<b>97</b>	<b>75</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension/fits	0	2		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	9		
54	<b>Total reported maternal deaths</b>	<b>3</b>	<b>12</b>		

## Gomati Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,36,868					
2	Sex Ratio	0					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	145					
5	Primary Health Centers(PHC)	11					
7	Community Health Centers (CHC)	3					
8	SDH	2					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	7,170		7,157			
11	Expected number of Delivery	6,649		6,637			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	6,493	90.6	6,446	89.9	ANC Check up in first trimester	54.2
13	Mothers registered in the first trimester	5,570	85.8	5,640	87.5	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	4,142	63.8	5,163	80.1	Neonatal tetanus received	89.4
15	PW who got TT 2 / Booster injection	6,000	92.4	5,968	92.6	100 IFA tablets consumed	29.5
16	PW who consumed 180 IFA tablets	4,704	72.4	5,927	91.9	Home Delivery	10.3
17	Home Delivery against expected delivery *	109	1.6	61	0.9	Institutional Delivery	89.7
18	Institutional Delivery against expected delivery *	5,475	82.3	5,471	82.4	Home Delivery by SBA	0.7
19	Home Delivery against reported delivery **	109	2.0	61	1.1	PNC within 2days of delivery	68.0
20	Institutional Delivery against reported delivery **	5,475	98.0	5,471	98.9		
21	Total reported Deliveries	5,584		5,532			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,902	123.6	4,365	78.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,518		6,506			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	5,535	84.9	5,509	84.7	Breastfed within 1 hour of birth	15.8
26	Total Still Birth	89	1.4	74	1.1	BCG	89.0
27	PC of newborn weighted at birth to live birth	5,469	98.8	5,483	99.5	3 dose of DPT	81.1

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	443	8.1	513	9.4	Measles First dose	83.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,055	91.3	5,212	94.6	3 doses of penta or hepatitis B vaccine	72.7
30	Children fully immunized	5,513	84.6	6,049	93.0	Full Immunization	48.5
31	Children who have received BCG	5,526	84.8	5,824	89.5		
32	Children who have received Pentavalent 1	6,044	92.7	5,874	90.3		
33	Children who have received Pentavalent 3	5,509	84.5	5,814	89.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,543	85.0	6,058	93.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	811		1,150			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	5	0	Total unmet need	17.3
37	Number of Tubectomies performed	465	526	Spacing	3.7
38	Number of IUD insertion	17	42	Women using any method	50.7
39	Number of IUD removals	9	27	Women using modern method	40.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	761	932		
41	General OPD cases per 10,000 population ***	5513	7454		
42	Ayush OPD cases per 10,000 population ***	310	380		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	23	17		
44	Neonatal Deaths up to 4 weeks of birth	15	10		
45	<b>Total Neonatal Death</b>	<b>38</b>	<b>27</b>		
46	Deaths between (1 - 12) months	9	18		
47	<b>Total reported infant deaths</b>	<b>47</b>	<b>45</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	2		
54	<b>Total reported maternal deaths</b>	<b>2</b>	<b>4</b>		

## Khowai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,27,391					
2	Sex Ratio	0					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	104					
5	Primary Health Centers(PHC)	10					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	5,285		5,267			
11	Expected number of Delivery	4,900		4,884			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	4,132	78.2	4,050	76.6	ANC Check up in first trimester	41.0
13	Mothers registered in the first trimester	3,069	74.3	3,099	76.5	At least 4ANC check up	24.6
14	Number of PW received 4 or more ANC check ups	2,467	59.7	3,015	74.4	Neonatal tetanus received	95.6
15	PW who got TT 2 / Booster injection	3,823	92.5	3,679	90.8	100 IFA tablets consumed	31.6
16	PW who consumed 180 IFA tablets	2,035	49.2	2,886	71.3	Home Delivery	28.5
17	Home Delivery against expected delivery *	94	1.9	41	0.8	Institutional Delivery	71.5
18	Institutional Delivery against expected delivery *	2,783	56.8	2,469	50.6	Home Delivery by SBA	2.9
19	Home Delivery against reported delivery **	94	3.3	41	1.6	PNC within 2days of delivery	44.5
20	Institutional Delivery against reported delivery **	2,783	96.7	2,469	98.4		
21	Total reported Deliveries	2,877		2,510			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	890	30.9	1,014	40.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,804		4,788			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	2,853	59.4	2,494	52.1	Breastfed within 1 hour of birth	21.7
26	Total Still Birth	34	0.7	28	0.6	BCG	85.1
27	PC of newborn weighted at birth to live birth	2,811	98.5	2,471	99.1	3 dose of DPT	78.0

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	345	12.3	248	10.0	Measles First dose	83.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,603	91.2	2,394	96.0	3 doses of penta or hepatitis B vaccine	74.8
30	Children fully immunized	3,915	81.5	4,056	84.7	Full Immunization	58.3
31	Children who have received BCG	2,541	52.9	2,536	53.0		
32	Children who have received Pentavalent 1	3,799	79.1	3,875	80.9		
33	Children who have received Pentavalent 3	3,504	72.9	3,709	77.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,905	81.3	4,065	84.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	167		132			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	9.7
37	Number of Tubectomies performed	8	185	Spacing	3.7
38	Number of IUD insertion	19	15	Women using any method	66.8
39	Number of IUD removals	1	4	Women using modern method	40.2
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	504	585		
41	General OPD cases per 10,000 population ***	5362	6378		
42	Ayush OPD cases per 10,000 population ***	464	680		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	7	4		
44	Neonatal Deaths up to 4 weeks of birth	4	5		
45	<b>Total Neonatal Death</b>	<b>11</b>	<b>9</b>		
46	Deaths between (1 - 12) months	15	18		
47	<b>Total reported infant deaths</b>	<b>26</b>	<b>27</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	3		
54	<b>Total reported maternal deaths</b>	<b>1</b>	<b>3</b>		



## North Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,15,946					
2	Sex Ratio	967					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	99					
5	Primary Health Centers(PHC)	16					
7	Community Health Centers (CHC)	4					
8	SDH	1					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	7,074		7,084			
11	Expected number of Delivery	6,560		6,569			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	8,528	120.5	8,395	118.7	ANC Check up in first trimester	54.0
13	Mothers registered in the first trimester	6,614	77.6	7,232	86.1	At least 4ANC check up	40.6
14	Number of PW received 4 or more ANC check ups	5,918	69.4	7,236	86.2	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	7,522	88.2	7,828	93.2	100 IFA tablets consumed	22.0
16	PW who consumed 180 IFA tablets	6,224	73.0	7,714	91.9	Home Delivery	6.8
17	Home Delivery against expected delivery *	1,076	16.4	459	7.0	Institutional Delivery	93.2
18	Institutional Delivery against expected delivery *	4,767	72.7	5,355	81.5	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	1,076	18.4	459	7.9	PNC within 2days of delivery	66.3
20	Institutional Delivery against reported delivery **	4,767	81.6	5,355	92.1		
21	Total reported Deliveries	5,843		5,814			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	2.8	6	1.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,136	70.8	3,996	68.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,431		6,440			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	5,788	90.0	5,785	89.8	Breastfed within 1 hour of birth	24.8
26	Total Still Birth	81	1.3	65	1.0	BCG	91.8
27	PC of newborn weighted at birth to live birth	5,734	99.1	5,718	98.8	3 dose of DPT	83.9

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	671	11.7	459	8.0	Measles First dose	89.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,697	98.4	5,684	98.3	3 doses of penta or hepatitis B vaccine	80.6
30	Children fully immunized	7,213	112.2	7,253	112.6	Full Immunization	67.1
31	Children who have received BCG	5,893	91.6	6,425	99.8		
32	Children who have received Pentavalent 1	7,282	113.2	7,331	113.8		
33	Children who have received Pentavalent 3	6,475	100.7	6,936	107.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,205	112.0	7,342	114.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	767		1,485			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	12.1
37	Number of Tubectomies performed	173	192	Spacing	3.7
38	Number of IUD insertion	9	2	Women using any method	65.5
39	Number of IUD removals	0	7	Women using modern method	48.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	651	889		
41	General OPD cases per 10,000 population ***	4622	5545		
42	Ayush OPD cases per 10,000 population ***	293	359		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	10	4		
44	Neonatal Deaths up to 4 weeks of birth	14	8		
45	<b>Total Neonatal Death</b>	<b>24</b>	<b>12</b>		
46	Deaths between (1 - 12) months	26	27		
47	<b>Total reported infant deaths</b>	<b>50</b>	<b>39</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	1		
54	<b>Total reported maternal deaths</b>	<b>4</b>	<b>1</b>		

## Sipahijala Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,84,233					
2	Sex Ratio	0					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	142					
5	Primary Health Centers(PHC)	15					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	0					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	7,816		7,790			
11	Expected number of Delivery	7,248		7,224			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	8,274	105.9	8,451	108.1	ANC Check up in first trimester	78.7
13	Mothers registered in the first trimester	6,330	76.5	6,784	80.3	At least 4ANC check up	61.2
14	Number of PW received 4 or more ANC check ups	4,824	58.3	5,531	65.4	Neonatal tetanus received	99.3
15	PW who got TT 2 / Booster injection	7,384	89.2	7,435	88.0	100 IFA tablets consumed	31.8
16	PW who consumed 180 IFA tablets	5,537	66.9	6,763	80.0	Home Delivery	4.7
17	Home Delivery against expected delivery *	270	3.7	99	1.4	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	3,564	49.2	3,436	47.6	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	270	7.0	99	2.8	PNC within 2days of delivery	87.7
20	Institutional Delivery against reported delivery **	3,564	93.0	3,436	97.2		
21	Total reported Deliveries	3,834		3,535			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.4	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,496	117.3	4,629	130.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,106		7,082			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	3,786	53.3	3,508	49.5	Breastfed within 1 hour of birth	38.0
26	Total Still Birth	42	0.6	31	0.4	BCG	100.0
27	PC of newborn weighted at birth to live birth	3,758	99.3	3,504	99.9	3 dose of DPT	94.1

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	501	13.3	403	11.5	Measles First dose	94.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,749	99.0	3,419	97.5	3 doses of penta or hepatitis B vaccine	91.7
30	Children fully immunized	6,726	94.7	7,350	103.8	Full Immunization	88.4
31	Children who have received BCG	4,332	61.0	4,092	57.8		
32	Children who have received Pentavalent 1	7,295	102.7	7,691	108.6		
33	Children who have received Pentavalent 3	6,706	94.4	7,669	108.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,760	95.1	7,354	103.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	421		600			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	6	9	Total unmet need	2.5
37	Number of Tubectomies performed	64	78	Spacing	0.9
38	Number of IUD insertion	7	11	Women using any method	80.1
39	Number of IUD removals	3	18	Women using modern method	53.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	443	585		
41	General OPD cases per 10,000 population ***	5110	6884		
42	Ayush OPD cases per 10,000 population ***	811	805		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	0	2		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	<b>Total Neonatal Death</b>	<b>1</b>	<b>3</b>		
46	Deaths between (1 - 12) months	3	4		
47	<b>Total reported infant deaths</b>	<b>4</b>	<b>7</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## South Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,33,737					
2	Sex Ratio	957					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	148					
5	Primary Health Centers(PHC)	18					
7	Community Health Centers (CHC)	5					
8	SDH	2					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	7,119		7,106			
11	Expected number of Delivery	6,601		6,589			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	6,787	95.3	6,405	90.0	ANC Check up in first trimester	57.2
13	Mothers registered in the first trimester	5,827	85.9	5,542	86.5	At least 4ANC check up	41.5
14	Number of PW received 4 or more ANC check ups	5,130	75.6	4,868	76.0	Neonatal tetanus received	96.8
15	PW who got TT 2 / Booster injection	6,006	88.5	5,768	90.1	100 IFA tablets consumed	38.0
16	PW who consumed 180 IFA tablets	4,868	71.7	4,880	76.2	Home Delivery	4.3
17	Home Delivery against expected delivery *	43	0.7	25	0.4	Institutional Delivery	95.7
18	Institutional Delivery against expected delivery *	4,597	69.6	4,224	64.1	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	43	0.9	25	0.6	PNC within 2days of delivery	59.7
20	Institutional Delivery against reported delivery **	4,597	99.1	4,224	99.4		
21	Total reported Deliveries	4,640		4,249			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,775	102.9	3,997	94.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,472		6,460			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	4,620	71.4	4,234	65.5	Breastfed within 1 hour of birth	20.9
26	Total Still Birth	37	0.6	40	0.6	BCG	96.1
27	PC of newborn weighted at birth to live birth	4,619	100.0	4,177	98.7	3 dose of DPT	87.7

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	467	10.1	426	10.2	Measles First dose	85.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,599	99.5	4,158	98.2	3 doses of penta or hepatitis B vaccine	85.7
30	Children fully immunized	5,783	89.4	5,769	89.3	Full Immunization	60.7
31	Children who have received BCG	4,797	74.1	4,283	66.3		
32	Children who have received Pentavalent 1	6,028	93.1	5,851	90.6		
33	Children who have received Pentavalent 3	5,669	87.6	5,835	90.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,789	89.5	5,773	89.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	565		783			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	4.1
37	Number of Tubectomies performed	232	277	Spacing	2.2
38	Number of IUD insertion	174	268	Women using any method	79.9
39	Number of IUD removals	139	140	Women using modern method	49.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	755	904		
41	General OPD cases per 10,000 population ***	9194	10109		
42	Ayush OPD cases per 10,000 population ***	515	537		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	2	4		
44	Neonatal Deaths up to 4 weeks of birth	13	9		
45	<b>Total Neonatal Death</b>	<b>15</b>	<b>13</b>		
46	Deaths between (1 - 12) months	26	13		
47	<b>Total reported infant deaths</b>	<b>41</b>	<b>26</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	3		
54	<b>Total reported maternal deaths</b>	<b>1</b>	<b>5</b>		

## Unakoti Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,77,335					
2	Sex Ratio	0					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	70					
5	Primary Health Centers(PHC)	11					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	4,717		4,724			
11	Expected number of Delivery	4,374		4,380			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	5,137	108.9	4,998	106.0	ANC Check up in first trimester	63.2
13	Mothers registered in the first trimester	3,693	71.9	3,789	75.8	At least 4ANC check up	52.7
14	Number of PW received 4 or more ANC check ups	3,583	69.7	3,623	72.5	Neonatal tetanus received	94.9
15	PW who got TT 2 / Booster injection	4,188	81.5	4,406	88.2	100 IFA tablets consumed	26.7
16	PW who consumed 180 IFA tablets	3,854	75.0	4,117	82.4	Home Delivery	10.8
17	Home Delivery against expected delivery *	488	11.2	302	6.9	Institutional Delivery	89.2
18	Institutional Delivery against expected delivery *	3,287	75.2	3,564	81.4	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	488	12.9	302	7.8	PNC within 2days of delivery	71.9
20	Institutional Delivery against reported delivery **	3,287	87.1	3,564	92.2		
21	Total reported Deliveries	3,775		3,866			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	3.3	2	0.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,718	45.5	1,584	41.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,288		4,294			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	3,748	87.4	3,831	89.2	Breastfed within 1 hour of birth	36.4
26	Total Still Birth	50	1.2	65	1.5	BCG	94.7
27	PC of newborn weighted at birth to live birth	3,711	99.0	3,810	99.5	3 dose of DPT	85.9

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	301	8.1	367	9.6	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,582	95.6	3,662	95.6	3 doses of penta or hepatitis B vaccine	82.5
30	Children fully immunized	4,084	95.2	4,155	96.8	Full Immunization	69.5
31	Children who have received BCG	3,547	82.7	3,711	86.4		
32	Children who have received Pentavalent 1	4,323	100.8	4,399	102.4		
33	Children who have received Pentavalent 3	3,796	88.5	3,920	91.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,077	95.1	4,169	97.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	703		1,000			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	7	4	Total unmet need	8.2
37	Number of Tubectomies performed	121	211	Spacing	2.5
38	Number of IUD insertion	2	34	Women using any method	71.2
39	Number of IUD removals	2	6	Women using modern method	49.1
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	665	863		
41	General OPD cases per 10,000 population ***	5375	7434		
42	Ayush OPD cases per 10,000 population ***	514	451		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	9	7		
44	Neonatal Deaths up to 4 weeks of birth	18	12		
45	<b>Total Neonatal Death</b>	<b>27</b>	<b>19</b>		
46	Deaths between (1 - 12) months	18	23		
47	<b>Total reported infant deaths</b>	<b>45</b>	<b>42</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	7		
54	<b>Total reported maternal deaths</b>	<b>6</b>	<b>8</b>		



## West Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,17,534					
2	Sex Ratio	964					
<b>B) Infrastructure Details (RHS 2021-22)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	171					
5	Primary Health Centers(PHC)	20					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2021-22</b>		<b>2022-23</b>			
10	Expected number of PW	14,811		14,761			
11	Expected number of Delivery	13,733		13,688			
		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	13,118	88.6	10,610	71.6	ANC Check up in first trimester	75.5
13	Mothers registered in the first trimester	9,068	69.1	8,462	79.8	At least 4ANC check up	67.1
14	Number of PW received 4 or more ANC check ups	17,166	130.9	16,790	158.2	Neonatal tetanus received	95.0
15	PW who got TT 2 / Booster injection	10,288	78.4	10,030	94.5	100 IFA tablets consumed	17.3
16	PW who consumed 180 IFA tablets	9,558	72.9	11,020	103.9	Home Delivery	14.6
17	Home Delivery against expected delivery *	106	0.8	40	0.3	Institutional Delivery	85.4
18	Institutional Delivery against expected delivery *	18,222	132.7	18,092	132.2	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	106	0.6	40	0.2	PNC within 2days of delivery	76.6
20	Institutional Delivery against reported delivery **	18,222	99.4	18,092	99.8		
21	Total reported Deliveries	18,328		18,132			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	2.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,643	101.7	21,221	117.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	13,464		13,419			
<b>D) Child Immunization :</b>		<b>HMIS (2021-22)</b>		<b>HMIS (2022-23)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	18,039	134.0	17,944	133.7	Breastfed within 1 hour of birth	61.1
26	Total Still Birth	460	3.4	352	2.6	BCG	93.1
27	PC of newborn weighted at birth to live birth	18,023	99.9	17,920	99.9	3 dose of DPT	77.5

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,318	12.9	2,293	12.8	Measles First dose	74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,869	99.1	17,808	99.2	3 doses of penta or hepatitis B vaccine	74.6
30	Children fully immunized	10,138	75.3	10,530	78.5	Full Immunization	69.6
31	Children who have received BCG	15,498	115.1	15,899	118.5		
32	Children who have received Pentavalent 1	10,691	79.4	11,145	83.1		
33	Children who have received Pentavalent 3	9,943	73.8	10,918	81.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	10,162	75.5	10,551	78.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,139		2,685			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	4	2	Total unmet need	6.1
37	Number of Tubectomies performed	1,772	1,811	Spacing	2.5
38	Number of IUD insertion	99	147	Women using any method	78.3
39	Number of IUD removals	20	44	Women using modern method	54.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
40	IPD cases per 10,000 population ***	1280	1408		
41	General OPD cases per 10,000 population ***	13878	15464		
42	Ayush OPD cases per 10,000 population ***	432	681		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
43	Neonatal death within 24 hours	100	79		
44	Neonatal Deaths up to 4 weeks of birth	260	218		
45	<b>Total Neonatal Death</b>	<b>360</b>	<b>297</b>		
46	Deaths between (1 - 12) months	120	104		
47	<b>Total reported infant deaths</b>	<b>480</b>	<b>401</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	2		
50	Due to Severe hypertension/fits	5	6		
51	Due to Bleeding	7	4		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	20	17		
54	<b>Total reported maternal deaths</b>	<b>33</b>	<b>29</b>		