

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,12,05,576					
2	Sex Ratio	954					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	4,701					
4	Primary Health Centers (PHC)	1,010					
5	Community Health Centers (CHC)	201					
6	SDH	14					
7	DH	25					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	8,58,796		8,19,963			
9	Expected number of Delivery	8,00,241		7,47,657			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,32,934	73.7	4,30,302	52.5	ANC Check up in first trimester	63.8
11	Mothers registered in the first trimester	5,82,212	92.0	3,91,853	91.1	At least 4ANC check up	50.7
12	Mothers who had 4 or more ANC check ups	5,69,981	90.1	4,07,801	94.8	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	6,02,844	95.2	4,10,734	95.5	100 IFA tablets consumed	47.5
14	PW who consumed 180 IFA tablets	6,21,935	98.3	4,25,208	98.8	Home Delivery	15.9
15	Home Delivery against expected delivery *	32,192	4.0	16,674	2.2	Institutional Delivery	84.1
16	Institutional Delivery against expected delivery *	5,39,738	67.4	3,87,200	51.8	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	32,192	5.6	16,674	4.1	PNC within 2days of delivery	65.3
18	Institutional Delivery against reported delivery **	5,39,738	94.4	3,87,200	95.9		
19	Total reported Deliveries	5,71,930		4,03,874			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12,152		37.7		6,156 36.9	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,77,742		83.5		2,79,473 69.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,80,723		7,45,421			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	5,64,961		72.4		4,00,257 53.7	
24	Total Still Birth	10,811		1.4		6,678 0.9	
25	PC of newborn weighted at birth to live birth	5,62,487		99.6		3,95,001 98.7	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	77,513		13.8		54,891 13.9	
						Breastfed within 1 hour of birth 49.1	
						BCG 92.5	
						3 dose of DPT 81.7	
						Measles First dose 82.8	

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,47,586	96.9	3,82,318	95.5	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	6,09,909	78.1	4,49,265	60.3	Full Immunization	66.4
29	Children who have received BCG	6,25,022	80.1	4,28,741	57.5		
30	Children who have received Pentavalent 1	6,15,537	78.8	4,22,901	56.7		
31	Children who have received Pentavalent 3	6,10,822	78.2	4,17,953	56.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,10,952	78.3	4,47,386	60.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	32,785		47,309			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	750	305	Total unmet need	11
35	Number of Tubectomies performed	30,204	21,022	Spacing	4.1
36	Number of IUD insertion	55,782	38,339	Women using any method	60.8
37	Number of IUD removals	17,290	12,914	Women using modern method	45.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	497	397		
39	General OPD cases per 10,000 population ***	9,786	9,132		
40	Ayush OPD cases per 10,000 population ***	515	448		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	1,008	521		
42	Neonatal Deaths within 1 to 28 days	3,803	1,554		
43	Total Neonatal Death	4,811	2,075		
44	Deaths between (1 - 11) months	1,785	442		
45	Total reported infant deaths	6,596	2,517		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	79	12		
47	Due to PPH (Post-Partum Haemorrhage)	NA	34		
48	Due to Pregnancy related infection and sepsis, Fever	11	49		
49	Due to Abortive complication	7	16		
50	Due to Obstructed/prolonged labour	18	6		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	115	47		
52	Due to Other/Unknown Causes	283	136		
53	Total reported maternal deaths	513	300		

Baksa Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	24,563		24,837			
9	Expected number of Delivery	22,888		22,647			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,303	58.2	9,133	36.8	ANC Check up in first trimester	61.1
11	Mothers registered in the first trimester	13,341	93.3	8,375	91.7	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	12,217	85.4	8,267	90.5	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	13,323	93.1	8,661	94.8	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	13,768	96.3	9,140	100.1	Home Delivery	10.1
15	Home Delivery against expected delivery *	85	0.4	31	0.1	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	6,068	26.5	4,252	18.8	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	85	1.4	31	0.7	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	6,068	98.6	4,252	99.3		
19	Total reported Deliveries	6,153		4,283			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82		31			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,286		167.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,330		22,579			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,049		4,237		Breastfed within 1 hour of birth	34.9
24	Total Still Birth	121		55		BCG	93.6
25	PC of newborn weighted at birth to live birth	6,043		4,235		3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	651		476		Measles First dose	91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,998	99.2	4,188	98.8	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	13,922	62.3	9,636	42.7	Full Immunization	70.5
29	Children who have received BCG	9,311	41.7	6,530	28.9		
30	Children who have received Pentavalent 1	13,837	62.0	8,633	38.2		
31	Children who have received Pentavalent 3	13,993	62.7	8,632	38.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,016	62.8	9,656	42.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	348		515			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	6	Total unmet need	12.5
35	Number of Tubectomies performed	344	270	Spacing	5.7
36	Number of IUD insertion	1,234	1,130	Women using any method	59.2
37	Number of IUD removals	734	460	Women using modern method	47.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	94	39		
39	General OPD cases per 10,000 population ***	5,210	4,860		
40	Ayush OPD cases per 10,000 population ***	1,274	1080		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	9	0		
42	Neonatal Deaths within 1 to 28 days	13	2		
43	Total Neonatal Death	22	2		
44	Deaths between (1 - 11) months	14	1		
45	Total reported infant deaths	36	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Barpeta Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	16,93,622					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	264					
4	Primary Health Centers (PHC)	50					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	48,913		49,960			
9	Expected number of Delivery	45,578		45,554			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	40,287	82.4	26,578	53.2	ANC Check up in first trimester	62.2
11	Mothers registered in the first trimester	37,647	93.4	24,190	91.0	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	37,301	92.6	25,599	96.3	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	38,662	96.0	25,731	96.8	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	39,488	98.0	26,018	97.9	Home Delivery	12.4
15	Home Delivery against expected delivery *	2,679	5.9	917	2.0	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	37,517	82.3	27,328	60.0	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	2,679	6.7	917	3.2	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	37,517	93.3	27,328	96.8		
19	Total reported Deliveries	40,196		28,245			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,935	72.2	858	93.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	37,799	94.0	16,395	58.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	44,467		45,418			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	39,241	88.2	28,001	61.7	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	1,067	2.4	444	1.0	BCG	94.3
25	PC of newborn weighted at birth to live birth	39,226	100.0	27,950	99.8	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,868	15.0	3,518	12.6	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	38,822	98.9	26,699	95.4	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	36,932	83.1	28,062	61.8	Full Immunization	54.6
29	Children who have received BCG	44,620	100.3	29,703	65.4		
30	Children who have received Pentavalent 1	38,106	85.7	26,622	58.6		
31	Children who have received Pentavalent 3	37,810	85.0	26,707	58.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,989	83.2	28,126	61.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	883		1,341			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	1	Total unmet need	12.3
35	Number of Tubectomies performed	2,078	1,409	Spacing	3.9
36	Number of IUD insertion	2,481	1,138	Women using any method	57.3
37	Number of IUD removals	595	518	Women using modern method	47.4
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	398	227		
39	General OPD cases per 10,000 population ***	7,392	6,295		
40	Ayush OPD cases per 10,000 population ***	803	559		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	38	151		
42	Neonatal Deaths within 1 to 28 days	429	146		
43	Total Neonatal Death	467	297		
44	Deaths between (1 - 11) months	114	2		
45	Total reported infant deaths	581	299		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	7	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	7		
48	Due to Pregnancy related infection and sepsis, Fever	0	8		
49	Due to Abortive complication	2	6		
50	Due to Obstructed/prolonged labour	2	5		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	23	6		
52	Due to Other/Unknown Causes	29	31		
53	Total reported maternal deaths	63	63		

Biswanath Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,12,491						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	139						
4	Primary Health Centers (PHC)	26						
5	Community Health Centers (CHC)	3						
6	SDH	2						
7	DH	0						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	16,628	16,888					
9	Expected number of Delivery	15,494	15,399					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	12,717	76.5	8,698	51.5	ANC Check up in first trimester	41.2	
11	Mothers registered in the first trimester	11,986	94.3	8,134	93.5	At least 4ANC check up	46.5	
12	Mothers who had 4 or more ANC check ups	12,068	94.9	8,653	99.5	Neonatal tetanus received	94.6	
13	PW who got TT 2 / Booster injection	12,216	96.1	8,462	97.3	100 IFA tablets consumed	63.7	
14	PW who consumed 180 IFA tablets	12,625	99.3	8,630	99.2	Home Delivery	15.7	
15	Home Delivery against expected delivery *	152	1.0	22	0.1	Institutional Delivery	84.3	
16	Institutional Delivery against expected delivery *	8,762	56.6	6,288	40.8	Home Delivery by SBA	0.6	
17	Home Delivery against reported delivery **	152	1.7	22	0.3	PNC within 2days of delivery	56.5	
18	Institutional Delivery against reported delivery **	8,762	98.3	6,288	99.7			
19	Total reported Deliveries	8,914		6,310				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	25.7	19	86.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,290	104.2	6,262	99.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	15,116		15,353				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
23	Total reported live births	8,841	58.5	6,275	40.9	Breastfed within 1 hour of birth	62.7	
24	Total Still Birth	103	0.7	55	0.4	BCG	88.3	
25	PC of newborn weighted at birth to live birth	8,824	99.8	6,255	99.7	3 dose of DPT	82.5	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	689	7.8	597	9.5	Measles First dose	87.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,732	98.8	6,162	98.2	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,522	82.8	8,679	56.5	Full Immunization	66.2
29	Children who have received BCG	10,827	71.6	6,936	45.2		
30	Children who have received Pentavalent 1	12,301	81.4	8,188	53.3		
31	Children who have received Pentavalent 3	12,250	81.0	7,872	51.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,552	83.0	8,693	56.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	73		347			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	48	9	Total unmet need	5.3
35	Number of Tubectomies performed	726	227	Spacing	1.4
36	Number of IUD insertion	1,082	391	Women using any method	72.4
37	Number of IUD removals	151	169	Women using modern method	56.1
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	483	390		
39	General OPD cases per 10,000 population ***	13,313	11,477		
40	Ayush OPD cases per 10,000 population ***	142	158		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	15	4		
42	Neonatal Deaths within 1 to 28 days	23	6		
43	Total Neonatal Death	38	10		
44	Deaths between (1 - 11) months	43	5		
45	Total reported infant deaths	81	15		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	3	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	4	4		
53	Total reported maternal deaths	7	4		

Bongaigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,38,804					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	108					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	20,923		21,332			
9	Expected number of Delivery	19,496		19,451			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,912	71.3	10,163	47.6	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	13,924	93.4	9,271	91.2	At least 4ANC check up	33.9
12	Mothers who had 4 or more ANC check ups	13,960	93.6	9,444	92.9	Neonatal tetanus received	91.8
13	PW who got TT 2 / Booster injection	14,021	94.0	9,665	95.1	100 IFA tablets consumed	46.7
14	PW who consumed 180 IFA tablets	14,912	100.0	10,168	100.0	Home Delivery	15.5
15	Home Delivery against expected delivery *	350	1.8	111	0.6	Institutional Delivery	84.5
16	Institutional Delivery against expected delivery *	13,326	68.4	9,757	50.2	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	350	2.6	111	1.1	PNC within 2days of delivery	57.0
18	Institutional Delivery against reported delivery **	13,326	97.4	9,757	98.9		
19	Total reported Deliveries	13,676		9,868			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	338	96.6	102	91.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,209	111.2	6,592	66.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,021		19,393			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	13,649	71.8	10,005	51.6	Breastfed within 1 hour of birth	46.7
24	Total Still Birth	183	1.0	116	0.6	BCG	94.1
25	PC of newborn weighted at birth to live birth	13,575	99.5	9,868	98.6	3 dose of DPT	80.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,793	13.2	1,214	12.3	Measles First dose	84.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,314	97.5	9,662	96.6	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	14,531	76.4	10,852	56.0	Full Immunization	67.9
29	Children who have received BCG	15,560	81.8	10,264	52.9		
30	Children who have received Pentavalent 1	14,714	77.4	10,709	55.2		
31	Children who have received Pentavalent 3	14,624	76.9	10,625	54.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,531	76.4	10,837	55.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	411		846			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	16.1
35	Number of Tubectomies performed	572	673	Spacing	5.1
36	Number of IUD insertion	1,219	944	Women using any method	57.6
37	Number of IUD removals	205	122	Women using modern method	45.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	457	382		
39	General OPD cases per 10,000 population ***	7,794	7,159		
40	Ayush OPD cases per 10,000 population ***	57	177		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	8	8		
42	Neonatal Deaths within 1 to 28 days	35	11		
43	Total Neonatal Death	43	19		
44	Deaths between (1 - 11) months	17	1		
45	Total reported infant deaths	60	20		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	2		
53	Total reported maternal deaths	2	2		

Cachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	17,36,617					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	270					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	49,495		50,493			
9	Expected number of Delivery	46,120		46,040			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	37,249	75.3	27,406	54.3	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	33,751	90.6	24,947	91.0	At least 4ANC check up	32.7
12	Mothers who had 4 or more ANC check ups	36,145	97.0	24,856	90.7	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	36,306	97.5	26,146	95.4	100 IFA tablets consumed	35.6
14	PW who consumed 180 IFA tablets	37,058	99.5	26,421	96.4	Home Delivery	20.8
15	Home Delivery against expected delivery *	429	0.9	190	0.4	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	40,851	88.6	30,223	65.6	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	429	1.0	190	0.6	PNC within 2days of delivery	57.3
18	Institutional Delivery against reported delivery **	40,851	99.0	30,223	99.4		
19	Total reported Deliveries	41,280		30,413			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	253	59.0	92	48.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,896	57.9	22,794	74.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	44,995		45,903			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	40,603	90.2	30,000	65.4	Breastfed within 1 hour of birth	29.8
24	Total Still Birth	971	2.2	687	1.5	BCG	88.3
25	PC of newborn weighted at birth to live birth	40,603	100.0	29,786	99.3	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,957	17.1	5,466	18.4	Measles First dose	76.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	39,988	98.5	29,384	97.9	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	42,964	95.5	31,339	68.3	Full Immunization	70.4
29	Children who have received BCG	44,683	99.3	31,387	68.4		
30	Children who have received Pentavalent 1	45,060	100.1	31,846	69.4		
31	Children who have received Pentavalent 3	43,544	96.8	30,519	66.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	43,187	96.0	30,837	67.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	909		1,118			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	32	19	Total unmet need	15.6
35	Number of Tubectomies performed	1,885	1,394	Spacing	6.9
36	Number of IUD insertion	2,287	1,802	Women using any method	48
37	Number of IUD removals	171	155	Women using modern method	38.2
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	758	655		
39	General OPD cases per 10,000 population ***	11,259	9,439		
40	Ayush OPD cases per 10,000 population ***	7	22		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	44	22		
42	Neonatal Deaths within 1 to 28 days	181	80		
43	Total Neonatal Death	225	102		
44	Deaths between (1 - 11) months	124	20		
45	Total reported infant deaths	349	122		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	9	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	3		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	50	27		
53	Total reported maternal deaths	59	32		

Charaideo Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,58,615						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	70						
4	Primary Health Centers (PHC)	19						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	11,627	11,736					
9	Expected number of Delivery	10,834	10,701					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	6,712	57.7	4,659	39.7	ANC Check up in first trimester	74.1	
11	Mothers registered in the first trimester	6,168	91.9	4,270	91.7	At least 4ANC check up	64.5	
12	Mothers who had 4 or more ANC check ups	5,792	86.3	4,136	88.8	Neonatal tetanus received	95.9	
13	PW who got TT 2 / Booster injection	6,127	91.3	4,480	96.2	100 IFA tablets consumed	51.7	
14	PW who consumed 180 IFA tablets	6,591	98.2	4,603	98.8	Home Delivery	11.8	
15	Home Delivery against expected delivery *	18	0.2	2	0.0	Institutional Delivery	88.2	
16	Institutional Delivery against expected delivery *	3,568	32.9	2,574	24.1	Home Delivery by SBA	2.2	
17	Home Delivery against reported delivery **	18	0.5	2	0.1	PNC within 2days of delivery	70.5	
18	Institutional Delivery against reported delivery **	3,568	99.5	2,574	99.9			
19	Total reported Deliveries	3,586		2,576				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	100.0	2	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,943	110.0	2,400	93.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	10,570		10,669				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
23	Total reported live births	3,523	33.3	2,549	23.9	Breastfed within 1 hour of birth	58.3	
24	Total Still Birth	69	0.7	29	0.3	BCG	96.2	
25	PC of newborn weighted at birth to live birth	3,520	99.9	2,547	99.9	3 dose of DPT	90.1	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	752	21.4	550	21.6	Measles First dose	90	

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,491	99.1	2,505	98.3	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,766	64.0	4,567	42.8	Full Immunization	74
29	Children who have received BCG	4,124	39.0	2,541	23.8		
30	Children who have received Pentavalent 1	6,870	65.0	4,004	37.5		
31	Children who have received Pentavalent 3	6,767	64.0	3,831	35.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,778	64.1	4,581	42.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	155		457			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	8.3
35	Number of Tubectomies performed	370	350	Spacing	3.7
36	Number of IUD insertion	1,346	504	Women using any method	67
37	Number of IUD removals	201	157	Women using modern method	43.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	188	119		
39	General OPD cases per 10,000 population ***	14,522	11,221		
40	Ayush OPD cases per 10,000 population ***	153	227		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	4	1		
42	Neonatal Deaths within 1 to 28 days	5	0		
43	Total Neonatal Death	9	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	9	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Chirang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,82,162					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	87					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	12,478		12,618			
9	Expected number of Delivery	11,627		11,506			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,178	73.6	5,818	46.1	ANC Check up in first trimester	55.9
11	Mothers registered in the first trimester	8,005	87.2	5,016	86.2	At least 4ANC check up	56.5
12	Mothers who had 4 or more ANC check ups	7,219	78.7	5,222	89.8	Neonatal tetanus received	96.1
13	PW who got TT 2 / Booster injection	8,727	95.1	5,810	99.9	100 IFA tablets consumed	47.1
14	PW who consumed 180 IFA tablets	9,114	99.3	5,785	99.4	Home Delivery	16.3
15	Home Delivery against expected delivery *	894	7.7	436	3.8	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	6,476	55.7	4,437	38.6	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	894	12.1	436	8.9	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	6,476	87.9	4,437	91.1		
19	Total reported Deliveries	7,370		4,873			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	59		10		2.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,877		66.2		4,280 87.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	11,344		11,471			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	7,286		64.2		4,823 42.0 Breastfed within 1 hour of birth 40.5	
24	Total Still Birth	131		1.2		84 0.7 BCG 98.2	
25	PC of newborn weighted at birth to live birth	7,278		99.9		4,821 100.0 3 dose of DPT 86.4	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	929		12.8		522 10.8 Measles First dose 89.3	

27	PC of newborns breastfed within 1 hour to total reported live birth.	7,249	99.5	4,777	99.0	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	8,300	73.2	6,072	52.9	Full Immunization	71.1
29	Children who have received BCG	8,289	73.1	5,985	52.2		
30	Children who have received Pentavalent 1	8,519	75.1	5,785	50.4		
31	Children who have received Pentavalent 3	8,714	76.8	5,808	50.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,314	73.3	6,078	53.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	631		730			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	147	125	Spacing	3.7
36	Number of IUD insertion	1,470	1,110	Women using any method	65.8
37	Number of IUD removals	723	679	Women using modern method	55.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	403	300		
39	General OPD cases per 10,000 population ***	6,797	6,731		
40	Ayush OPD cases per 10,000 population ***	668	608		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	7	3		
42	Neonatal Deaths within 1 to 28 days	17	6		
43	Total Neonatal Death	24	9		
44	Deaths between (1 - 11) months	27	2		
45	Total reported infant deaths	51	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	1		
52	Due to Other/Unknown Causes	5	2		
53	Total reported maternal deaths	10	5		

Darrang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,28,500					
2	Sex Ratio	923					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	159					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	26,275	26,788				
9	Expected number of Delivery	24,484	24,426				
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	21,387	81.4	14,485	54.1	ANC Check up in first trimester	56.5
11	Mothers registered in the first trimester	21,193	99.1	13,908	96.0	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	20,826	97.4	14,252	98.4	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	20,922	97.8	13,459	92.9	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	21,526	100.6	14,539	100.4	Home Delivery	15.6
15	Home Delivery against expected delivery *	131	0.5	52	0.2	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	19,834	81.0	14,208	58.2	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	131	0.7	52	0.4	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	19,834	99.3	14,208	99.6		
19	Total reported Deliveries	19,965		14,260			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	131	100.0	51	98.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,514	127.8	13,026	91.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,886		24,352			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
23	Total reported live births	19,783	82.8	14,132	58.0	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	306	1.3	225	0.9	BCG	94.9
25	PC of newborn weighted at birth to live birth	19,777	100.0	14,122	99.9	3 dose of DPT	76.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,188	11.1	1,750	12.4	Measles First dose	82.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	18,922	95.6	13,762	97.4	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	20,328	85.1	15,024	61.7	Full Immunization	57.1
29	Children who have received BCG	19,219	80.5	13,251	54.4		
30	Children who have received Pentavalent 1	21,063	88.2	13,946	57.3		
31	Children who have received Pentavalent 3	20,653	86.5	13,580	55.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,280	84.9	14,871	61.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,222		2,364			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	11	4	Total unmet need	14.8
35	Number of Tubectomies performed	758	534	Spacing	5.8
36	Number of IUD insertion	2,362	2,143	Women using any method	46.8
37	Number of IUD removals	454	383	Women using modern method	36.5
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	547	304		
39	General OPD cases per 10,000 population ***	8,483	7,618		
40	Ayush OPD cases per 10,000 population ***	529	351		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	2	2		
42	Neonatal Deaths within 1 to 28 days	68	5		
43	Total Neonatal Death	70	7		
44	Deaths between (1 - 11) months	21	2		
45	Total reported infant deaths	91	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	3	1		
53	Total reported maternal deaths	6	2		

Dhemaji Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,86,133					
2	Sex Ratio	949					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	19,583		19,980			
9	Expected number of Delivery	18,247		18,218			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,688	64.8	8,116	40.6	ANC Check up in first trimester	76.2
11	Mothers registered in the first trimester	12,039	94.9	7,653	94.3	At least 4ANC check up	62.2
12	Mothers who had 4 or more ANC check ups	10,533	83.0	7,688	94.7	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	12,037	94.9	7,817	96.3	100 IFA tablets consumed	45.3
14	PW who consumed 180 IFA tablets	12,180	96.0	8,116	100.0	Home Delivery	12.7
15	Home Delivery against expected delivery *	26	0.1	10	0.1	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	13,210	72.4	8,840	48.5	Home Delivery by SBA	4.2
17	Home Delivery against reported delivery **	26	0.2	10	0.1	PNC within 2days of delivery	72.8
18	Institutional Delivery against reported delivery **	13,210	99.8	8,840	99.9		
19	Total reported Deliveries	13,236		8,850			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	61.5	4	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,750	81.2	3,586	40.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,802		18,164			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	13,154	73.9	8,789	48.4	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	168	0.9	117	0.6	BCG	96.7
25	PC of newborn weighted at birth to live birth	13,053	99.2	8,399	95.6	3 dose of DPT	94.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,041	8.0	861	10.3	Measles First dose	93.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	12,556	95.5	7,829	89.1	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	12,841	72.1	9,096	50.1	Full Immunization	89.7
29	Children who have received BCG	13,175	74.0	7,955	43.8		
30	Children who have received Pentavalent 1	12,456	70.0	7,869	43.3		
31	Children who have received Pentavalent 3	12,803	71.9	7,815	43.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,844	72.1	9,150	50.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,025		1,324			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	731	569	Spacing	3.5
36	Number of IUD insertion	1,779	1,508	Women using any method	72.6
37	Number of IUD removals	903	622	Women using modern method	45
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	364	164		
39	General OPD cases per 10,000 population ***	8,112	7,029		
40	Ayush OPD cases per 10,000 population ***	364	249		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	31	9		
42	Neonatal Deaths within 1 to 28 days	53	25		
43	Total Neonatal Death	84	34		
44	Deaths between (1 - 11) months	28	4		
45	Total reported infant deaths	112	38		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	5	0		
53	Total reported maternal deaths	5	0		

Dhubri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,94,144					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	192					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	41,584		42,599			
9	Expected number of Delivery	38,749		38,842			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	44,615	107.3	30,448	71.5	ANC Check up in first trimester	49.9
11	Mothers registered in the first trimester	42,290	94.8	28,656	94.1	At least 4ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	41,216	92.4	28,288	92.9	Neonatal tetanus received	97.0
13	PW who got TT 2 / Booster injection	44,029	98.7	29,568	97.1	100 IFA tablets consumed	47.6
14	PW who consumed 180 IFA tablets	45,271	101.5	30,886	101.4	Home Delivery	35.8
15	Home Delivery against expected delivery *	8,740	22.6	5,712	14.7	Institutional Delivery	64.2
16	Institutional Delivery against expected delivery *	27,252	70.3	19,826	51.0	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	8,740	24.3	5,712	22.4	PNC within 2days of delivery	48.4
18	Institutional Delivery against reported delivery **	27,252	75.7	19,826	77.6		
19	Total reported Deliveries	35,992		25,538			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,780		1,701			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	29,271		20,075			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,804		38,726			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	35,632		25,264		Breastfed within 1 hour of birth	57.9
24	Total Still Birth	814		503		BCG	90.5
25	PC of newborn weighted at birth to live birth	35,457		24,796		3 dose of DPT	82.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,175		3,037		Measles First dose	84

27	PC of newborns breastfed within 1 hour to total reported live birth.	34,738	97.5	24,118	95.5	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	39,578	104.7	28,515	73.6	Full Immunization	71.6
29	Children who have received BCG	39,904	105.6	35,031	90.5		
30	Children who have received Pentavalent 1	40,328	106.7	28,487	73.6		
31	Children who have received Pentavalent 3	40,216	106.4	27,833	71.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	39,597	104.7	28,665	74.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,214		2,305			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	5	Total unmet need	11.5
35	Number of Tubectomies performed	470	362	Spacing	4
36	Number of IUD insertion	4,920	3,372	Women using any method	64.1
37	Number of IUD removals	347	329	Women using modern method	53.2
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	369	308		
39	General OPD cases per 10,000 population ***	6,859	6,401		
40	Ayush OPD cases per 10,000 population ***	595	455		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	55	28		
42	Neonatal Deaths within 1 to 28 days	168	173		
43	Total Neonatal Death	223	201		
44	Deaths between (1 - 11) months	41	7		
45	Total reported infant deaths	264	208		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	5		
52	Due to Other/Unknown Causes	4	6		
53	Total reported maternal deaths	5	13		

Dibrugarh Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,26,335					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	234					
4	Primary Health Centers (PHC)	31					
5	Community Health Centers (CHC)	10					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	34,617		35,033			
9	Expected number of Delivery	32,256		31,944			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,437	53.3	12,423	35.5	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	16,749	90.8	11,253	90.6	At least 4ANC check up	75.6
12	Mothers who had 4 or more ANC check ups	16,183	87.8	11,958	96.3	Neonatal tetanus received	94.1
13	PW who got TT 2 / Booster injection	17,224	93.4	12,164	97.9	100 IFA tablets consumed	58.9
14	PW who consumed 180 IFA tablets	17,756	96.3	11,804	95.0	Home Delivery	6.9
15	Home Delivery against expected delivery *	17	0.1	6	0.0	Institutional Delivery	93.1
16	Institutional Delivery against expected delivery *	22,600	70.1	15,940	49.9	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	17	0.1	6	0.0	PNC within 2days of delivery	82.1
18	Institutional Delivery against reported delivery **	22,600	99.9	15,940	100.0		
19	Total reported Deliveries	22,617		15,946			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	29.4	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,149	89.1	12,246	76.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,470		31,848			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	22,269	70.8	15,774	49.5	Breastfed within 1 hour of birth	52.6
24	Total Still Birth	695	2.2	444	1.4	BCG	97.8
25	PC of newborn weighted at birth to live birth	22,265	100.0	15,772	100.0	3 dose of DPT	93
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,483	20.1	3,355	21.3	Measles First dose	97.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,607	97.0	15,435	97.9	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	19,278	61.3	14,269	44.8	Full Immunization	83.8
29	Children who have received BCG	23,400	74.4	16,029	50.3		
30	Children who have received Pentavalent 1	19,004	60.4	12,173	38.2		
31	Children who have received Pentavalent 3	19,495	61.9	11,983	37.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,281	61.3	14,239	44.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,667		3,191			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	45	60	Total unmet need	8.7
35	Number of Tubectomies performed	2,144	1,752	Spacing	4.8
36	Number of IUD insertion	1,279	991	Women using any method	64.6
37	Number of IUD removals	855	620	Women using modern method	43.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	989	866		
39	General OPD cases per 10,000 population ***	22,178	19,915		
40	Ayush OPD cases per 10,000 population ***	247	234		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	78	24		
42	Neonatal Deaths within 1 to 28 days	322	128		
43	Total Neonatal Death	400	152		
44	Deaths between (1 - 11) months	177	11		
45	Total reported infant deaths	577	163		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	13	2		
47	Due to PPH (Post-Partum Haemorrhage)	NA	2		
48	Due to Pregnancy related infection and sepsis, Fever	9	5		
49	Due to Abortive complication	3	1		
50	Due to Obstructed/prolonged labour	4	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	30	10		
52	Due to Other/Unknown Causes	20	9		
53	Total reported maternal deaths	79	30		

Dima Hasao Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,14,102					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	76					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	5,679		5,756			
9	Expected number of Delivery	5,292		5,248			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,011	70.6	2,836	49.3	ANC Check up in first trimester	58.9
11	Mothers registered in the first trimester	3,171	79.1	2,089	73.7	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	2,409	60.1	1,788	63.0	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	3,519	87.7	2,319	81.8	100 IFA tablets consumed	40.8
14	PW who consumed 180 IFA tablets	3,309	82.5	2,935	103.5	Home Delivery	10.5
15	Home Delivery against expected delivery *	1,105	20.9	747	14.2	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	2,364	44.7	1,759	33.5	Home Delivery by SBA	1.8
17	Home Delivery against reported delivery **	1,105	31.9	747	29.8	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	2,364	68.1	1,759	70.2		
19	Total reported Deliveries	3,469		2,506			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	529	47.9	338	45.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,214	35.0	471	18.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,163		5,233			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,425	66.3	2,470	47.2	Breastfed within 1 hour of birth	58
24	Total Still Birth	74	1.4	51	1.0	BCG	91.3
25	PC of newborn weighted at birth to live birth	3,407	99.5	2,424	98.1	3 dose of DPT	71.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	258	7.6	218	9.0	Measles First dose	71.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,412	99.6	2,376	96.2	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,653	70.8	2,596	49.6	Full Immunization	63.6
29	Children who have received BCG	3,563	69.0	2,501	47.8		
30	Children who have received Pentavalent 1	3,745	72.5	2,570	49.1		
31	Children who have received Pentavalent 3	3,702	71.7	2,486	47.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,648	70.7	2,562	49.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	381		465			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	6	65	Spacing	2.6
36	Number of IUD insertion	149	60	Women using any method	65.5
37	Number of IUD removals	217	111	Women using modern method	44.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	561	569		
39	General OPD cases per 10,000 population ***	7,935	7,625		
40	Ayush OPD cases per 10,000 population ***	457	267		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	10	3		
42	Neonatal Deaths within 1 to 28 days	21	5		
43	Total Neonatal Death	31	8		
44	Deaths between (1 - 11) months	22	5		
45	Total reported infant deaths	53	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	4	0		

Goalpara Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	29,540		30,212			
9	Expected number of Delivery	27,526		27,548			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	26,894	91.0	17,377	57.5	ANC Check up in first trimester	65.3
11	Mothers registered in the first trimester	25,568	95.1	16,559	95.3	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	23,671	88.0	16,643	95.8	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	25,100	93.3	16,592	95.5	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	26,017	96.7	17,256	99.3	Home Delivery	7.7
15	Home Delivery against expected delivery *	739	2.7	503	1.8	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	26,195	95.2	18,450	67.0	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	739	2.7	503	2.7	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	26,195	97.3	18,450	97.3		
19	Total reported Deliveries	26,934		18,953			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	673	91.1	484	96.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24,833	92.2	13,915	73.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,855		27,465			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	26,612	99.1	18,736	68.2	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	581	2.2	351	1.3	BCG	98.4
25	PC of newborn weighted at birth to live birth	26,588	99.9	18,729	100.0	3 dose of DPT	90.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,011	11.3	2,180	11.6	Measles First dose	90.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	26,267	98.7	18,504	98.8	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,785	84.8	17,592	64.1	Full Immunization	70.3
29	Children who have received BCG	24,600	91.6	17,135	62.4		
30	Children who have received Pentavalent 1	23,667	88.1	17,046	62.1		
31	Children who have received Pentavalent 3	23,101	86.0	17,165	62.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,094	86.0	17,465	63.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	971		1,716			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	36	0	Total unmet need	7.4
35	Number of Tubectomies performed	1,306	684	Spacing	2.2
36	Number of IUD insertion	5,539	2,537	Women using any method	66.8
37	Number of IUD removals	1,056	696	Women using modern method	55.1
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	691	377		
39	General OPD cases per 10,000 population ***	8,558	7,806		
40	Ayush OPD cases per 10,000 population ***	755	765		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	106	10		
42	Neonatal Deaths within 1 to 28 days	165	16		
43	Total Neonatal Death	271	26		
44	Deaths between (1 - 11) months	31	0		
45	Total reported infant deaths	302	26		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	4	1		
52	Due to Other/Unknown Causes	2	1		
53	Total reported maternal deaths	7	3		

Golaghat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	143					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	27,797		28,127			
9	Expected number of Delivery	25,902		25,647			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	16,911	60.8	11,584	41.2	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	16,048	94.9	10,976	94.8	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	15,191	89.8	11,408	98.5	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	16,034	94.8	10,916	94.2	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	16,783	99.2	11,647	100.5	Home Delivery	9.6
15	Home Delivery against expected delivery *	65	0.3	9	0.0	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	12,060	46.6	8,948	34.9	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	65	0.5	9	0.1	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	12,060	99.5	8,948	99.9		
19	Total reported Deliveries	12,125		8,957			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	21	32.3	4	44.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,894	81.6	6,033	67.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,270		25,570			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	12,054	47.7	8,850	34.6	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	201	0.8	133	0.5	BCG	92.6
25	PC of newborn weighted at birth to live birth	12,026	99.8	8,847	100.0	3 dose of DPT	84.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,652	13.7	1,443	16.3	Measles First dose	87.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,574	96.0	8,737	98.7	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	15,629	61.8	11,779	46.1	Full Immunization	72.4
29	Children who have received BCG	13,383	53.0	10,496	41.0		
30	Children who have received Pentavalent 1	16,381	64.8	11,718	45.8		
31	Children who have received Pentavalent 3	15,906	62.9	10,813	42.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,712	62.2	11,682	45.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,162		1,580			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	21	6	Total unmet need	10.9
35	Number of Tubectomies performed	793	552	Spacing	4.7
36	Number of IUD insertion	1,287	796	Women using any method	61.6
37	Number of IUD removals	1,323	925	Women using modern method	35.7
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	385	325		
39	General OPD cases per 10,000 population ***	11,825	9,707		
40	Ayush OPD cases per 10,000 population ***	206	306		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	17	28		
42	Neonatal Deaths within 1 to 28 days	65	15		
43	Total Neonatal Death	82	43		
44	Deaths between (1 - 11) months	32	24		
45	Total reported infant deaths	114	67		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	5	2		
53	Total reported maternal deaths	5	2		

Hailakandi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,59,296					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	19,049	19,458				
9	Expected number of Delivery	17,750	17,742				
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	18,707	98.2	13,446	69.1	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	16,663	89.1	11,991	89.2	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	16,534	88.4	11,680	86.9	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	18,042	96.4	12,943	96.3	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	18,562	99.2	13,316	99.0	Home Delivery	17.0
15	Home Delivery against expected delivery *	623	3.5	319	1.8	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	13,764	77.5	9,802	55.2	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	623	4.3	319	3.2	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	13,764	95.7	9,802	96.8		
19	Total reported Deliveries	14,387		10,121			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	345	55.4	144	45.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,908	96.7	4,631	45.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,318		17,689			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
23	Total reported live births	14,195	82.0	10,021	56.7	Breastfed within 1 hour of birth	24.4
24	Total Still Birth	264	1.5	185	1.0	BCG	95.4
25	PC of newborn weighted at birth to live birth	14,195	100.0	10,021	100.0	3 dose of DPT	78.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,432	10.1	762	7.6	Measles First dose	85.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,567	95.6	9,545	95.2	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	17,560	101.4	13,019	73.6	Full Immunization	68.6
29	Children who have received BCG	16,861	97.4	11,153	63.1		
30	Children who have received Pentavalent 1	17,765	102.6	11,912	67.3		
31	Children who have received Pentavalent 3	17,697	102.2	11,846	67.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,560	101.4	13,038	73.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,935		2,457			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	29	0	Total unmet need	8.6
35	Number of Tubectomies performed	407	263	Spacing	4.2
36	Number of IUD insertion	3,861	3,306	Women using any method	66.8
37	Number of IUD removals	437	408	Women using modern method	49.5
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	445	386		
39	General OPD cases per 10,000 population ***	8,802	8,039		
40	Ayush OPD cases per 10,000 population ***	278	155		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	16	0		
42	Neonatal Deaths within 1 to 28 days	30	3		
43	Total Neonatal Death	46	3		
44	Deaths between (1 - 11) months	3	0		
45	Total reported infant deaths	49	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	2	1		

Hojai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,31,218					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	94					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	27,095	27,693				
9	Expected number of Delivery	25,248	25,251				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	23,143	85.4	16,890	61.0	ANC Check up in first trimester	52.7
11	Mothers registered in the first trimester	22,404	96.8	16,307	96.5	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	22,336	96.5	16,352	96.8	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	22,444	97.0	15,863	93.9	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	22,919	99.0	16,342	96.8	Home Delivery	17.9
15	Home Delivery against expected delivery *	891	3.5	506	2.0	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	16,698	66.1	12,404	49.1	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	891	5.1	506	3.9	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	16,698	94.9	12,404	96.1		
19	Total reported Deliveries	17,589		12,910			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	4.3	45	8.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,519	82.5	8,293	64.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,632		25,176			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	17,403	70.7	12,833	51.0	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	210	0.9	90	0.4	BCG	82.1
25	PC of newborn weighted at birth to live birth	17,371	99.8	12,808	99.8	3 dose of DPT	60.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,559	9.0	951	7.4	Measles First dose	59.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,695	95.9	12,234	95.3	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	23,284	94.5	16,975	67.4	Full Immunization	55.5
29	Children who have received BCG	25,528	103.6	16,773	66.6		
30	Children who have received Pentavalent 1	22,538	91.5	16,959	67.4		
31	Children who have received Pentavalent 3	23,249	94.4	16,934	67.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,305	94.6	17,006	67.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	885		1,307			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	247	137	Spacing	4.9
36	Number of IUD insertion	574	237	Women using any method	61.1
37	Number of IUD removals	117	94	Women using modern method	48.2
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	157	115		
39	General OPD cases per 10,000 population ***	4,507	4,783		
40	Ayush OPD cases per 10,000 population ***	109	353		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	4	0		
43	Total Neonatal Death	6	0		
44	Deaths between (1 - 11) months	4	0		
45	Total reported infant deaths	10	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	3	0		

Jorhat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,24,952					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	110					
4	Primary Health Centers (PHC)	36					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	23,408		23,624			
9	Expected number of Delivery	21,812		21,541			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,504	57.7	8,843	37.4	ANC Check up in first trimester	78.3
11	Mothers registered in the first trimester	12,887	95.4	8,217	92.9	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	11,301	83.7	7,727	87.4	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	12,803	94.8	8,260	93.4	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	13,357	98.9	8,838	99.9	Home Delivery	3.5
15	Home Delivery against expected delivery *	20	0.1	7	0.0	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,876	68.2	10,423	48.4	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	20	0.1	7	0.1	PNC within 2days of delivery	81.4
18	Institutional Delivery against reported delivery **	14,876	99.9	10,423	99.9		
19	Total reported Deliveries	14,896		10,430			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	95.0	2	28.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,126	108.3	10,552	101.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,280		21,476			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	14,743	69.3	10,256	47.8	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	268	1.3	227	1.1	BCG	100
25	PC of newborn weighted at birth to live birth	14,525	98.5	10,223	99.7	3 dose of DPT	79.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,050	7.2	846	8.3	Measles First dose	83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	14,218	96.4	10,087	98.4	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	14,196	66.7	10,948	51.0	Full Immunization	69.2
29	Children who have received BCG	14,363	67.5	9,844	45.8		
30	Children who have received Pentavalent 1	14,612	68.7	9,913	46.2		
31	Children who have received Pentavalent 3	14,280	67.1	9,806	45.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,397	67.7	11,006	51.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	170		803			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	15	21	Total unmet need	10.4
35	Number of Tubectomies performed	1,296	804	Spacing	3.2
36	Number of IUD insertion	573	333	Women using any method	63.8
37	Number of IUD removals	173	165	Women using modern method	32.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	678	478		
39	General OPD cases per 10,000 population ***	16,121	13,928		
40	Ayush OPD cases per 10,000 population ***	148	141		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	32	16		
42	Neonatal Deaths within 1 to 28 days	322	181		
43	Total Neonatal Death	354	197		
44	Deaths between (1 - 11) months	130	32		
45	Total reported infant deaths	484	229		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	3	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	3		
52	Due to Other/Unknown Causes	7	6		
53	Total reported maternal deaths	13	13		

Kamrup R Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	15,17,542					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	65					
5	Community Health Centers (CHC)	13					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	41,198		41,844			
9	Expected number of Delivery	38,389		38,154			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	30,542	74.1	20,216	48.3	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	29,534	96.7	19,665	97.3	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	29,088	95.2	19,899	98.4	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	29,045	95.1	19,161	94.8	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	30,422	99.6	20,224	100.0	Home Delivery	15.0
15	Home Delivery against expected delivery *	117	0.3	22	0.1	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	21,293	55.5	15,093	39.6	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	117	0.5	22	0.1	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	21,293	99.5	15,093	99.9		
19	Total reported Deliveries	21,410		15,115			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57	48.7	15	68.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,595	105.5	12,279	81.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	37,453		38,040			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	21,303	56.9	15,049	39.6	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	156	0.4	116	0.3	BCG	90.5
25	PC of newborn weighted at birth to live birth	21,300	100.0	14,917	99.1	3 dose of DPT	86.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,019	9.5	1,505	10.1	Measles First dose	83

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,088	99.0	14,855	98.7	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	28,236	75.4	21,451	56.4	Full Immunization	63.6
29	Children who have received BCG	22,723	60.7	16,639	43.7		
30	Children who have received Pentavalent 1	27,731	74.0	19,084	50.2		
31	Children who have received Pentavalent 3	27,322	73.0	19,377	50.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	28,347	75.7	21,458	56.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	492		792			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	52	27	Total unmet need	17.6
35	Number of Tubectomies performed	1,771	1,192	Spacing	7.7
36	Number of IUD insertion	2,947	1,554	Women using any method	38.7
37	Number of IUD removals	819	603	Women using modern method	32.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	174	150		
39	General OPD cases per 10,000 population ***	9,279	8,719		
40	Ayush OPD cases per 10,000 population ***	1,464	1033		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	7	0		
42	Neonatal Deaths within 1 to 28 days	12	0		
43	Total Neonatal Death	19	0		
44	Deaths between (1 - 11) months	8	0		
45	Total reported infant deaths	27	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	4	0		
53	Total reported maternal deaths	6	1		

Kamrup M Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,53,938					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	48					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	35,271		35,939			
9	Expected number of Delivery	32,866		32,770			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,072	56.9	13,982	38.9	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	17,757	88.5	11,913	85.2	At least 4ANC check up	68.9
12	Mothers who had 4 or more ANC check ups	23,350	116.3	23,040	164.8	Neonatal tetanus received	96.3
13	PW who got TT 2 / Booster injection	19,749	98.4	13,218	94.5	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	19,905	99.2	13,812	98.8	Home Delivery	10.9
15	Home Delivery against expected delivery *	113	0.3	63	0.2	Institutional Delivery	89.1
16	Institutional Delivery against expected delivery *	32,976	100.3	22,965	70.1	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	113	0.3	63	0.3	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	32,976	99.7	22,965	99.7		
19	Total reported Deliveries	33,089		23,028			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	3.5	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,690	80.7	15,687	68.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,064		32,672			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	32,469	101.3	22,791	69.8	Breastfed within 1 hour of birth	53
24	Total Still Birth	800	2.5	542	1.7	BCG	90.6
25	PC of newborn weighted at birth to live birth	31,878	98.2	22,393	98.3	3 dose of DPT	77
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,988	28.2	5,274	23.6	Measles First dose	74.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	31,144	95.9	22,086	96.9	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	22,981	71.7	16,630	50.9	Full Immunization	53.6
29	Children who have received BCG	34,619	108.0	21,034	64.4		
30	Children who have received Pentavalent 1	22,510	70.2	14,999	45.9		
31	Children who have received Pentavalent 3	22,449	70.0	15,310	46.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,332	72.8	15,953	48.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,389		1,298			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	14	25	Total unmet need	8.8
35	Number of Tubectomies performed	3,797	2,066	Spacing	2.5
36	Number of IUD insertion	353	292	Women using any method	56.8
37	Number of IUD removals	694	474	Women using modern method	41.5
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	1602	1156		
39	General OPD cases per 10,000 population ***	16,818	12,238		
40	Ayush OPD cases per 10,000 population ***	1,034	687		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	140	103		
42	Neonatal Deaths within 1 to 28 days	720	447		
43	Total Neonatal Death	860	550		
44	Deaths between (1 - 11) months	420	225		
45	Total reported infant deaths	1,280	775		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	14	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	13		
48	Due to Pregnancy related infection and sepsis, Fever	2	28		
49	Due to Abortive complication	1	7		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	40	17		
52	Due to Other/Unknown Causes	49	16		
53	Total reported maternal deaths	107	82		

Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,60,955						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	115						
4	Primary Health Centers (PHC)	24						
5	Community Health Centers (CHC)	6						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	18,539	18,886					
9	Expected number of Delivery	17,275	17,220					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	14,869	80.2	10,197	54.0	ANC Check up in first trimester	64.8	
11	Mothers registered in the first trimester	11,765	79.1	8,472	83.1	At least 4ANC check up	63.9	
12	Mothers who had 4 or more ANC check ups	10,039	67.5	7,571	74.2	Neonatal tetanus received	90.9	
13	PW who got TT 2 / Booster injection	13,784	92.7	9,086	89.1	100 IFA tablets consumed	35.3	
14	PW who consumed 180 IFA tablets	14,867	100.0	9,489	93.1	Home Delivery	25.1	
15	Home Delivery against expected delivery *	929	5.4	483	2.8	Institutional Delivery	74.9	
16	Institutional Delivery against expected delivery *	10,572	61.2	7,477	43.4	Home Delivery by SBA	3.4	
17	Home Delivery against reported delivery **	929	8.1	483	6.1	PNC within 2days of delivery	56.9	
18	Institutional Delivery against reported delivery **	10,572	91.9	7,477	93.9			
19	Total reported Deliveries	11,501		7,960				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	457	49.2	233	48.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,861	85.7	5,941	74.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	16,854		17,169				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
23	Total reported live births	11,425	67.8	7,896	46.0	Breastfed within 1 hour of birth	50.3	
24	Total Still Birth	136	0.8	133	0.8	BCG	88.7	
25	PC of newborn weighted at birth to live birth	11,424	100.0	7,201	91.2	3 dose of DPT	75.3	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,022	8.9	601	8.3	Measles First dose	76.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,423	100.0	7,187	91.0	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	14,041	83.3	10,576	61.6	Full Immunization	64.3
29	Children who have received BCG	13,618	80.8	9,853	57.4		
30	Children who have received Pentavalent 1	13,617	80.8	9,320	54.3		
31	Children who have received Pentavalent 3	13,515	80.2	9,675	56.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,119	83.8	10,515	61.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	452		767			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	9.3
35	Number of Tubectomies performed	204	237	Spacing	2.4
36	Number of IUD insertion	1,671	1,295	Women using any method	66.3
37	Number of IUD removals	317	170	Women using modern method	41.1
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	383	325		
39	General OPD cases per 10,000 population ***	7,042	6,218		
40	Ayush OPD cases per 10,000 population ***	251	278		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	24	2		
42	Neonatal Deaths within 1 to 28 days	56	1		
43	Total Neonatal Death	80	3		
44	Deaths between (1 - 11) months	21	0		
45	Total reported infant deaths	101	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	2		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	9	0		
53	Total reported maternal deaths	11	2		

Karimganj Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,28,686					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	232					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	35,234		35,965			
9	Expected number of Delivery	32,832		32,793			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	33,771	95.8	24,321	67.6	ANC Check up in first trimester	54.8
11	Mothers registered in the first trimester	31,496	93.3	22,699	93.3	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	31,417	93.0	22,380	92.0	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	32,907	97.4	23,800	97.9	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	33,771	100.0	24,305	99.9	Home Delivery	23.6
15	Home Delivery against expected delivery *	3,137	9.6	1,147	3.5	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	24,904	75.9	18,637	56.8	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	3,137	11.2	1,147	5.8	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	24,904	88.8	18,637	94.2		
19	Total reported Deliveries	28,041		19,784			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,485	47.3	591	51.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8	0.0	311	1.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,031		32,695			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	27,582	86.1	19,467	59.5	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	574	1.8	391	1.2	BCG	95.5
25	PC of newborn weighted at birth to live birth	27,582	100.0	19,077	98.0	3 dose of DPT	84
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,644	9.6	2,945	15.4	Measles First dose	85.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	27,015	97.9	18,535	95.2	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	31,165	97.3	23,242	71.1	Full Immunization	75.1
29	Children who have received BCG	33,078	103.3	21,294	65.1		
30	Children who have received Pentavalent 1	31,672	98.9	22,540	68.9		
31	Children who have received Pentavalent 3	31,060	97.0	22,600	69.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	31,182	97.3	23,153	70.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,988		3,949			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	24	11	Total unmet need	8.6
35	Number of Tubectomies performed	841	902	Spacing	4.2
36	Number of IUD insertion	3,166	3,020	Women using any method	64.3
37	Number of IUD removals	456	355	Women using modern method	54.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	341	283		
39	General OPD cases per 10,000 population ***	7,042	6,393		
40	Ayush OPD cases per 10,000 population ***	192	181		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	25	2		
42	Neonatal Deaths within 1 to 28 days	66	21		
43	Total Neonatal Death	91	23		
44	Deaths between (1 - 11) months	46	8		
45	Total reported infant deaths	137	31		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	3	1		

Kokrajhar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	8,87,142						
2	Sex Ratio	958						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	161						
4	Primary Health Centers (PHC)	46						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	21,487	21,599					
9	Expected number of Delivery	20,022	19,694					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	17,050	79.3	11,561	53.5	ANC Check up in first trimester	67.0	
11	Mothers registered in the first trimester	14,743	86.5	9,649	83.5	At least 4ANC check up	36.9	
12	Mothers who had 4 or more ANC check ups	13,463	79.0	9,871	85.4	Neonatal tetanus received	95.8	
13	PW who got TT 2 / Booster injection	15,981	93.7	10,852	93.9	100 IFA tablets consumed	61.1	
14	PW who consumed 180 IFA tablets	18,039	105.8	11,236	97.2	Home Delivery	18.1	
15	Home Delivery against expected delivery *	602	3.0	219	1.1	Institutional Delivery	81.9	
16	Institutional Delivery against expected delivery *	15,899	79.4	11,390	57.8	Home Delivery by SBA	0.9	
17	Home Delivery against reported delivery **	602	3.6	219	1.9	PNC within 2days of delivery	68.3	
18	Institutional Delivery against reported delivery **	15,899	96.4	11,390	98.1			
19	Total reported Deliveries	16,501		11,609				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	201	33.4	98	44.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,751	77.3	8,711	75.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	19,534		19,635				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
23	Total reported live births	16,491	84.4	11,512	58.6	Breastfed within 1 hour of birth	56.4	
24	Total Still Birth	277	1.4	210	1.1	BCG	95.3	
25	PC of newborn weighted at birth to live birth	16,362	99.2	11,494	99.8	3 dose of DPT	76.2	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,744	16.8	1,212	10.5	Measles First dose	79.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,884	96.3	11,017	95.7	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	15,448	79.1	11,441	58.3	Full Immunization	51.1
29	Children who have received BCG	17,073	87.4	11,816	60.2		
30	Children who have received Pentavalent 1	15,728	80.5	10,338	52.7		
31	Children who have received Pentavalent 3	15,756	80.7	10,615	54.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,466	79.2	11,282	57.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,005		1,429			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	2	Total unmet need	10
35	Number of Tubectomies performed	105	463	Spacing	3.7
36	Number of IUD insertion	1,212	741	Women using any method	72.3
37	Number of IUD removals	847	574	Women using modern method	58

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	446	332		
39	General OPD cases per 10,000 population ***	6,118	5,608		
40	Ayush OPD cases per 10,000 population ***	1,003	785		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	54	16		
42	Neonatal Deaths within 1 to 28 days	178	27		
43	Total Neonatal Death	232	43		
44	Deaths between (1 - 11) months	115	11		
45	Total reported infant deaths	347	54		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	2	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	0		
52	Due to Other/Unknown Causes	8	1		
53	Total reported maternal deaths	14	1		

Lakhimpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,42,137					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	149					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	28,721		29,211			
9	Expected number of Delivery	26,762		26,635			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,596	71.7	13,228	45.3	ANC Check up in first trimester	61.0
11	Mothers registered in the first trimester	19,919	96.7	12,652	95.6	At least 4ANC check up	51.7
12	Mothers who had 4 or more ANC check ups	19,342	93.9	13,044	98.6	Neonatal tetanus received	97.3
13	PW who got TT 2 / Booster injection	20,185	98.0	12,845	97.1	100 IFA tablets consumed	42.2
14	PW who consumed 180 IFA tablets	20,587	100.0	13,164	99.5	Home Delivery	3.8
15	Home Delivery against expected delivery *	30	0.1	12	0.0	Institutional Delivery	96.2
16	Institutional Delivery against expected delivery *	17,862	66.7	12,529	47.0	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	30	0.2	12	0.1	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	17,862	99.8	12,529	99.9		
19	Total reported Deliveries	17,892		12,541			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	76.7	11	91.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,504	114.6	9,812	78.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,110		26,555			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	17,773	68.1	12,463	46.9	Breastfed within 1 hour of birth	59
24	Total Still Birth	225	0.9	128	0.5	BCG	94.5
25	PC of newborn weighted at birth to live birth	17,734	99.8	10,768	86.4	3 dose of DPT	87.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,392	13.5	1,736	16.1	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,013	95.7	9,652	77.4	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	19,938	76.4	14,726	55.5	Full Immunization	69
29	Children who have received BCG	18,952	72.6	11,745	44.2		
30	Children who have received Pentavalent 1	19,840	76.0	13,995	52.7		
31	Children who have received Pentavalent 3	19,445	74.5	13,766	51.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,941	76.4	14,789	55.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,388		1,726			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	11	2	Total unmet need	9.8
35	Number of Tubectomies performed	1,409	964	Spacing	4.5
36	Number of IUD insertion	1,272	823	Women using any method	67.1
37	Number of IUD removals	842	708	Women using modern method	43.6

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	510	422		
39	General OPD cases per 10,000 population ***	9,804	9,186		
40	Ayush OPD cases per 10,000 population ***	237	182		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	15	3		
42	Neonatal Deaths within 1 to 28 days	83	4		
43	Total Neonatal Death	98	7		
44	Deaths between (1 - 11) months	4	2		
45	Total reported infant deaths	102	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	11	0		
53	Total reported maternal deaths	12	1		

Majuli Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	4,234		4,273			
9	Expected number of Delivery	3,945		3,896			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,927	69.1	2,060	48.2	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	2,710	92.6	1,769	85.9	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,772	94.7	1,889	91.7	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	2,626	89.7	1,834	89.0	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	2,912	99.5	1,993	96.7	Home Delivery	9.7
15	Home Delivery against expected delivery *	8	0.2	10	0.3	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,274	32.3	1,090	28.0	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	8	0.6	10	0.9	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,274	99.4	1,090	99.1		
19	Total reported Deliveries	1,282		1,100			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	62.5	4	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,396	108.9	1,048	95.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,849		3,885			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,269	33.0	1,096	28.2	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	14	0.4	8	0.2	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,261	99.4	1,095	99.9	3 dose of DPT	86.4

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	170	13.5	110	10.0	Measles First dose	90.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,189	93.7	1,011	92.2	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	3,033	78.8	1,959	50.4	Full Immunization	78.6
29	Children who have received BCG	1,377	35.8	1,173	30.2		
30	Children who have received Pentavalent 1	3,137	81.5	1,814	46.7		
31	Children who have received Pentavalent 3	3,078	80.0	1,709	44.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,052	79.3	1,933	49.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	97		415			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.6
35	Number of Tubectomies performed	36	32	Spacing	4.7
36	Number of IUD insertion	392	172	Women using any method	63.7
37	Number of IUD removals	97	76	Women using modern method	31.3

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	533	323		
39	General OPD cases per 10,000 population ***	14,080	13,486		
40	Ayush OPD cases per 10,000 population ***	907	1130		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	7	3		
43	Total Neonatal Death	9	3		
44	Deaths between (1 - 11) months	9	0		
45	Total reported infant deaths	18	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Morigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,57,423					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	122					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	28,250		28,910			
9	Expected number of Delivery	26,324		26,361			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	22,022	78.0	14,599	50.5	ANC Check up in first trimester	64.0
11	Mothers registered in the first trimester	20,091	91.2	13,227	90.6	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	18,841	85.6	12,779	87.5	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	20,946	95.1	13,895	95.2	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	21,811	99.0	14,581	99.9	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,218	4.6	247	0.9	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,296	54.3	10,352	39.3	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	1,218	7.9	247	2.3	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,296	92.1	10,352	97.7		
19	Total reported Deliveries	15,514		10,599			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	538	44.2	104	42.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,449	112.5	7,956	75.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,681		26,282			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	15,423	60.1	10,582	40.3	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	172	0.7	80	0.3	BCG	91.3
25	PC of newborn weighted at birth to live birth	15,332	99.4	10,412	98.4	3 dose of DPT	87.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,184	14.2	1,594	15.3	Measles First dose	87
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,850	96.3	10,171	96.1	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	20,157	78.5	14,380	54.7	Full Immunization	73.4
29	Children who have received BCG	19,877	77.4	12,996	49.4		
30	Children who have received Pentavalent 1	19,988	77.8	13,663	52.0		
31	Children who have received Pentavalent 3	19,547	76.1	13,513	51.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,152	78.5	14,387	54.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	469		2,460			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	37	10	Total unmet need	6.5
35	Number of Tubectomies performed	719	481	Spacing	1.9
36	Number of IUD insertion	2,088	1,777	Women using any method	70.6
37	Number of IUD removals	256	315	Women using modern method	56.7

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	306	268		
39	General OPD cases per 10,000 population ***	7,552	6,047		
40	Ayush OPD cases per 10,000 population ***	229	336		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	5	5		
42	Neonatal Deaths within 1 to 28 days	55	13		
43	Total Neonatal Death	60	18		
44	Deaths between (1 - 11) months	15	3		
45	Total reported infant deaths	75	21		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	4	0		

Nagaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	18,92,550					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	258					
4	Primary Health Centers (PHC)	72					
5	Community Health Centers (CHC)	13					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	55,066		56,282			
9	Expected number of Delivery	51,312		51,319			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	40,925	74.3	28,030	49.8	ANC Check up in first trimester	73.1
11	Mothers registered in the first trimester	35,442	86.6	24,078	85.9	At least 4ANC check up	59.4
12	Mothers who had 4 or more ANC check ups	37,872	92.5	26,910	96.0	Neonatal tetanus received	97.1
13	PW who got TT 2 / Booster injection	37,406	91.4	27,175	96.9	100 IFA tablets consumed	46.5
14	PW who consumed 180 IFA tablets	34,908	85.3	27,222	97.1	Home Delivery	16.3
15	Home Delivery against expected delivery *	1,451	2.8	559	1.1	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	38,767	75.6	29,305	57.1	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	1,451	3.6	559	1.9	PNC within 2days of delivery	62.0
18	Institutional Delivery against reported delivery **	38,767	96.4	29,305	98.1		
19	Total reported Deliveries	40,218		29,864			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	320		53			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	28,868		16,799			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	50,060		51,166			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	39,517		29,519		Breastfed within 1 hour of birth	61.6
24	Total Still Birth	927		468		BCG	86.9
25	PC of newborn weighted at birth to live birth	39,073		29,472		3 dose of DPT	73.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,898	15.1	4,916	16.7	Measles First dose	67.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	36,521	92.4	27,329	92.6	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	36,962	73.8	27,721	54.2	Full Immunization	58.2
29	Children who have received BCG	39,649	79.2	28,159	55.0		
30	Children who have received Pentavalent 1	37,767	75.4	26,860	52.5		
31	Children who have received Pentavalent 3	37,278	74.5	26,442	51.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,985	73.9	27,819	54.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,999		4,010			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	9	0	Total unmet need	12.3
35	Number of Tubectomies performed	1,096	863	Spacing	3.1
36	Number of IUD insertion	1,881	1,087	Women using any method	58.6
37	Number of IUD removals	335	301	Women using modern method	46.8

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	486	327		
39	General OPD cases per 10,000 population ***	7,948	7,206		
40	Ayush OPD cases per 10,000 population ***	384	218		

G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	118	41		
42	Neonatal Deaths within 1 to 28 days	218	104		
43	Total Neonatal Death	336	145		
44	Deaths between (1 - 11) months	65	18		
45	Total reported infant deaths	401	163		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	7	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	1		
52	Due to Other/Unknown Causes	7	5		
53	Total reported maternal deaths	16	8		

Nalbari Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,71,639					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	124					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	11					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	20,074		20,309			
9	Expected number of Delivery	18,705		18,518			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,207	60.8	7,869	38.7	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	11,570	94.8	7,495	95.2	At least 4ANC check up	55.9
12	Mothers who had 4 or more ANC check ups	10,956	89.8	7,308	92.9	Neonatal tetanus received	92.8
13	PW who got TT 2 / Booster injection	11,751	96.3	7,721	98.1	100 IFA tablets consumed	38.6
14	PW who consumed 180 IFA tablets	12,190	99.9	7,910	100.5	Home Delivery	8.2
15	Home Delivery against expected delivery *	275	1.5	135	0.7	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	11,583	61.9	7,512	40.6	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	275	2.3	135	1.8	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	11,583	97.7	7,512	98.2		
19	Total reported Deliveries	11,858		7,647			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	237	86.2	135	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,514	80.2	6,541	85.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,249		18,463			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	11,830	64.8	7,704	41.7	Breastfed within 1 hour of birth	41.8
24	Total Still Birth	109	0.6	41	0.2	BCG	89.9
25	PC of newborn weighted at birth to live birth	11,815	99.9	7,641	99.2	3 dose of DPT	85.2

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,590	13.5	1,059	13.9	Measles First dose	87.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,605	98.1	7,412	96.2	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	13,261	72.7	10,580	57.3	Full Immunization	65.5
29	Children who have received BCG	12,455	68.3	8,219	44.5		
30	Children who have received Pentavalent 1	13,086	71.7	9,191	49.8		
31	Children who have received Pentavalent 3	12,680	69.5	8,960	48.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,673	69.4	9,825	53.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	911		810			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	9	12	Total unmet need	13.2
35	Number of Tubectomies performed	1,249	442	Spacing	4.8
36	Number of IUD insertion	1,720	1,094	Women using any method	53.3
37	Number of IUD removals	817	299	Women using modern method	38.7

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	313	200		
39	General OPD cases per 10,000 population ***	9,719	8,693		
40	Ayush OPD cases per 10,000 population ***	1,700	1619		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	15	0		
42	Neonatal Deaths within 1 to 28 days	78	10		
43	Total Neonatal Death	93	10		
44	Deaths between (1 - 11) months	30	0		
45	Total reported infant deaths	123	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	3	1		

Sivasagar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,92,435					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	27					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	17,555		17,719			
9	Expected number of Delivery	16,358		16,157			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,247	52.7	5,861	33.1	ANC Check up in first trimester	85.1
11	Mothers registered in the first trimester	8,613	93.1	5,412	92.3	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	8,279	89.5	5,423	92.5	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	9,108	98.5	5,705	97.3	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	8,954	96.8	5,628	96.0	Home Delivery	4.7
15	Home Delivery against expected delivery *	0	0.0	2	0.0	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	7,628	46.6	5,127	31.7	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	0	0.0	2	0.0	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	7,628	100.0	5,127	100.0		
19	Total reported Deliveries	7,628		5,129			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,948	78.0	3,931	76.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,959		16,108			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	7,555	47.3	5,080	31.5	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	106	0.7	69	0.4	BCG	95.7
25	PC of newborn weighted at birth to live birth	7,531	99.7	5,072	99.8	3 dose of DPT	90.5

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,247	16.6	840	16.6	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,219	95.6	4,887	96.2	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,318	58.4	6,643	41.2	Full Immunization	77.6
29	Children who have received BCG	7,675	48.1	5,096	31.6		
30	Children who have received Pentavalent 1	9,054	56.7	5,985	37.2		
31	Children who have received Pentavalent 3	9,212	57.7	5,880	36.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,319	58.4	6,695	41.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	380		709			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	5	Total unmet need	8.3
35	Number of Tubectomies performed	662	608	Spacing	3.2
36	Number of IUD insertion	293	507	Women using any method	67.3
37	Number of IUD removals	518	440	Women using modern method	39.5

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	394	276		
39	General OPD cases per 10,000 population ***	12,172	10,635		
40	Ayush OPD cases per 10,000 population ***	286	339		

G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	11	14		
42	Neonatal Deaths within 1 to 28 days	9	3		
43	Total Neonatal Death	20	17		
44	Deaths between (1 - 11) months	3	1		
45	Total reported infant deaths	23	18		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	1		
53	Total reported maternal deaths	3	1		

Sonitpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	35,608		36,166			
9	Expected number of Delivery	33,180		32,976			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,928	56.0	13,201	36.5	ANC Check up in first trimester	48.8
11	Mothers registered in the first trimester	18,582	93.2	11,859	89.8	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	16,276	81.7	11,978	90.7	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	18,713	93.9	12,198	92.4	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	19,811	99.4	13,064	99.0	Home Delivery	16.5
15	Home Delivery against expected delivery *	1,038	3.1	405	1.2	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	22,450	67.7	15,979	48.5	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	1,038	4.4	405	2.5	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	22,450	95.6	15,979	97.5		
19	Total reported Deliveries	23,488		16,384			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	119		75			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,173		7,828			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,371		32,878			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
23	Total reported live births	23,172		16,279		Breastfed within 1 hour of birth	49.8
24	Total Still Birth	404		261		BCG	90.4
25	PC of newborn weighted at birth to live birth	22,912		16,173		3 dose of DPT	76.8

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,108	13.6	1,938	12.0	Measles First dose	80.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,719	93.7	15,384	94.5	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	19,483	60.2	13,881	42.2	Full Immunization	70.9
29	Children who have received BCG	25,494	78.8	17,275	52.5		
30	Children who have received Pentavalent 1	19,300	59.6	12,841	39.1		
31	Children who have received Pentavalent 3	19,688	60.8	12,497	38.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,483	60.2	13,881	42.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	329		705			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	39	6	Total unmet need	5.8
35	Number of Tubectomies performed	1,096	877	Spacing	2
36	Number of IUD insertion	1,090	778	Women using any method	74.4
37	Number of IUD removals	362	207	Women using modern method	58.9

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	437	368		
39	General OPD cases per 10,000 population ***	9,431	7,551		
40	Ayush OPD cases per 10,000 population ***	418	303		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	55	15		
42	Neonatal Deaths within 1 to 28 days	266	85		
43	Total Neonatal Death	321	100		
44	Deaths between (1 - 11) months	118	36		
45	Total reported infant deaths	439	136		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	5	3		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	2		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	23	15		
53	Total reported maternal deaths	29	21		

South Salmara Mancachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	16,558		16,962			
9	Expected number of Delivery	15,429		15,466			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,835	77.5	8,965	52.9	ANC Check up in first trimester	60.1
11	Mothers registered in the first trimester	10,827	84.4	7,827	87.3	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	10,251	79.9	7,467	83.3	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,465	89.3	8,794	98.1	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	12,829	100.0	8,886	99.1	Home Delivery	28.3
15	Home Delivery against expected delivery *	4,318	28.0	2,540	16.4	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	6,385	41.4	4,450	28.8	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	4,318	40.3	2,540	36.3	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	6,385	59.7	4,450	63.7		
19	Total reported Deliveries	10,703		6,990			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,058		777			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,854		4,212			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,053		15,420			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	10,551		6,884		Breastfed within 1 hour of birth	50.4
24	Total Still Birth	226		141		BCG	97
25	PC of newborn weighted at birth to live birth	10,529		6,854		3 dose of DPT	81.9

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	876	8.3	517	7.5	Measles First dose	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,415	98.7	6,605	95.9	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	10,934	72.6	8,395	54.4	Full Immunization	65.8
29	Children who have received BCG	11,494	76.4	7,558	49.0		
30	Children who have received Pentavalent 1	11,826	78.6	8,011	52.0		
31	Children who have received Pentavalent 3	11,682	77.6	8,096	52.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,934	72.6	8,408	54.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	751		1,945			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	0	0	Spacing	1.7
36	Number of IUD insertion	1,094	421	Women using any method	71.5
37	Number of IUD removals	82	69	Women using modern method	60.8

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	154	81		
39	General OPD cases per 10,000 population ***	4,225	4,291		
40	Ayush OPD cases per 10,000 population ***	850	670		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	20	4		
42	Neonatal Deaths within 1 to 28 days	42	14		
43	Total Neonatal Death	62	18		
44	Deaths between (1 - 11) months	19	7		
45	Total reported infant deaths	81	25		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	3	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	0		
52	Due to Other/Unknown Causes	6	0		
53	Total reported maternal deaths	11	1		

Tinsukia Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,27,929					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	166					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	35,600		36,117			
9	Expected number of Delivery	33,173		32,932			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,330	57.1	14,151	39.2	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	18,211	89.6	12,259	86.6	At least 4ANC check up	63.1
12	Mothers who had 4 or more ANC check ups	18,757	92.3	13,804	97.5	Neonatal tetanus received	93.9
13	PW who got TT 2 / Booster injection	19,374	95.3	13,479	95.3	100 IFA tablets consumed	43.8
14	PW who consumed 180 IFA tablets	20,212	99.4	14,013	99.0	Home Delivery	17.4
15	Home Delivery against expected delivery *	472	1.4	82	0.2	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	19,151	57.7	13,550	41.1	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	472	2.4	82	0.6	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	19,151	97.6	13,550	99.4		
19	Total reported Deliveries	19,623		13,632			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	123	26.1	26	31.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,727	110.7	13,952	102.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,364		32,833			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	19,489	60.2	13,556	41.3	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	263	0.8	169	0.5	BCG	97.2
25	PC of newborn weighted at birth to live birth	19,489	100.0	13,483	99.5	3 dose of DPT	92.7

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,161	16.2	2,204	16.3	Measles First dose	95.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,019	97.6	12,936	95.4	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	20,823	64.3	14,929	45.5	Full Immunization	75
29	Children who have received BCG	19,986	61.8	12,822	39.1		
30	Children who have received Pentavalent 1	20,395	63.0	13,362	40.7		
31	Children who have received Pentavalent 3	20,481	63.3	13,109	39.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,825	64.3	15,118	46.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,291		2,162			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	300	73	Total unmet need	11
35	Number of Tubectomies performed	2,712	1,637	Spacing	4.4
36	Number of IUD insertion	1,179	781	Women using any method	59.2
37	Number of IUD removals	1,073	866	Women using modern method	36.5

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	644	485		
39	General OPD cases per 10,000 population ***	13,031	11,613		
40	Ayush OPD cases per 10,000 population ***	133	79		

G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	23	4		
42	Neonatal Deaths within 1 to 28 days	56	13		
43	Total Neonatal Death	79	17		
44	Deaths between (1 - 11) months	28	5		
45	Total reported infant deaths	107	22		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	2		
52	Due to Other/Unknown Causes	9	4		
53	Total reported maternal deaths	11	7		

Udalguri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	21,174		21,381			
9	Expected number of Delivery	19,730		19,495			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,984	61.3	8,580	40.1	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	11,840	91.2	7,734	90.1	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	10,285	79.2	7,546	87.9	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	11,821	91.0	8,006	93.3	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	12,548	96.6	8,665	101.0	Home Delivery	13.8
15	Home Delivery against expected delivery *	125	0.6	19	0.1	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	6,071	30.8	4,128	21.2	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	125	2.0	19	0.5	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	6,071	98.0	4,128	99.5		
19	Total reported Deliveries	6,196		4,147			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	51		5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,819		126.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,249		19,437			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,131		4,115		Breastfed within 1 hour of birth	46.5
24	Total Still Birth	98		54		BCG	78.6
25	PC of newborn weighted at birth to live birth	6,096		99.4		3 dose of DPT	68

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	833	13.7	598	14.6	Measles First dose	75.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,932	96.8	4,012	97.5	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	12,286	63.8	8,965	46.1	Full Immunization	38.3
29	Children who have received BCG	8,895	46.2	5,380	27.7		
30	Children who have received Pentavalent 1	12,368	64.3	8,213	42.3		
31	Children who have received Pentavalent 3	12,314	64.0	7,888	40.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,286	63.8	8,944	46.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	499		944			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	227	51	Spacing	6.4
36	Number of IUD insertion	1,000	1,111	Women using any method	50.2
37	Number of IUD removals	942	703	Women using modern method	36.2

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	360	272		
39	General OPD cases per 10,000 population ***	9,698	8,971		
40	Ayush OPD cases per 10,000 population ***	735	288		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	18	3		
42	Neonatal Deaths within 1 to 28 days	32	4		
43	Total Neonatal Death	50	7		
44	Deaths between (1 - 11) months	41	7		
45	Total reported infant deaths	91	14		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	7	1		
53	Total reported maternal deaths	10	3		

West Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,95,358					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	8,285		8,439			
9	Expected number of Delivery	7,720		7,695			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,974	84.2	4,578	54.2	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	5,278	75.7	3,331	72.8	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	4,091	58.7	2,931	64.0	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	6,447	92.4	4,109	89.8	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	6,933	99.4	4,572	99.9	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,395	18.1	1,149	14.9	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	3,206	41.5	2,157	28.0	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,395	30.3	1,149	34.8	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	3,206	69.7	2,157	65.2		
19	Total reported Deliveries	4,601		3,306			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	193		142			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,107		1,368			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,531		7,672			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	4,519		3,249		Breastfed within 1 hour of birth	56.2
24	Total Still Birth	98		71		BCG	92.7
25	PC of newborn weighted at birth to live birth	4,436		3,248		3 dose of DPT	70.3

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	149	3.4	96	3.0	Measles First dose	66.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,400	97.4	3,235	99.6	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,774	89.9	4,726	61.6	Full Immunization	47.9
29	Children who have received BCG	6,647	88.3	4,168	54.3		
30	Children who have received Pentavalent 1	6,552	87.0	4,305	56.1		
31	Children who have received Pentavalent 3	6,511	86.5	4,261	55.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,771	89.9	4,734	61.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	303		322			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	7.1
35	Number of Tubectomies performed	0	37	Spacing	3.2
36	Number of IUD insertion	982	584	Women using any method	69.9
37	Number of IUD removals	171	141	Women using modern method	43.3

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	244	179		
39	General OPD cases per 10,000 population ***	3,573	3,074		
40	Ayush OPD cases per 10,000 population ***	573	495		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	4	3		
43	Total Neonatal Death	6	3		
44	Deaths between (1 - 11) months	15	3		
45	Total reported infant deaths	21	6		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	3	0		