

Manipur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	28,55,794					
2	Sex Ratio	987					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	416					
4	Primary Health Centers (PHC)	95					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	7					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	49,935		50,702			
9	Expected number of Delivery	45,941		46,646			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	58,173	116.5	45,851	90.4	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	32,080	55.1	21,737	47.4	At least 4ANC check up	79.4
12	Mothers who had 4 or more ANC check ups	29,640	51.0	27,789	60.6	Neonatal tetanus received	88.9
13	PW who got TT 2 / Booster injection	31,757	54.6	22,618	49.3	100 IFA tablets consumed	52.3
14	PW who consumed 180 IFA tablets	19,298	33.2	19,536	42.6	Home Delivery	20.1
15	Home Delivery against expected delivery *	5,637	12.3	3,059	6.6	Institutional Delivery	79.9
16	Institutional Delivery against expected delivery *	29,265	63.7	21,474	46.0	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	5,637	16.2	3,059	12.5	PNC within 2days of delivery	73.4
18	Institutional Delivery against reported delivery **	29,265	83.8	21,474	87.5		
19	Total reported Deliveries	34,902		24,533			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,284	58.3	1,733	56.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,855	19.6	3,198	13.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	45,396		46,093			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	34,955	77.0	24,759	53.7	Breastfed within 1 hour of birth	53.7
24	Total Still Birth	178	0.4	135	0.3	BCG	95.4
25	PC of newborn weighted at birth to live birth	34,523	98.8	24,191	97.7	3 dose of DPT	81.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,527	4.4	1,360	5.6	Measles First dose	76.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	28,492	81.5	18,825	76.0	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	33,688	74.2	27,425	59.5	Full Immunization	68.8
29	Children who have received BCG	42,946	94.6	29,474	63.9		
30	Children who have received Pentavalent 1	41,169	90.7	28,629	62.1		
31	Children who have received Pentavalent 3	37,238	82.0	27,431	59.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	34,783	76.6	26,903	58.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,680		4,805			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	16	13	Total unmet need	12.2
35	Number of Tubectomies performed	265	219	Spacing	4.7
36	Number of IUD insertion	1,714	1,166	Women using any method	61.3
37	Number of IUD removals	1,365	939	Women using modern method	18.2
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	251	214		
39	General OPD cases per 10,000 population ***	5740	4166		
40	Ayush OPD cases per 10,000 population ***	264	224		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	33	27		
42	Neonatal Deaths within 1 to 28 days	49	17		
43	Total Neonatal Death	82	44		
44	Deaths between (1 - 11) months	38	17		
45	Total reported infant deaths	120	61		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	11	4		
53	Total reported maternal deaths	13	7		

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	4,225		4,290			
9	Expected number of Delivery	3,887		3,947			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,456	105.5	3,122	72.8	ANC Check up in first trimester	84.2
11	Mothers registered in the first trimester	3,480	78.1	2,289	73.3	At least 4ANC check up	77.4
12	Mothers who had 4 or more ANC check ups	3,246	72.8	3,737	119.7	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	2,845	63.8	1,906	61.1	100 IFA tablets consumed	57.4
14	PW who consumed 180 IFA tablets	1,481	33.2	2,774	88.9	Home Delivery	10.5
15	Home Delivery against expected delivery *	71	1.8	14	0.4	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	341	8.8	471	11.9	Home Delivery by SBA	3.1
17	Home Delivery against reported delivery **	71	17.2	14	2.9	PNC within 2days of delivery	79.0
18	Institutional Delivery against reported delivery **	341	82.8	471	97.1		
19	Total reported Deliveries	412		485			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	44	62.0	1	7.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	0.2	391	80.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,841		3,900			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	410	10.7	481	12.3	Breastfed within 1 hour of birth	48.1
24	Total Still Birth	5	0.1	5	0.1	BCG	96.1
25	PC of newborn weighted at birth to live birth	408	99.5	480	99.8	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	2.7	14	2.9	Measles First dose	70.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	399	97.3	474	98.5	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,180	82.8	2,614	67.0	Full Immunization	66.6
29	Children who have received BCG	1,948	50.7	1,358	34.8		
30	Children who have received Pentavalent 1	3,550	92.4	2,645	67.8		
31	Children who have received Pentavalent 3	3,234	84.2	2,577	66.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,184	82.9	2,626	67.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,164		882			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20
35	Number of Tubectomies performed	1	1	Spacing	5.7
36	Number of IUD insertion	140	68	Women using any method	46.3
37	Number of IUD removals	128	93	Women using modern method	21.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	93	129		
39	General OPD cases per 10,000 population ***	8745	8219		
40	Ayush OPD cases per 10,000 population ***	533	443		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	1	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,44,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	1,318		1,338			
9	Expected number of Delivery	1,213		1,231			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,239	94.0	729	54.5	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	726	58.6	512	70.2	At least 4ANC check up	66.6
12	Mothers who had 4 or more ANC check ups	387	31.2	163	22.4	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	496	40.0	320	43.9	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	454	36.6	781	107.1	Home Delivery	44.5
15	Home Delivery against expected delivery *	226	18.6	50	4.1	Institutional Delivery	55.5
16	Institutional Delivery against expected delivery *	368	30.3	296	24.0	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	226	38.0	50	14.5	PNC within 2days of delivery	55.0
18	Institutional Delivery against reported delivery **	368	62.0	296	85.5		
19	Total reported Deliveries	594		346			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	192	85.0	40	80.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	360	60.6	234	67.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,198		1,217			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	591	49.3	347	28.5	Breastfed within 1 hour of birth	55.1
24	Total Still Birth	3	0.3	2	0.2	BCG	96.5
25	PC of newborn weighted at birth to live birth	588	99.5	347	100.0	3 dose of DPT	76.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	2.0	10	2.9	Measles First dose	60.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	515	87.1	288	83.0	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	676	56.4	503	41.3	Full Immunization	55.5
29	Children who have received BCG	775	64.7	503	41.3		
30	Children who have received Pentavalent 1	877	73.2	510	41.9		
31	Children who have received Pentavalent 3	768	64.1	428	35.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	676	56.4	494	40.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	127		119			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11
35	Number of Tubectomies performed	3	3	Spacing	4.8
36	Number of IUD insertion	24	30	Women using any method	56.6
37	Number of IUD removals	15	7	Women using modern method	23.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	144	137		
39	General OPD cases per 10,000 population ***	3454	2496		
40	Ayush OPD cases per 10,000 population ***	79	52		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	2	3		
43	Total Neonatal Death	2	3		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	4,103		4,166			
9	Expected number of Delivery	3,775		3,833			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,652	162.1	4,511	108.3	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,357	50.5	1,586	35.2	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	2,426	36.5	1,455	32.3	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	2,810	42.2	1,827	40.5	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	1,478	22.2	1,424	31.6	Home Delivery	27.1
15	Home Delivery against expected delivery *	390	10.3	131	3.4	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	3,910	103.6	2,701	70.5	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	390	9.1	131	4.6	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	3,910	90.9	2,701	95.4		
19	Total reported Deliveries	4,300		2,832			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	95	24.4	30	22.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	65	1.5	8	0.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,730		3,788			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,273	114.5	2,819	74.4	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	27	0.7	29	0.8	BCG	88.9
25	PC of newborn weighted at birth to live birth	4,268	99.9	2,807	99.6	3 dose of DPT	76.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	149	3.5	191	6.8	Measles First dose	71.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,526	82.5	2,471	87.7	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	2,945	78.9	2,867	75.7	Full Immunization	64.9
29	Children who have received BCG	3,782	101.4	3,036	80.2		
30	Children who have received Pentavalent 1	3,971	106.5	3,413	90.1		
31	Children who have received Pentavalent 3	3,280	87.9	3,202	84.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,014	80.8	2,734	72.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,952		415			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	1	0	Total unmet need 8.7
35	Number of Tubectomies performed	28	21	Spacing 4.2
36	Number of IUD insertion	417	337	Women using any method 61.8
37	Number of IUD removals	297	245	Women using modern method 22.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	663	509	
39	General OPD cases per 10,000 population ***	7319	4954	
40	Ayush OPD cases per 10,000 population ***	52	39	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	20	11	
42	Neonatal Deaths within 1 to 28 days	34	0	
43	Total Neonatal Death	54	11	
44	Deaths between (1 - 11) months	16	2	
45	Total reported infant deaths	70	13	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	1	
48	Due to Pregnancy related infection and sepsis, Fever	0	1	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	2	3	
53	Total reported maternal deaths	2	5	

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	44					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	8,241		8,368			
9	Expected number of Delivery	7,582		7,698			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,973	84.6	11,930	142.6	ANC Check up in first trimester	78.6
11	Mothers registered in the first trimester	4,100	58.8	4,924	41.3	At least 4ANC check up	87.1
12	Mothers who had 4 or more ANC check ups	2,319	33.3	3,629	30.4	Neonatal tetanus received	89.1
13	PW who got TT 2 / Booster injection	3,858	55.3	3,194	26.8	100 IFA tablets consumed	55.8
14	PW who consumed 180 IFA tablets	2,845	40.8	3,055	25.6	Home Delivery	8.3
15	Home Delivery against expected delivery *	22	0.3	85	1.1	Institutional Delivery	91.7
16	Institutional Delivery against expected delivery *	5,513	72.7	4,619	60.0	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	22	0.4	85	1.8	PNC within 2days of delivery	85.4
18	Institutional Delivery against reported delivery **	5,513	99.6	4,619	98.2		
19	Total reported Deliveries	5,535		4,704			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	72.7	62	72.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,866	51.8	671	14.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,492		7,607			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,516	73.6	4,751	62.5	Breastfed within 1 hour of birth	47.4
24	Total Still Birth	33	0.4	38	0.5	BCG	100
25	PC of newborn weighted at birth to live birth	5,505	99.8	4,664	98.2	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	109	2.0	62	1.3	Measles First dose	81.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,475	99.3	4,219	88.8	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	5,112	68.2	5,028	66.1	Full Immunization	76.2
29	Children who have received BCG	6,162	82.2	4,802	63.1		
30	Children who have received Pentavalent 1	6,285	83.9	4,641	61.0		
31	Children who have received Pentavalent 3	5,841	78.0	4,420	58.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,510	73.5	4,723	62.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	251		285			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.7
35	Number of Tubectomies performed	17	19	Spacing	5.4
36	Number of IUD insertion	142	75	Women using any method	50.1
37	Number of IUD removals	131	79	Women using modern method	16.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	58	84		
39	General OPD cases per 10,000 population ***	4013	3223		
40	Ayush OPD cases per 10,000 population ***	246	224		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	1	3		
42	Neonatal Deaths within 1 to 28 days	0	5		
43	Total Neonatal Death	1	8		
44	Deaths between (1 - 11) months	0	7		
45	Total reported infant deaths	1	15		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	3	0		
53	Total reported maternal deaths	3	0		

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,17,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	9,359		9,503			
9	Expected number of Delivery	8,610		8,743			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,761	125.7	8,043	84.6	ANC Check up in first trimester	83.2
11	Mothers registered in the first trimester	7,350	62.5	4,383	54.5	At least 4ANC check up	93.4
12	Mothers who had 4 or more ANC check ups	10,281	87.4	11,893	147.9	Neonatal tetanus received	92.7
13	PW who got TT 2 / Booster injection	6,756	57.4	5,242	65.2	100 IFA tablets consumed	60.9
14	PW who consumed 180 IFA tablets	2,934	24.9	3,050	37.9	Home Delivery	4.3
15	Home Delivery against expected delivery *	110	1.3	74	0.8	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	12,010	139.5	8,277	94.7	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	110	0.9	74	0.9	PNC within 2days of delivery	90.8
18	Institutional Delivery against reported delivery **	12,010	99.1	8,277	99.1		
19	Total reported Deliveries	12,120		8,351			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	100	90.9	70	94.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	0.0	62	0.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,508		8,639			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	12,233	143.8	8,511	98.5	Breastfed within 1 hour of birth	62.6
24	Total Still Birth	50	0.6	28	0.3	BCG	94.7
25	PC of newborn weighted at birth to live birth	12,178	99.6	8,530	100.2	3 dose of DPT	94.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,066	8.8	932	10.9	Measles First dose	88.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,130	66.5	5,440	63.9	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	6,495	76.3	5,071	58.7	Full Immunization	74.1
29	Children who have received BCG	13,564	159.4	9,249	107.1		
30	Children who have received Pentavalent 1	7,375	86.7	5,055	58.5		
31	Children who have received Pentavalent 3	6,943	81.6	5,023	58.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,635	78.0	5,037	58.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	562		595			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	15	13	Total unmet need 12.5
35	Number of Tubectomies performed	183	154	Spacing 6.4
36	Number of IUD insertion	285	173	Women using any method 69.9
37	Number of IUD removals	270	136	Women using modern method 16.4
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	612	523	
39	General OPD cases per 10,000 population ***	10487	5313	
40	Ayush OPD cases per 10,000 population ***	438	324	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	2	4	
42	Neonatal Deaths within 1 to 28 days	8	9	
43	Total Neonatal Death	10	13	
44	Deaths between (1 - 11) months	10	4	
45	Total reported infant deaths	20	17	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	1	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	5	0	
53	Total reported maternal deaths	6	0	

Jiribam Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	6						
4	Primary Health Centers (PHC)	1						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	813	826					
9	Expected number of Delivery	748	760					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	740	91.0	404	48.9	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	180	24.3	152	37.6	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	22	3.0	15	3.7	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	538	72.7	330	81.7	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	49	6.6	136	33.7	Home Delivery	NA	
15	Home Delivery against expected delivery *	0	0.0	97	12.8	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	52	7.0	22	2.9	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	0	0.0	97	81.5	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	52	100.0	22	18.5			
19	Total reported Deliveries	52		119				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	29	29.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	739		751				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	52	7.0	123	16.4	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	52	100.0	86	69.9	3 dose of DPT	NA	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	1.9	7	8.1	Measles First dose	NA	

27	PC of newborns breastfed within 1 hour to total reported live birth.	52	100.0	84	68.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	316	42.7	118	15.7	Full Immunization	NA
29	Children who have received BCG	339	45.9	112	14.9		
30	Children who have received Pentavalent 1	522	70.6	238	31.7		
31	Children who have received Pentavalent 3	326	44.1	120	16.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	323	43.7	129	17.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	50		0			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	0	0	Women using any method NA
37	Number of IUD removals	0	0	Women using modern method NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	16	3	
39	General OPD cases per 10,000 population ***	1955	931	
40	Ayush OPD cases per 10,000 population ***	0	0	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Kakching Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	2,539		2,578			
9	Expected number of Delivery	2,336		2,372			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,784	149.0	1,703	66.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,833	48.4	979	57.5	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	796	21.0	511	30.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,202	31.8	1,084	63.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	1,554	41.1	956	56.1	Home Delivery	NA
15	Home Delivery against expected delivery *	62	2.7	66	2.8	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	360	15.4	155	6.5	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	62	14.7	66	29.9	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	360	85.3	155	70.1		
19	Total reported Deliveries	422		221			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	43.5	14	21.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	291	69.0	235	106.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,308		2,344			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	428	18.5	224	9.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	292	68.2	194	86.6	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	3.1	13	6.7	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	422	98.6	199	88.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,584	68.6	1,452	61.9	Full Immunization	NA
29	Children who have received BCG	1,407	61.0	912	38.9		
30	Children who have received Pentavalent 1	2,048	88.7	1,446	61.7		
31	Children who have received Pentavalent 3	1,774	76.8	1,577	67.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,577	68.3	1,453	62.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	110		459			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	32	19	Women using any method NA
37	Number of IUD removals	43	38	Women using modern method NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	149	159	
39	General OPD cases per 10,000 population ***	3807	4081	
40	Ayush OPD cases per 10,000 population ***	352	279	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	1	0	
45	Total reported infant deaths	1	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Kamjong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	21						
4	Primary Health Centers (PHC)	2						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	812	824					
9	Expected number of Delivery	747	758					
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	431	53.1	300	36.4	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	155	36.0	113	37.7	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	212	49.2	121	40.3	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	195	45.2	156	52.0	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	264	61.3	154	51.3	Home Delivery	NA	
15	Home Delivery against expected delivery *	199	26.7	98	12.9	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	54	7.2	55	7.3	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	199	78.7	98	64.1	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	54	21.3	55	35.9			
19	Total reported Deliveries	253		153				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	25.1	31	31.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	22.9	18	11.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	738		749				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	254	34.4	155	20.7	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	0	0.0	BCG	NA	
25	PC of newborn weighted at birth to live birth	248	97.6	151	97.4	3 dose of DPT	NA	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	0.7	Measles First dose	NA	

27	PC of newborns breastfed within 1 hour to total reported live birth.	250	98.4	152	98.1	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	289	39.2	234	31.2	Full Immunization	NA
29	Children who have received BCG	337	45.7	198	26.4		
30	Children who have received Pentavalent 1	387	52.5	265	35.4		
31	Children who have received Pentavalent 3	320	43.4	266	35.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	299	40.5	229	30.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	31		17			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (20119-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	1	7	Women using any method NA
37	Number of IUD removals	6	4	Women using modern method NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	47	45	
39	General OPD cases per 10,000 population ***	1652	1426	
40	Ayush OPD cases per 10,000 population ***	53	43	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Kangpokpi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	2,620	2,660				
9	Expected number of Delivery	2,411	2,448				
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,834	108.2	1,060	39.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,507	53.2	519	49.0	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	832	29.4	254	24.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,538	54.3	645	60.8	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	755	26.6	248	23.4	Home Delivery	NA
15	Home Delivery against expected delivery *	890	36.9	140	5.7	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	493	20.5	255	10.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	890	64.4	140	35.4	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	493	35.6	255	64.6		
19	Total reported Deliveries	1,383		395			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	473	53.1	50	35.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	977	70.6	86	21.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,382		2,419			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,385	58.1	398	16.5	Breastfed within 1 hour of birth	NA
24	Total Still Birth	4	0.2	1	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	1,385	100.0	394	99.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	1.1	9	2.3	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,383	99.9	374	94.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,345	98.4	1,048	43.3	Full Immunization	NA
29	Children who have received BCG	2,421	101.6	1,002	41.4		
30	Children who have received Pentavalent 1	2,717	114.1	1,177	48.7		
31	Children who have received Pentavalent 3	2,562	107.6	1,098	45.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,349	98.6	1,050	43.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	646		549			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	66	30	Women using any method	NA
37	Number of IUD removals	39	35	Women using modern method	NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	185	52		
39	General OPD cases per 10,000 population ***	3353	1724		
40	Ayush OPD cases per 10,000 population ***	312	61		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	4	0		
45	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	724	735				
9	Expected number of Delivery	666	677				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	909	125.5	852	115.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	367	40.4	352	41.3	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	364	40.0	554	65.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	527	58.0	571	67.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	218	24.0	377	44.2	Home Delivery	NA
15	Home Delivery against expected delivery *	125	18.8	77	11.4	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	175	26.3	184	27.2	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	125	41.7	77	29.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	175	58.3	184	70.5		
19	Total reported Deliveries	300		261			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	11.2	4	5.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7	2.3	2	0.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	658		669			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	294	44.6	260	38.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	7	1.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	261	88.8	238	91.5	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	3.4	4	1.7	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	267	90.8	237	91.2	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	519	78.8	447	66.9	Full Immunization	NA
29	Children who have received BCG	539	81.9	392	58.6		
30	Children who have received Pentavalent 1	725	110.1	560	83.8		
31	Children who have received Pentavalent 3	567	86.1	523	78.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	527	80.0	441	66.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	122		143			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	1	0	Spacing NA
36	Number of IUD insertion	113	96	Women using any method NA
37	Number of IUD removals	82	65	Women using modern method NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	81	100	
39	General OPD cases per 10,000 population ***	2930	2881	
40	Ayush OPD cases per 10,000 population ***	0	0	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	1	2	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	1	2	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	1	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	1	
53	Total reported maternal deaths	0	1	

Pherzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	685	695				
9	Expected number of Delivery	630	640				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	828	120.9	155	22.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	190	22.9	104	67.1	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	179	21.6	150	96.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	215	26.0	148	95.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	513	62.0	130	83.9	Home Delivery	NA
15	Home Delivery against expected delivery *	112	17.8	25	3.9	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	92	14.6	63	9.9	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	112	54.9	25	28.4	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	92	45.1	63	71.6		
19	Total reported Deliveries	204		88			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	81	72.3	9	36.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30	14.7	12	13.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	622		632			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	204	32.8	88	13.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	2	0.3	BCG	NA
25	PC of newborn weighted at birth to live birth	185	90.7	71	80.7	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	2.2	6	8.5	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	189	92.6	82	93.2	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	130	20.9	86	13.6	Full Immunization	NA
29	Children who have received BCG	210	33.7	82	13.0		
30	Children who have received Pentavalent 1	218	35.0	119	18.8		
31	Children who have received Pentavalent 3	209	33.6	82	13.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	182	29.2	84	13.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	89		86			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	1	1	Women using any method NA
37	Number of IUD removals	4	2	Women using modern method NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	90	82	
39	General OPD cases per 10,000 population ***	2275	1286	
40	Ayush OPD cases per 10,000 population ***	77	142	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	2	0	
43	Total Neonatal Death	3	0	
44	Deaths between (1 - 11) months	1	1	
45	Total reported infant deaths	4	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	32					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	4,960		5,036			
9	Expected number of Delivery	4,563		4,633			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,306	107.0	4,423	87.8	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,706	51.0	1,690	38.2	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,483	46.8	1,740	39.3	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	4,897	92.3	3,407	77.0	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	3,436	64.8	2,968	67.1	Home Delivery	54.2
15	Home Delivery against expected delivery *	2,258	49.5	1,573	34.0	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,676	36.7	1,354	29.2	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	2,258	57.4	1,573	53.7	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,676	42.6	1,354	46.3		
19	Total reported Deliveries	3,934		2,927			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,640	72.6	1,208	76.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,615	41.1	856	29.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,509		4,578			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,932	87.2	2,936	64.1	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	6	0.1	8	0.2	BCG	87.2
25	PC of newborn weighted at birth to live birth	3,900	99.2	2,822	96.1	3 dose of DPT	77.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	0.6	19	0.7	Measles First dose	75.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,776	96.0	2,641	90.0	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,557	78.9	2,639	57.6	Full Immunization	65
29	Children who have received BCG	4,276	94.8	2,846	62.2		
30	Children who have received Pentavalent 1	4,252	94.3	2,913	63.6		
31	Children who have received Pentavalent 3	4,145	91.9	2,786	60.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,931	87.2	2,507	54.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	417		319			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	15	6	Spacing	4.1
36	Number of IUD insertion	75	38	Women using any method	65.2
37	Number of IUD removals	64	37	Women using modern method	17.5
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	113	124		
39	General OPD cases per 10,000 population ***	3395	3115		
40	Ayush OPD cases per 10,000 population ***	40	36		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	2	1		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	3	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	1,072		1,088			
9	Expected number of Delivery	986		1,001			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,766	164.8	1,268	116.5	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	584	33.1	705	55.6	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	517	29.3	484	38.2	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	810	45.9	666	52.5	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	851	48.2	828	65.3	Home Delivery	42.3
15	Home Delivery against expected delivery *	431	43.7	292	29.2	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	513	52.0	394	39.4	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	431	45.7	292	42.6	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	513	54.3	394	57.4		
19	Total reported Deliveries	944		686			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84	19.5	43	14.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	157	16.6	77	11.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	974		989			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	932	95.7	672	67.9	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	13	1.3	15	1.5	BCG	91.2
25	PC of newborn weighted at birth to live birth	928	99.6	665	99.0	3 dose of DPT	78.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.4	14	2.1	Measles First dose	77.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	859	92.2	620	92.3	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	917	94.1	707	71.5	Full Immunization	67.4
29	Children who have received BCG	985	101.1	679	68.6		
30	Children who have received Pentavalent 1	1,138	116.8	731	73.9		
31	Children who have received Pentavalent 3	1,018	104.5	743	75.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	917	94.1	711	71.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	171		403			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 8.4
35	Number of Tubectomies performed	0	1	Spacing 3.2
36	Number of IUD insertion	249	197	Women using any method 65.2
37	Number of IUD removals	148	124	Women using modern method 22.2
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	263	239	
39	General OPD cases per 10,000 population ***	2782	2891	
40	Ayush OPD cases per 10,000 population ***	111	88	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	3	5	
42	Neonatal Deaths within 1 to 28 days	3	0	
43	Total Neonatal Death	6	5	
44	Deaths between (1 - 11) months	4	3	
45	Total reported infant deaths	10	8	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	1	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0	
52	Due to Other/Unknown Causes	1	0	
53	Total reported maternal deaths	2	1	

Tengnoupal Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	9					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	898	912				
9	Expected number of Delivery	826	839				
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,191	132.6	263	28.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	825	69.3	131	49.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	507	42.6	86	32.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	867	72.8	144	54.8	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	703	59.0	200	76.0	Home Delivery	NA
15	Home Delivery against expected delivery *	173	20.9	81	9.7	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	101	12.2	21	2.5	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	173	63.1	81	79.4	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	101	36.9	21	20.6		
19	Total reported Deliveries	274		102			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	135	78.0	72	88.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	112	40.9	26	25.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	817		829			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	274	33.6	108	13.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	4	0.5	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	266	97.1	103	95.4	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.8	0	0.0	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	258	94.2	99	91.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	612	74.9	164	19.8	Full Immunization	NA
29	Children who have received BCG	723	88.5	246	29.7		
30	Children who have received Pentavalent 1	781	95.6	283	34.1		
31	Children who have received Pentavalent 3	713	87.3	219	26.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	625	76.5	151	18.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	620		31			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	14	1	Women using any method NA
37	Number of IUD removals	8	5	Women using modern method NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
38	IPD cases per 10,000 population ***	331	27	
39	General OPD cases per 10,000 population ***	5069	1776	
40	Ayush OPD cases per 10,000 population ***	214	134	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
41	Neonatal death within 24 hours	3	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	3	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	3	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	5,191		5,271			
9	Expected number of Delivery	4,776		4,849			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,231	100.8	5,498	104.3	ANC Check up in first trimester	90.6
11	Mothers registered in the first trimester	3,576	68.4	2,651	48.2	At least 4ANC check up	89.9
12	Mothers who had 4 or more ANC check ups	4,176	79.8	2,444	44.5	Neonatal tetanus received	92.9
13	PW who got TT 2 / Booster injection	3,125	59.7	2,444	44.5	100 IFA tablets consumed	68.5
14	PW who consumed 180 IFA tablets	1,498	28.6	2,356	42.9	Home Delivery	12.2
15	Home Delivery against expected delivery *	175	3.7	32	0.7	Institutional Delivery	87.8
16	Institutional Delivery against expected delivery *	2,254	47.2	1,957	40.4	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	175	7.2	32	1.6	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	2,254	92.8	1,957	98.4		
19	Total reported Deliveries	2,429		1,989			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	133	76.0	15	46.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	502	25.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,719		4,791			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,435	51.6	2,001	41.8	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	2	0.0	1	0.0	BCG	98.7
25	PC of newborn weighted at birth to live birth	2,367	97.2	1,835	91.7	3 dose of DPT	84.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	61	2.6	69	3.8	Measles First dose	77.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,303	53.5	648	32.4	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	3,918	83.0	3,411	71.2	Full Immunization	74.2
29	Children who have received BCG	3,775	80.0	2,748	57.4		
30	Children who have received Pentavalent 1	4,741	100.5	3,508	73.2		
31	Children who have received Pentavalent 3	4,263	90.3	3,400	71.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,930	83.3	3,411	71.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	327		450			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6
35	Number of Tubectomies performed	10	12	Spacing	2.3
36	Number of IUD insertion	74	61	Women using any method	72.2
37	Number of IUD removals	42	43	Women using modern method	17.8
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	116	96		
39	General OPD cases per 10,000 population ***	5137	5466		
40	Ayush OPD cases per 10,000 population ***	414	536		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	2,375		2,412			
9	Expected number of Delivery	2,185		2,219			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,072	171.5	1,590	65.9	ANC Check up in first trimester	58.3
11	Mothers registered in the first trimester	1,144	28.1	647	40.7	At least 4ANC check up	38.8
12	Mothers who had 4 or more ANC check ups	893	21.9	553	34.8	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	1,078	26.5	534	33.6	100 IFA tablets consumed	25.1
14	PW who consumed 180 IFA tablets	265	6.5	99	6.2	Home Delivery	55.4
15	Home Delivery against expected delivery *	393	18.0	224	10.1	Institutional Delivery	44.6
16	Institutional Delivery against expected delivery *	1,353	61.9	650	29.3	Home Delivery by SBA	9.9
17	Home Delivery against reported delivery **	393	22.5	224	25.6	PNC within 2days of delivery	44.9
18	Institutional Delivery against reported delivery **	1,353	77.5	650	74.4		
19	Total reported Deliveries	1,746		874			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	200	50.9	55	24.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	311	17.8	18	2.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,159		2,192			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,742	80.7	885	40.4	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	24	1.1	6	0.3	BCG	91.5
25	PC of newborn weighted at birth to live birth	1,692	97.1	804	90.8	3 dose of DPT	53.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	2.6	9	1.1	Measles First dose	53.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,688	96.9	797	90.1	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	1,093	50.6	1,036	47.3	Full Immunization	39.4
29	Children who have received BCG	1,703	78.9	1,309	59.7		
30	Children who have received Pentavalent 1	1,582	73.3	1,125	51.3		
31	Children who have received Pentavalent 3	1,275	59.1	967	44.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,104	51.1	1,123	51.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	41		52			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.7
35	Number of Tubectomies performed	7	2	Spacing	5.2
36	Number of IUD insertion	81	33	Women using any method	56.9
37	Number of IUD removals	88	26	Women using modern method	12.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	110	71		
39	General OPD cases per 10,000 population ***	3287	2157		
40	Ayush OPD cases per 10,000 population ***	13	9		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		