

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	10,97,206						
2	Sex Ratio	975						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	373						
4	Primary Health Centers (PHC)	66						
5	Community Health Centers (CHC)	9						
6	SDH	2						
7	DH	12						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	21,934	22,434					
9	Expected number of Delivery	20,180	20,639					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	24,306	110.8	16,133	71.9	ANC Check up in first trimester	72.7	
11	Mothers registered in the first trimester	18,888	77.7	12,253	75.9	At least 4ANC check up	58.0	
12	Mothers who had 4 or more ANC check ups	15,209	62.6	12,031	74.6	Neonatal tetanus received	80.0	
13	PW who got TT 2 / Booster injection	21,530	88.6	16,171	100.2	100 IFA tablets consumed	61.9	
14	PW who consumed 180 IFA tablets	17,752	73.0	13,161	81.6	Home Delivery	14.2	
15	Home Delivery against expected delivery *	2,237	11.1	1,352	6.6	Institutional Delivery	85.8	
16	Institutional Delivery Against expected delivery *	17,724	87.8	12,737	61.7	Home Delivery by SBA	3.5	
17	Reported Home Delivery **	2,237	11.2	1,352	9.6	PNC within 2days of delivery	68.0	
18	Reported institutional Delivery **	17,724	88.8	12,737	90.4			
19	Total reported Deliveries	19,961		14,089				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	513	22.9	280	20.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,767	13.9	7,293	51.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	19,940		20,395				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	19,936	100.0	14,474	71.0	Breastfed within 1 hour of birth	60.1	
24	Total Still Birth	174	0.9	125	0.6	BCG	83.4	
25	PC of newborn weighted at birth to live birth	19,012	95.4	13,844	95.6	3 dose of DPT	80.7	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,032	5.4	935	6.8	Measles First dose	80.9	

27	PC of newborns breastfed within 1 hour to total reported live birth.	17,864	89.6	12,827	88.6	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,627	88.4	13,277	65.1	Full Immunization	72.5
29	Children who have received BCG	15,340	76.9	11,954	58.6		
30	Children who have received Pentavalent 1	19,528	97.9	14,213	69.7		
31	Children who have received Pentavalent 3	19,151	96.0	14,319	70.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,893	89.7	13,133	64.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,527		6,883			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	18.9
35	Number of Tubectomies performed	1,131	875	Spacing	12.8
36	Number of IUD insertion	1,359	743	Women using any method	31.2
37	Number of IUD removals	966	705	Women using modern method	30.8
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	698	415		
39	General OPD cases per 10,000 population ***	14336	17051		
40	Ayush OPD cases per 10,000 population ***	454	562		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	52	42		
42	Neonatal Deaths within 1 to 28 days	148	69		
43	Total Neonatal Death	200	111		
44	Deaths between (1 - 11) months	163	72		
45	Total reported infant deaths	363	183		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	6	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	4		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	3	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	8	5		
53	Total reported maternal deaths	18	10		

Aizawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	8,629	8,836				
9	Expected number of Delivery	7,938	8,129				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,367	85.4	5,121	58.0	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,765	91.8	4,391	85.7	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	6,554	89.0	5,254	102.6	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	6,861	93.1	6,236	121.8	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	6,812	92.5	5,242	102.4	Home Delivery	2.6
15	Home Delivery against expected delivery *	21	0.3	11	0.1	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	8,456	106.5	5,961	73.3	Home Delivery by SBA	0.3
17	Reported Home Delivery **	21	0.2	11	0.2	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	8,456	99.8	5,961	99.8		
19	Total reported Deliveries	8,477		5,972			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	47.6	6	54.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	44	0.5	3,878	64.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,844		8,033			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	8,452	107.7	6,071	75.6	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	41	0.5	28	0.3	BCG	81.6
25	PC of newborn weighted at birth to live birth	8,458	100.1	5,923	97.6	3 dose of DPT	79.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	469	5.5	348	5.9	Measles First dose	77.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	7,356	87.0	5,378	88.6	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	5,976	76.2	4,662	58.0	Full Immunization	66.4
29	Children who have received BCG	4,230	53.9	4,141	51.5		
30	Children who have received Pentavalent 1	6,646	84.7	4,831	60.1		
31	Children who have received Pentavalent 3	6,480	82.6	5,017	62.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,093	77.7	4,647	57.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,535		1,696			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	24
35	Number of Tubectomies performed	697	497	Spacing	14
36	Number of IUD insertion	589	259	Women using any method	21.6
37	Number of IUD removals	345	264	Women using modern method	21
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	856	433		
39	General OPD cases per 10,000 population ***	20021	28613		
40	Ayush OPD cases per 10,000 population ***	505	559		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	18	28		
42	Neonatal Deaths within 1 to 28 days	88	47		
43	Total Neonatal Death	106	75		
44	Deaths between (1 - 11) months	56	24		
45	Total reported infant deaths	162	99		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	3	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	2	1		
53	Total reported maternal deaths	5	2		

Champhai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	1,319		1,341			
9	Expected number of Delivery	1,214		1,234			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,525	191.4	1,497	111.6	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,497	59.3	1,109	74.1	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,257	49.8	893	59.7	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,621	64.2	1,418	94.7	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,230	48.7	1,085	72.5	Home Delivery	3.3
15	Home Delivery against expected delivery *	52	4.3	34	2.8	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,597	131.6	968	78.5	Home Delivery by SBA	1.6
17	Reported Home Delivery **	52	3.2	34	3.4	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,597	96.8	968	96.6		
19	Total reported Deliveries	1,649		1,002			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	46.2	13	38.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36	2.2	430	42.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,199		1,219			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,646	137.2	1,148	94.2	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	28	2.3	17	1.4	BCG	97.6
25	PC of newborn weighted at birth to live birth	1,534	93.2	1,113	97.0	3 dose of DPT	90.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	105	6.8	110	9.9	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,549	94.1	926	80.7	3 doses of penta or hepatitis B vaccine	71.4

28	Children fully immunized	1,360	113.4	1,126	92.4	Full Immunization	85.3
29	Children who have received BCG	1,334	111.2	1,074	88.1		
30	Children who have received Pentavalent 1	1,470	122.6	1,155	94.8		
31	Children who have received Pentavalent 3	1,476	123.1	1,249	102.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,341	111.8	1,125	92.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	557		382			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.2
35	Number of Tubectomies performed	85	50	Spacing	8.3
36	Number of IUD insertion	157	114	Women using any method	50
37	Number of IUD removals	125	101	Women using modern method	49.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	865	331		
39	General OPD cases per 10,000 population ***	11479	10782		
40	Ayush OPD cases per 10,000 population ***	366	1079		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	3	2		
42	Neonatal Deaths within 1 to 28 days	17	1		
43	Total Neonatal Death	20	3		
44	Deaths between (1 - 11) months	23	3		
45	Total reported infant deaths	43	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	4	2		

Hnahthial Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	14					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	417	422				
9	Expected number of Delivery	383	388				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	540	129.6	365	86.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	456	84.4	268	73.4	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	359	66.5	251	68.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	443	82.0	320	87.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	377	69.8	290	79.5	Home Delivery	NA
15	Home Delivery against expected delivery *	10	2.6	8	2.1	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	241	62.9	183	47.2	Home Delivery by SBA	NA
17	Reported Home Delivery **	10	4.0	8	4.2	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	241	96.0	183	95.8		
19	Total reported Deliveries	251		191			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	20.0	4	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	23.1	80	41.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	379		383			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	255	67.3	193	50.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	3	0.8	2	0.5	BCG	NA
25	PC of newborn weighted at birth to live birth	251	98.4	189	97.9	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.0	4	2.1	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	250	98.0	190	98.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	438	115.6	327	85.3	Full Immunization	NA
29	Children who have received BCG	260	68.6	191	49.8		
30	Children who have received Pentavalent 1	443	116.9	333	86.8		
31	Children who have received Pentavalent 3	459	121.2	325	84.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	468	123.5	324	84.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	167		149			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	14	6	Women using any method NA
37	Number of IUD removals	11	6	Women using modern method NA

F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR
38	IPD cases per 10,000 population ***	648	438
39	General OPD cases per 10,000 population ***	18028	15843
40	Ayush OPD cases per 10,000 population ***	1663	1215

G) Mortality Details		HMIS (2022-23)	HMIS (2023-24) 3rd QTR
I)	Infant Deaths (In Numbers)		
41	Neonatal death within 24 hours	0	0
42	Neonatal Deaths within 1 to 28 days	0	1
43	Total Neonatal Death	0	1
44	Deaths between (1 - 11) months	0	3
45	Total reported infant deaths	0	4

II) Maternal Mortality		HMIS (2022-23)	HMIS (2023-24) 3rd QTR
	Maternal Deaths (In Numbers)		
46	Due to APH (Antepartum Haemorrhage)	0	0
47	Due to PPH (Post-Partum Haemorrhage)	NA	0
48	Due to Pregnancy related infection and sepsis, Fever	0	0
49	Due to Abortive complication	0	0
50	Due to Obstructed/prolonged labour	0	0
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0
52	Due to Other/Unknown Causes	0	0
53	Total reported maternal deaths	0	0

Khawzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	18						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	708	719					
9	Expected number of Delivery	651	662					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	698	98.6	466	64.8	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	620	88.8	397	85.2	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	407	58.3	304	65.2	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	589	84.4	398	85.4	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	507	72.6	397	85.2	Home Delivery	NA	
15	Home Delivery against expected delivery *	5	0.8	6	0.9	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	229	35.2	184	27.8	Home Delivery by SBA	NA	
17	Reported Home Delivery **	5	2.1	6	3.2	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	229	97.9	184	96.8			
19	Total reported Deliveries	234		190				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	20.0	4	66.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	54	23.1	138	72.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	644		654				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	261	40.6	230	35.2	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	6	0.9	3	0.5	BCG	NA	
25	PC of newborn weighted at birth to live birth	237	90.8	209	90.9	3 dose of DPT	NA	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.4	11	5.3	Measles First dose	NA	
27	PC of newborns breastfed within 1 hour to total reported live birth.	234	89.7	207	90.0	3 doses of penta or hepatitis B vaccine	NA	
28	Children fully immunized	529	82.2	336	51.4	Full Immunization	NA	

29	Children who have received BCG	252	39.2	149	22.8		
30	Children who have received Pentavalent 1	485	75.4	399	61.0		
31	Children who have received Pentavalent 3	501	77.9	391	59.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	554	86.1	344	52.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	337		302			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	36		20		Women using any method	NA
37	Number of IUD removals	54		28		Women using modern method	NA
F) Service delivery		HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
38	IPD cases per 10,000 population ***	314		223			
39	General OPD cases per 10,000 population ***	7004		5882			
40	Ayush OPD cases per 10,000 population ***	883		365			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
41	Neonatal death within 24 hours	1		0			
42	Neonatal Deaths within 1 to 28 days	6		1			
43	Total Neonatal Death	7		1			
44	Deaths between (1 - 11) months	5		0			
45	Total reported infant deaths	12		1			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		1			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		1			

Kolasib Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	1,521		1,561			
9	Expected number of Delivery	1,400		1,436			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,779	116.9	1,142	73.2	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,460	82.1	918	80.4	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,235	69.4	893	78.2	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,802	101.3	1,139	99.7	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,321	74.3	957	83.8	Home Delivery	8.6
15	Home Delivery against expected delivery *	45	3.2	26	1.8	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,121	80.1	866	60.3	Home Delivery by SBA	2.7
17	Reported Home Delivery **	45	3.9	26	2.9	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,121	96.1	866	97.1		
19	Total reported Deliveries	1,166		892			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	48.9	3	11.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,211	103.9	866	97.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,383		1,419			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,157	83.7	872	61.5	Breastfed within 1 hour of birth	63
24	Total Still Birth	9	0.7	20	1.4	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,000	86.4	873	100.1	3 dose of DPT	85.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	90	9.0	173	19.8	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,141	98.6	831	95.3	3 doses of penta or	90.5

						hepatitis B vaccine	
28	Children fully immunized	1,430	103.4	1,058	74.6	Full Immunization	80.4
29	Children who have received BCG	1,178	85.2	874	61.6		
30	Children who have received Pentavalent 1	1,560	112.8	1,102	77.7		
31	Children who have received Pentavalent 3	1,468	106.1	1,078	76.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,457	105.3	1,056	74.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,031		985			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.6
35	Number of Tubectomies performed	0	4	Spacing	11.7
36	Number of IUD insertion	47	29	Women using any method	38.1
37	Number of IUD removals	67	53	Women using modern method	37.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	560	389		
39	General OPD cases per 10,000 population ***	10099	9455		
40	Ayush OPD cases per 10,000 population ***	431	252		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	7	1		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	Total Neonatal Death	10	1		
44	Deaths between (1 - 11) months	9	4		
45	Total reported infant deaths	19	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	1		

Lawngtlai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,17,894						
2	Sex Ratio	945						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	38						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	2,338	2,418					
9	Expected number of Delivery	2,151	2,224					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	2,982	127.5	1,911	79.0	ANC Check up in first trimester	51.5	
11	Mothers registered in the first trimester	1,944	65.2	1,163	60.9	At least 4ANC check up	33.0	
12	Mothers who had 4 or more ANC check ups	1,117	37.5	844	44.2	Neonatal tetanus received	72.3	
13	PW who got TT 2 / Booster injection	2,512	84.2	1,533	80.2	100 IFA tablets consumed	50.7	
14	PW who consumed 180 IFA tablets	1,546	51.8	1,146	60.0	Home Delivery	46.3	
15	Home Delivery against expected delivery *	955	44.4	536	24.1	Institutional Delivery	53.7	
16	Institutional Delivery Against expected delivery *	1,436	66.8	1,159	52.1	Home Delivery by SBA	9.3	
17	Reported Home Delivery **	955	39.9	536	31.6	PNC within 2days of delivery	46.2	
18	Reported institutional Delivery **	1,436	60.1	1,159	68.4			
19	Total reported Deliveries	2,391		1,695				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	189	19.8	92	17.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	302	12.6	390	23.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,126		2,198				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	2,389	112.4	1,684	76.6	Breastfed within 1 hour of birth	60.9	
24	Total Still Birth	23	1.1	17	0.8	BCG	75.6	
25	PC of newborn weighted at birth to live birth	1,932	80.9	1,413	83.9	3 dose of DPT	74.1	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	86	4.5	112	7.9	Measles First dose	76.8	
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,067	86.5	1,517	90.1	3 doses of penta or hepatitis B vaccine	79.9	

28	Children fully immunized	1,936	91.1	1,243	56.6	Full Immunization	70.2
29	Children who have received BCG	2,556	120.2	1,608	73.2		
30	Children who have received Pentavalent 1	2,517	118.4	1,579	71.8		
31	Children who have received Pentavalent 3	2,464	115.9	1,482	67.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,980	93.2	1,202	54.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,024		846			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17.3
35	Number of Tubectomies performed	62		34		Spacing	13
36	Number of IUD insertion	81		37		Women using any method	29.7
37	Number of IUD removals	81		33		Women using modern method	29.1
F) Service delivery		HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
38	IPD cases per 10,000 population ***	550		398			
39	General OPD cases per 10,000 population ***	7655		7145			
40	Ayush OPD cases per 10,000 population ***	148		539			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
41	Neonatal death within 24 hours	0		6			
42	Neonatal Deaths within 1 to 28 days	6		7			
43	Total Neonatal Death	6		13			
44	Deaths between (1 - 11) months	11		19			
45	Total reported infant deaths	17		32			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
46	Due to APH (Antepartum Haemorrhage)	1		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	1		0			
50	Due to Obstructed/prolonged labour	2		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	3		3			
53	Total reported maternal deaths	7		3			

Lunglei Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	2,173	2,200				
9	Expected number of Delivery	1,999	2,024				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,958	136.1	2,005	91.1	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,757	59.4	1,206	60.1	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,284	43.4	1,411	70.4	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	2,777	93.9	1,752	87.4	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	2,549	86.2	1,432	71.4	Home Delivery	17.3
15	Home Delivery against expected delivery *	494	24.7	299	14.8	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	1,909	95.5	1,504	74.3	Home Delivery by SBA	3.9
17	Reported Home Delivery **	494	20.6	299	16.6	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	1,909	79.4	1,504	83.4		
19	Total reported Deliveries	2,403		1,803			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	10.5	12	4.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	580	24.1	315	17.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,975		2,000			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,404	121.7	1,846	92.3	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	18	0.9	5	0.3	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,330	96.9	1,762	95.4	3 dose of DPT	85
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	140	6.0	82	4.7	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,029	84.4	1,464	79.3	3 doses of penta or hepatitis B vaccine	72.6

28	Children fully immunized	1,898	96.1	1,489	74.5	Full Immunization	73.8
29	Children who have received BCG	2,244	113.6	1,834	91.7		
30	Children who have received Pentavalent 1	2,017	102.1	1,475	73.8		
31	Children who have received Pentavalent 3	2,080	105.3	1,568	78.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,935	98.0	1,456	72.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	486		463			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.4
35	Number of Tubectomies performed	197		248		Spacing	12.5
36	Number of IUD insertion	132		114		Women using any method	33
37	Number of IUD removals	75		63		Women using modern method	33
F) Service delivery		HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
38	IPD cases per 10,000 population ***	827		605			
39	General OPD cases per 10,000 population ***	14669		13400			
40	Ayush OPD cases per 10,000 population ***	381		726			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
41	Neonatal death within 24 hours	8		2			
42	Neonatal Deaths within 1 to 28 days	9		8			
43	Total Neonatal Death	17		10			
44	Deaths between (1 - 11) months	17		4			
45	Total reported infant deaths	34		14			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		1			
53	Total reported maternal deaths	1		1			

Mamit Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	86,364						
2	Sex Ratio	924						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	39						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	1,708	1,771					
9	Expected number of Delivery	1,572	1,629					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,913	112.0	1,285	72.6	ANC Check up in first trimester	64.5	
11	Mothers registered in the first trimester	1,488	77.8	927	72.1	At least 4ANC check up	52.5	
12	Mothers who had 4 or more ANC check ups	1,073	56.1	783	60.9	Neonatal tetanus received	80.7	
13	PW who got TT 2 / Booster injection	1,768	92.4	1,203	93.6	100 IFA tablets consumed	68.8	
14	PW who consumed 180 IFA tablets	1,280	66.9	911	70.9	Home Delivery	25.0	
15	Home Delivery against expected delivery *	456	29.0	298	18.3	Institutional Delivery	75.0	
16	Institutional Delivery Against expected delivery *	768	48.9	565	34.7	Home Delivery by SBA	7.1	
17	Reported Home Delivery **	456	37.3	298	34.5	PNC within 2days of delivery	63.9	
18	Reported institutional Delivery **	768	62.7	565	65.5			
19	Total reported Deliveries	1,224		863				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176	38.6	120	40.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	210	17.2	296	34.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,553		1,610				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	1,224	78.8	874	54.3	Breastfed within 1 hour of birth	56.8	
24	Total Still Birth	4	0.3	8	0.5	BCG	98.5	
25	PC of newborn weighted at birth to live birth	1,154	94.3	820	93.8	3 dose of DPT	95.2	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	52	4.5	38	4.6	Measles First dose	95.2	
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,165	95.2	848	97.0	3 doses of penta or hepatitis B vaccine	85	
28	Children fully immunized	1,485	95.6	1,092	67.8	Full Immunization	85.9	

29	Children who have received BCG	1,241	79.9	861	53.5		
30	Children who have received Pentavalent 1	1,654	106.5	1,230	76.4		
31	Children who have received Pentavalent 3	1,563	100.7	1,160	72.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,487	95.8	1,107	68.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	853		711			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17
35	Number of Tubectomies performed	43		11		Spacing	14
36	Number of IUD insertion	34		34		Women using any method	41.6
37	Number of IUD removals	57		49		Women using modern method	41.3
F) Service delivery		HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
38	IPD cases per 10,000 population ***	367		285			
39	General OPD cases per 10,000 population ***	9373		7833			
40	Ayush OPD cases per 10,000 population ***	131		139			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
41	Neonatal death within 24 hours	2		1			
42	Neonatal Deaths within 1 to 28 days	5		2			
43	Total Neonatal Death	7		3			
44	Deaths between (1 - 11) months	14		4			
45	Total reported infant deaths	21		7			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2022-23)		HMIS (2023-24) 3rd QTR			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Saiha Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	56,574						
2	Sex Ratio	978						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	25						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	1,126	1,148					
9	Expected number of Delivery	1,036	1,056					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,436	127.6	641	55.8	ANC Check up in first trimester	60.7	
11	Mothers registered in the first trimester	1,161	80.8	519	81.0	At least 4ANC check up	35.5	
12	Mothers who had 4 or more ANC check ups	683	47.6	394	61.5	Neonatal tetanus received	72.6	
13	PW who got TT 2 / Booster injection	1,292	90.0	536	83.6	100 IFA tablets consumed	51.4	
14	PW who consumed 180 IFA tablets	731	50.9	553	86.3	Home Delivery	26.2	
15	Home Delivery against expected delivery *	183	17.7	2	0.2	Institutional Delivery	73.8	
16	Institutional Delivery Against expected delivery *	1,126	108.7	283	26.8	Home Delivery by SBA	10.0	
17	Reported Home Delivery **	183	14.0	2	0.7	PNC within 2days of delivery	59.6	
18	Reported institutional Delivery **	1,126	86.0	283	99.3			
19	Total reported Deliveries	1,309		285				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	12.6	1	50.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	55	4.2	226	79.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,023		1,043				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	1,282	125.3	298	28.6	Breastfed within 1 hour of birth	46.4	
24	Total Still Birth	32	3.1	3	0.3	BCG	69.9	
25	PC of newborn weighted at birth to live birth	1,282	100.0	280	94.0	3 dose of DPT	60.3	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	55	4.3	5	1.8	Measles First dose	65.5	
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,262	98.4	275	92.3	3 doses of penta or hepatitis B vaccine	91.1	
28	Children fully immunized	1,022	99.9	484	46.4	Full Immunization	60.3	

29	Children who have received BCG	1,082	105.7	257	24.6		
30	Children who have received Pentavalent 1	1,116	109.1	517	49.5		
31	Children who have received Pentavalent 3	1,060	103.6	501	48.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,022	99.9	453	43.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	608		273			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	22.5
35	Number of Tubectomies performed	47	0	Spacing	15.2
36	Number of IUD insertion	166	17	Women using any method	22.6
37	Number of IUD removals	73	29	Women using modern method	21.7
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	670	257		
39	General OPD cases per 10,000 population ***	8827	6826		
40	Ayush OPD cases per 10,000 population ***	710	529		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	10	0		
42	Neonatal Deaths within 1 to 28 days	10	0		
43	Total Neonatal Death	20	0		
44	Deaths between (1 - 11) months	16	5		
45	Total reported infant deaths	36	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Saitual Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	926	948				
9	Expected number of Delivery	852	872				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	854	92.2	807	85.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	700	82.0	647	80.2	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	503	58.9	507	62.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	745	87.2	774	95.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	584	68.4	576	71.4	Home Delivery	NA
15	Home Delivery against expected delivery *	3	0.4	4	0.5	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	372	43.7	309	35.4	Home Delivery by SBA	NA
17	Reported Home Delivery **	3	0.8	4	1.3	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	372	99.2	309	98.7		
19	Total reported Deliveries	375		313			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	66.7	3	75.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	104	27.7	284	90.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	842		862			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	389	46.2	313	36.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	5	0.6	3	0.3	BCG	NA
25	PC of newborn weighted at birth to live birth	384	98.7	315	100.6	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	3.9	10	3.2	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	374	96.1	309	98.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	663	78.8	710	82.4	Full Immunization	NA

29	Children who have received BCG	380	45.1	458	53.1		
30	Children who have received Pentavalent 1	643	76.4	801	92.9		
31	Children who have received Pentavalent 3	647	76.9	788	91.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	666	79.1	687	79.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	317		401			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	43	20		Women using any method	NA	
37	Number of IUD removals	28	35		Women using modern method	NA	
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR				
38	IPD cases per 10,000 population ***	369	355				
39	General OPD cases per 10,000 population ***	9418	12675				
40	Ayush OPD cases per 10,000 population ***	468	669				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR				
41	Neonatal death within 24 hours	2	1				
42	Neonatal Deaths within 1 to 28 days	0	2				
43	Total Neonatal Death	2	3				
44	Deaths between (1 - 11) months	5	1				
45	Total reported infant deaths	7	4				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Serchhip Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	64,937						
2	Sex Ratio	976						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	29						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	1,104	1,126					
9	Expected number of Delivery	1,016	1,035					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,254	113.5	893	79.3	ANC Check up in first trimester	77.6	
11	Mothers registered in the first trimester	1,040	82.9	708	79.3	At least 4ANC check up	60.3	
12	Mothers who had 4 or more ANC check ups	737	58.8	497	55.7	Neonatal tetanus received	85.1	
13	PW who got TT 2 / Booster injection	1,120	89.3	862	96.5	100 IFA tablets consumed	73.0	
14	PW who consumed 180 IFA tablets	815	65.0	572	64.1	Home Delivery	3.8	
15	Home Delivery against expected delivery *	13	1.3	128	12.4	Institutional Delivery	96.2	
16	Institutional Delivery Against expected delivery *	469	46.2	755	72.9	Home Delivery by SBA	0.6	
17	Reported Home Delivery **	13	2.7	128	14.5	PNC within 2days of delivery	86.2	
18	Reported institutional Delivery **	469	97.3	755	85.5			
19	Total reported Deliveries	482		883				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	92.3	22	17.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	113	23.4	390	44.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,004		1,023				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	477	47.5	945	92.4	Breastfed within 1 hour of birth	58.8	
24	Total Still Birth	5	0.5	19	1.9	BCG	89.8	
25	PC of newborn weighted at birth to live birth	450	94.3	947	100.2	3 dose of DPT	84.7	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.1	42	4.4	Measles First dose	85.8	
27	PC of newborns breastfed within 1 hour to total reported live birth.	437	91.6	882	93.3	3 doses of penta or hepatitis B vaccine	58.2	
28	Children fully immunized	890	88.6	750	73.3	Full Immunization	84.7	

29	Children who have received BCG	583	58.1	507	49.5		
30	Children who have received Pentavalent 1	977	97.3	791	77.3		
31	Children who have received Pentavalent 3	953	94.9	760	74.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	890	88.6	732	71.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	612		675			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0		0	Total unmet need		15.9
35	Number of Tubectomies performed	0		31	Spacing		11.8
36	Number of IUD insertion	60		93	Women using any method		40
37	Number of IUD removals	50		44	Women using modern method		39.4
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR				
38	IPD cases per 10,000 population ***	571		584			
39	General OPD cases per 10,000 population ***	12928		8076			
40	Ayush OPD cases per 10,000 population ***	469		583			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR				
41	Neonatal death within 24 hours	1		1			
42	Neonatal Deaths within 1 to 28 days	4		0			
43	Total Neonatal Death	5		1			
44	Deaths between (1 - 11) months	7		5			
45	Total reported infant deaths	12		6			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR				
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			