

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	19,78,502						
2	Sex Ratio	931						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	452						
4	Primary Health Centers (PHC)	136						
5	Community Health Centers (CHC)	23						
6	SDH	0						
7	DH	12						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	34,794	35,145					
9	Expected number of Delivery	32,011	32,333					
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	35,209	101.2	21,048	59.9	ANC Check up in first trimester	49.5	
11	Mothers registered in the first trimester	11,433	32.5	6,916	32.9	At least 4ANC check up	20.7	
12	Mothers who had 4 or more ANC check ups	7,753	22.0	6,228	29.6	Neonatal tetanus received	81.3	
13	PW who got TT 2 / Booster injection	16,917	48.0	12,199	58.0	100 IFA tablets consumed	10.2	
14	PW who consumed 180 IFA tablets	19,805	56.2	14,869	70.6	Home Delivery	54.3	
15	Home Delivery against expected delivery *	3,134	9.8	2,102	6.5	Institutional Delivery	45.7	
16	Institutional Delivery against expected delivery *	15,861	49.5	12,316	38.1	Home Delivery by SBA	10.4	
17	Home Delivery against reported delivery **	3,134	16.5	2,102	14.6	PNC within 2days of delivery	43.9	
18	Institutional Delivery against reported delivery **	15,861	83.5	12,316	85.4			
19	Total reported Deliveries	18,995		14,418				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,849	59.0	1,087	51.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,741	56.5	6,176	42.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	31,631		31,950				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	18,825	59.5	14,450	45.2	Breastfed within 1 hour of birth	57.9	
24	Total Still Birth	281	0.9	222	0.7	BCG	85.5	
25	PC of newborn weighted at birth to live birth	18,504	98.3	14,095	97.5	3 dose of DPT	71.5	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	799	4.3	538	3.8	Measles First dose	73.8	

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,015	85.1	12,146	84.1	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	16,750	53.0	13,459	42.1	Full Immunization	57.9
29	Children who have received BCG	21,444	67.8	15,406	48.2		
30	Children who have received Pentavalent 1	21,297	67.3	15,066	47.2		
31	Children who have received Pentavalent 3	18,767	59.3	13,151	41.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,647	55.8	13,759	43.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,241		5,623			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	2	Total unmet need	9.1
35	Number of Tubectomies performed	964	885	Spacing	4.5
36	Number of IUD insertion	3,363	2,331	Women using any method	57.4
37	Number of IUD removals	1,884	1,402	Women using modern method	45.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	305	276		
39	General OPD cases per 10,000 population ***	5543	4572		
40	Ayush OPD cases per 10,000 population ***	155	178		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	30	30		
42	Neonatal Deaths within 1 to 28 days	105	57		
43	Total Neonatal Death	135	87		
44	Deaths between (1 - 11) months	46	25		
45	Total reported infant deaths	181	112		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	3	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	4		
49	Due to Abortive complication	2	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	10		
52	Due to Other/Unknown Causes	7	8		
53	Total reported maternal deaths	14	23		

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,78,811						
2	Sex Ratio	916						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	54						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	7,088	7,207					
9	Expected number of Delivery	6,521	6,630					
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	15,398	217.2	8,315	115.4	ANC Check up in first trimester	71.4	
11	Mothers registered in the first trimester	5,573	36.2	3,306	39.8	At least 4ANC check up	50.1	
12	Mothers who had 4 or more ANC check ups	3,498	22.7	2,595	31.2	Neonatal tetanus received	86.4	
13	PW who got TT 2 / Booster injection	6,747	43.8	4,606	55.4	100 IFA tablets consumed	14.9	
14	PW who consumed 180 IFA tablets	7,977	51.8	6,793	81.7	Home Delivery	26.3	
15	Home Delivery against expected delivery *	345	5.3	203	3.1	Institutional Delivery	73.7	
16	Institutional Delivery against expected delivery *	6,115	93.8	4,944	74.6	Home Delivery by SBA	9.4	
17	Home Delivery against reported delivery **	345	5.3	203	3.9	PNC within 2days of delivery	68.7	
18	Institutional Delivery against reported delivery **	6,115	94.7	4,944	96.1			
19	Total reported Deliveries	6,460		5,147				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	54.5	71	35.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,340	67.2	1,489	28.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	6,444		6,552				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	6,399	99.3	5,155	78.7	Breastfed within 1 hour of birth	53.1	
24	Total Still Birth	111	1.7	103	1.6	BCG	85.1	
25	PC of newborn weighted at birth to live birth	6,388	99.8	5,105	99.0	3 dose of DPT	73.2	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	525	8.2	336	6.6	Measles First dose	74.6	

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,461	69.7	3,540	68.7	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	4,370	67.8	4,206	64.2	Full Immunization	55.9
29	Children who have received BCG	7,400	114.8	5,476	83.6		
30	Children who have received Pentavalent 1	6,907	107.2	4,910	74.9		
31	Children who have received Pentavalent 3	5,557	86.2	3,856	58.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,159	80.1	4,417	67.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,329		1,598			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	2	Total unmet need	14.3
35	Number of Tubectomies performed	96	203	Spacing	5.8
36	Number of IUD insertion	219	175	Women using any method	46.9
37	Number of IUD removals	196	212	Women using modern method	38.4
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	699	659		
39	General OPD cases per 10,000 population ***	9057	7425		
40	Ayush OPD cases per 10,000 population ***	215	220		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	9	14		
42	Neonatal Deaths within 1 to 28 days	46	28		
43	Total Neonatal Death	55	42		
44	Deaths between (1 - 11) months	24	18		
45	Total reported infant deaths	79	60		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	2	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	3	7		
53	Total reported maternal deaths	7	7		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	74,004						
2	Sex Ratio	961						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	25						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:			2022-23		2023-24			
8	Expected number of PW	1,195	1,195					
9	Expected number of Delivery	1,099	1,099					
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	980	82.0	710	59.4	ANC Check up in first trimester	27.2	
11	Mothers registered in the first trimester	439	44.8	245	34.5	At least 4ANC check up	5.8	
12	Mothers who had 4 or more ANC check ups	481	49.1	399	56.2	Neonatal tetanus received	63	
13	PW who got TT 2 / Booster injection	728	74.3	541	76.2	100 IFA tablets consumed	1.6	
14	PW who consumed 180 IFA tablets	678	69.2	464	65.4	Home Delivery	65.2	
15	Home Delivery against expected delivery *	151	13.7	89	8.1	Institutional Delivery	34.8	
16	Institutional Delivery against expected delivery *	591	53.8	503	45.8	Home Delivery by SBA	11.9	
17	Home Delivery against reported delivery **	151	20.4	89	15.0	PNC within 2days of delivery	31.9	
18	Institutional Delivery against reported delivery **	591	79.6	503	85.0			
19	Total reported Deliveries	742		592				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	47.7	39	43.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	523	70.5	413	69.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,086		1,086				
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	726	66.9	570	52.5	Breastfed within 1 hour of birth	55.5	
24	Total Still Birth	21	1.9	14	1.3	BCG	82.1	
25	PC of newborn weighted at birth to live birth	726	100.0	571	100.2	3 dose of DPT	60.2	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	1.1	11	1.9	Measles First dose	66.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	723	99.6	562	98.6	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	762	70.2	493	45.4	Full Immunization	42.8
29	Children who have received BCG	780	71.8	589	54.2		
30	Children who have received Pentavalent 1	846	77.9	601	55.3		
31	Children who have received Pentavalent 3	708	65.2	533	49.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	783	72.1	541	49.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	406		467			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	24	2	Spacing	10.2
36	Number of IUD insertion	289	204	Women using any method	42.5
37	Number of IUD removals	196	95	Women using modern method	32.7
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	187	196		
39	General OPD cases per 10,000 population ***	4773	4162		
40	Ayush OPD cases per 10,000 population ***	95	104		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	4	1		
42	Neonatal Deaths within 1 to 28 days	6	6		
43	Total Neonatal Death	10	7		
44	Deaths between (1 - 11) months	4	0		
45	Total reported infant deaths	14	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	2		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	2		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,67,988						
2	Sex Ratio	927						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	42						
4	Primary Health Centers (PHC)	16						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:			2022-23		2023-24			
8	Expected number of PW	5,015	5,099					
9	Expected number of Delivery	4,613	4,691					
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	5,704	113.7	3,324	65.2	ANC Check up in first trimester	61.9	
11	Mothers registered in the first trimester	1,545	27.1	779	23.4	At least 4ANC check up	28.3	
12	Mothers who had 4 or more ANC check ups	1,207	21.2	1,114	33.5	Neonatal tetanus received	94.3	
13	PW who got TT 2 / Booster injection	1,686	29.6	1,250	37.6	100 IFA tablets consumed	17.2	
14	PW who consumed 180 IFA tablets	3,407	59.7	2,431	73.1	Home Delivery	33.1	
15	Home Delivery against expected delivery *	148	3.2	90	1.9	Institutional Delivery	66.9	
16	Institutional Delivery against expected delivery *	2,816	61.0	2,086	44.5	Home Delivery by SBA	12.2	
17	Home Delivery against reported delivery **	148	5.0	90	4.1	PNC within 2days of delivery	58.9	
18	Institutional Delivery against reported delivery **	2,816	95.0	2,086	95.9			
19	Total reported Deliveries	2,964		2,176				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	76	51.4	33	36.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	898	30.3	889	40.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	4,559		4,635				
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	2,929	64.3	2,156	46.5	Breastfed within 1 hour of birth	60.3	
24	Total Still Birth	41	0.9	29	0.6	BCG	100	
25	PC of newborn weighted at birth to live birth	2,883	98.4	2,141	99.3	3 dose of DPT	88.7	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	127	4.4	71	3.3	Measles First dose	86.6	

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,509	85.7	1,924	89.2	3 doses of penta or hepatitis B vaccine	88.7
28	Children fully immunized	2,554	56.0	1,934	41.7	Full Immunization	82.8
29	Children who have received BCG	3,126	68.6	2,260	48.8		
30	Children who have received Pentavalent 1	2,901	63.6	1,965	42.4		
31	Children who have received Pentavalent 3	2,688	59.0	1,919	41.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,569	56.4	1,938	41.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	583		1,162			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.1
35	Number of Tubectomies performed	304	267	Spacing	7.2
36	Number of IUD insertion	588	410	Women using any method	60.7
37	Number of IUD removals	227	156	Women using modern method	46.7
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	425	338		
39	General OPD cases per 10,000 population ***	8387	6902		
40	Ayush OPD cases per 10,000 population ***	97	157		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	4	5		
42	Neonatal Deaths within 1 to 28 days	26	17		
43	Total Neonatal Death	30	22		
44	Deaths between (1 - 11) months	6	2		
45	Total reported infant deaths	36	24		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	2		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	10		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	2	14		

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	815	815				
9	Expected number of Delivery	750	750				
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	548	67.2	350	42.9	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	205	37.4	111	31.7	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	66	12.0	96	27.4	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	365	66.6	216	61.7	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	427	77.9	339	96.9	Home Delivery	61.3
15	Home Delivery against expected delivery *	40	5.3	22	2.9	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	314	41.9	234	31.2	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	40	11.3	22	8.6	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	314	88.7	234	91.4		
19	Total reported Deliveries	354		256			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	12.5	8	36.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	102	28.8	86	33.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	741		741			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	353	47.7	280	37.8	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	3	0.4	0	0.0	BCG	88.3
25	PC of newborn weighted at birth to live birth	342	96.9	270	96.4	3 dose of DPT	64.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	2.9	2	0.7	Measles First dose	73.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	332	94.1	267	95.4	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	452	61.0	362	48.9	Full Immunization	53
29	Children who have received BCG	409	55.2	294	39.7		
30	Children who have received Pentavalent 1	484	65.3	333	44.9		
31	Children who have received Pentavalent 3	446	60.2	333	44.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	455	61.4	361	48.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	111		85			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	18	19	Spacing	2.9
36	Number of IUD insertion	212	124	Women using any method	66.5
37	Number of IUD removals	78	80	Women using modern method	56.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	193	222		
39	General OPD cases per 10,000 population ***	5426	4496		
40	Ayush OPD cases per 10,000 population ***	279	217		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	17					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	2,983	2,967				
9	Expected number of Delivery	2,744	2,729				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,545	51.8	1,138	38.4	ANC Check up in first trimester	51.6
11	Mothers registered in the first trimester	985	63.8	693	60.9	At least 4ANC check up	18.2
12	Mothers who had 4 or more ANC check ups	877	56.8	633	55.6	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	873	56.5	599	52.6	100 IFA tablets consumed	12.5
14	PW who consumed 180 IFA tablets	939	60.8	630	55.4	Home Delivery	48.5
15	Home Delivery against expected delivery *	161	5.9	104	3.8	Institutional Delivery	51.5
16	Institutional Delivery against expected delivery *	1,021	37.2	766	28.1	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	161	13.6	104	12.0	PNC within 2days of delivery	47.4
18	Institutional Delivery against reported delivery **	1,021	86.4	766	88.0		
19	Total reported Deliveries	1,182		870			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	159	98.8	96	92.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,021	86.4	759	87.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,712		2,697			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,166	43.0	867	32.1	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	19	0.7	13	0.5	BCG	96.8
25	PC of newborn weighted at birth to live birth	1,166	100.0	876	101.0	3 dose of DPT	99
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	36	3.1	30	3.4	Measles First dose	100

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,165	99.9	868	100.1	3 doses of penta or hepatitis B vaccine	96
28	Children fully immunized	1,079	39.8	850	31.5	Full Immunization	92
29	Children who have received BCG	1,270	46.8	892	33.1		
30	Children who have received Pentavalent 1	1,126	41.5	856	31.7		
31	Children who have received Pentavalent 3	1,115	41.1	815	30.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,079	39.8	839	31.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	163		174			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.4
35	Number of Tubectomies performed	48	108	Spacing	3.4
36	Number of IUD insertion	147	104	Women using any method	66.7
37	Number of IUD removals	131	99	Women using modern method	52.5
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	289	195		
39	General OPD cases per 10,000 population ***	6295	5011		
40	Ayush OPD cases per 10,000 population ***	246	349		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	10	2		
43	Total Neonatal Death	12	2		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	14	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	4,406	4,449				
9	Expected number of Delivery	4,053	4,093				
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	3,741	84.9	2,191	49.2	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	751	20.1	506	23.1	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	276	7.4	388	17.7	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	2,222	59.4	1,721	78.5	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	2,282	61.0	1,365	62.3	Home Delivery	78.6
15	Home Delivery against expected delivery *	930	22.9	698	17.1	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,537	37.9	1,236	30.2	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	930	37.7	698	36.1	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,537	62.3	1,236	63.9		
19	Total reported Deliveries	2,467		1,934			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	395	42.5	270	38.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,190	48.2	918	47.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,005		4,045			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	2,449	61.1	1,924	47.6	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	32	0.8	12	0.3	BCG	87.1
25	PC of newborn weighted at birth to live birth	2,318	94.7	1,725	89.7	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	0.7	22	1.3	Measles First dose	83.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,272	92.8	1,779	92.5	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,414	60.3	1,778	44.0	Full Immunization	62.4
29	Children who have received BCG	2,913	72.7	1,942	48.0		
30	Children who have received Pentavalent 1	2,870	71.7	2,068	51.1		
31	Children who have received Pentavalent 3	2,644	66.0	1,819	45.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,417	60.3	1,782	44.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	485		685			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.7
35	Number of Tubectomies performed	101	55	Spacing	0.6
36	Number of IUD insertion	861	525	Women using any method	68.7
37	Number of IUD removals	488	330	Women using modern method	55.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	133	187		
39	General OPD cases per 10,000 population ***	3151	2740		
40	Ayush OPD cases per 10,000 population ***	114	59		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	9	0		
43	Total Neonatal Death	9	1		
44	Deaths between (1 - 11) months	3	2		
45	Total reported infant deaths	12	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	3	0		

Noklak Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	3						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:			2022-23		2023-24			
8	Expected number of PW	353			371			
9	Expected number of Delivery	325			341			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	480	135.8	387	104.4	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	83	17.3	35	9.0	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	35	7.3	32	8.3	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	231	48.1	207	53.5	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	268	55.8	327	84.5	Home Delivery	NA	
15	Home Delivery against expected delivery *	128	39.4	127	37.2	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	260	80.0	179	52.5	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	128	33.0	127	41.5	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	260	67.0	179	58.5			
19	Total reported Deliveries	388		306				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	105	82.0	117	92.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	204	52.6	140	45.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	321		337				
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	385	119.9	338	100.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	6	1.9	5	1.5	BCG	NA	
25	PC of newborn weighted at birth to live birth	369	95.8	328	97.0	3 dose of DPT	NA	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	1.1	14	4.3	Measles First dose	NA	

27	PC of newborns breastfed within 1 hour to total reported live birth.	373	96.9	326	96.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	244	76.0	192	57.0	Full Immunization	NA
29	Children who have received BCG	329	102.4	318	94.3		
30	Children who have received Pentavalent 1	401	124.8	306	90.8		
31	Children who have received Pentavalent 3	340	105.8	244	72.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	274	85.3	199	59.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	36		109			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	52	41	Women using any method	NA
37	Number of IUD removals	26	31	Women using modern method	NA
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	251	224		
39	General OPD cases per 10,000 population ***	7860	6300		
40	Ayush OPD cases per 10,000 population ***	52	313		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Peren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	1,782	1,812				
9	Expected number of Delivery	1,639	1,667				
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,382	77.6	927	51.2	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	345	25.0	224	24.2	At least 4ANC check up	14.5
12	Mothers who had 4 or more ANC check ups	236	17.1	194	20.9	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	877	63.5	713	76.9	100 IFA tablets consumed	6.1
14	PW who consumed 180 IFA tablets	1,073	77.6	713	76.9	Home Delivery	56.5
15	Home Delivery against expected delivery *	214	13.1	202	12.1	Institutional Delivery	43.5
16	Institutional Delivery against expected delivery *	537	32.8	381	22.9	Home Delivery by SBA	9.6
17	Home Delivery against reported delivery **	214	28.5	202	34.6	PNC within 2days of delivery	46.9
18	Institutional Delivery against reported delivery **	537	71.5	381	65.4		
19	Total reported Deliveries	751		583			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	73	34.1	50	24.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	184	24.5	207	35.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,620		1,647			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	746	46.1	589	35.8	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	11	0.7	7	0.4	BCG	86.8
25	PC of newborn weighted at birth to live birth	714	95.7	533	90.5	3 dose of DPT	71.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.7	7	1.3	Measles First dose	74.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	708	94.9	527	89.5	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	790	48.8	505	30.7	Full Immunization	63.3
29	Children who have received BCG	940	58.0	627	38.1		
30	Children who have received Pentavalent 1	1,045	64.5	763	46.3		
31	Children who have received Pentavalent 3	862	53.2	601	36.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	793	49.0	548	33.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	106		146			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	6.2
35	Number of Tubectomies performed	58	46	Spacing	4.5
36	Number of IUD insertion	119	57	Women using any method	58.6
37	Number of IUD removals	54	52	Women using modern method	42
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	101	82		
39	General OPD cases per 10,000 population ***	3194	2702		
40	Ayush OPD cases per 10,000 population ***	174	258		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	2	2		
43	Total Neonatal Death	2	3		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	3	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,63,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	49					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	2,820	2,842				
9	Expected number of Delivery	2,595	2,615				
		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,085	73.9	1,049	36.9	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	578	27.7	354	33.7	At least 4ANC check up	9.5
12	Mothers who had 4 or more ANC check ups	345	16.5	227	21.6	Neonatal tetanus received	83.8
13	PW who got TT 2 / Booster injection	1,072	51.4	779	74.3	100 IFA tablets consumed	13.5
14	PW who consumed 180 IFA tablets	1,335	64.0	586	55.9	Home Delivery	67.8
15	Home Delivery against expected delivery *	459	17.7	227	8.7	Institutional Delivery	32.2
16	Institutional Delivery against expected delivery *	798	30.8	603	23.1	Home Delivery by SBA	18.5
17	Home Delivery against reported delivery **	459	36.5	227	27.3	PNC within 2days of delivery	39.6
18	Institutional Delivery against reported delivery **	798	63.5	603	72.7		
19	Total reported Deliveries	1,257		830			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	323	70.4	161	70.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	644	51.2	314	37.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,564		2,584			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,245	48.6	822	31.8	Breastfed within 1 hour of birth	64.8
24	Total Still Birth	16	0.6	8	0.3	BCG	87.6
25	PC of newborn weighted at birth to live birth	1,222	98.2	815	99.1	3 dose of DPT	65.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	1.9	6	0.7	Measles First dose	71.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,223	98.2	776	94.4	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,197	46.7	898	34.8	Full Immunization	54.6
29	Children who have received BCG	1,330	51.9	875	33.9		
30	Children who have received Pentavalent 1	1,492	58.2	971	37.6		
31	Children who have received Pentavalent 3	1,292	50.4	932	36.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,196	46.6	910	35.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	197		254			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.5
35	Number of Tubectomies performed	157	78	Spacing	3.5
36	Number of IUD insertion	234	203	Women using any method	56.3
37	Number of IUD removals	161	81	Women using modern method	47.1
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	235	139		
39	General OPD cases per 10,000 population ***	3945	2910		
40	Ayush OPD cases per 10,000 population ***	130	193		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	7	4		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	7	4		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	9	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	36					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	2,820	2,803				
9	Expected number of Delivery	2,594	2,579				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,442	51.1	1,116	39.8	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	285	19.8	196	17.6	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	167	11.6	158	14.2	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	753	52.2	635	56.9	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	585	40.6	436	39.1	Home Delivery	65.2
15	Home Delivery against expected delivery *	282	10.9	152	5.9	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	724	27.9	531	20.6	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	282	28.0	152	22.3	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	724	72.0	531	77.7		
19	Total reported Deliveries	1,006		683			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	215	76.2	115	75.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	350	34.8	162	23.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,564		2,548			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,002	39.1	721	28.3	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	8	0.3	18	0.7	BCG	75.6
25	PC of newborn weighted at birth to live birth	977	97.5	709	98.3	3 dose of DPT	56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.4	19	2.7	Measles First dose	53.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	975	97.3	702	97.4	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,130	44.1	915	35.9	Full Immunization	39.9
29	Children who have received BCG	1,223	47.7	939	36.8		
30	Children who have received Pentavalent 1	1,367	53.3	1,004	39.4		
31	Children who have received Pentavalent 3	1,293	50.4	866	34.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,126	43.9	907	35.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	64		188			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.9
35	Number of Tubectomies performed	48	40	Spacing	5.9
36	Number of IUD insertion	256	213	Women using any method	52.6
37	Number of IUD removals	98	84	Women using modern method	37.4
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	109	131		
39	General OPD cases per 10,000 population ***	2117	2092		
40	Ayush OPD cases per 10,000 population ***	36	37		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	2	1		
43	Total Neonatal Death	3	1		
44	Deaths between (1 - 11) months	4	1		
45	Total reported infant deaths	7	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	3,184	3,246				
9	Expected number of Delivery	2,929	2,986				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	898	28.2	707	21.8	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	346	38.5	238	33.7	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	292	32.5	171	24.2	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	774	86.2	527	74.5	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	450	50.1	421	59.5	Home Delivery	56.4
15	Home Delivery against expected delivery *	146	5.0	101	3.4	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	456	15.6	313	10.5	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	146	24.3	101	24.4	PNC within 2days of delivery	50.7
18	Institutional Delivery against reported delivery **	456	75.7	313	75.6		
19	Total reported Deliveries	602		414			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	122	83.6	59	58.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	585	97.2	296	71.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,895		2,951			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	603	20.8	409	13.9	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	5	0.2	3	0.1	BCG	73.3
25	PC of newborn weighted at birth to live birth	601	99.7	409	100.0	3 dose of DPT	61.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7	1.2	2	0.5	Measles First dose	66.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	599	99.3	409	100.0	3 doses of penta or hepatitis B vaccine	55.1
28	Children fully immunized	875	30.2	682	23.1	Full Immunization	42.8
29	Children who have received BCG	832	28.7	559	18.9		
30	Children who have received Pentavalent 1	910	31.4	612	20.7		
31	Children who have received Pentavalent 3	914	31.6	612	20.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	878	30.3	680	23.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	285		293			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.2
35	Number of Tubectomies performed	37	12	Spacing	1.4
36	Number of IUD insertion	66	35	Women using any method	64.6
37	Number of IUD removals	25	23	Women using modern method	50.1
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	85	88		
39	General OPD cases per 10,000 population ***	2863	2174		
40	Ayush OPD cases per 10,000 population ***	162	184		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	Total Neonatal Death	0	3		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	2,334	2,341				
9	Expected number of Delivery	2,147	2,154				
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,006	43.1	834	35.6	ANC Check up in first trimester	46.5
11	Mothers registered in the first trimester	298	29.6	229	27.5	At least 4ANC check up	11.2
12	Mothers who had 4 or more ANC check ups	273	27.1	221	26.5	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	589	58.5	405	48.6	100 IFA tablets consumed	5.5
14	PW who consumed 180 IFA tablets	384	38.2	364	43.6	Home Delivery	65
15	Home Delivery against expected delivery *	130	6.1	87	4.0	Institutional Delivery	35
16	Institutional Delivery against expected delivery *	692	32.2	540	25.1	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	130	15.8	87	13.9	PNC within 2days of delivery	24.9
18	Institutional Delivery against reported delivery **	692	84.2	540	86.1		
19	Total reported Deliveries	822		627			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	116	89.2	68	78.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	700	85.2	503	80.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,121		2,128			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	822	38.7	619	29.1	Breastfed within 1 hour of birth	38.4
24	Total Still Birth	8	0.4	10	0.5	BCG	82.2
25	PC of newborn weighted at birth to live birth	798	97.1	613	99.0	3 dose of DPT	72.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	2.0	18	2.9	Measles First dose	76.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	675	82.1	466	75.3	3 doses of penta or hepatitis B vaccine	72.3
28	Children fully immunized	883	41.6	644	30.3	Full Immunization	60.7
29	Children who have received BCG	892	42.0	635	29.8		
30	Children who have received Pentavalent 1	948	44.7	677	31.8		
31	Children who have received Pentavalent 3	908	42.8	621	29.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	918	43.3	637	29.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	476		462			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.8
35	Number of Tubectomies performed	73	55	Spacing	0.7
36	Number of IUD insertion	320	240	Women using any method	68.8
37	Number of IUD removals	204	159	Women using modern method	56.5
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	83	57		
39	General OPD cases per 10,000 population ***	3919	3360		
40	Ayush OPD cases per 10,000 population ***	217	181		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths within 1 to 28 days	4	0		
43	Total Neonatal Death	7	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	7	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		