

Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,10,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	153					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	4					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW #	11,993		12,142			
9	Expected number of Delivery #	11,034		11,170			
		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,776	64.8	5,205	42.9	ANC Check up in first trimester	63.7
11	Mothers registered in the first trimester	6,701	86.2	4,381	84.2	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	5,975	76.8	4,249	81.6	Neonatal tetanus received	92.0
13	PW who got TT 2 / Booster injection	7,244	93.2	4,997	96.0	100 IFA tablets consumed	54.7
14	PW who consumed 180 IFA tablets	6,760	86.9	5,039	96.8	Home Delivery	5.3
15	Home Delivery against expected delivery *	33	0.3	26	0.2	Institutional Delivery	94.7
16	Institutional Delivery against expected delivery *	6,579	59.6	4,953	44.3	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	33	0.5	26	0.5	PNC within 2days of delivery	69.3
18	Institutional Delivery against reported delivery **	6,579	99.5	4,953	99.5		
19	Total reported Deliveries	6,612		4,979			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	51.5	12	46.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,173	108.5	5,579	112.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	10,903		11,038			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	6,587	60.4	4,963	45.0	Breastfed within 1 hour of birth	33
24	Total Still Birth	64	0.6	81	0.7	BCG	96.6
25	PC of newborn weighted at birth to live birth	6,409	97.3	4,879	98.3	3 dose of DPT	91.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	484	7.6	347	7.1	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,272	95.2	4,762	96.0	3 doses of penta or hepatitis B vaccine	89.1
28	Children fully immunized	6,898	63.3	5,415	49.1	Full Immunization	80.6
29	Children who have received BCG	6,562	60.2	5,018	45.5		
30	Children who have received Pentavalent 1	6,733	61.8	5,097	46.2		
31	Children who have received Pentavalent 3	6,933	63.6	5,162	46.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,929	63.6	5,412	49.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,790		2,411			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	5	Total unmet need	11.9
35	Number of Tubectomies performed	98	102	Spacing	4.9
36	Number of IUD insertion	219	141	Women using any method	69.1
37	Number of IUD removals	418	335	Women using modern method	54.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	543	392		
39	General OPD cases per 10,000 population ***	12516	10038		
40	Ayush OPD cases per 10,000 population ***	183	160		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
41	Neonatal death within 24 hours	7	2		
42	Neonatal Deaths within 1 to 28 days	10	5		
43	Total Neonatal Death	17	7		
44	Deaths between (1 - 11) months	38	14		
45	Total reported infant deaths	55	21		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	7		
52	Due to Other/Unknown Causes	7	4		
53	Total reported maternal deaths	11	12		

East Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,83,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW #	5,720		5,804			
9	Expected number of Delivery #	5,262		5,340			
		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,847	67.3	2,556	44.0	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	3,174	82.5	2,026	79.3	At least 4ANC check up	43.8
12	Number of PW received 4 or more ANC check ups	2,749	71.5	1,875	73.4	Neonatal tetanus received	90.3
13	PW who got TT 2 / Booster injection	3,505	91.1	2,446	95.7	100 IFA tablets consumed	48.3
14	PW who consumed 180 IFA tablets	3,474	90.3	2,476	96.9	Home Delivery	8.2
15	Home Delivery against expected delivery *	13	0.2	7	0.1	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	4,744	90.2	3,397	63.6	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	13	0.3	7	0.2	PNC within 2days of delivery	65.8
18	Institutional Delivery against reported delivery **	4,744	99.7	3,397	99.8		
19	Total reported Deliveries	4,757		3,404			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	61.5	4	57.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,657	97.9	3,661	107.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	5,200		5,277			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,726	90.9	3,398	64.4	Breastfed within 1 hour of birth	27.1
24	Total Still Birth	43	0.8	55	1.0	BCG	*
25	PC of newborn weighted at birth to live birth	4,544	96.1	3,304	97.2	3 dose of DPT	*

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	379	8.3	244	7.4	Measles First dose	*
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,444	94.0	3,239	95.3	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	3,342	64.3	2,667	50.5	Full Immunization	*
29	Children who have received BCG	4,674	89.9	3,391	64.3		
30	Children who have received Pentavalent 1	3,189	61.3	2,520	47.8		
31	Children who have received Pentavalent 3	3,295	63.4	2,532	48.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,351	64.4	2,674	50.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	816		980			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	3	Total unmet need	17.7
35	Number of Tubectomies performed	36	22	Spacing	7.2
36	Number of IUD insertion	115	67	Women using any method	54.3
37	Number of IUD removals	145	118	Women using modern method	42.8
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	496	387		
39	General OPD cases per 10,000 population ***	9820	8402		
40	Ayush OPD cases per 10,000 population ***	127	91		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	3	1		
44	Deaths between (1 - 11) months	12	3		
45	Total reported infant deaths	15	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	1		
52	Due to Other/Unknown Causes	1	4		
53	Total reported maternal deaths	4	6		

North Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW #	798		803			
9	Expected number of Delivery #	734		738			
		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	484	60.6	347	43.2	ANC Check up in first trimester	66.2
11	Mothers registered in the first trimester	423	87.4	276	79.5	At least 4ANC check up	59.4
12	Number of PW received 4 or more ANC check ups	393	81.2	302	87.0	Neonatal tetanus received	92.5
13	PW who got TT 2 / Booster injection	472	97.5	321	92.5	100 IFA tablets consumed	74.0
14	PW who consumed 180 IFA tablets	404	83.5	295	85.0	Home Delivery	2.7
15	Home Delivery against expected delivery *	2	0.3	3	0.4	Institutional Delivery	97.3
16	Institutional Delivery against expected delivery *	56	7.6	40	5.4	Home Delivery by SBA	1.5
17	Home Delivery against reported delivery **	2	3.4	3	7.0	PNC within 2days of delivery	71.3
18	Institutional Delivery against reported delivery **	56	96.6	40	93.0		
19	Total reported Deliveries	58		43			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	294		224			
		506.9		520.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	726		730			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	62	8.5	42	5.8	Breastfed within 1 hour of birth	26.1
24	Total Still Birth	2	0.3	0	0.0	BCG	100
25	PC of newborn weighted at birth to live birth	60	96.8	43	102.4	3 dose of DPT	100

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	8.3	4	9.3	Measles First dose	96.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	60	96.8	41	97.6	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	420	57.9	295	40.4	Full Immunization	90.8
29	Children who have received BCG	70	9.6	44	6.0		
30	Children who have received Pentavalent 1	388	53.5	309	42.3		
31	Children who have received Pentavalent 3	409	56.4	317	43.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	429	59.1	288	39.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	196		140			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.8
35	Number of Tubectomies performed	0	0	Spacing	6.9
36	Number of IUD insertion	9	6	Women using any method	75.7
37	Number of IUD removals	23	12	Women using modern method	61
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	310	220		
39	General OPD cases per 10,000 population ***	12374	9748		
40	Ayush OPD cases per 10,000 population ***	9	96		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	3	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	1		

South Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,46,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW #	2,860		2,893			
9	Expected number of Delivery #	2,631		2,662			
		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,748	61.1	1,134	39.2	ANC Check up in first trimester	78.1
11	Mothers registered in the first trimester	1,609	92.0	1,070	94.4	At least 4ANC check up	84.5
12	Number of PW received 4 or more ANC check ups	1,363	78.0	1,051	92.7	Neonatal tetanus received	92.3
13	PW who got TT 2 / Booster injection	1,628	93.1	1,077	95.0	100 IFA tablets consumed	71.3
14	PW who consumed 180 IFA tablets	1,609	92.0	1,193	105.2	Home Delivery	2.6
15	Home Delivery against expected delivery *	9	0.3	9	0.3	Institutional Delivery	97.4
16	Institutional Delivery against expected delivery *	884	33.6	918	34.5	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	9	1.0	9	1.0	PNC within 2days of delivery	83.1
18	Institutional Delivery against reported delivery **	884	99.0	918	99.0		
19	Total reported Deliveries	893		927			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	11.1	2	22.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,119	125.3	793	85.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	2,600		2,630			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	893	34.3	918	34.9	Breastfed within 1 hour of birth	28.2
24	Total Still Birth	9	0.3	15	0.6	BCG	89.5
25	PC of newborn weighted at birth to live birth	904	101.2	924	100.7	3 dose of DPT	89.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	4.9	51	5.5	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	870	97.4	906	98.7	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	1,574	60.5	1,241	47.2	Full Immunization	86.4
29	Children who have received BCG	922	35.5	934	35.5		
30	Children who have received Pentavalent 1	1,594	61.3	1,182	44.9		
31	Children who have received Pentavalent 3	1,664	64.0	1,199	45.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,567	60.3	1,236	47.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	663		599			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	2	Total unmet need	5.2
35	Number of Tubectomies performed	62	80	Spacing	2.8
36	Number of IUD insertion	22	17	Women using any method	85
37	Number of IUD removals	114	102	Women using modern method	67.6
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	717	518		
39	General OPD cases per 10,000 population ***	16810	12695		
40	Ayush OPD cases per 10,000 population ***	253	339		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
41	Neonatal death within 24 hours	3	0		
42	Neonatal Deaths within 1 to 28 days	3	2		
43	Total Neonatal Death	6	2		
44	Deaths between (1 - 11) months	16	7		
45	Total reported infant deaths	22	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	4		
52	Due to Other/Unknown Causes	4	0		
53	Total reported maternal deaths	4	4		

West Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,36,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW #	2,629		2,657			
9	Expected number of Delivery #	2,419		2,444			
		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,697	64.6	1,168	44.0	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	1,495	88.1	1,009	86.4	At least 4ANC check up	70.4
12	Number of PW received 4 or more ANC check ups	1,470	86.6	1,021	87.4	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	1,639	96.6	1,153	98.7	100 IFA tablets consumed	48.6
14	PW who consumed 180 IFA tablets	1,273	75.0	1,075	92.0	Home Delivery	0.7
15	Home Delivery against expected delivery *	9	0.4	7	0.3	Institutional Delivery	99.3
16	Institutional Delivery against expected delivery *	895	37.0	598	24.5	Home Delivery by SBA	0.0
17	Home Delivery against reported delivery **	9	1.0	7	1.2	PNC within 2days of delivery	63.6
18	Institutional Delivery against reported delivery **	895	99.0	598	98.8		
19	Total reported Deliveries	904		605			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	88.9	5	71.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,103	122.0	901	148.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	2,390		2,415			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	906	37.9	605	25.0	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	10	0.4	11	0.5	BCG	96.9
25	PC of newborn weighted at birth to live birth	901	99.4	608	100.5	3 dose of DPT	98.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	56	6.2	48	7.9	Measles First dose	98.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	898	99.1	576	95.2	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	1,562	65.4	1,212	50.2	Full Immunization	96.9
29	Children who have received BCG	896	37.5	649	26.9		
30	Children who have received Pentavalent 1	1,562	65.4	1,086	45.0		
31	Children who have received Pentavalent 3	1,565	65.5	1,114	46.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,582	66.2	1,214	50.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,115		692			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	0	0	Spacing	1.1
36	Number of IUD insertion	73	51	Women using any method	88.2
37	Number of IUD removals	136	103	Women using modern method	70.8
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	522	317		
39	General OPD cases per 10,000 population ***	13689	10750		
40	Ayush OPD cases per 10,000 population ***	279	135		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths within 1 to 28 days	5	3		
43	Total Neonatal Death	7	4		
44	Deaths between (1 - 11) months	8	3		
45	Total reported infant deaths	15	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) Up to 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	2	1		