

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	36,73,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers(SC)	1,000					
4	Primary Health Centers(PHC)	117					
5	Community Health Centers (CHC)	23					
6	SDH	12					
7	DH	7					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	60,653	61,548				
9	Expected number of Delivery	56,242	57,072				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	57,008	94.0	40,273	65.4	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	46,071	80.8	32,406	80.5	At least 4ANC check up	52.8
12	Number of PW received 4 or more ANC check ups	51,099	89.6	37,105	92.1	Neonatal tetanus received	90.2
13	PW who got TT 2 / Booster injection	51,105	89.6	35,754	88.8	100 IFA tablets consumed	18.8
14	PW who consumed 180 IFA tablets	49,593	87.0	38,761	96.2	Home Delivery	12.3
15	Home Delivery against expected delivery *	1,405	2.5	680	1.2	Institutional Delivery	87.7
16	Institutional Delivery against expected delivery *	47,641	84.7	34,431	60.3	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	1,405	2.9	680	1.9	PNC within 2days of delivery	72.1
18	Institutional Delivery against reported delivery **	47,641	97.1	34,431	98.1		
19	Total reported Deliveries	49,046		35,111			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	0.6	7	1.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,524	86.7	30,646	87.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	55,139		55,953			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	48,716	88.4	34,926	62.4	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	746	1.4	476	0.9	BCG	97.6
25	PC of newborn weighted at birth to live birth	48,450	99.5	34,400	98.5	3 dose of DPT	89.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,136	10.6	3,862	11.2	Measles First dose	84.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	47,610	97.7	33,872	97.0	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	50,663	91.9	38,258	68.4	Full Immunization	70.3
29	Children who have received BCG	48,054	87.2	35,229	63.0		
30	Children who have received Pentavalent 1	52,296	94.8	37,778	67.5		
31	Children who have received Pentavalent 3	50,377	91.4	37,972	67.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	50,850	92.2	38,273	68.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,368		7,698			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	15	4	Total unmet need	15.3
35	Number of Tubectomies performed	3,320	2,185	Spacing	3.9
36	Number of IUD insertion	593	298	Women using any method	58.9
37	Number of IUD removals	319	317	Women using modern method	44.2
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	942	817		
39	General OPD cases per 10,000 population ***	9444	8521		
40	Ayush OPD cases per 10,000 population ***	544	389		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	131	82		
42	Neonatal Deaths within 1 to 28 days	288	176		
43	Total Neonatal Death	419	258		
44	Deaths between (1 - 11) months	243	131		
45	Total reported infant deaths	662	389		
II)	Maternal Mortality	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	7	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	4		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	3	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	9	4		
52	Due to Other/Unknown Causes	42	6		
53	Total reported maternal deaths	55	16		

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers(SC)	121					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	3					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	6,865		7,021			
9	Expected number of Delivery	6,365		6,510			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,653	111.5	5,269	75.0	ANC Check up in first trimester	58.1
11	Mothers registered in the first trimester	5,523	72.2	3,761	71.4	At least 4ANC check up	52.0
12	Number of PW received 4 or more ANC check ups	4,873	63.7	3,460	65.7	Neonatal tetanus received	97.8
13	PW who got TT 2 / Booster injection	5,991	78.3	4,430	84.1	100 IFA tablets consumed	26.0
14	PW who consumed 180 IFA tablets	6,286	82.1	4,691	89.0	Home Delivery	12.7
15	Home Delivery against expected delivery *	378	5.9	248	3.8	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	5,030	79.0	3,788	58.2	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	378	7.0	248	6.1	PNC within 2days of delivery	72.4
18	Institutional Delivery against reported delivery **	5,030	93.0	3,788	93.9		
19	Total reported Deliveries	5,408		4,036			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	4	1.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,718	31.8	848	21.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,241		6,383			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,411	86.7	4,060	63.6	Breastfed within 1 hour of birth	44.0
24	Total Still Birth	91	1.5	64	1.0	BCG	97.6
25	PC of newborn weighted at birth to live birth	5,367	99.2	3,995	98.4	3 dose of DPT	89.0

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	427	8.0	349	8.7	Measles First dose	90.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,273	97.4	3,958	97.5	3 doses of penta or hepatitis B vaccine	86.2
28	Children fully immunized	5,501	88.1	4,123	64.6	Full Immunization	73.7
29	Children who have received BCG	5,284	84.7	4,905	76.8		
30	Children who have received Pentavalent 1	6,130	98.2	4,292	67.2		
31	Children who have received Pentavalent 3	5,576	89.4	4,122	64.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,538	88.7	4,100	64.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	533		685			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.0
35	Number of Tubectomies performed	40	17	Spacing	1.8
36	Number of IUD insertion	74	33	Women using any method	80.9
37	Number of IUD removals	73	44	Women using modern method	53.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	765	691		
39	General OPD cases per 10,000 population ***	8410	6575		
40	Ayush OPD cases per 10,000 population ***	273	231		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	14	10		
42	Neonatal Deaths within 1 to 28 days	25	5		
43	Total Neonatal Death	39	15		
44	Deaths between (1 - 11) months	36	23		
45	Total reported infant deaths	75	38		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	1		
52	Due to Other/Unknown Causes	9	1		
53	Total reported maternal deaths	12	2		

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,36,868						
2	Sex Ratio	0						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers(SC)	145						
4	Primary Health Centers(PHC)	11						
5	Community Health Centers (CHC)	3						
6	SDH	2						
7	DH	1						
C) Maternal Health:		2022-23	2023-24					
8	Expected number of PW	7,157	7,258					
9	Expected number of Delivery	6,637	6,730					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	6,446	90.1	4,511	62.2	ANC Check up in first trimester	54.2	
11	Mothers registered in the first trimester	5,640	87.5	3,925	87.0	At least 4ANC check up	58.4	
12	Number of PW received 4 or more ANC check ups	5,163	80.1	3,860	85.6	Neonatal tetanus received	89.4	
13	PW who got TT 2 / Booster injection	5,968	92.6	4,294	95.2	100 IFA tablets consumed	29.5	
14	PW who consumed 180 IFA tablets	5,927	91.9	4,422	98.0	Home Delivery	10.3	
15	Home Delivery against expected delivery *	61	0.9	27	0.4	Institutional Delivery	89.7	
16	Institutional Delivery against expected delivery *	5,471	82.4	3,772	56.0	Home Delivery by SBA	0.7	
17	Home Delivery against reported delivery **	61	1.1	27	0.7	PNC within 2days of delivery	68.0	
18	Institutional Delivery against reported delivery **	5,471	98.9	3,772	99.3			
19	Total reported Deliveries	5,532		3,799				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,365	78.9	2,739	72.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	6,506		6,598				
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	5,509	84.7	3,779	57.3	Breastfed within 1 hour of birth	15.8	
24	Total Still Birth	74	1.1	42	0.6	BCG	89.0	
25	PC of newborn weighted at birth to live birth	5,483	99.5	3,768	99.7	3 dose of DPT	81.1	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	513	9.4	320	8.5	Measles First dose	83.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,212	94.6	3,574	94.6	3 doses of penta or hepatitis B vaccine	72.7
28	Children fully immunized	6,049	93.0	4,453	67.5	Full Immunization	48.5
29	Children who have received BCG	5,824	89.5	3,862	58.5		
30	Children who have received Pentavalent 1	5,874	90.3	4,339	65.8		
31	Children who have received Pentavalent 3	5,814	89.4	4,281	64.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,058	93.1	4,461	67.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,150		1,048			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	4	Total unmet need	17.3
35	Number of Tubectomies performed	526	312	Spacing	3.7
36	Number of IUD insertion	42	53	Women using any method	50.7
37	Number of IUD removals	27	27	Women using modern method	40.3
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	932	805		
39	General OPD cases per 10,000 population ***	7454	7693		
40	Ayush OPD cases per 10,000 population ***	380	298		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	17	10		
42	Neonatal Deaths within 1 to 28 days	10	7		
43	Total Neonatal Death	27	17		
44	Deaths between (1 - 11) months	18	11		
45	Total reported infant deaths	45	28		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	1		
53	Total reported maternal deaths	2	2		

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,27,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers(SC)	104					
4	Primary Health Centers(PHC)	10					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	5,267	5,333				
9	Expected number of Delivery	4,884	4,945				
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,050	76.9	2,789	52.3	ANC Check up in first trimester	41.0
11	Mothers registered in the first trimester	3,099	76.5	2,044	73.3	At least 4ANC check up	24.6
12	Number of PW received 4 or more ANC check ups	3,015	74.4	2,215	79.4	Neonatal tetanus received	95.6
13	PW who got TT 2 / Booster injection	3,679	90.8	2,402	86.1	100 IFA tablets consumed	31.6
14	PW who consumed 180 IFA tablets	2,886	71.3	2,708	97.1	Home Delivery	28.5
15	Home Delivery against expected delivery *	41	0.8	24	0.5	Institutional Delivery	71.5
16	Institutional Delivery against expected delivery *	2,469	50.6	1,482	30.0	Home Delivery by SBA	2.9
17	Home Delivery against reported delivery **	41	1.6	24	1.6	PNC within 2days of delivery	44.5
18	Institutional Delivery against reported delivery **	2,469	98.4	1,482	98.4		
19	Total reported Deliveries	2,510		1,506			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,014	40.4	608	40.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,788		4,848			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,494	52.1	1,498	30.9	Breastfed within 1 hour of birth	21.7
24	Total Still Birth	28	0.6	11	0.2	BCG	85.1
25	PC of newborn weighted at birth to live birth	2,471	99.1	1,434	95.7	3 dose of DPT	78.0

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	248	10.0	166	11.6	Measles First dose	83.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,394	96.0	1,447	96.6	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,056	84.7	2,965	61.2	Full Immunization	58.3
29	Children who have received BCG	2,536	53.0	1,528	31.5		
30	Children who have received Pentavalent 1	3,875	80.9	2,660	54.9		
31	Children who have received Pentavalent 3	3,709	77.5	2,822	58.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,065	84.9	2,948	60.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	132		277			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	185	70	Spacing	3.7
36	Number of IUD insertion	15	18	Women using any method	66.8
37	Number of IUD removals	4	4	Women using modern method	40.2
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	585	455		
39	General OPD cases per 10,000 population ***	6378	5495		
40	Ayush OPD cases per 10,000 population ***	680	486		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	4	3		
42	Neonatal Deaths within 1 to 28 days	5	1		
43	Total Neonatal Death	9	4		
44	Deaths between (1 - 11) months	18	4		
45	Total reported infant deaths	27	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	3	0		
53	Total reported maternal deaths	3	0		

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,15,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers(SC)	99					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	7,084		7,207			
9	Expected number of Delivery	6,569		6,683			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,395	118.5	5,639	78.2	ANC Check up in first trimester	54.0
11	Mothers registered in the first trimester	7,232	86.1	5,132	91.0	At least 4ANC check up	40.6
12	Number of PW received 4 or more ANC check ups	7,236	86.2	4,983	88.4	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	7,828	93.2	5,230	92.7	100 IFA tablets consumed	22.0
14	PW who consumed 180 IFA tablets	7,714	91.9	5,987	106.2	Home Delivery	6.8
15	Home Delivery against expected delivery *	459	7.0	109	1.6	Institutional Delivery	93.2
16	Institutional Delivery against expected delivery *	5,355	81.5	4,018	60.1	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	459	7.9	109	2.6	PNC within 2days of delivery	66.3
18	Institutional Delivery against reported delivery **	5,355	92.1	4,018	97.4		
19	Total reported Deliveries	5,814		4,127			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	1.3	2	1.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,996	68.7	2,773	67.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,440		6,552			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,785	89.8	4,103	62.6	Breastfed within 1 hour of birth	24.8
24	Total Still Birth	65	1.0	43	0.7	BCG	91.8
25	PC of newborn weighted at birth to live birth	5,718	98.8	3,940	96.0	3 dose of DPT	83.9

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	459	8.0	327	8.3	Measles First dose	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,684	98.3	3,839	93.6	3 doses of penta or hepatitis B vaccine	80.6
28	Children fully immunized	7,253	112.6	5,327	81.3	Full Immunization	67.1
29	Children who have received BCG	6,425	99.8	4,112	62.8		
30	Children who have received Pentavalent 1	7,331	113.8	5,388	82.2		
31	Children who have received Pentavalent 3	6,936	107.7	5,309	81.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,342	114.0	5,318	81.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,485		1,091			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.1
35	Number of Tubectomies performed	192	105	Spacing	3.7
36	Number of IUD insertion	2	14	Women using any method	65.5
37	Number of IUD removals	7	48	Women using modern method	48.7
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	889	730		
39	General OPD cases per 10,000 population ***	5545	5695		
40	Ayush OPD cases per 10,000 population ***	359	347		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	4	3		
42	Neonatal Deaths within 1 to 28 days	8	5		
43	Total Neonatal Death	12	8		
44	Deaths between (1 - 11) months	27	5		
45	Total reported infant deaths	39	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	1	2		

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,84,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers(SC)	142					
4	Primary Health Centers(PHC)	15					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	7,790		7,888			
9	Expected number of Delivery	7,224		7,314			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,451	108.5	5,823	73.8	ANC Check up in first trimester	78.7
11	Mothers registered in the first trimester	6,784	80.3	4,636	79.6	At least 4ANC check up	61.2
12	Number of PW received 4 or more ANC check ups	5,531	65.4	4,627	79.5	Neonatal tetanus received	99.3
13	PW who got TT 2 / Booster injection	7,435	88.0	5,352	91.9	100 IFA tablets consumed	31.8
14	PW who consumed 180 IFA tablets	6,763	80.0	5,501	94.5	Home Delivery	4.7
15	Home Delivery against expected delivery *	99	1.4	50	0.7	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	3,436	47.6	2,371	32.4	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	99	2.8	50	2.1	PNC within 2days of delivery	87.7
18	Institutional Delivery against reported delivery **	3,436	97.2	2,371	97.9		
19	Total reported Deliveries	3,535		2,421			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,629	130.9	2,761	114.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,082		7,171			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,508	49.5	2,405	33.5	Breastfed within 1 hour of birth	38.0
24	Total Still Birth	31	0.4	19	0.3	BCG	100.0
25	PC of newborn weighted at birth to live birth	3,504	99.9	2,392	99.5	3 dose of DPT	94.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	403	11.5	261	10.9	Measles First dose	94.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,419	97.5	2,331	96.9	3 doses of penta or hepatitis B vaccine	91.7
28	Children fully immunized	7,350	103.8	5,762	80.4	Full Immunization	88.4
29	Children who have received BCG	4,092	57.8	2,635	36.7		
30	Children who have received Pentavalent 1	7,691	108.6	5,740	80.0		
31	Children who have received Pentavalent 3	7,669	108.3	5,857	81.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,354	103.8	5,778	80.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	600		453			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	9	0	Total unmet need	2.5
35	Number of Tubectomies performed	78	97	Spacing	0.9
36	Number of IUD insertion	11	9	Women using any method	80.1
37	Number of IUD removals	18	15	Women using modern method	53.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	585	584		
39	General OPD cases per 10,000 population ***	6884	7610		
40	Ayush OPD cases per 10,000 population ***	805	545		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	3	0		
44	Deaths between (1 - 11) months	4	7		
45	Total reported infant deaths	7	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,33,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers(SC)	148					
4	Primary Health Centers(PHC)	18					
5	Community Health Centers (CHC)	5					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	7,106		7,206			
9	Expected number of Delivery	6,589		6,681			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,405	90.1	4,360	60.5	ANC Check up in first trimester	57.2
11	Mothers registered in the first trimester	5,542	86.5	3,779	86.7	At least 4ANC check up	41.5
12	Number of PW received 4 or more ANC check ups	4,868	76.0	3,540	81.2	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	5,768	90.1	4,012	92.0	100 IFA tablets consumed	38.0
14	PW who consumed 180 IFA tablets	4,880	76.2	4,149	95.2	Home Delivery	4.3
15	Home Delivery against expected delivery *	25	0.4	20	0.3	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	4,224	64.1	3,104	46.5	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	25	0.6	20	0.6	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	4,224	99.4	3,104	99.4		
19	Total reported Deliveries	4,249		3,124			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,997	94.1	3,133	100.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,460		6,550			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,234	65.5	3,112	47.5	Breastfed within 1 hour of birth	20.9
24	Total Still Birth	40	0.6	16	0.2	BCG	96.1
25	PC of newborn weighted at birth to live birth	4,177	98.7	2,914	93.6	3 dose of DPT	87.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	426	10.2	318	10.9	Measles First dose	85.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,158	98.2	2,987	96.0	3 doses of penta or hepatitis B vaccine	85.7
28	Children fully immunized	5,769	89.3	4,245	64.8	Full Immunization	60.7
29	Children who have received BCG	4,283	66.3	3,255	49.7		
30	Children who have received Pentavalent 1	5,851	90.6	4,182	63.8		
31	Children who have received Pentavalent 3	5,835	90.3	4,222	64.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,773	89.4	4,278	65.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	783		721			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.1
35	Number of Tubectomies performed	277	103	Spacing	2.2
36	Number of IUD insertion	268	111	Women using any method	79.9
37	Number of IUD removals	140	130	Women using modern method	49.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	904	798		
39	General OPD cases per 10,000 population ***	10109	8529		
40	Ayush OPD cases per 10,000 population ***	537	400		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	4	1		
42	Neonatal Deaths within 1 to 28 days	9	3		
43	Total Neonatal Death	13	4		
44	Deaths between (1 - 11) months	13	5		
45	Total reported infant deaths	26	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	3	0		
53	Total reported maternal deaths	4	0		

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,77,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers(SC)	70					
4	Primary Health Centers(PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	4,724		4,805			
9	Expected number of Delivery	4,380		4,456			
		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,998	105.8	3,593	74.8	ANC Check up in first trimester	63.2
11	Mothers registered in the first trimester	3,789	75.8	2,834	78.9	At least 4ANC check up	52.7
12	Number of PW received 4 or more ANC check ups	3,623	72.5	2,718	75.6	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	4,406	88.2	3,178	88.4	100 IFA tablets consumed	26.7
14	PW who consumed 180 IFA tablets	4,117	82.4	3,083	85.8	Home Delivery	10.8
15	Home Delivery against expected delivery *	302	6.9	188	4.2	Institutional Delivery	89.2
16	Institutional Delivery against expected delivery *	3,564	81.4	2,646	59.4	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	302	7.8	188	6.6	PNC within 2days of delivery	71.9
18	Institutional Delivery against reported delivery **	3,564	92.2	2,646	93.4		
19	Total reported Deliveries	3,866		2,834			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	0.7	1	0.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,584	41.0	2,402	84.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,294		4,369			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,831	89.2	2,821	64.6	Breastfed within 1 hour of birth	36.4
24	Total Still Birth	65	1.5	32	0.7	BCG	94.7
25	PC of newborn weighted at birth to live birth	3,810	99.5	2,810	99.6	3 dose of DPT	85.9

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	367	9.6	313	11.1	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,662	95.6	2,734	96.9	3 doses of penta or hepatitis B vaccine	82.5
28	Children fully immunized	4,155	96.8	3,319	76.0	Full Immunization	69.5
29	Children who have received BCG	3,711	86.4	2,602	59.6		
30	Children who have received Pentavalent 1	4,399	102.4	3,265	74.7		
31	Children who have received Pentavalent 3	3,920	91.3	3,350	76.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,169	97.1	3,308	75.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,000		843			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	8.2
35	Number of Tubectomies performed	211	97	Spacing	2.5
36	Number of IUD insertion	34	16	Women using any method	71.2
37	Number of IUD removals	6	8	Women using modern method	49.1
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	863	791		
39	General OPD cases per 10,000 population ***	7434	7607		
40	Ayush OPD cases per 10,000 population ***	451	249		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	7	3		
42	Neonatal Deaths within 1 to 28 days	12	9		
43	Total Neonatal Death	19	12		
44	Deaths between (1 - 11) months	23	15		
45	Total reported infant deaths	42	27		
II)	Maternal Mortality	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	7	1		
53	Total reported maternal deaths	8	2		

West Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	9,17,534						
2	Sex Ratio	964						
B) Infrastructure Details (RHS 2021-22)		Numbers						
3	Sub Centers(SC)	171						
4	Primary Health Centers(PHC)	20						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:			2022-23		2023-24			
8	Expected number of PW	14,761	14,946					
9	Expected number of Delivery	13,688	13,859					
		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	10,610	71.9	8,289	55.5	ANC Check up in first trimester	75.5	
11	Mothers registered in the first trimester	8,462	79.8	6,295	75.9	At least 4ANC check up	67.1	
12	Number of PW received 4 or more ANC check ups	16,790	158.2	11,702	141.2	Neonatal tetanus received	95.0	
13	PW who got TT 2 / Booster injection	10,030	94.5	6,856	82.7	100 IFA tablets consumed	17.3	
14	PW who consumed 180 IFA tablets	11,020	103.9	8,220	99.2	Home Delivery	14.6	
15	Home Delivery against expected delivery *	40	0.3	14	0.1	Institutional Delivery	85.4	
16	Institutional Delivery against expected delivery *	18,092	132.2	13,250	95.6	Home Delivery by SBA	1.3	
17	Home Delivery against reported delivery **	40	0.2	14	0.1	PNC within 2days of delivery	76.6	
18	Institutional Delivery against reported delivery **	18,092	99.8	13,250	99.9			
19	Total reported Deliveries	18,132		13,264				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	2.5	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,221	117.0	15,382	116.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	13,419		13,587				
D) Child Immunization :			HMIS (2022-23)		HMIS (2023-24) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC			
23	Total reported live births	17,944	133.7	13,148	96.8	Breastfed within 1 hour of birth	61.1	
24	Total Still Birth	352	2.6	249	1.8	BCG	93.1	
25	PC of newborn weighted at birth to live birth	17,920	99.9	13,147	100.0	3 dose of DPT	77.5	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,293	12.8	1,808	13.8	Measles First dose	74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,808	99.2	13,002	98.9	3 doses of penta or hepatitis B vaccine	74.6
28	Children fully immunized	10,530	78.5	8,064	59.3	Full Immunization	69.6
29	Children who have received BCG	15,899	118.5	12,330	90.7		
30	Children who have received Pentavalent 1	11,145	83.1	7,912	58.2		
31	Children who have received Pentavalent 3	10,918	81.4	8,009	58.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,551	78.6	8,082	59.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,685		2,580			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	6.1
35	Number of Tubectomies performed	1,811	1,384	Spacing	2.5
36	Number of IUD insertion	147	44	Women using any method	78.3
37	Number of IUD removals	44	41	Women using modern method	54.4
F) Service delivery		HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
38	IPD cases per 10,000 population ***	1408	1187		
39	General OPD cases per 10,000 population ***	15464	12983		
40	Ayush OPD cases per 10,000 population ***	681	448		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
41	Neonatal death within 24 hours	79	52		
42	Neonatal Deaths within 1 to 28 days	218	146		
43	Total Neonatal Death	297	198		
44	Deaths between (1 - 11) months	104	61		
45	Total reported infant deaths	401	259		
II)	Maternal Mortality	HMIS (2022-23)	HMIS (2023-24) 3rd QTR		
46	Due to APH (Antepartum Haemorrhage)	4	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	3		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	2	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	2		
52	Due to Other/Unknown Causes	17	2		
53	Total reported maternal deaths	25	8		